

Draft

Post-traumatic stress disorder: management

Search strategies

NICE guideline tbc

Search strategies

April 2018

Draft for Consultation

*Evidence reviews were developed by
National Guideline Alliance hosted by the
Royal College of Obstetricians and
Gynaecologists*

Disclaimer

The recommendations in this guideline represent the view of NICE, arrived at after careful consideration of the evidence available. When exercising their judgement, professionals are expected to take this guideline fully into account, alongside the individual needs, preferences and values of their patients or service users. The recommendations in this guideline are not mandatory and the guideline does not override the responsibility of healthcare professionals to make decisions appropriate to the circumstances of the individual patient, in consultation with the patient and/or their carer or guardian.

Local commissioners and/or providers have a responsibility to enable the guideline to be applied when individual health professionals and their patients or service users wish to use it. They should do so in the context of local and national priorities for funding and developing services, and in light of their duties to have due regard to the need to eliminate unlawful discrimination, to advance equality of opportunity and to reduce health inequalities. Nothing in this guideline should be interpreted in a way that would be inconsistent with compliance with those duties.

NICE guidelines cover health and care in England. Decisions on how they apply in other UK countries are made by ministers in the [Welsh Government](#), [Scottish Government](#), and [Northern Ireland Executive](#). All NICE guidance is subject to regular review and may be updated or withdrawn.

Copyright

© National Institute for Health and Care Excellence, 2016. All rights reserved. Subject to Notice of Rights.

ISBN:

Contents

Clinical evidence search strategies	6
Psychological, psychosocial and other non-pharmacological interventions for the prevention and treatment of PTSD in children and young people	6
Psychological, psychosocial and other non-pharmacological interventions for the prevention and treatment of PTSD in adults	6
Clinical evidence	6
Pharmacological interventions for the prevention and treatment of PTSD in children and young people.....	14
Clinical evidence	14
Pharmacological interventions for the prevention and treatment of PTSD in adults	17
RQ. 4.1 For adults at risk of PTSD, what are the relative benefits and harms of specific pharmacological interventions?	17
RQ. 4.2 For adults with clinically important post-traumatic stress symptoms, what are the relative benefits and harms of specific pharmacological interventions?	17
Clinical evidence	17
Psychological, psychosocial and other non-pharmacological interventions for the support of family or carers	25
RQ. 5.1 For family members (including children and carers) of people at risk of PTSD, do specific psychological, psychosocial or other non-pharmacological interventions result in an improvement in their mental health and wellbeing, a reduction in burden and improved social and occupational outcomes?	25
RQ. 5.2 For family members (including children and carers) of people with clinically important post-traumatic stress symptoms, do specific psychological, psychosocial or other non-pharmacological interventions result in an improvement in their mental health and wellbeing, a reduction in burden and improved social and occupational outcomes?	25
Clinical evidence	25
Principles of care and support for people with PTSD and their families and carers.....	33
RQ. 6.1 For adults, children and young people with clinically important post-traumatic stress symptoms, what factors should be taken into account in order to provide access to care, optimal care and coordination of care?.....	33
Clinical evidence	33
Organisation and delivery of care for people with PTSD	40
RQ. 7.1 Which service delivery models are effective at meeting the needs of adults, children and young people with clinically important post-traumatic stress symptoms?.....	40
RQ. 7.2 For adults, children and young people with clinically important post-traumatic stress symptoms, what are the aspects of a clinical care pathway that are associated with better outcomes?	40
Clinical evidence	40

DRAFT FOR CONSULTATION
Contents

Health economics global search.....	46
-------------------------------------	----

Clinical evidence search strategies

Psychological, psychosocial and other non-pharmacological interventions for the prevention and treatment of PTSD in children and young people

RQ. 1.1 For children and young people at risk of PTSD, what are the relative benefits and harms of psychological, psychosocial or other non-pharmacological interventions targeted at PTSD symptoms?

RQ. 1.2 For children and young people with clinically important post-traumatic stress symptoms, what are the relative benefits and harms of psychological, psychosocial or other non-pharmacological interventions targeted at PTSD symptoms?

Psychological, psychosocial and other non-pharmacological interventions for the prevention and treatment of PTSD in adults

RQ. 2.1 For adults at risk of PTSD, what are the relative benefits and harms of psychological, psychosocial or other non-pharmacological interventions targeted at PTSD symptoms?

RQ. 2.2 For adults with clinically important post-traumatic stress symptoms, what are the relative benefits and harms of psychological, psychosocial or other non-pharmacological interventions targeted at PTSD symptoms?

Clinical evidence

Database: Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid MEDLINE(R), Embase, PsycINFO

Date of last search: 29 January 2018

#	Searches
1	*acute stress/ or *behavioural stress/ or *emotional stress/ or *critical incident stress/ or *mental stress/ or *posttraumatic stress disorder/ or *psychotrauma/
2	1 use emez
3	stress disorders, traumatic/ or combat disorders/ or psychological trauma/ or stress disorders, post-traumatic/ or stress disorders, traumatic, acute/ or stress, psychological/
4	3 use mesz, prem
5	exp posttraumatic stress disorder/ or acute stress disorder/ or combat experience/ or emotional trauma/ or post-traumatic stress/ or traumatic neurosis/ or trauma/ or psychological stress/ or chronic stress/
6	5 use psyh
7	(railway spine or (rape adj2 trauma*) or reexperienc* or re experienc* or torture syndrome or traumatic neuros* or traumatic stress).ti,ab.
8	(trauma* and (avoidance or grief or horror or death* or nightmare* or night mare* or emotion*).ti,ab.

#	Searches
9	(posttraumatic* or post traumatic* or stress disorder* or acute stress or ptsd or asd or desnos or (combat neuros* or combat syndrome or concentration camp syndrome or extreme stress or flashback* or flash back* or hypervigilan* or hypervigilen* or psych* stress or psych* trauma* or psycho?trauma* or psychotrauma*) or (posttrauma* or traumagenic* or traumatic stress*)).ti,ab.
10	or/2,4,6-9
11	*psychotherapy/ use emez or psychotherapy/ use mesz, prem,psyh
12	((psycholog* or psycho social* or psychosocial*) adj3 (intervention* or program* or therap* or treat*)) or psychotherap* or psycho therap* or talk* therap* or therapeutic technique* or therapist* or third wave or time limited).ti,ab,sh.
13	exp *behavior therapy/ or exp *cognitive therapy/
14	13 use emez
15	exp behavior therapy/ use mesz, prem
16	exp behavior therapy/ or exp cognitive behavior therapy/
17	16 use psyh
18	((behaviour* or behavior*) adj2 cognitiv*) or cbt or ccbt or ((behav* or cognitive*) adj3 (intervention* or manag* or program* or restructure* or therap* or treat*)) or (stress inoculation adj2 (intervention* or program* or therap* or train* or treat*)) or (behav* adj2 activat*) or ((trauma adj (based or focused or led)) or exposure based or prolonged exposure)).ti,ab.
19	*emotion/ use emez or emotions/ use mesz, prem
20	emotion focused therapy/ or sympathy/
21	20 use psyh
22	((compassion or emotion* or emotive*) adj (based or focused or led)) or emotional processing or ((compassion or emotion* or emotive*) adj3 (coach* or intervention* or program* or therap* or treat*)).ti,ab.
23	exposure therapy/ or narrative therapy/ or virtual reality exposure therapy/
24	23 use emez
25	implosive therapy/ or narrative therapy/ or virtual reality exposure therapy/
26	25 use mesz, prem
27	exposure therapy/ or narrative therapy/ or virtual reality/
28	27 use psyh
29	((augmented or virtual) adj2 reality) or (virtual adj (environment or restorative)) or ((exposure or implosive or virtual reality) adj2 (intervention* or program* or therap* or train*)).ti,ab.
30	((imagery adj2 (rehears* or re hears*)) or (((lower* or reduc*) adj3 (bad dream* or nightmare*)) and (intervention* or program* or therap* or treat*)) or ((intervention* or program* or therap* or treat*) adj3 nightmare*).mp. or ((presleep or presleep) adj2 imagery).ti,ab.
31	(mindfulness or ((exposure or narrative) adj therapy)).sh.
32	(kidnet or mindful* or narrative therap*).ti,ab.
33	exp "debriefing (psychological)"/ use psyh
34	debrief*.ti,ab.
35	eye movement desensitization reprocessing/ use mesz, prem or eye movement desensitization therapy/ use psyh or (emdr or (eye movement adj2 desensiti*)).ti,ab.
36	hypnosis/ use emez or exp hypnosis/ use mesz, prem or exp hypnotherapy/ use psyh or (hypnosis or hypnotherap*).ti,ab.
37	psychodynamic psychotherapy/ use emez or psychotherapy, psychodynamic/ use mesz, prem or psychodynamic psychotherapy/ use psyh or repetitive transcranial magnetic stimulation/ use emez or Transcranial Magnetic Stimulation/ use mesz, prem, psyh

#	Searches
38	((psychodynamic or (dynamic adj (psychotherapy* or therap*)) or incident reduction) or ((brain or transcranial) adj2 stimulat*) or rtms).ti,ab.
39	(psychoanal* or psychosomatic*).ti,ab.
40	exp counseling/ use emez,mesz,psyh or counsel*.ti,ab.
41	(hg therap* or human givens).ti,ab.
42	psychosomatic disorder/th use emez or exp somatoform disorders/th use mesz, prem
43	(exp somatoform disorders/ or somatization/) and (intervention* or program* or therap* or treat*).ti,ab,hw. use psyh
44	(psychosomatic* or somatherap* or somatic*).ti,ab.
45	(emotional freedom or holistic or thought field).ti,ab.
46	dance therap*.ti,ab,sh.
47	couple therapy/ or family therapy/ or marital therapy/ or exp parent/ed
48	47 use emez
49	couples therapy/ or family intervention/ or exp family therapy/ or exp marriage counseling/ or parent training/
50	49 use mesz, prem
51	couples therapy/ or family intervention/ or exp family therapy/ or exp marriage counseling/ or parent training/
52	51 use psyh
53	(((con?joint or couple* or family or families or husband* or marriage* or marital* or partner* or relations* or spous* or wife or wives* or (child* adj5 parent*)) adj6 (counsel* or intervention* or program* or support* or therap* or treat*)) or ((couples* or family* or relations*) adj (based or focused or led)) or ecological therap* or expressed emotion or family dynamics or family relationships).tw.
54	((child* adj2 family traumatic stress intervention) or cftsi).ti,ab.
55	play therapy.sh.
56	(doll therap* or ((play or playful) adj3 (intervention* or program* or therap* or treat*)) or sandplay or sand play).ti,ab.
57	meditation.sh. or meditat*.ti,ab.
58	mindfulness.sh. or (mbsr or mindful*).ti,ab.
59	exp horticulture/ or occupational therapy/ or recreational therapy/
60	59 use emez
61	horticultural therapy/ or occupational therapy/ or recreation therapy/
62	61 use mesz, prem
63	exp "nature (environment)"/ or horticulture therapy/ or recreation therapy/ or occupational therapy/
64	63 use psyh
65	((nature adj (assisted or based)) or (nature adj3 (intervention* or program* or therap* or treat*)) or ecotherap* or e cotherap* or gardening or horticul* or leisure activit* or naturopath* or occupational therap*).ti,ab. or exp animal assisted therapy/ use emez, mesz or animal assisted therapy/ use psyh or (((animal* or dog* or equine* or horse* or pet or pets) adj2 (assist* or based or facilitat*)) or ((animal* or dog* or equine* or horse* or pet or pets) adj3 (intervention* or therap* or treat* or program*)).ti,ab.
66	psychoeducation.sh. or (psychoed* or psycho ed*).ti,ab.
67	exp acupuncture/ use emez or exp alternative medicine/ use emez or biofeedback/ or massage/ use emez or meditation/ use emez or acupressure/ use mesz, prem or massage/ use mesz, prem or acupuncture/ use mesz, prem or exp complementary therapies/ use mesz, prem or exp alternative medicine/ use psyh or biofeedback/ use psyh or massage/ use psyh or mind body therapy/ use psyh

#	Searches
68	(chinese medicine or medicine, chinese traditional or (moxibustion or electroacupuncture)).sh,id. or ((alternative or complementary) adj2 (medicine* or therap*).ti,ab,sh. or (acu point* or acupoint* or acupressur* or acupunctur* or (ching adj2 lo) or cizhen or dianzhen or electroacupunctur* or (jing adj2 luo) or jingluo or massag* or needle therap* or tapping or zhenjiu or zhenci).tw.
69	exp *exercise/ use emez or exp *kinesiotherapy/ use emez or exp exercise/ use mesz, prem or exercise therapy/ use mesz, prem or exp exercise/ use psyh (physiotherap* or physio therap* or rehab*).ti,ab,hw.
70	((balance or flexibility or resistance or sitting* or strength*) adj2 (exercise* or train*)) or aerobic* or anaerobic* or bowls or dancing or dance or cycling or cycle* or elliptical train* or jogging or low impact activit* or running or swimming or sprinting or swim*1 or walking or yoga or tai chi or weight train* or (weight and brain* and (change* or increas* or volum*)).ti,ab.
71	friendship/ or peer counseling/ or peer group/ or self help/ or self care/ or social network/ or social support/ or support group/
72	71 use emez
73	community networks/ or friends/ or exp peer group/ or self care/ or self-help groups/ or social networking/ or social support/
74	73 use mesz, prem
75	friendship/ or network therapy/ or exp social networks/ or peer relations/ or peers/ or peer counseling/ or self care skills/ or exp self help techniques/ or social support/ or exp support groups/
76	75 use psyh
77	((self adj (administer* or assess* or attribut* or care or change or directed or efficacy or help* or guide* or instruct* or manag* or medicat* or monitor* or regulat* or reinforc* or re infor* or support* or technique* or therap* or train* or treat*)) or selfadminister* or selfassess* or selfattribut* or selfcare or selfchange or selfdirected or selfefficacy or selfhelp* or selfguide* or selfinstruct* or selfmanag* or selfmedicat* or selfmonitor* or selfregulat* or selfreinforc* or self re infor* or selfsupport* or selftechnique* or selftherap* or selftrain* or selftreat* or (wellness adj (therap* or train* or treat*))).ti,ab,sh.
78	(befriend* or be*1 friend* or buddy or buddies or ((community or lay or paid or support) adj (person or worker*)).ti,ab.
79	((consumer* or famil* or friend* or lay or mutual* or peer* or social* or spous* or voluntary or volunteer*) adj3 (assist* or advice* or advis* or counsel* or educat* or forum* or help* or mentor* or network* or support* or visit*) or ((consumer* or famil* or peer* or self help or social* or support* or voluntary or volunteer*) adj2 group*) or ((consumer* or famil* or friend* or lay or mutual* or peer* or self help or social* or spous* or support* or voluntary or volunteer*) adj3 (intervention* or program* or rehab* or therap* or service* or skill* or treat*)) or (((consumer* or famil* or friend* or lay* or peer* or spous* or user* or support* or voluntary or volunteer*) adj (based or counsel* or deliver* or interact* or led or mediat* or operated or provides or provider* or run*)) or ((consumer* or famil* or friend* or lay* or peer* or relation* or spous* or support*) adj3 trust*) or voluntary work*).ti,ab.
80	((lay or peer*) adj3 (advise* or consultant or educator* or expert* or facilitator* or instructor* or leader* or mentor* or person* or tutor* or worker*) or expert patient* or mutual aid).ti,ab.
81	(peer* adj3 (assist* or counsel* or educat* or program* or rehab* or service* or supervis*).ti,ab.
82	((psychoeducat* or psycho educat*) adj3 (group or network* or service*).ti,ab.
83	((psychosocial or social) adj work*).ti,ab.
84	((ptsd or posttrauma* or post trauma* or trauma*) adj2 support*).ti,ab.
85	recovery support.ti,ab.
86	financial management/ use emez or financial support/ use mesz, prem or finance/ use psyh

#	Searches
87	((financ* or money) adj2 (assist* or educat* or guidance or intervention* or program* or support* or train*)).ti,ab.
88	assisted living facility/ or emergency shelter/ or halfway house/ or housing/ or independent living/ or residential home/ or residential home/
89	88 use emez
90	assisted living facilities/ or emergency shelter/ or group homes/ or halfway houses/ or housing/ or independent living/ or residential facilities/
91	90 use mesz, prem
92	assisted living / use psyh or shelters/ use psyh or group homes/ use psyh or halfway houses/ use psyh or housing/ use psyh or residential care institutions/ use psyh or ((resident* or hous* or accommod* or commun* or comu* or home*) adj5 (support* or support* or shelter* or outreach* or visit* or appointment*)).ti,ab.
93	(residential treatm* or residential facility* or supported hous* or public hous*).ti,ab.
94	(accomod* or assertive community treatment* or home* or housing* or outreach* or residential*).ti,ab.
95	absenteeism/ or daily life activity/ or employment/ or medical leave/ or mentoring/ or occupational health/ or occupational therapy/ or return to work/ or supported employment/ or unemployment/ or vocational guidance/ or vocational rehabilitation/ or work capacity/ or work/
96	95 use emez
97	absenteeism/ or "activities of daily living"/ or employment, supported/ or employment/ or mentoring/ or occupational health/ or occupational therapy/ or rehabilitation, vocational/ or return to work/ or sick leave/ or unemployment/ or vocational guidance/ or work/
98	97 use mesz, prem
99	"activities of daily living"/ or exp coaching/ or employee absenteeism/ or employment status/ or occupational guidance/ or occupational health/ or occupational therapy/ or reemployment/ or unemployment/ or vocational counselors/ or exp vocational rehabilitation/
100	99 use psyh
101	((supp* or transitional*) adj5 (employ* or work*)) or individual placement or (placement* adj3 (employ* or work*)).ti,ab.
102	((employ* or placement* or psychosocial* or psycho-social* or occupation* or soc* or vocation* or work* or job* or counsel*) adj5 rehab*).ti,ab.
103	(sheltered work* or vocatio* or fountain house* or fountainhouse* or clubhouse* or club house* or work therap*).ti,ab.
104	(transitional employment or rehabilitation counsel* or (occupational adj (health or medicine)) or work* adjustment).ti,ab.
105	((performance adj (activit* or coach* or management or occupation*)) or coaching).ti,ab.
106	((sheltered or permitted or voluntary or vocational or return* or rehabilitat*) adj3 work*) or work capacity or reemploy* or re employ* or job retention or work capacity).ti,ab.
107	((employ* or job or occupation* or vocation* or work*) adj5 (counsel* or educat* or guidance* or intervention* or program* or rehab* or reintegrat* or re integrat* or support* or therap* or train*)).ti,ab.
108	placement.ti,ab.
109	or/11-12,14-15,17-19,21-22,24,26,28-46,48,50,52-58,60,62,64-70,72,74,76-87,89,91-94,96,98,100-108
110	meta analysis/ or "meta analysis (topic)"/ or systematic review/
111	110 use emez
112	meta analysis.sh,pt. or "meta-analysis as topic"/ or "review literature as topic"/
113	112 use mesz, prem
114	(literature review or meta analysis).sh,id,md. or systematic review.id,md.

#	Searches
115	114 use psyh
116	(exp bibliographic database/ or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,sh,pt. or systematic*.ti,ab.)
117	116 use emez
118	(exp databases, bibliographic/ or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,sh,pt. or systematic*.ti,ab.)
119	118 use mesz, prem
120	(computer searching.sh,id. or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,pt. or systematic*.ti,ab.)
121	120 use psyh
122	((analy* or assessment* or evidence* or methodol* or quantativ* or systematic*) adj2 (overview* or review*).tw. or ((analy* or assessment* or evidence* or methodol* or quantativ* or systematic*).ti. and review*.ti,pt.) or (systematic* adj2 search*).ti,ab.
123	(metaanal* or meta anal*).ti,ab.
124	(research adj (review* or integration)).ti,ab.
125	reference list*.ab.
126	bibliograph*.ab.
127	published studies.ab.
128	relevant journals.ab.
129	selection criteria.ab.
130	(data adj (extraction or synthesis)).ab.
131	(handsearch* or ((hand or manual) adj search*).ti,ab.
132	(mantel haenszel or peto or dersimonian or der simonian).ti,ab.
133	(fixed effect* or random effect*).ti,ab.
134	((pool* or combined or combining) adj2 (data or trials or studies or results)).ti,ab.
135	or/111,113,115,117,119,121-134
136	exp "clinical trial (topic)"/ or exp clinical trial/ or crossover procedure/ or double blind procedure/ or placebo/ or randomization/ or random sample/ or single blind procedure/
137	136 use emez
138	exp clinical trial/ or exp "clinical trials as topic"/ or cross-over studies/ or double-blind method/ or placebos/ or random allocation/ or single-blind method/
139	138 use mesz, prem
140	(clinical trials or placebo or random sampling).sh,id.
141	140 use psyh
142	(clinical adj2 trial*).ti,ab.
143	(crossover or cross over).ti,ab.
144	(((single* or doubl* or trebl* or tripl*) adj2 blind*) or mask* or dummy or doubleblind* or singleblind* or trebleblind* or tripleblind*).ti,ab.
145	(placebo* or random*).ti,ab.
146	treatment outcome*.md. use psyh
147	animals/ not human*.mp. use emez
148	animal*/ not human*/ use mesz, prem

#	Searches
149	(animal not human).po. use psych
150	or/137,139,141-146
151	150 not (or/147-149)
152	or/135,151
153	10 and 109 and 152

Database: CDSR, DARE, HTA, CENTRAL

Date of last search: 29 January 2018

#	Searches
#1	MeSH descriptor: Stress Disorders, Traumatic this term only
#2	MeSH descriptor: Combat Disorders this term only
#3	MeSH descriptor: Psychological Trauma this term only
#4	MeSH descriptor: Stress Disorders, Post-Traumatic this term only
#5	MeSH descriptor: Stress Disorders, Traumatic, Acute this term only
#6	MeSH descriptor: Stress, Psychological this term only
#7	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"):ti (Word variations have been searched)
#8	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"):ab (Word variations have been searched)
#9	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)):ti (Word variations have been searched)
#10	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)):ab (Word variations have been searched)
#11	(posttraumatic* or "post traumatic*" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (postrauma* or traumagenic* or "traumatic stress**")):ti (Word variations have been searched)
#12	(posttraumatic* or "post traumatic*" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (postrauma* or traumagenic* or "traumatic stress**")):ab (Word variations have been searched)
#13	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11 or #12

Database: CINAHL PLUS

Date of last search: 29 January 2018

#	Searches
s52	s6 and s51
s51	s40 or s50
s50	s48 not s49
s49	(mh "animals") not (mh "human")
s48	s41 or s42 or s43 or s44 or s45 or s46 or s47
s47	ti (placebo* or random*) or ab (placebo* or random*)

#	Searches
s46	ti (single blind* or double blind* or treble blind* or mask* or dummy* or singleblind* or doubleblind* or trebleblind* or tripleblind*) or ab (single blind* or double blind* or treble blind* or mask* or dummy* or singleblind* or doubleblind* or trebleblind* or tripleblind*)
s45	ti (crossover or cross over) or ab (crossover or cross over)
s44	ti clinical n2 trial* or ab clinical n2 trial*
s43	(mh "crossover design") or (mh "placebos") or (mh "random assignment") or (mh "random sample")
s42	mw double blind* or single blind* or triple blind*
s41	(mh "clinical trials+")
s40	s7 or s8 or s9 or s10 or s11 or s12 or s13 or s14 or s15 or s16 or s17 or s18 or s19 or s20 or s21 or s22 or s23 or s29 or s30 or s31 or s34 or s35 or s36 or s37 or s38 or s39
s39	ti (analy* n5 review* or evidence* n5 review* or methodol* n5 review* or quantativ* n5 review* or systematic* n5 review*) or ab (analy* n5 review* or assessment* n5 review* or evidence* n5 review* or methodol* n5 review* or qualitativ* n5 review* or quantativ* n5 review* or systematic* n5 review*)
s38	ti (pool* n2 results or combined n2 results or combining n2 results) or ab (pool* n2 results or combined n2 results or combining n2 results)
s37	ti (pool* n2 studies or combined n2 studies or combining n2 studies) or ab (pool* n2 studies or combined n2 studies or combining n2 studies)
s36	ti (pool* n2 trials or combined n2 trials or combining n2 trials) or ab (pool* n2 trials or combined n2 trials or combining n2 trials)
s35	ti (pool* n2 data or combined n2 data or combining n2 data) or ab (pool* n2 data or combined n2 data or combining n2 data)
s34	s32 and s33
s33	ti review* or pt review*
s32	ti analy* or assessment* or evidence* or methodol* or quantativ* or qualitativ* or systematic*
s31	ti "systematic* n5 search*" or ab "systematic* n5 search"
s30	ti "systematic* n5 review*" or ab "systematic* n5 review"
s29	(s24 or s25 or s26) and (s27 or s28)
s28	ti systematic* or ab systematic*
s27	tx review* or mw review* or pt review*
s26	(mh "cochrane library")
s25	ti (bids or cochrane or embase or "index medicus" or "isi citation" or medline or psyclit or psychlit or scisearch or "science citation" or web n2 science) or ab (bids or cochrane or "index medicus" or "isi citation" or psyclit or psychlit or scisearch or "science citation" or web n2 science)
s24	ti ("electronic database*" or "bibliographic database*" or "computeri?ed database*" or "online database*") or ab ("electronic database*" or "bibliographic database*" or "computeri?ed database*" or "online database*")
s23	(mh "literature review")
s22	pt systematic* or pt meta*
s21	ti ("fixed effect*" or "random effect*") or ab ("fixed effect*" or "random effect*")
s20	ti ("mantel haenszel" or peto or dersimonian or "der simonian") or ab ("mantel haenszel" or peto or dersimonian or "der simonian")
s19	ti (handsearch* or "hand search*" or "manual search*") or ab (handsearch* or "hand search*" or "manual search*")
s18	ab "data extraction" or "data synthesis"
s17	ab "selection criteria"
s16	ab "relevant journals"

#	Searches
s15	ab "published studies"
s14	ab bibliograph*
s13	ti "reference list**"
s12	ab "reference list**"
s11	ti ("research review*" or "research integration") or ab ("research review*" or "research integration")
s10	ti (metaanal* or "meta anal*" or metasynthes* or "meta synethes*") or ab (metaanal* or "meta anal*" or metasynthes* or "meta synethes*")
s9	(mh "meta analysis")
s8	(mh "systematic review")
s7	(mh "literature searching+")
s6	s1 or s2 or s3 or s4 or s5
s5	ti ((posttraumatic* or "post traumatic*" or "stress disorder*" or "acute stress" or ptsd or asd or desnos or ("combat neuros*" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back*" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress**"))) or ab ((posttraumatic* or "post traumatic*" or "stress disorder*" or "acute stress" or ptsd or asd or desnos or ("combat neuros*" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back*" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress**")))
s4	ti ((trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare**" or emotion*))) or ab ((trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare**" or emotion*)))
s3	ti (("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress")) or ab (("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"))
s2	(mh "stress, psychological")
s1	(mh "stress disorders, post-traumatic")

Pharmacological interventions for the prevention and treatment of PTSD in children and young people

RQ. 3.1 For children and young people at risk of PTSD, what are the relative benefits and harms of specific pharmacological interventions?

RQ. 3.2 For children and young people with clinically important post-traumatic stress symptoms, what are the relative benefits and harms of specific pharmacological interventions?

Clinical evidence

Database: Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid MEDLINE(R), Embase, PsycINFO

Date of last search: 29 January 2018

Database: **CDSR, DARE, HTA, CENTRAL**

Date of last search: 29 January 2018

#	Searches
#1	MeSH descriptor: Stress Disorders, Traumatic this term only
#2	MeSH descriptor: Combat Disorders this term only
#3	MeSH descriptor: Psychological Trauma this term only
#4	MeSH descriptor: Stress Disorders, Post-Traumatic this term only
#5	MeSH descriptor: Stress Disorders, Traumatic, Acute this term only
#6	MeSH descriptor: Stress, Psychological this term only
#7	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc**" or "torture syndrome" or "traumatic neuros**" or "traumatic stress"):ti (Word variations have been searched)
#8	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc**" or "torture syndrome" or "traumatic neuros**" or "traumatic stress"):ab (Word variations have been searched)
#9	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare**" or emotion*)):ti (Word variations have been searched)
#10	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare**" or emotion*)):ab (Word variations have been searched)
#11	(posttraumatic* or "post traumatic*" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma**" or psychotrauma* or psychotrauma*) or (postrauma* or traumagenic* or "traumatic stress*")):ti (Word variations have been searched)
#12	(posttraumatic* or "post traumatic*" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma**" or psychotrauma* or psychotrauma*) or (postrauma* or traumagenic* or "traumatic stress*")):ab (Word variations have been searched)
#13	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11 or #12

Database: CINAHL PLUS

Date of last search: 29 January 2018

#	Searches
s52	s6 and s51
s51	s40 or s50
s50	s48 not s49
s49	(mh "animals") not (mh "human")
s48	s41 or s42 or s43 or s44 or s45 or s46 or s47
s47	ti (placebo* or random*) or ab (placebo* or random*)
s46	ti (single blind* or double blind* or treble blind* or mask* or dummy* or singleblind* or doubleblind* or trebleblind* or tripleblind*) or ab (single blind* or double blind* or treble blind* or mask* or dummy* or singleblind* or doubleblind* or trebleblind* or tripleblind*)
s45	ti (crossover or cross over) or ab (crossover or cross over)
s44	ti clinical n2 trial* or ab clinical n2 trial*
s43	(mh "crossover design") or (mh "placebos") or (mh "random assignment") or (mh "random sample")
s42	mw double blind* or single blind* or triple blind*
s41	(mh "clinical trials+")

#	Searches
s40	s7 or s8 or s9 or s10 or s11 or s12 or s13 or s14 or s15 or s16 or s17 or s18 or s19 or s20 or s21 or s22 or s23 or s29 or s30 or s31 or s34 or s35 or s36 or s37 or s38 or s39
s39	ti (analy* n5 review* or evidence* n5 review* or methodol* n5 review* or quantativ* n5 review* or systematic* n5 review*) or ab (analy* n5 review* or assessment* n5 review* or evidence* n5 review* or methodol* n5 review* or qualitativ* n5 review* or quantativ* n5 review* or systematic* n5 review*)
s38	ti (pool* n2 results or combined n2 results or combining n2 results) or ab (pool* n2 results or combined n2 results or combining n2 results)
s37	ti (pool* n2 studies or combined n2 studies or combining n2 studies) or ab (pool* n2 studies or combined n2 studies or combining n2 studies)
s36	ti (pool* n2 trials or combined n2 trials or combining n2 trials) or ab (pool* n2 trials or combined n2 trials or combining n2 trials)
s35	ti (pool* n2 data or combined n2 data or combining n2 data) or ab (pool* n2 data or combined n2 data or combining n2 data)
s34	s32 and s33
s33	ti review* or pt review*
s32	ti analy* or assessment* or evidence* or methodol* or quantativ* or qualitativ* or systematic*
s31	ti "systematic* n5 search**" or ab "systematic* n5 search**"
s30	ti "systematic* n5 review**" or ab "systematic* n5 review**"
s29	(s24 or s25 or s26) and (s27 or s28)
s28	ti systematic* or ab systematic*
s27	tx review* or mw review* or pt review*
s26	(mh "cochrane library")
s25	ti (bids or cochrane or embase or "index medicus" or "isi citation" or medline or psyclit or psychlit or scisearch or "science citation" or web n2 science) or ab (bids or cochrane or "index medicus" or "isi citation" or psyclit or psychlit or scisearch or "science citation" or web n2 science)
s24	ti ("electronic database**" or "bibliographic database**" or "computeri?ed database**" or "online database**") or ab ("electronic database**" or "bibliographic database**" or "computeri?ed database**" or "online database**")
s23	(mh "literature review")
s22	pt systematic* or pt meta*
s21	ti ("fixed effect**" or "random effect**") or ab ("fixed effect**" or "random effect**")
s20	ti ("mantel haenszel" or peto or dersimonian or "der simonian") or ab ("mantel haenszel" or peto or dersimonian or "der simonian")
s19	ti (handsearch* or "hand search*" or "manual search*") or ab (handsearch* or "hand search*" or "manual search*")
s18	ab "data extraction" or "data synthesis"
s17	ab "selection criteria"
s16	ab "relevant journals"
s15	ab "published studies"
s14	ab bibliograph*
s13	ti "reference list**"
s12	ab "reference list**"
s11	ti ("research review*" or "research integration") or ab ("research review*" or "research integration")
s10	ti (metaanal* or "meta anal*" or metasynthes* or "meta synethes*") or ab (metaanal* or "meta anal*" or metasynthes* or "meta synethes*")

#	Searches
s9	(mh "meta analysis")
s8	(mh "systematic review")
s7	(mh "literature searching")
s6	s1 or s2 or s3 or s4 or s5
s5	ti ((posttraumatic* or "post traumatic*" or "stress disorder*" or "acute stress" or ptsd or asd or desnos or ("combat neuros*" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back*" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress*"))) or ab ((posttraumatic* or "post traumatic*" or "stress disorder*" or "acute stress" or ptsd or asd or desnos or ("combat neuros*" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back*" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress*")))
s4	ti ((trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*))) or ab ((trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)))
s3	ti (("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress")) or ab (("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"))
s2	(mh "stress, psychological")
s1	(mh "stress disorders, post-traumatic")

Pharmacological interventions for the prevention and treatment of PTSD in adults

RQ. 4.1 For adults at risk of PTSD, what are the relative benefits and harms of specific pharmacological interventions?

RQ. 4.2 For adults with clinically important post-traumatic stress symptoms, what are the relative benefits and harms of specific pharmacological interventions?

Clinical evidence

Database: Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid MEDLINE(R), Embase, PsycINFO

Date of last search: 29 January 2018

#	Searches
1	*acute stress/ or *behavioural stress/ or *emotional stress/ or *critical incident stress/ or *mental stress/ or *posttraumatic stress disorder/ or *psychotrauma/
1	*acute stress/ or *behavioural stress/ or *emotional stress/ or *critical incident stress/ or *mental stress/ or *posttraumatic stress disorder/ or *psychotrauma/
2	1 use emez
3	stress disorders, traumatic/ or combat disorders/ or psychological trauma/ or stress disorders, post-traumatic/ or stress disorders, traumatic, acute/ or stress, psychological/
4	3 use mesz
5	exp posttraumatic stress disorder/ or acute stress disorder/ or combat experience/ or "debriefing (psychological)"/ or emotional trauma/ or post-traumatic stress/ or traumatic neurosis/ or trauma/ or stress reactions/ or psychological stress/ or chronic stress/

#	Searches
6	5 use psyh
7	(railway spine or (rape adj2 trauma*) or reexperienc* or re experienc* or torture syndrome or traumatic neuros* or traumatic stress).ti,ab.
8	(trauma* and (avoidance or grief or horror or death* or nightmare* or night mare* or emotion*)).ti,ab.
9	(posttraumatic* or post traumatic* or stress disorder* or acute stress or ptsd or asd or desnos or (combat neuros* or combat syndrome or concentration camp syndrome or extreme stress or flashback* or flash back* or hypervigilan* or hypervigilen* or psych* stress or psych* trauma* or psycho?trauma* or psychotrauma*).ti,ab.
10	or/2,4,6-9
11	exp *antidepressant agent/
12	11 use emez
13	antidepresive agents/ or serotonin uptake inhibitors/ or monoamine oxidase inhibitors/
14	13 use mesz
15	antidepressant drugs/ or serotonin reuptake inhibitors/ or serotonin reuptake inhibitors/ or monoamine oxidase inhibitors/
16	15 use psyh
17	(tricyclic* or tca*1).tw.
18	(ssri* or ((serotonin or 5 ht or 5 hydroxytryptamine) adj (uptake or reuptake or re uptake) adj inhibit*)).tw.
19	(antidepress* or anti depress* or maoi* or ((adrenaline or amine or mao or mono amin* or monoamin* or tyramin*) adj2 inhibit*)).tw.
20	(snri* or ssnri* or ((noradrenalin or norepinephrine) adj serotonin adj (uptake or reuptake or re uptake) adj inhibitor*) or (serotonin adj (noradrenalin or norepinephrine) adj (uptake or reuptake or re uptake) adj inhibitor*)).tw.
21	or/12,14,16,17-20
22	fluoxetine/ use emez,mesz,psyh
23	paroxetine/ use emez,mesz,psyh
24	sertaline/ use emez,mesz,psyh
25	(fluoxetin* or fluctin*1 or flunirin* or fluoxifar or lovan or prosac or prozac or prozamin* or sarafem or symbax).tw.
26	(paroxetin* or aropax or deroxat or motivan or paxil* or pexeva or seroxat or tagonis).tw.
27	(sertralin* or altrulin* or aremis or besitran* or gladem or lustral* or naphthylamin* or sealdin* or serad or serlain* or tresleen or zoloft).tw.
28	or/22-27
29	*amitriptyline/ use emez or amitriptyline/ use mesz,psyh
30	(amitriptyl* or amitryptil* or amitryptin* or amitryptylin* or amytriptyl* or amytriptyl* or amytryptil* or adepress or adepril* or ambivalon* or amineurin* or amitid* or amitril* or amitrip or amitrol* or anapsique or anp 3548 or antitriptylin* or apoamitriptylin* or damilen* or damylen* or domical* or elatrol* or elavil* or endep or enovil* or etafon* or etafron* or euplit* or lantron* or laroxal* or laroxy* or lentizol* or novoprotect or proheptadien* or redomex or sarboten retard 75 or saroten* or sarotex or stelminal* or sylvemid* or syneudon* or teperin* or terepin* or triptafen* or triptanol* or triptizol* or triptyl or triptylin* or tryptanol* or tryptin* or tryptizol*).tw.
31	*imipramine/ use emez or imipramine/ use mesz,psyh
32	(imipramin* or antideprin* or berkomin* or chrytemin* or deprinol* or ia pram or imavate or imidobenzyl* or imidol* or imipramid* or imiprex or imiprin* or imizin* or janimin* or melipramin* or norchlorimipramin* or norpramin* tablets or novopramin* or presamin* or pryleugan* or psychoforin* or psychoforin* or servipramin* or sk pramin* or tofranil* or trofanil*).tw.

#	Searches
33	or/29-32
34	brofaromin*.sh.
35	(brofaremin* or brofaromin* or brofarominum or consonar).ti,ab.
36	phenelzin*.sh.
37	(phenelzin* or 2 phenethylhydrazin* or 2 phenylethylhydrazin* or benzylmethylhydrazin* or beta phenethylhydrazin* or beta phenylethylhydrazine or fenelzin or fenizin* or mao rem or nardelzin* or nardil* or phenalzin* or phenethylhydrazin* or phenylethylhydrazin* or stinerval*).tw.
38	or/34-37
39	*venlafaxine/ use emez
40	venlafaxine hydrochloride/ use mesz or venlafaxine/ use psyh
41	(venlafaxin* or efexor or effexor or trevilor).tw.
42	or/39-41
43	*mirtazapine/ use emez or mirtazapine/ use mesz,psyh or (mirtazapin* or 6 azamianserin* or lerivon* or remergil* or remergon* or remeron* or tolvon* or zispin).tw.
44	neuroleptic agent/ use emez or antipsychotic agents/ use mesz or neuroleptic drugs/ use psyh
45	(antipsychotic* or anti psychotic* or (major adj2 (butyrophonen* or phenothiazin* or tranquil*)) or neuroleptic*).tw.
46	45
47	*olanzapine/ use emez or olanzapine/ use mesz,psyh
48	(olanzapin* or lanzac or ly 170053 or ly170053 or midax or olansek or zydis or zyprextw.
49	*risperidone/ use emez or risperidone/ use mesz,psyh
50	(risperidon* or belivon* or risolept or risperdal*).tw.
51	or/47-50
52	or/43,44,46-51
53	carbamazepin*.sh. or (amizepin or amizepine or atretol or biston or calepsin or camapine or carbadac or carbamazepin or carbategral or carbatol or carbatrol or carbazene or carbazep or carbazin* or carmaz or carpaz or carzepin or carzepine or clostedral or convuline or epileptol or epimax or epitol or eposal retard or equetro or espa-lepsin or finlepsin or foxalepsin or hermolepsin or karbamazepin or kodapan or lexin or mazepine or mazetol or neugeron or neurotol or neurotop or nordotol or panitol or servimazepin or sirtal or tardotol or taver or tegol or tegral or tegretol or tegrital or telesmin or temporal or temporol or teril or timonil).ti,ab.
54	clonidine/ use emez,mesz or (adesipress or arkamin or atensina or caprysin or catapres or catapresan or catapressant or catasan or chlofazolin or chlophazolin or chlophelin or chlophazolin or clinidine or clofelin or clofeline or clomidine or clondine or clonicel or clonidin* or clonipresan or clonistada or clonnirit or clophelin* or daipres or dixarit or duraclon or gemiton or haemiton or hemiton or hypodine or isoglacon or jenloga or kapvay or klofelin or klofenil or melzin or normopresan or normopresin or paracefan or sulmidine or taitecin or tenso timelets).ti,ab.
55	propranolol/ use emez,mesz or (acifol or adrexan or alperol or anaprilin * or anaprilinium or anaprylin* or angiol or apsolol or arcablock or artensol or authus or avlocardyl or becardin or bedranol or beprane or bercolol or berkolol or beta neg or beta tablinen or beta timelets or betabloc or betadipresan or betaneg or betaprol or betares or betraden or betaryl or blocard or blocaryl or cardinol or ciplar or corbeta or deralin or dextropranolol or dibudinate or dideral or dociton * or durabeton or duranol or efektolol or elbrol or emforal or farmadral or farprolol or frekven or frina or hemangeol or hemangioli or hopranolol or ikopal or impral or inderal or inderalici or inderex or indicardin or indobloc or innopran or inpanol or ipran or ledipronol or levopropranolol or naprilin or noloten or obsidan or obsin or obzidan or oposim or phanerol or prandol or prano puren or pranopuren or prestoral or prolol or pronovan or propabloc or

#	Searches
	propal or propalol or propanolol or propayerst or propercuten or prophylux or propra ratiopharm or proral or propranur or proprasylyt* or reducor or rxigen or sagittol or slow deralin or staprano or sumial or tenomol or tensiflex or waucoton).ti,ab.
56	or/53-55
57	*carbamazepine/ use emez or carbamazepine/ use mesz,psyh or (amizepin * or carbamazepin* or atretol or biston or carbamazepin or carbategral or carbatol or carbatrol or carzepin or carzepine or epimax or epitol or equetro or finlepsin or lexin or neurotop or sirtal or tegral or tegretol or tegrital or timonil).ti,ab.
58	*valproate semisodium/ use emez or valproic acid/ use mesz,psyh or (delepsine or depakote or divalproex or epilim chrono or valproate or valproic acid).ti,ab.
59	*lamotrigine/ use emez or lamotrigine/ use mesz,psyh or (labileno or lamotrin* or lamepil or lamictal or lamictin or lamodex).ti,ab.
60	*tiagabine/ use emez or tiagabine/ use mesz,psyh or (gabitril or tiabex or tiagabin*).ti,ab.
61	*topiramate/ use emez or topiramate/ use mesz,psyh or (epitomax or qudexy or topamax or topimax or topiramat* or trokendi).ti,ab.
62	*nefazodone/ use emez or nefazodone/ use mesz,psyh or (nefazodon* or nefadar or nefazadone or reseril or serzone).ti,ab.
63	*buspirone/ use emez or buspirone/ use mesz,psyh or (axoren or bespar or buspar or buspin or buspiron*).ti,ab.
64	*lorazepam/ use emez or lorazepam/ use mesz,psyh or (almazine or alzapam or ativan or bonatranquan or kendol or laubeel or lorabenz or loram or loranase or loranaze or lorans or lorax or lorazepam or lorazin or loridem or lorivan or mesmerin or nervistop or orifadal or prodorm or quait or securit or tavor or temesta or tolid or upan or wypax).ti,ab.
65	*diazepam/ use emez or diazepam/ use mesz,psyh or (antenex or assival or calmpose or cercin or cercine or diapam or diastat or diazemuls or diazepam or diazidem or ducene or eurosan or fanstan or faustan or neocalme or novazam or paceum or pacitran or plidan or psychopax or relanium or seduxen or serendin or sonacon or stesolid or valaxona or valiquid or valium or valpam or valrelease or vatran or zetran).ti,ab.
66	*clonazepam/ use emez or clonazepam/ use mesz,psyh or (aklonil or antelepsin or clonazepam or clonex or clonopin or clonotril or iktorivil or klonopin or rivatril or rivotril).ti,ab.
67	*alprazolam/ use emez or alprazolam/ use mesz,psyh or (aceprax or alprazolam or anax or constan or frontal or helex or neupax or niravam or solanax or tafil or trankimazin or valeans or xanax or xanor).ti,ab.
68	*cycloserine/ use emez or cycloserine/ use mesz,psyh or (cycloserin* or seromicina or seromycin or terizidon or 4-amino-3-isoxazolidinone).ti,ab.
69	*ketamine/ use emez or ketamine/ use mesz,psyh or (ketamin* or ketalar or calipsol or calypsol or imalgene or kalipsol or ketaject or ketalar or ketaminol or ketanest or ketased or ketaset or ketavet or ketoject or ketolar or narkamon or narketan or velonarcon or vetalar).ti,ab.
70	*3,4 methylenedioxymethamphetamine/ use emez or n-methyl-3,4-methylenedioxymethamphetamine/ use mesz or methylenedioxymethamphetamine/ use psyh or (ecstasy or mdma or methylenedioxy-methamphetamine or methylenedioxymethamphetamine).ti,ab.
71	*neuropeptide y/ use emez or neuropeptide/ use mesz,psyh or (neuropeptide y or neuropeptide tyrosine).ti,ab.
72	*oxytocin/ use emez or oxytocin/ use mesz,psyh or (atonin or di sипидин or disипидин or endопитуитрин or мипаретон or орастин or орастина or оксистин or оксистин or pareton or partacon or partocon or partolact or partoxin or physromon or pitocin or piton or pituиlobine or pitupartin or synpitian or syntocinon or utedrin or утераcon or утерасон).ti,ab.
73	prazosin.sh. or (prazosin or aduersuten or alpress or deprazolin or hypovase or lentopres or minipress or peripress or pratsiol or prazac or prazosin diffutab or vasoflex).ti,ab.

#	Searches
74	*propranolol/ use emez or propranolol/ use mesz,psyh or (propranolol or anaprilin or anapriline or arcablock or authus or avlocardyl or avlocardyl retard or bedranol or beprane or beta timelets or betadipresan or cardinol or ciplar or corbeta or deralin or dociton or duranol or efektolol or elbrol or frekven or hemangeol or hemangiol or inderal or inderalici or inderex or innopran or ipran or obsidan or prandol or prolol plus or propabloc or propal or propercuten or prophylux or propra ratiopharm or propal or propranur or sagittol or sumial).ti,ab.
75	*hydrocortisone/ use emez or hydrocortisone/ use mesz,psyh or (alfacort or cort dome or cortef or cortenema or cortisol* or dioderm or ef cortelan or efcortelan or egocort or eksalb or epicort or ficortril or hycor or hcycort or hydracort or hydrocort or hydrocortison* or hydrocortone or hydrokortison or hydrotopic or hysone or hytisone or hytone or mildison or munitren or novohydrocort or plenadren or proctocort or proctosone or rectocort or schericur or scherosone or synacort or texacort).ti,ab.
76	or/57-75
77	anticonvulsant agent/ use emez or benzodiazepine derivative/ use emez or tranquilizer/ use emez or anticonvulsants/ use mesz or anti anxiety agents/ use mesz or benzodiazepines/ use mesz or anticonvulsant drugs/ use psyh or benzodiazepines/ use psyh or tranquilizing drugs/ use psyh or (anticonvuls* or anti convuls*).ti,ab.
78	(anxiolytic* or antianxiety or anti anxiety).ti,ab.
79	benzodiaz*.ti,ab.
80	or/77-79
81	or/21,28,33,38,42,52,56,76,80
82	meta analysis/ or "meta analysis (topic)"/ or systematic review/
83	82 use emez
84	meta analysis.sh,pt. or "meta-analysis as topic"/ or "review literature as topic"/
85	84 use mesz
86	(literature review or meta analysis).sh,id,md. or systematic review.id,md.
87	86 use psyh
88	(exp bibliographic database/ or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,sh,pt. or systematic*.ti,ab.)
89	88 use emez
90	(exp databases, bibliographic/ or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,sh,pt. or systematic*.ti,ab.)
91	90 use mesz
92	(computer searching.sh,id. or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,pt. or systematic*.ti,ab.)
93	92 use psyh
94	((analy* or assessment* or evidence* or methodol* or quantativ* or systematic*) adj2 (overview* or review*).tw. or ((analy* or assessment* or evidence* or methodol* or quantativ* or systematic*).ti. and review*.ti,pt.) or (systematic* adj2 search*).ti,ab.
95	(metaanal* or meta anal*).ti,ab.
96	(research adj (review* or integration)).ti,ab.
97	reference list*.ab.
98	bibliograph*.ab.
99	published studies.ab.

#	Searches
100	relevant journals.ab.
101	selection criteria.ab.
102	(data adj (extraction or synthesis)).ab.
103	(handsearch* or ((hand or manual) adj search*)).ti,ab.
104	(mantel haenszel or peto or dersimonian or der simonian).ti,ab.
105	(fixed effect* or random effect*).ti,ab.
106	((pool* or combined or combining) adj2 (data or trials or studies or results)).ti,ab.
107	or/83,85,87,89,91,93-106
108	exp "clinical trial (topic)"/ or exp clinical trial/ or crossover procedure/ or double blind procedure/ or placebo/ or randomization/ or random sample/ or single blind procedure/
109	108 use emez
110	exp clinical trial/ or exp "clinical trials as topic"/ or cross-over studies/ or double-blind method/ or placebos/ or random allocation/ or single-blind method/
111	110 use mesz
112	(clinical trials or placebo or random sampling).sh,id.
113	112 use psyh
114	(clinical adj2 trial*).ti,ab.
115	(crossover or cross over).ti,ab.
116	((single* or doubl* or trebl* or tripl*) adj2 blind*) or mask* or dummy or doubleblind* or singleblind* or trebleblind* or tripleblind*).ti,ab.
117	(placebo* or random*).ti,ab.
118	treatment outcome*.md. use psyh
119	animals/ not human*.mp. use emez
120	animal*/ not human*/ use mesz
121	(animal not human).po. use psyh
122	or/109,111,113-118
123	122 not (or/119-121)
124	or/107,123
125	10 and 81 and 124

Database: CDSR, DARE, HTA, CENTRAL

Date of last search: 29 January 2018

#	Searches
#1	MeSH descriptor: Stress Disorders, Traumatic this term only
#2	MeSH descriptor: Combat Disorders this term only
#3	MeSH descriptor: Psychological Trauma this term only
#4	MeSH descriptor: Stress Disorders, Post-Traumatic this term only
#5	MeSH descriptor: Stress Disorders, Traumatic, Acute this term only
#6	MeSH descriptor: Stress, Psychological this term only
#7	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"):ti (Word variations have been searched)
#8	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"):ab (Word variations have been searched)

#	Searches
#9	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)):ti (Word variations have been searched)
#10	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)):ab (Word variations have been searched)
#11	(posttraumatic* or "post traumatic*" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (postrauma* or traumagenic* or "traumatic stress**")):ti (Word variations have been searched)
#12	(posttraumatic* or "post traumatic*" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (postrauma* or traumagenic* or "traumatic stress**")):ab (Word variations have been searched)
#13	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11 or #12

Database: CINAHL PLUS

Date of last search: 29 January 2018

#	Searches
s52	s6 and s51
s51	s40 or s50
s50	s48 not s49
s49	(mh "animals") not (mh "human")
s48	s41 or s42 or s43 or s44 or s45 or s46 or s47
s47	ti (placebo* or random*) or ab (placebo* or random*)
s46	ti (single blind* or double blind* or treble blind* or mask* or dummy* or singleblind* or doubleblind* or trebleblind* or tripleblind*) or ab (single blind* or double blind* or treble blind* or mask* or dummy* or singleblind* or doubleblind* or trebleblind* or tripleblind*)
s45	ti (crossover or cross over) or ab (crossover or cross over)
s44	ti clinical n2 trial* or ab clinical n2 trial*
s43	(mh "crossover design") or (mh "placebos") or (mh "random assignment") or (mh "random sample")
s42	mw double blind* or single blind* or triple blind*
s41	(mh "clinical trials+")
s40	s7 or s8 or s9 or s10 or s11 or s12 or s13 or s14 or s15 or s16 or s17 or s18 or s19 or s20 or s21 or s22 or s23 or s29 or s30 or s31 or s34 or s35 or s36 or s37 or s38 or s39
s39	ti (analy* n5 review* or evidence* n5 review* or methodol* n5 review* or quantativ* n5 review* or systematic* n5 review*) or ab (analy* n5 review* or assessment* n5 review* or evidence* n5 review* or methodol* n5 review* or qualitativ* n5 review* or quantativ* n5 review* or systematic* n5 review*)
s38	ti (pool* n2 results or combined n2 results or combining n2 results) or ab (pool* n2 results or combined n2 results or combining n2 results)
s37	ti (pool* n2 studies or combined n2 studies or combining n2 studies) or ab (pool* n2 studies or combined n2 studies or combining n2 studies)
s36	ti (pool* n2 trials or combined n2 trials or combining n2 trials) or ab (pool* n2 trials or combined n2 trials or combining n2 trials)
s35	ti (pool* n2 data or combined n2 data or combining n2 data) or ab (pool* n2 data or combined n2 data or combining n2 data)
s34	s32 and s33

#	Searches
s33	ti review* or pt review*
s32	ti analy* or assessment* or evidence* or methodol* or quantativ* or qualitativ* or systematic*
s31	ti "systematic" n5 search** or ab "systematic" n5 search**
s30	ti "systematic" n5 review** or ab "systematic" n5 review**
s29	(s24 or s25 or s26) and (s27 or s28)
s28	ti systematic* or ab systematic*
s27	tx review* or mw review* or pt review*
s26	(mh "cochrane library")
s25	ti (bids or cochrane or embase or "index medicus" or "isi citation" or medline or psyclit or psychlit or scisearch or "science citation" or web n2 science) or ab (bids or cochrane or "index medicus" or "isi citation" or psyclit or psychlit or scisearch or "science citation" or web n2 science)
s24	ti ("electronic database" or "bibliographic database" or "computeri?ed database" or "online database") or ab ("electronic database" or "bibliographic database" or "computeri?ed database" or "online database")
s23	(mh "literature review")
s22	pt systematic* or pt meta*
s21	ti ("fixed effect" or "random effect") or ab ("fixed effect" or "random effect")
s20	ti ("mantel haenszel" or peto or dersimonian or "der simonian") or ab ("mantel haenszel" or peto or dersimonian or "der simonian")
s19	ti (handsearch* or "hand search" or "manual search") or ab (handsearch* or "hand search" or "manual search")
s18	ab "data extraction" or "data synthesis"
s17	ab "selection criteria"
s16	ab "relevant journals"
s15	ab "published studies"
s14	ab bibliograph*
s13	ti "reference list"**
s12	ab "reference list"**
s11	ti ("research review" or "research integration") or ab ("research review" or "research integration")
s10	ti (metaanal* or "meta anal" or metasynthes* or "meta synethes") or ab (metaanal* or "meta anal" or metasynthes* or "meta synethes")
s9	(mh "meta analysis")
s8	(mh "systematic review")
s7	(mh "literature searching")
s6	s1 or s2 or s3 or s4 or s5
s5	ti ((posttraumatic* or "post traumatic" or "stress disorder" or "acute stress" or ptsd or asd or desnos or ("combat neuros" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress"))) or ab ((posttraumatic* or "post traumatic" or "stress disorder" or "acute stress" or ptsd or asd or desnos or ("combat neuros" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress")))
s4	ti ((trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare" or emotion*))) or ab ((trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare" or emotion*)))

#	Searches
s3	ti (("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros**" or "traumatic stress")) or ab (("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros**" or "traumatic stress"))
s2	(mh "stress, psychological")
s1	(mh "stress disorders, post-traumatic")

Psychological, psychosocial and other non-pharmacological interventions for the support of family or carers

RQ. 5.1 For family members (including children and carers) of people at risk of PTSD, do specific psychological, psychosocial or other non-pharmacological interventions result in an improvement in their mental health and wellbeing, a reduction in burden and improved social and occupational outcomes?

RQ. 5.2 For family members (including children and carers) of people with clinically important post-traumatic stress symptoms, do specific psychological, psychosocial or other non-pharmacological interventions result in an improvement in their mental health and wellbeing, a reduction in burden and improved social and occupational outcomes?

Clinical evidence

Database: Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid MEDLINE(R), Embase, PsycINFO

Date of last search: 31 January 2017

#	Searches
1	*acute stress/ or *behavioural stress/ or *emotional stress/ or *critical incident stress/ or *mental stress/ or *posttraumatic stress disorder/ or *psychotrauma/
2	1 use emez
3	stress disorders, traumatic/ or combat disorders/ or psychological trauma/ or stress disorders, post-traumatic/ or stress disorders, traumatic, acute/ or stress, psychological/
4	3 use mesz, prem
5	exp posttraumatic stress disorder/ or acute stress disorder/ or combat experience/ or emotional trauma/ or post-traumatic stress/ or traumatic neurosis/ or trauma/ or psychological stress/ or chronic stress/
6	5 use psyh
7	(railway spine or (rape adj2 trauma*) or reexperienc* or re experienc* or torture syndrome or traumatic neuros* or traumatic stress).ti,ab.
8	(trauma* and (avoidance or grief or horror or death* or nightmare* or night mare* or emotion*)).ti,ab.
9	(posttraumatic* or post traumatic* or stress disorder* or acute stress or ptsd or asd or desnos or (combat neuros* or combat syndrome or concentration camp syndrome or extreme stress or flashback* or flash back* or hypervigilan* or hypervigilen* or psych* stress or psych* trauma* or psycho?trauma* or psychotrauma*) or (posttrauma* or traumagenic* or traumatic stress*)).ti,ab.
10	or/2,4,6-9
11	*psychotherapy/ use emez or psychotherapy/ use mesz, prem,psyh

#	Searches
12	((psycholog* or psycho social* or psychosocial*) adj3 (intervention* or program* or therap* or treat*)) or psychotherap* or psycho therap* or talk* therap* or therapeutic technique* or therapist* or third wave or time limited).ti,ab,sh.
13	exp *behavior therapy/ or exp *cognitive therapy/
14	13 use emez
15	exp behavior therapy/ use mesz, prem
16	exp behavior therapy/ or exp cognitive behavior therapy/
17	16 use psyh
18	((behaviour* or behavior*) adj2 cognitiv*) or cbt or ccbt or ((behav* or cognitive*) adj3 (intervention* or manag* or program* or restructure* or therap* or treat*)) or (stress inoculation adj2 (intervention* or program* or therap* or train* or treat*)) or (behav* adj2 activat*) or ((trauma adj (based or focused or led)) or exposure based or prolonged exposure)).ti,ab
19	*emotion/ use emez or emotions/ use mesz, prem
20	emotion focused therapy/ or sympathy/
21	20 use psyh
22	((compassion or emotion* or emotive*) adj (based or focused or led)) or emotional processing or ((compassion or emotion* or emotive*) adj3 (coach* or intervention* or program* or therap* or treat*)).ti,ab.
23	exposure therapy/ or narrative therapy/ or virtual reality exposure therapy/
24	23 use emez
25	implosive therapy/ or narrative therapy/ or virtual reality exposure therapy/
26	25 use mesz, prem
27	exposure therapy/ or narrative therapy/ or virtual reality/
28	27 use psyh
29	((augmented or virtual) adj2 reality) or (virtual adj (environment or restorative)) or ((exposure or implosive or virtual reality) adj2 (intervention* or program* or therap* or train*)).ti,ab.
30	((imagery adj2 (rehears* or re hears*)) or (((lower* or reduc*) adj3 (bad dream* or nightmare*)) and (intervention* or program* or therap* or treat*)) or ((intervention* or program* or therap* or treat*) adj3 nightmare*).mp. or ((presleep or presleep) adj2 imagery).ti,ab.
31	(mindfulness or ((exposure or narrative) adj therapy)).sh.
32	(kidnet or mindful* or narrative therap*).ti,ab.
33	exp "debriefing (psychological)"/ use psyh
34	debrief*.ti,ab.
35	eye movement desensitization reprocessing/ use mesz, prem or eye movement desensitization therapy/ use psyh or (emdr or (eye movement adj2 desensiti*)).ti,ab.
36	hypnosis/ use emez or exp hypnosis/ use mesz, prem or exp hypnotherapy/ use psyh or (hypnosis or hypnotherap*).ti,ab.
37	psychodynamic psychotherapy/ use emez or psychotherapy, psychodynamic/ use mesz, prem or psychodynamic psychotherapy/ use psyh or repetitive transcranial magnetic stimulation/ use emez or Transcranial Magnetic Stimulation/ use mesz, prem, psyh
38	((psychodynamic or (dynamic adj (psychotherapy* or therap*))) or incident reduction) or ((brain or transcranial) adj2 stimulat*) or rtms).ti,ab.
39	(psychoanal* or psychosomatic*).ti,ab.
40	exp counseling/ use emez,mesz,psyh or counsel*.ti,ab.
41	(hg therap* or human givens).ti,ab.
42	psychosomatic disorder/th use emez or exp somatoform disorders/th use mesz, prem

#	Searches
43	(exp somatoform disorders/ or somatization/) and (intervention* or program* or therap* or treat*).ti,ab,hw. use psyh
44	(psychosomatic* or somatherap* or somatic*).ti,ab.
45	(emotional freedom or holistic or thought field).ti,ab.
46	dance therap*.ti,ab,sh.
47	couple therapy/ or family therapy/ or marital therapy/ or exp parent/ed
48	47 use emez
49	couples therapy/ or family therapy/ or marital therapy/ or exp parents/ed
50	49 use mesz, prem
51	couples therapy/ or family intervention/ or exp family therapy/ or exp marriage counseling/ or parent training/
52	51 use psyh
53	((con?joint or couple* or family or families or husband* or marriage* or marital* or partner* or relations* or spous* or wife or wives* or (child* adj5 parent*)) adj6 (counsel* or intervention* or program* or support* or therap* or treat*)) or ((couples* or family* or relations*) adj (based or focused or led)) or ecological therap* or expressed emotion or family dynamics or family relationships).tw.
54	((child* adj2 family traumatic stress intervention) or cftsi).ti,ab.
55	play therapy.sh.
56	(doll therap* or ((play or playful) adj3 (intervention* or program* or therap* or treat*)) or sandplay or sand play).ti,ab.
57	meditation.sh. or meditat*.ti,ab.
58	mindfulness.sh. or (mbsr or mindful*).ti,ab.
59	exp horticulture/ or occupational therapy/ or recreational therapy/
60	59 use emez
61	horticultural therapy/ or occupational therapy/ or recreation therapy/
62	61 use mesz, prem
63	exp "nature (environment)"/ or horticulture therapy/ or recreation therapy/ or occupational therapy/
64	63 use psyh
65	((nature adj (assisted or based)) or (nature adj3 (intervention* or program* or therap* or treat*)) or ecotherap* or e cotherap* or gardening or horticul* or leisure activit* or naturopath* or occupational therap*).ti,ab.
66	psychoeducation.sh. or (psychoed* or psycho ed*).ti,ab.
67	exp acupuncture/ use emez or exp alternative medicine/ use emez or biofeedback/ or massage/ use emez or meditation/ use emez or acupressure/ use mesz, prem or massage/ use mesz, prem or acupuncture/ use mesz, prem or exp complementary therapies/ use mesz, prem or exp alternative medicine/ use psyh or biofeedback/ use psyh or massage/ use psyh or mind body therapy/ use psyh
68	(chinese medicine or medicine, chinese traditional or (moxibustion or electroacupuncture)).sh,id. or ((alternative or complementary) adj2 (medicine* or therap*)).ti,ab,sh. or (acu point* or acupoint* or acupressur* or acupunctur* or (ching adj2 luo) or cizhen or dianzhen or electroacupunctur* or (jing adj2 luo) or jingluo or massag* or needle therap* or tapping or zhenjiu or zhenci).tw.
69	exp *exercise/ use emez or exp *kinesiotherapy/ use emez or exp exercise/ use mesz, prem or exercise therapy/ use mesz, prem or exp exercise/ use psyh (physiotherap* or physio therap* or rehab*).ti,ab,hw.
70	((balance or flexibility or resistance or sitting* or strength*) adj2 (exercise* or train*)) or aerobic* or anaerobic* or bowls or dancing or dance or cycling or cycle* or elliptical train* or jogging or low impact activit* or running or swimming or sprinting or swim*1 or walking or

#	Searches
	yoga or tai chi or weight train* or (weight and brain* and (change* or increas* or volum*)).ti,ab.
71	friendship/ or peer counseling/ or peer group/ or self help/ or self care/ or social network/ or social support/ or support group/
72	71 use emez
73	community networks/ or friends/ or exp peer group/ or self care/ or self-help groups/ or social networking/ or social support/
74	73 use mesz, prem
75	friendship/ or network therapy/ or exp social networks/ or peer relations/ or peers/ or peer counseling/ or self care skills/ or exp self help techniques/ or social support/ or exp support groups/
76	75 use psyh
77	((self adj (administer* or assess* or attribut* or care or change or directed or efficacy or help* or guide* or instruct* or manag* or medicat* or monitor* or regulat* or reinforc* or re inforc* or support* or technique* or therap* or train* or treat*)) or selfadminister* or selfassess* or selfattribut* or selfcare or selfchange or selfdirected or selfefficacy or selfhelp* or selfguide* or selfinstruct* or selfmanag* or selfmedicat* or selfmonitor* or selfregulat* or selfreinforc* or self re inforc* or selfsupport* or selftechnique* or selftherap* or selftrain* or selftreat* or (wellness adj (therap* or train* or treat*))).ti,ab,sh.
78	(befriend* or be*1 friend* or buddy or buddies or ((community or lay or paid or support) adj (person or worker*))).ti,ab.
79	(((consumer* or famil* or friend* or lay or mutual* or peer* or social* or spous* or voluntary or volunteer*) adj3 (assist* or advice* or advis* or counsel* or educat* or forum* or help* or mentor* or network* or support* or visit*)) or ((consumer* or famil* or peer* or self help or social* or support* or voluntary or volunteer*) adj2 group*) or ((consumer* or famil* or friend* or lay or mutual* or peer* or self help or social* or spous* or support* or voluntary or volunteer*) adj3 (intervention* or program* or rehab* or therap* or service* or skill* or treat*)) or (((consumer* or famil* or friend* or lay* or peer* or spous* or user* or support* or voluntary or volunteer*) adj (based or counsel* or deliver* or interact* or led or mediat* or operated or provides or provider* or run*)) or ((consumer* or famil* or friend* or lay* or peer* or relation* or spous* or support*) adj3 trust*) or voluntary work*).ti,ab.
80	((lay or peer*) adj3 (advis* or consultant or educator* or expert* or facilitator* or instructor* or leader* or mentor* or person* or tutor* or worker*)) or expert patient* or mutual aid).ti,ab.
81	(peer* adj3 (assist* or counsel* or educat* or program* or rehab* or service* or supervis*)).ti,ab.
82	((psychoeducat* or psycho educat*) adj3 (group or network* or service*)).ti,ab.
83	((psychosocial or social) adj work*).ti,ab.
84	((ptsd or posttrauma* or post trauma* or trauma*) adj2 support*).ti,ab.
85	recovery support.ti,ab.
86	financial management/ use emez or financial support/ use mesz, prem or finance/ use psyh
87	((financ* or money) adj2 (assist* or educat* or guidance or intervention* or program* or support* or train*)).ti,ab.
88	assisted living facility/ or emergency shelter/ or halfway house/ or housing/ or independent living/ or residential home/ or residential home/
89	88 use emez
90	assisted living facilities/ or emergency shelter/ or group homes/ or halfway houses/ or housing/ or independent living/ or residential facilities/
91	90 use mesz, prem
92	assisted living / use psyh or shelters/ use psyh or group homes/ use psyh or halfway houses/ use psyh or housing/ use psyh or residential care institutions/ use psyh or

#	Searches
	((resident* or hous* or accommod* or commun* or comu* or home*) adj5 (support* or support* or shelter* or outreach* or visit* or appointment*).ti,ab.
93	(residential treatm* or residential facility* or supported hous* or public hous*).ti,ab.
94	(accomod* or assertive community treatment* or home* or housing* or outreach* or residential*).ti,ab.
95	absenteeism/ or daily life activity/ or employment/ or medical leave/ or mentoring/ or occupational health/ or occupational therapy/ or return to work/ or supported employment/ or unemployment/ or vocational guidance/ or vocational rehabilitation/ or work capacity/ or work/
96	95 use emez
97	absenteeism/ or "activities of daily living"/ or employment, supported/ or employment/ or mentoring/ or occupational health/ or occupational therapy/ or rehabilitation, vocational/ or return to work/ or sick leave/ or unemployment/ or vocational guidance/ or work/
98	97 use mesz, prem
99	"activities of daily living"/ or exp coaching/ or employee absenteeism/ or employment status/ or occupational guidance/ or occupational health/ or occupational therapy/ or reemployment/ or unemployment/ or vocational counselors/ or exp vocational rehabilitation/
100	99 use psyh
101	((supp* or transitional*) adj5 (employ* or work*)) or individual placement or (placement* adj3 (employ* or work*)).ti,ab.
102	((employ* or placement* or psychosocial* or psycho-social* or occupation* or soc* or vocation* or work* or job* or counsel*) adj5 rehab*).ti,ab.
103	(sheltered work* or vocatio* or fountain house* or fountainhouse* or clubhouse* or club house* or work therap*).ti,ab.
104	(transitional employment or rehabilitation counsel* or (occupational adj (health or medicine)) or work* adjustment).ti,ab.
105	((performance adj (activit* or coach* or management or occupation*)) or coaching).ti,ab.
106	((sheltered or permitted or voluntary or vocational or return* or rehabilitat*) adj3 work*) or work capacity or reemploy* or re employ* or job retention or work capacity).ti,ab.
107	((employ* or job or occupation* or vocation* or work*) adj5 (counsel* or educat* or guidance* or intervention* or program* or rehab* or reintegrat* or re integrat* or support* or therap* or train*)).ti,ab.
108	placement.ti,ab.
109	or/11-12,14-15,17-19,21-22,24,26,28-46,48,50,52-58,60,62,64-70,72,74,76-87,89,91-94,96,98,100-108
110	meta analysis/ or "meta analysis (topic)"/ or systematic review/
111	110 use emez
112	meta analysis.sh.pt. or "meta-analysis as topic"/ or "review literature as topic"/
113	112 use mesz, prem
114	(literature review or meta analysis).sh,id,md. or systematic review.id,md.
115	114 use psyh
116	(exp bibliographic database/ or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,sh,pt. or systematic*.ti,ab.)
117	116 use emez
118	(exp databases, bibliographic/ or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,sh,pt. or systematic*.ti,ab.)
119	118 use mesz, prem

#	Searches
120	(computer searching.sh,id. or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab.pt. or systematic*.ti,ab.)
121	120 use psyh
122	((analy* or assessment* or evidence* or methodol* or quantativ* or systematic*) adj2 (overview* or review*).tw. or ((analy* or assessment* or evidence* or methodol* or quantativ* or systematic*).ti. and review*.ti,pt.) or (systematic* adj2 search*).ti,ab.
123	(metaanal* or meta anal*).ti,ab.
124	(research adj (review* or integration)).ti,ab.
125	reference list*.ab.
126	bibliograph*.ab.
127	published studies.ab.
128	relevant journals.ab.
129	selection criteria.ab.
130	(data adj (extraction or synthesis)).ab.
131	(handsearch* or ((hand or manual) adj search*).ti,ab.
132	(mantel haenszel or peto or dersimonian or der simonian).ti,ab.
133	(fixed effect* or random effect*).ti,ab.
134	((pool* or combined or combining) adj2 (data or trials or studies or results)).ti,ab.
135	or/111,113,115,117,119,121-134
136	exp "clinical trial (topic)"/ or exp clinical trial/ or crossover procedure/ or double blind procedure/ or placebo/ or randomization/ or random sample/ or single blind procedure/
137	136 use emez
138	exp clinical trial/ or exp "clinical trials as topic"/ or cross-over studies/ or double-blind method/ or placebos/ or random allocation/ or single-blind method/
139	138 use mesz, prem
140	(clinical trials or placebo or random sampling).sh,id.
141	140 use psyh
142	(clinical adj2 trial*).ti,ab.
143	(crossover or cross over).ti,ab.
144	((single* or doubl* or trebl* or tripl*) adj2 blind*) or mask* or dummy or doubleblind* or singleblind* or trebleblind* or tripleblind*).ti,ab.
145	(placebo* or random*).ti,ab.
146	treatment outcome*.md. use psyh
147	animals/ not human*.mp. use emez
148	animal*/ not human*/ use mesz, prem
149	(animal not human).po. use psyh
150	or/137,139,141-146
151	150 not (or/147-149)
152	or/135,151
153	10 and 109 and 152

Database: CDSR, DARE, HTA, CENTRAL

Date of last search: 31 January 2017

#	Searches
#1	MeSH descriptor: Stress Disorders, Traumatic this term only
#2	MeSH descriptor: Combat Disorders this term only
#3	MeSH descriptor: Psychological Trauma this term only
#4	MeSH descriptor: Stress Disorders, Post-Traumatic this term only
#5	MeSH descriptor: Stress Disorders, Traumatic, Acute this term only
#6	MeSH descriptor: Stress, Psychological this term only
#7	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"):ti (Word variations have been searched)
#8	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"):ab (Word variations have been searched)
#9	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)):ti (Word variations have been searched)
#10	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)):ab (Word variations have been searched)
#11	(posttraumatic* or "post traumatic*" or "stress disorder*" or "acute stress" or ptsd or asd or desnos or ("combat neuros*" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back*" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (postrauma* or traumagenic* or "traumatic stress*"):ti (Word variations have been searched)
#12	(posttraumatic* or "post traumatic*" or "stress disorder*" or "acute stress" or ptsd or asd or desnos or ("combat neuros*" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back*" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (postrauma* or traumagenic* or "traumatic stress*"):ab (Word variations have been searched)
#13	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11 or #12

Database: CINAHL PLUS

Date of last search: 31 January 2017

#	Searches
s52	s6 and s51
s51	s40 or s50
s50	s48 not s49
s49	(mh "animals") not (mh "human")
s48	s41 or s42 or s43 or s44 or s45 or s46 or s47
s47	ti (placebo* or random*) or ab (placebo* or random*)
s46	ti (single blind* or double blind* or treble blind* or mask* or dummy* or singleblind* or doubleblind* or trebleblind* or tripleblind*) or ab (single blind* or double blind* or treble blind* or mask* or dummy* or singleblind* or doubleblind* or trebleblind* or tripleblind*)
s45	ti (crossover or cross over) or ab (crossover or cross over)
s44	ti clinical n2 trial* or ab clinical n2 trial*
s43	(mh "crossover design") or (mh "placebos") or (mh "random assignment") or (mh "random sample")
s42	mw double blind* or single blind* or triple blind*
s41	(mh "clinical trials+")
s40	s7 or s8 or s9 or s10 or s11 or s12 or s13 or s14 or s15 or s16 or s17 or s18 or s19 or s20 or s21 or s22 or s23 or s29 or s30 or s31 or s34 or s35 or s36 or s37 or s38 or s39

#	Searches
s39	ti (analy* n5 review* or evidence* n5 review* or methodol* n5 review* or quantativ* n5 review* or systematic* n5 review*) or ab (analy* n5 review* or assessment* n5 review* or evidence* n5 review* or methodol* n5 review* or qualitativ* n5 review* or quantativ* n5 review* or systematic* n5 review*)
s38	ti (pool* n2 results or combined n2 results or combining n2 results) or ab (pool* n2 results or combined n2 results or combining n2 results)
s37	ti (pool* n2 studies or combined n2 studies or combining n2 studies) or ab (pool* n2 studies or combined n2 studies or combining n2 studies)
s36	ti (pool* n2 trials or combined n2 trials or combining n2 trials) or ab (pool* n2 trials or combined n2 trials or combining n2 trials)
s35	ti (pool* n2 data or combined n2 data or combining n2 data) or ab (pool* n2 data or combined n2 data or combining n2 data)
s34	s32 and s33
s33	ti review* or pt review*
s32	ti analy* or assessment* or evidence* or methodol* or quantativ* or qualitativ* or systematic*
s31	ti "systematic* n5 search**" or ab "systematic* n5 search**"
s30	ti "systematic* n5 review**" or ab "systematic* n5 review**"
s29	(s24 or s25 or s26) and (s27 or s28)
s28	ti systematic* or ab systematic*
s27	tx review* or mw review* or pt review*
s26	(mh "cochrane library")
s25	ti (bids or cochrane or embase or "index medicus" or "isi citation" or medline or psyclit or psychlit or scisearch or "science citation" or web n2 science) or ab (bids or cochrane or "index medicus" or "isi citation" or psyclit or psychlit or scisearch or "science citation" or web n2 science)
s24	ti ("electronic database*" or "bibliographic database*" or "computeri?ed database*" or "online database*") or ab ("electronic database*" or "bibliographic database*" or "computeri?ed database*" or "online database*")
s23	(mh "literature review")
s22	pt systematic* or pt meta*
s21	ti ("fixed effect*" or "random effect*") or ab ("fixed effect*" or "random effect*")
s20	ti ("mantel haenszel" or peto or dersimonian or "der simonian") or ab ("mantel haenszel" or peto or dersimonian or "der simonian")
s19	ti (handsearch* or "hand search**" or "manual search**") or ab (handsearch* or "hand search**" or "manual search**")
s18	ab "data extraction" or "data synthesis"
s17	ab "selection criteria"
s16	ab "relevant journals"
s15	ab "published studies"
s14	ab bibliograph*
s13	ti "reference list**"
s12	ab "reference list**"
s11	ti ("research review*" or "research integration") or ab ("research review*" or "research integration")
s10	ti (metaanal* or "meta anal*" or metasynthes* or "meta synethes*") or ab (metaanal* or "meta anal*" or metasynthes* or "meta synethes*")
s9	(mh "meta analysis")
s8	(mh "systematic review")

#	Searches
s7	(mh "literature searching")
s6	s1 or s2 or s3 or s4 or s5
s5	ti ((posttraumatic* or "post traumatic*" or "stress disorder*" or "acute stress" or ptsd or asd or desnos or ("combat neuros*" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back*" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (postrauma* or traumagenic* or "traumatic stress*"))) or ab ((posttraumatic* or "post traumatic*" or "stress disorder*" or "acute stress" or ptsd or asd or desnos or ("combat neuros*" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back*" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress*")))
s4	ti ((trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare**" or emotion*))) or ab ((trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare**" or emotion*)))
s3	ti (("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress")) or ab (("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"))
s2	(mh "stress, psychological")
s1	(mh "stress disorders, post-traumatic")

Principles of care and support for people with PTSD and their families and carers

RQ. 6.1 For adults, children and young people with clinically important post-traumatic stress symptoms, what factors should be taken into account in order to provide access to care, optimal care and coordination of care?

Clinical evidence

Database: Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid MEDLINE(R), Embase, PsycINFO

Date of last search: 31 January 2017

#	Searches
1	*acute stress/ or *behavioural stress/ or *emotional stress/ or *critical incident stress/ or *mental stress/ or *posttraumatic stress disorder/ or *psychotrauma/
#	searches
1	*acute stress/ or *behavioural stress/ or *emotional stress/ or *critical incident stress/ or *mental stress/ or *posttraumatic stress disorder/ or *psychotrauma/
2	1 use emez
3	stress disorders, traumatic/ or combat disorders/ or psychological trauma/ or stress disorders, post-traumatic/ or stress disorders, traumatic, acute/ or stress, psychological/
4	3 use mesz
5	exp posttraumatic stress disorder/ or acute stress disorder/ or combat experience/ or "debriefing (psychological)"/ or emotional trauma/ or post-traumatic stress/ or traumatic neurosis/ or trauma/ or stress reactions/ or psychological stress/ or chronic stress/

#	Searches
6	5 use psyh
7	(railway spine or (rape adj2 trauma*) or reexperienc* or re experienc* or torture syndrome or traumatic neuros* or traumatic stress).ti,ab.
8	(trauma* and (avoidance or grief or horror or death* or nightmare* or night mare* or emotion*)).ti,ab.
9	(posttraumatic* or post traumatic* or stress disorder* or acute stress or ptsd or asd or desnos or (combat neuros* or combat syndrome or concentration camp syndrome or extreme stress or flashback* or flash back* or hypervigilan* or hypervigilen* or psych* stress or psych* trauma* or psycho?trauma* or psychotrauma*).ti,ab.
10	or/2,4,6-9
11	*health care access/ or *health care utilization/ or *health disparity/ or (*health promotion/ and (access* or barrier* or disparit* or equity or inequit* or inequalit*).ti,ab.)
12	11 use emez
13	health services accessibility/ or (ut.fs. and (care or health care or healthcare or service*).hw.) or healthcare disparities/ or "health services needs and demand"/ or health status disparities/ or (exp health promotion/ and (access* or barrier* or disparit* or equity or inequit* or inequalit*).ti,ab.)
14	13 use mesz
15	treatment barriers/ or health care utilization/ or health disparities/ or (health promotion/ and (access* or barrier* or disparit* or equity or inequit* or inequalit*).ti,ab.)
16	15 use psyh
17	((access* or barrier* or disparit* or equity or inequit* or inequalit*) adj4 (care or clinical practice or detect* or diagnos* or health* or interven* or medication* or medicine* or program* or psychotherap* or recogni* or referral* or service* or therap* or treat*).ti,ab.
18	((health adj (care or service)) or healthcare) adj2 (need*1 or use*1 or using or utilis* or utiliz*).ti,ab.
19	((barrier* or disparit* or equity or hinder* or hindran* or hurdle* or imped* or improv* or inequit* or inequalit* or obstacle* or obstruct* or prevent* or promot* or reluctan* or restrict* or uptake or utiliz* or utilis* or vulnerable) adj3 access*).ti,ab.
20	((access or barrier) adj research*).ti,ab.
21	((behavio?r* or helpseek* or help seek* or system*) adj2 barrier*).ti,ab.
22	health care delivery/ or integrated health care system/ or patient care/ or patient care planning/ or treatment planning/ or ("organization and management"/ and (service* or plan* or care* or healthcare).hw.)
23	22 use emez
24	"continuity of patient care"/ or "delivery of health care"/ or "delivery of health care, integrated"/ or patient care planning/ or patient care team/
25	24 use mesz
26	"continuum of care"/ or health care delivery/ or integrated services/ or interdisciplinary treatment approach/ or treatment planning/
27	26 use psyh
28	((coordinat* or co ordinat*) adj10 (care or healthcare or service*).ti,ab.
29	((care or caring or healthcare or service*) adj3 (continnum or continuity)).ti,ab.
30	or/12,14,16-21,23,25,27-29
31	10 and 30
32	meta analysis/ or "meta analysis (topic)"/ or systematic review/
33	32 use emez
34	meta analysis.sh.pt. or "meta-analysis as topic"/ or "review literature as topic"/
35	34 use mesz

#	Searches
36	(literature review or meta analysis).sh,id,md. or systematic review.id,md.
37	36 use psyh
38	(exp bibliographic database/ or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,sh,pt. or systematic*.ti,ab.)
39	38 use emez
40	(exp databases, bibliographic/ or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,sh,pt. or systematic*.ti,ab.)
41	40 use mesz
42	(computer searching.sh,id. or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,pt. or systematic*.ti,ab.)
43	42 use psyh
44	((analy* or assessment* or evidence* or methodol* or quantativ* or systematic*) adj2 (overview* or review*).tw. or ((analy* or assessment* or evidence* or methodol* or quantativ* or systematic*).ti. and review*.ti,pt.) or (systematic* adj2 search*).ti,ab.
45	(metaanal* or meta anal*).ti,ab.
46	(research adj (review* or integration)).ti,ab.
47	reference list*.ab.
48	bibliograph*.ab.
49	published studies.ab.
50	relevant journals.ab.
51	selection criteria.ab.
52	(data adj (extraction or synthesis)).ab.
53	(handsearch* or ((hand or manual) adj search*).ti,ab.
54	(mantel haenszel or peto or dersimonian or der simonian).ti,ab.
55	(fixed effect* or random effect*).ti,ab.
56	((pool* or combined or combining) adj2 (data or trials or studies or results)).ti,ab.
57	or/33,35,37,39,41,43-56
58	cluster analysis/ or content analysis/ or cultural anthropology/ or discourse analysis/ or ethnography/ or field study/ or grounded theory/ or narrative/ or nursing methodology research/ or observation/ or personal experience/ or phenomenology/ or qualitative research/ or exp recording/ or storytelling/ or tape recorder/
59	58 use emez
60	anthropology, cultural/ or cluster analysis/ or focus groups/ or grounded theory/ or exp tape recording/ or personal narratives/ or narration/ or nursing methodology research/ or observation/ or qualitative research/ or sampling studies/ or cluster analysis/ or videodisc recording/
61	60 use mesz
62	"culture (anthropological)"/ or cluster analysis/ or content analysis/ or discourse analysis/ or ethnography/ or "experiences (events)"/ or grounded theory/ or life experiences/ or narratives/ or observation methods/ or phenomenology/ or qualitative research/ or exp tape recorders/ or storytelling/ or (field study or focus group or qualitative study).md.
63	62 use psyh

#	Searches
64	(action research or audiorecord* or ((audio or tape or video*) adj5 record*) or colaiuzzi* or (constant adj (comparative or comparison)) or content analy* or critical social* or (data adj1 saturat*) or discourse analys?s or emic or ethical enquiry or ethno* or etic or experiences or fieldnote* or (field adj (note* or record* or stud* or research)) or (focus adj4 (group* or sampl*)) or ((focus* or structured) adj2 interview*) or giorgi* or glaser or (grounded adj (theor* or study or studies or research)) or heidegger* or hermeneutic* or heuristic or human science or husserl* or ((life or lived) adj experience*) or maximum variation or merleau or narrat* or ((participant* or nonparticipant*) adj3 observ*) or ((philosophical or social) adj research*) or (pilot testing and survey) or purpos* sampl* or qualitative* or ricoeur or semiotics or shadowing or snowball or spiegelberg* or stories or story or storytell* or strauss or structured categor* or tape record* or taperecord* or testimon* or (thematic* adj3 analys*) or themes or theoretical sampl* or unstructured categor* or van kaam* or van manen or videorecord* or video record* or videotap* or video tap*).ti,ab.
65	(cross case analys* or eppi approach or metaethno* or meta ethno* or metanarrative* or meta narrative* or meta overview or metaoverview or metastud* or meta stud* or metasummar* or meta summar* or qualitative overview* or ((critical interpretative or evidence or meta or mixed methods or multilevel or multi level or narrative or parallel or realist) adj synthes*) or metasyntes*).mp. or (qualitative* and (metaanal* or meta anal* or synthes* or systematic review*)).ti,ab,hw,pt.
66	health care survey/ or semi structured interview/ or exp questionnaire/
67	66 use emez
68	health care surveys/ or interviews as topic/ or interview.pt. or exp questionnaires/
69	68 use mesz
70	interviews/ or consumer surveys/ or questionnaires/
71	70 use psyh
72	(interview* or questionnaire* or survey*).ti,ab.
73	or/59,61,63-65,67,69,71-72
74	"*attitude to health"/ or consumer/ or consumer attitude/ or *health care quality/ or patient attitude/ or *patient compliance/ or patient participation/ or patient preference/ or patient satisfaction/
75	74 use emez
76	*attitude to health/ or exp community participation/ or consumer behavior/ or "patient acceptance of health care"/ or exp patient compliance/ or exp patient satisfaction/ or "quality of health care"
77	76 use mesz
78	exp client attitudes/ or client satisfaction/ or health attitudes/ or exp consumer attitudes/ or "quality of care"/ or treatment compliance/
79	78 use psyh
80	((adult* or attender* or brother* or client* or consumer* or customer* or famil* or father* or individual* or inpatient* or maternal* or mother* or patient* or people* or person* or sister* or spous* or women or user*) adj3 (account* or anxieties or atisfact* or attitude* or barriers or belief* or buyin or buy in*1 or choice* or co?operat* or co operat* or expectation* or experienc* or feedback or feeling* or idea* or inform* or involv* or opinion* or participat* or perceive* or (perception* not speech perception) or perspective* or preferen* or prepar* or priorit* or satisf* or view* or voices or worry)).ti,ab.
81	((consumer or patient) adj2 (focus* or centered or centred)).ti,ab.
82	or/75,77,79-81
83	or/57,73,82
84	31 and 83

Database: CDSR, DARE, HTA, CENTRAL

Date of last search: 31 January 2017

#	Searches
#1	MeSH descriptor: Stress Disorders, Traumatic this term only
#2	MeSH descriptor: Combat Disorders this term only
#3	MeSH descriptor: Psychological Trauma this term only
#4	MeSH descriptor: Stress Disorders, Post-Traumatic this term only
#5	MeSH descriptor: Stress Disorders, Traumatic, Acute this term only
#6	MeSH descriptor: Stress, Psychological this term only
#7	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"):ti (Word variations have been searched)
#8	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"):ab (Word variations have been searched)
#9	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)):ti (Word variations have been searched)
#10	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)):ab (Word variations have been searched)
#11	(posttraumatic* or "post traumatic*" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma**" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress**")):ti (Word variations have been searched)
#12	(posttraumatic* or "post traumatic*" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma**" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress**")):ab (Word variations have been searched)
#13	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11 or #12

Database: CINAHL PLUS

Date of last search: 31 January 2017

#	searches
s50	s6 and s49
s49	s40 or s48
s48	s41 or s42 or s43 or s44 or s45 or s46 or s47
s47	ti (((consumer or patient) n/2 (focus* or centered or centred))) or ab (((consumer or patient) n2 (focus* or centered or centred)))
s46	ti (((adult* or attender* or brother* or client* or consumer* or customer* or famil* or father* or individual* or inpatient* or maternal* or mother* or patient* or people* or person* or sister* or spous* or women or user*) n3 (account* or anxieties or atisfact* or attitude* or barriers or belief* or buyin or "buy in*" or choice* or "co operativ*" or cooperat* or co operat* or expectation* or experienc* or feedback or feeling* or idea* or inform* or involv* or opinion* or participat* or perceive* or perception* or perspective* or preferen* or prepar* or priorit* or satisf* or view* or voices or worry))) or ab (((adult* or attender* or brother* or client* or consumer* or customer* or famil* or father* or individual* or inpatient* or maternal* or mother* or patient* or people* or person* or sister* or spous* or women or user*) n3 (account* or anxieties or atisfact* or attitude* or barriers or belief* or buyin or "buy in*" or choice* or "co

#	searches
	operativ*" or cooperat* or co operat* or expectation* or experienc* or feedback or feeling* or idea* or inform* or involv* or opinion* or participat* or perceive* or perception* or perspective* or preferen* or prepar* or priorit* or satisf* or view* or voices or worry)))
s45	(mh "quality of health care") or (mh "patient satisfaction") or (mh "patient compliance") or (mh "participant observation") or (mh "attitude to health") or ti ((interview* or questionnaire* or survey*)) or ab ((interview* or questionnaire* or survey*)) or pt interview or (mh "questionnaires") or interviews as topics or (mh "surveys")
s44	(qualitative* and (metaanal* or "meta anal*" or synthe* or systematic review*))
s43	("cross case analys**" or "eppi approach" or metaethno* or "meta ethno**" or metanarrative* or "meta narrative**" or "meta overview" or metaoverview or metastud* or "meta stud**" or metasummar* or "meta summar**" or "qualitative overview**" or ("critical interpretative" or evidence or meta or mixed methods or multilevel or "multi level" or narrative or parallel or realist) n1 synthe*) or metasynthe*)
s42	ti (("action research" or audiorecord* or ((audio or tape or video*) n5 record*) or colaizzi* or (constant n1 (comparative or comparison)) or "content analy*" or "critical social*" or (data n1 saturat*) or "discourse analysis" or emic or "ethical enquiry" or ethno* or etic or experiences or fieldnote* or (field n1 (note* or record* or stud* or research)) or (focus n4 (group* or sampl*)) or ((focus* or structured) n2 interview*) or giorgi* or glaser or (grounded n1 (theor* or study or studies or research)) or heidegger* or hermeneutic* or heuristic or "human science" or husserl* or ((life or lived) n1 experience*) or "maximum variation" or merleau or narrat* or ((participant* or nonparticipant*) n3 observ*) or ((philosophical or social) n1 research*) or ("pilot testing" and survey) or "purpos* sampl**" or qualitative* or ricoeur or semiotics or shadowing or snowball or spiegelberg* or stories or story or storytell* or strauss or "structured categor*" or "tape record*" or taperecord* or testimon* or (thematic* n3 analys*) or themes or "theoretical sampl**" or "unstructured categor*" or "van kaam**" or "van manen" or videorecord* or "video record*" or videotap* or "video tap**)) or ab (("action research" or audiorecord* or ((audio or tape or video*) n5 record*) or colaizzi* or (constant n1 (comparative or comparison)) or "content analy*" or "critical social*" or (data n1 saturat*) or "discourse analysis" or emic or "ethical enquiry" or ethno* or etic or experiences or fieldnote* or (field n1 (note* or record* or stud* or research)) or (focus n4 (group* or sampl*)) or ((focus* or structured) n2 interview*) or giorgi* or glaser or (grounded n1 (theor* or study or studies or research)) or heidegger* or hermeneutic* or heuristic or "human science" or husserl* or ((life or lived) n1 experience*) or "maximum variation" or merleau or narrat* or ((participant* or nonparticipant*) n3 observ*) or ((philosophical or social) n1 research*) or ("pilot testing" and survey) or "purpos* sampl**" or qualitative* or ricoeur or semiotics or shadowing or snowball or spiegelberg* or stories or story or storytell* or strauss or "structured categor*" or "tape record*" or taperecord* or testimon* or (thematic* n3 analys*) or themes or "theoretical sampl**" or "unstructured categor*" or "van kaam**" or "van manen" or videorecord* or "video record*" or videotap* or "video tap**))
s41	(mh "cluster analysis") or (mh "qualitative studies") or (mh "narratives") or (mh "videorecording") or (mh "audiorecording") or (mh "grounded theory") or (mh "focus groups") or (mh "cluster analysis") or (mh "anthropology, cultural")
s40	s7 or s8 or s9 or s10 or s11 or s12 or s13 or s14 or s15 or s16 or s17 or s18 or s19 or s20 or s21 or s22 or s23 or s29 or s30 or s31 or s34 or s35 or s36 or s37 or s38 or s39
s39	ti (analy* n5 review* or evidence* n5 review* or methodol* n5 review* or quantativ* n5 review* or systematic* n5 review*) or ab (analy* n5 review* or assessment* n5 review* or evidence* n5 review* or methodol* n5 review* or qualitativ* n5 review* or quantativ* n5 review* or systematic* n5 review*)
s38	ti (pool* n2 results or combined n2 results or combining n2 results) or ab (pool* n2 results or combined n2 results or combining n2 results)
s37	ti (pool* n2 studies or combined n2 studies or combining n2 studies) or ab (pool* n2 studies or combined n2 studies or combining n2 studies)
s36	ti (pool* n2 trials or combined n2 trials or combining n2 trials) or ab (pool* n2 trials or combined n2 trials or combining n2 trials)

#	searches
s35	ti (pool* n2 data or combined n2 data or combining n2 data) or ab (pool* n2 data or combined n2 data or combining n2 data)
s34	s32 and s33
s33	ti review* or pt review*
s32	ti analy* or assessment* or evidence* or methodol* or quantativ* or qualitativ* or systematic*
s31	ti "systematic* n5 search*" or ab "systematic* n5 search*"
s30	ti "systematic* n5 review*" or ab "systematic* n5 review"
s29	(s24 or s25 or s26) and (s27 or s28)
s28	ti systematic* or ab systematic*
s27	tx review* or mw review* or pt review*
s26	(mh "cochrane library")
s25	ti (bids or cochrane or embase or "index medicus" or "isi citation" or medline or psyclit or psychlit or scisearch or "science citation" or web n2 science) or ab (bids or cochrane or "index medicus" or "isi citation" or psyclit or psychlit or scisearch or "science citation" or web n2 science)
s24	ti ("electronic database*" or "bibliographic database*" or "computeri?ed database*" or "online database*") or ab ("electronic database*" or "bibliographic database*" or "computeri?ed database*" or "online database*")
s23	(mh "literature review")
s22	pt systematic* or pt meta*
s21	ti ("fixed effect*" or "random effect*") or ab ("fixed effect*" or "random effect*")
s20	ti ("mantel haenszel" or peto or dersimonian or "der simonian") or ab ("mantel haenszel" or peto or dersimonian or "der simonian")
s19	ti (handsearch* or "hand search*" or "manual search*") or ab (handsearch* or "hand search*" or "manual search*")
s18	ab "data extraction" or "data synthesis"
s17	ab "selection criteria"
s16	ab "relevant journals"
s15	ab "published studies"
s14	ab bibliograph*
s13	ti "reference list**"
s12	ab "reference list**"
s11	ti ("research review*" or "research integration") or ab ("research review*" or "research integration")
s10	ti (metaanal* or "meta anal*" or metasynthes* or "meta synethes*") or ab (metaanal* or "meta anal*" or metasynthes* or "meta synethes*")
s9	(mh "meta analysis")
s8	(mh "systematic review")
s7	(mh "literature searching+")
s6	s1 or s2 or s3 or s4 or s5
s5	ti ((posttraumatic* or "post traumatic*" or "stress disorder*" or "acute stress" or ptsd or asd or desnos or ("combat neuros*" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back*" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress*"))) or ab ((posttraumatic* or "post traumatic*" or "stress disorder*" or "acute stress" or ptsd or asd or desnos or ("combat neuros*" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back*" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress*")))

#	searches
s4	ti ((trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare**" or emotion*))) or ab ((trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare**" or emotion*)))
s3	ti (("railway spine" or (rape near/2 trauma*)) or reexperienc* or "re experienc**" or "torture syndrome" or "traumatic neuros**" or "traumatic stress")) or ab (("railway spine" or (rape near/2 trauma*)) or reexperienc* or "re experienc**" or "torture syndrome" or "traumatic neuros**" or "traumatic stress"))
s2	(mh "stress, psychological")
s1	(mh "stress disorders, post-traumatic")

Organisation and delivery of care for people with PTSD

RQ. 7.1 Which service delivery models are effective at meeting the needs of adults, children and young people with clinically important post-traumatic stress symptoms?

RQ. 7.2 For adults, children and young people with clinically important post-traumatic stress symptoms, what are the aspects of a clinical care pathway that are associated with better outcomes?

Clinical evidence

Database: Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid MEDLINE(R), Embase, PsycINFO

Date of last search: 31 January 2017

#	Searches
1	*acute stress/ or *behavioural stress/ or *emotional stress/ or *critical incident stress/ or *mental stress/ or *posttraumatic stress disorder/ or *psychotrauma/
2	1 use emez
3	stress disorders, traumatic/ or combat disorders/ or psychological trauma/ or stress disorders, post-traumatic/ or stress disorders, traumatic, acute/ or stress, psychological/
4	3 use mesz
5	exp posttraumatic stress disorder/ or acute stress disorder/ or combat experience/ or "debriefing (psychological)"/ or emotional trauma/ or post-traumatic stress/ or traumatic neurosis/ or trauma/ or stress reactions/ or psychological stress/ or chronic stress/
6	5 use psyh
7	(railway spine or (rape adj2 trauma*)) or reexperienc* or re experienc* or torture syndrome or traumatic neuros* or traumatic stress).ti,ab.
8	(trauma* and (avoidance or grief or horror or death* or nightmare* or night mare* or emotion*)).ti,ab.
9	(posttraumatic* or post traumatic* or stress disorder* or acute stress or ptsd or asd or desnos or (combat neuros* or combat syndrome or concentration camp syndrome or extreme stress or flashback* or flash back* or hypervigilan* or hypervigilen* or psych* stress or psych* trauma* or psycho?trauma* or psychotrauma*).ti,ab.
10	or/2,4,6-9

#	Searches
11	*case management/ or *cooperation/ or *patient care/ or *health care delivery/ or *integrated health care system/ or *multihospital system/ or *patient care/ or *health care planning/ or *health care policy/ or *hospital management/ or *health care planning/ or *patient care planning/ or *program development/ or *resource allocation/
12	11 use emez
13	case management/ or cooperative behavior/ or "continuity of patient care"/ or delivery of health care/ or delivery of health care, integrated/ or interprofessional relations/ or interinstitutional relations/ or multi-institutional systems/ or models, organizational/ or patient care team/ or patient centered care/ or community health planning/ or decision making, organizational/ or health care reform/ or health facility administration/ or health facility planning/ or health planning/ or health planning guidelines/ or health plan implementation/ or health resources/ or health services administration/ or exp health planning organizations/ or health systems plans/ or institutional management teams/ or national health programs/ or organizational innovation/ or patient care planning/ or planning techniques/ or program development/ or public health administration/ or regional health planning/ or regional medical programs/ or resource allocation/ or state health plans/
14	13 use mesz
15	exp case management/ or exp cooperation/ or exp "continuum of care"/ or exp health care delivery/ or exp integrated services/ or exp interdisciplinary treatment approach/ or exp teams/ or exp health care reform/ or exp treatment planning/ or exp resource allocation/
16	15 use psyh
17	(algorithm* or pathway* or (treatment adj (delivery or guideline* or program* or protocol*))).ti,ab.
18	((assertive or proassertive) adj2 (communit* or outreach or treatment*)) or act model*).ti,ab.
19	((augment* or collaborat* or coordinat* or co ordinat* or enhanc* or holistic* or 69 integrat* or interdisciplin* or inter disciplin* or interagenc* or inter agenc* or interorganis* or inter organis* or interprofessional* or inter professional* or intraprofessional* or intra professional* or multiagenc* or multi agenc* or multidimension* or multi dimension* or multidisciplin* or multi disciplin* or multifacet* or multi facet* or multiprofessional* or multi professional* or multiple or shared or stepped or tiered or transdisciplin* or trans disciplin*) adj3 (approach* or care or healthcare or intervention* or manag* or model* or program* or psychotherap* or service* or system* or team* or therap* or treatment* or work*).ti,ab.
20	((care or case*) adj manag*) or managed care program* or (patient care adj (plan* or team*))).ti,ab.
21	(cluster adj3 health* adj3 social*).ti,ab.
22	((complex or organi?ational) adj intervention*).ti,ab.
23	((comprehensive adj2 (care or management or service or treatment)) or (managed adj (behavioral or behavioural) adj health) or (model* adj2 (approach* or care or consultation or integrated or service* or team* or treatment*))).ti,ab.
24	(co located team or co location or (joint service adj3 development) or linkwork* or multidisciplinary assessment or one stop shop or (pool* adj3 budget) or single assessment or strategic collaboration).ti,ab.
25	consultation liaison.ti,ab.
26	((contin* or coordinated or co ordinated or joint* or joined up or progression or seamless* or structured or uninterrupted) adj3 (care or healthcare or service*)).ti,ab.
27	((continuous or integrated or joint or overlapping) adj commission*) or provider partnership*).ti,ab.
28	(continuity adj2 (care or healthcare)).ti,ab.
29	((cooperative or co operative) adj behav*) or ((interpersonal or inter personal or interprofession* or inter profession* or interinstitution* or inter institution*) adj (work* or relation*))).ti,ab.

#	Searches
30	(flexible partnership* or (joint* adj3 working) or joined up partnership* or (partnership* adj3 working) or partnership project*).ti,ab.
31	((horizontal or vertical) adj integrat*) or horizontal communication*.ti,ab.
32	(imhc or integrated psychiatry).ti,ab.
33	(integrat* adj3 health*).ti,ab.
34	((model* or pathway*) adj3 (approach* or care or healthcare or program* or psychotherap* or service* or specialit* or therap* or treatment*)).ti,ab.
35	((parallel or serial) adj2 (care or healthcare or model* or service* or therap* or treatment*)).ti,ab.
36	((premobile or pre mobile) adj3 (approach* or care or communit* or healthcare or program* or service* or therap* or treatment or work*)).ti,ab.
37	(system* adj2 care).ti,ab.
38	((deliver* or implement* or needs or organi* or plan* or utili*) adj3 (care or healthcare or model* or program* or service* or system*)).ti,ab.
39	or/12,14,16-38
40	meta analysis/ or "meta analysis (topic)"/ or systematic review/
41	40 use emez
42	meta analysis.sh,pt. or "meta-analysis as topic"/ or "review literature as topic"/
43	42 use mesz
44	(literature review or meta analysis).sh,id,md. or systematic review.id,md.
45	44 use psyh
46	(exp bibliographic database/ or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,sh,pt. or systematic*.ti,ab.)
47	46 use emez
48	(exp databases, bibliographic/ or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,sh,pt. or systematic*.ti,ab.)
49	48 use mesz
50	(computer searching.sh,id. or (((electronic or computer* or online) adj database*) or bids or cochrane or embase or index medicus or isi citation or medline or psyclit or psychlit or scisearch or science citation or (web adj2 science)).ti,ab.) and (review*.ti,ab,pt. or systematic*.ti,ab.)
51	50 use psyh
52	((analy* or assessment* or evidence* or methodol* or quantativ* or systematic*) adj2 (overview* or review*).tw. or ((analy* or assessment* or evidence* or methodol* or quantativ* or systematic*).ti. and review*.ti,pt.) or (systematic* adj2 search*).ti,ab.
53	(metaanal* or meta anal*).ti,ab.
54	(research adj (review* or integration)).ti,ab.
55	reference list*.ab.
56	bibliograph*.ab.
57	published studies.ab.
58	relevant journals.ab.
59	selection criteria.ab.
60	(data adj (extraction or synthesis)).ab.
61	(handsearch* or ((hand or manual) adj search*)).ti,ab.

#	Searches
62	(mantel haenszel or peto or dersimonian or der simonian).ti,ab.
63	(fixed effect* or random effect*).ti,ab.
64	((pool* or combined or combining) adj2 (data or trials or studies or results)).ti,ab.
65	or/41,43,45,47,49,51-64
66	exp "clinical trial (topic)"/ or exp clinical trial/ or crossover procedure/ or double blind procedure/ or placebo/ or randomization/ or random sample/ or single blind procedure/
67	66 use emez
68	exp clinical trial/ or exp "clinical trials as topic"/ or cross-over studies/ or double-blind method/ or placebos/ or random allocation/ or single-blind method/
69	68 use mesz
70	(clinical trials or placebo or random sampling).sh,id.
71	70 use psyh
72	(clinical adj2 trial*).ti,ab.
73	(crossover or cross over).ti,ab.
74	((single* or doubl* or trebl* or tripl*) adj2 blind*) or mask* or dummy or doubleblind* or singleblind* or trebleblind* or tripleblind*).ti,ab.
75	(placebo* or random*).ti,ab.
76	treatment outcome*.md. use psyh
77	animals/ not human*.mp. use emez
78	animal*/ not human*/ use mesz
79	(animal not human).po. use psyh
80	or/67,69,71-76
81	80 not (or/77-79)
82	or/65,81
83	10 and 39 and 82

Database: CDSR, DARE, HTA, CENTRAL

Date of last search: 31 January 2017

#	Searches
#1	MeSH descriptor: Stress Disorders, Traumatic this term only
#2	MeSH descriptor: Combat Disorders this term only
#3	MeSH descriptor: Psychological Trauma this term only
#4	MeSH descriptor: Stress Disorders, Post-Traumatic this term only
#5	MeSH descriptor: Stress Disorders, Traumatic, Acute this term only
#6	MeSH descriptor: Stress, Psychological this term only
#7	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc**" or "torture syndrome" or "traumatic neuros**" or "traumatic stress"):ti (Word variations have been searched)
#8	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc**" or "torture syndrome" or "traumatic neuros**" or "traumatic stress"):ab (Word variations have been searched)
#9	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)):ti (Word variations have been searched)
#10	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)):ab (Word variations have been searched)

#	Searches
#11	(posttraumatic* or "post traumatic*" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma**" or psychotrauma* or psychotrauma*) or (postrauma* or traumagenic* or "traumatic stress**")):ti (Word variations have been searched)
#12	(posttraumatic* or "post traumatic*" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma**" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress**")):ab (Word variations have been searched)
#13	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11 or #12

Database: CINAHL PLUS

Date of last search: 31 January 2017

#	Searches
s52	s6 and s51
s51	s40 or s50
s50	s48 not s49
s49	(mh "animals") not (mh "human")
s48	s41 or s42 or s43 or s44 or s45 or s46 or s47
s47	ti (placebo* or random*) or ab (placebo* or random*)
s46	ti (single blind* or double blind* or treble blind* or mask* or dummy* or singleblind* or doubleblind* or trebleblind* or tripleblind*) or ab (single blind* or double blind* or treble blind* or mask* or dummy* or singleblind* or doubleblind* or trebleblind* or tripleblind*)
s45	ti (crossover or cross over) or ab (crossover or cross over)
s44	ti clinical n2 trial* or ab clinical n2 trial*
s43	(mh "crossover design") or (mh "placebos") or (mh "random assignment") or (mh "random sample")
s42	mw double blind* or single blind* or triple blind*
s41	(mh "clinical trials+")
s40	s7 or s8 or s9 or s10 or s11 or s12 or s13 or s14 or s15 or s16 or s17 or s18 or s19 or s20 or s21 or s22 or s23 or s29 or s30 or s31 or s34 or s35 or s36 or s37 or s38 or s39
s39	ti (analy* n5 review* or evidence* n5 review* or methodol* n5 review* or quantativ* n5 review* or systematic* n5 review*) or ab (analy* n5 review* or assessment* n5 review* or evidence* n5 review* or methodol* n5 review* or qualitativ* n5 review* or quantativ* n5 review* or systematic* n5 review*)
s38	ti (pool* n2 results or combined n2 results or combining n2 results) or ab (pool* n2 results or combined n2 results or combining n2 results)
s37	ti (pool* n2 studies or combined n2 studies or combining n2 studies) or ab (pool* n2 studies or combined n2 studies or combining n2 studies)
s36	ti (pool* n2 trials or combined n2 trials or combining n2 trials) or ab (pool* n2 trials or combined n2 trials or combining n2 trials)
s35	ti (pool* n2 data or combined n2 data or combining n2 data) or ab (pool* n2 data or combined n2 data or combining n2 data)
s34	s32 and s33
s33	ti review* or pt review*
s32	ti analy* or assessment* or evidence* or methodol* or quantativ* or qualitativ* or systematic*
s31	ti "systematic* n5 search**" or ab "systematic* n5 search**"
s30	ti "systematic* n5 review**" or ab "systematic* n5 review**"

#	Searches
s29	(s24 or s25 or s26) and (s27 or s28)
s28	ti systematic* or ab systematic*
s27	tx review* or mw review* or pt review*
s26	(mh "cochrane library")
s25	ti (bids or cochrane or embase or "index medicus" or "isi citation" or medline or psyclit or psychlit or scisearch or "science citation" or web n2 science) or ab (bids or cochrane or "index medicus" or "isi citation" or psyclit or psychlit or scisearch or "science citation" or web n2 science)
s24	ti ("electronic database*" or "bibliographic database*" or "computeri?ed database*" or "online database*") or ab ("electronic database*" or "bibliographic database*" or "computeri?ed database*" or "online database*")
s23	(mh "literature review")
s22	pt systematic* or pt meta*
s21	ti ("fixed effect*" or "random effect*") or ab ("fixed effect*" or "random effect*")
s20	ti ("mantel haenszel" or peto or dersimonian or "der simonian") or ab ("mantel haenszel" or peto or dersimonian or "der simonian")
s19	ti (handsearch* or "hand search*" or "manual search*") or ab (handsearch* or "hand search*" or "manual search*")
s18	ab "data extraction" or "data synthesis"
s17	ab "selection criteria"
s16	ab "relevant journals"
s15	ab "published studies"
s14	ab bibliograph*
s13	ti "reference list**"
s12	ab "reference list**"
s11	ti ("research review*" or "research integration") or ab ("research review*" or "research integration")
s10	ti (metaanal* or "meta anal*" or metasynthes* or "meta synethes*") or ab (metaanal* or "meta anal*" or metasynthes* or "meta synethes*")
s9	(mh "meta analysis")
s8	(mh "systematic review")
s7	(mh "literature searching+")
s6	s1 or s2 or s3 or s4 or s5
s5	ti ((posttraumatic* or "post traumatic**" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (postrauma* or traumagenic* or "traumatic stress**"))) or ab ((posttraumatic* or "post traumatic**" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma*" or psychotrauma* or psychotrauma*) or (postrauma* or traumagenic* or "traumatic stress**")))
s4	ti ((trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare**" or emotion*))) or ab ((trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare**" or emotion*)))
s3	ti (("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros**" or "traumatic stress")) or ab (("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros**" or "traumatic stress"))
s2	(mh "stress, psychological")

#	Searches
s1	(mh "stress disorders, post-traumatic")

Health economics global search

Note: evidence resulting from the health economic search update was screened to reflect the final dates of the searches that were undertaken for the clinical reviews (see review protocols).

Database: Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid MEDLINE(R), Embase, PsycINFO

Date of last search: 1 March 2018

#	Searches
1	*acute stress/ or *behavioural stress/ or *emotional stress/ or *critical incident stress/ or *mental stress/ or *posttraumatic stress disorder/ or *psychotrauma/
1	*acute stress/ or *behavioural stress/ or *emotional stress/ or *critical incident stress/ or *mental stress/ or *posttraumatic stress disorder/ or *psychotrauma/
2	1 use emez
3	stress disorders, traumatic/ or combat disorders/ or psychological trauma/ or stress disorders, post-traumatic/ or stress disorders, traumatic, acute/ or stress, psychological/
4	3 use mesz, prem
5	exp posttraumatic stress disorder/ or acute stress disorder/ or combat experience/ or "debriefing (psychological)"/ or emotional trauma/ or post-traumatic stress/ or traumatic neurosis/ or "trauma"/ or stress reactions/ or psychological stress/ or chronic stress/
6	5 use psyh
7	(railway spine or (rape adj2 trauma*) or reexperienc* or re experienc* or torture syndrome or traumatic neuros* or traumatic stress).ti,ab.
8	(trauma* and (avoidance or grief or horror or death* or nightmare* or night mare* or emotion*)).ti,ab.
9	(posttraumatic* or post traumatic* or stress disorder* or acute stress or ptsd or asd or desnos or (combat neuros* or combat syndrome or concentration camp syndrome or extreme stress or flashback* or flash back* or hypervigilan* or hypervigilen* or psych* stress or psych* trauma* or psycho?trauma* or psychotrauma*).ti,ab.
10	or/2,4,6-9
11	budget/ or exp economic evaluation/ or exp fee/ or funding/ or exp health care cost/ or health economics/ or exp pharmacoeconomics/ or resource allocation/
12	151 use emez
13	exp budgets/ or exp "costs and cost analysis"/ or economics/ or exp economics, hospital/ or exp economics, medical/ or economics, nursing/ or economics, pharmaceutical/ or exp "fees and charges"/ or value of life/
14	153 use mesz, prem
15	exp "costs and cost analysis"/ or cost containment/ or economics/ or finance/ or funding/ or "health care economics"/ or pharmacoeconomics/ or exp professional fees/ or resource allocation/
16	155 use psyh
17	(cost* or economic* or pharmacoconomic* or pharmaco economic*).ti. or (cost* adj2 (effective* or utilit* or benefit* or minimi*)).ab. or (budget* or fee or fees or financ* or price or prices or pricing or resource* allocat* or (value adj2 (monetary or money))).ti,ab.
18	or/12,14,16-17

#	Searches
19	decision theory/ or decision tree/ or monte carlo method/ or nonbiological model/ or (statistical model/ and exp economic aspect/) or stochastic model/ or theoretical model/
20	159 use emez
21	exp decision theory/ or markov chains/ or exp models, economic/ or models, organizational/ or models, theoretical/ or monte carlo method/
22	161 use mesz, prem
23	exp decision theory/ or exp stochastic modeling/
24	163 use psyh
25	((decision adj (analy* or model* or tree*)) or economic model* or markov).ti,ab.
26	or/20,22,24-25
27	quality adjusted life year/ or "quality of life index"/ or short form 12/ or short form 20/ or short form 36/ or short form 8/ or sickness impact profile/
28	167 use emez
29	quality-adjusted life years/ or sickness impact profile/
30	169 use mesz, prem
31	((disability or quality) adj adjusted) or (adjusted adj2 life)).ti,ab.
32	(disutili* or dis utili* or (utilit* adj1 (health or score* or value* or weigh*)).ti,ab.
33	(health year equivalent* or hye or hyes).ti,ab.
34	(daly or qal or qald or qale or qaly or qtime* or qwb*).ti,ab.
35	discrete choice.ti,ab.
36	(euroqol* or euro qol* or eq5d* or eq 5d*).ti,ab.
37	(hui or hui1 or hui2 or hui3).ti,ab.
38	((general or quality) adj2 (wellbeing or well being)) or quality adjusted life or qwb or (value adj2 (money or monetary))).ti,ab.
39	(qol or hql* or hqol* or hrqol or hr ql or hrql).ti,ab.
40	rosser.ti,ab.
41	sickness impact profile.ti,ab.
42	(standard gamble or time trade* or tto or willingness to pay or wtp).ti,ab.
43	(sf36 or sf 36 or short form 36 or shortform 36 or shortform36).ti,ab.
44	(sf6 or sf 6 or short form 6 or shortform 6 or shortform6).ti,ab.
45	(sf12 or sf 12 or short form 12 or shortform 12 or shortform12).ti,ab.
46	(sf16 or sf 16 or short form 16 or shortform 16 or shortform16).ti,ab.
47	(sf20 or sf 20 or short form 20 or shortform 20 or shortform20).ti,ab.
48	(sf8 or sf 8 or short form 8 or shortform 8 or shortform8).ti,ab.
49	or/28,30-48
50	or/18,26,49

Database: HTA, NHS EED

Date of last search: 1 March 2018

#	Searches
#1	MeSH descriptor: Stress Disorders, Traumatic this term only
#2	MeSH descriptor: Combat Disorders this term only
#3	MeSH descriptor: Psychological Trauma this term only
#4	MeSH descriptor: Stress Disorders, Post-Traumatic this term only
#5	MeSH descriptor: Stress Disorders, Traumatic, Acute this term only

#	Searches
#6	MeSH descriptor: Stress, Psychological this term only
#7	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"):ti (Word variations have been searched)
#8	("railway spine" or (rape near/2 trauma*) or reexperienc* or "re experienc*" or "torture syndrome" or "traumatic neuros*" or "traumatic stress"):ab (Word variations have been searched)
#9	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)):ti (Word variations have been searched)
#10	(trauma* and (avoidance or grief or horror or death* or nightmare* or "night mare*" or emotion*)):ab (Word variations have been searched)
#11	(posttraumatic* or "post traumatic*" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma**" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress**")):ti (Word variations have been searched)
#12	(posttraumatic* or "post traumatic*" or "stress disorder**" or "acute stress" or ptsd or asd or desnos or ("combat neuros**" or "combat syndrome" or "concentration camp syndrome" or "extreme stress" or flashback* or "flash back**" or hypervigilan* or hypervigilen* or "psych* stress" or "psych* trauma**" or psychotrauma* or psychotrauma*) or (posttrauma* or traumagenic* or "traumatic stress**")):ab (Word variations have been searched)
#13	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11 or #12