

## Appendix G: References to excluded studies

[No authors listed] (2008) Fluoroquinolones: Psychiatric Adverse Effects, *Prescribe International*, 17(93):20.

[No authors listed] (2008) Inhaled and Nasal Steroids: Mental Disorders, *Prescribe International*, 17(93):20-1.

Adamis D, Morrison C, Treloar A, Macdonald AJ, and Martin FC (2005) The Performance of the Clock Drawing Test in Elderly Medical Inpatients: Does It Have Utility in the Identification of Delirium?, *Journal of Geriatric Psychiatry and Neurology*, 18(3):129-33.

Adamis D, Martin FC, Treloar A, and Macdonald AJD (2005) Capacity, Consent, and Selection Bias in a Study of Delirium, *Journal of Medical Ethics*, 31(3):137-43.

Adunsky A, Levy R, Heim M, Mizrahi E, and Arad M (2002) Meperidine Analgesia and Delirium in Aged Hip Fracture Patients, *Archives of Gerontology and Geriatrics*, 35(3):253-9.

Agnoletti V, Ansaloni L, Catena F, Chattat R, De Cataldis A, Di Nino G, Franceschi C, Gagliardi S, Melotti RM, Potalivo A, and Taffurelli M (2005) Postoperative Delirium After Elective and Emergency Surgery: Analysis and Checking of Risk Factors. A Study Protocol, *BMC Surgery*, 5:12.

Aizawa K, Kanai T, Saikawa Y, Takabayashi T, Kawano Y, Miyazawa N, and Yamamoto T (2002) A Novel Approach to the Prevention of Postoperative Delirium in the Elderly After Gastrointestinal Surgery, *Surgery Today*, 32(4):310-4.

Aldemir M, Ozen S, Kara IH, Sir A, and Bac B (2001) Predisposing Factors for Delirium in the Surgical Intensive Care Unit, *Critical Care*, 5(5):265-70.

Amador LF (2005) Postoperative Delirium in the Older Patient, *Journal of the American College of Surgeons*, 200(5):767-73.

Ames D, Flynn E, and Harrigan S (1994) Prevalence of Psychiatric Disorders Among Inpatients of an Acute Geriatric Hospital, *Australasian Journal on Ageing*, 13(1):8-11.

Andersson EM, Gustafson L, and Hallberg IR (2001) Acute Confusional State in Elderly Orthopaedic Patients: Factors of Importance for Detection in Nursing Care, *International Journal of Geriatric Psychiatry*, 16(1):7-17.

Andersson EM, Hallberg IR, Norberg A, and Edberg AK (2002) The Meaning of Acute Confusional State From the Perspective of Elderly Patients, *International Journal of Geriatric Psychiatry*, 17(7):652-63.

Astaneh AN (2007) The Multi Component Intervention to Prevent Postoperative Delirium After Open-Heart Surgery, *Pakistan Journal of Medical Sciences*, 23(2):188-92.

Balasundaram B and Holmes J (2007) Delirium in Vascular Surgery, *European Journal of Vascular and Endovascular Surgery*, 34(2):131-4.

Baldwin R, Pratt H, Goring H, Marriott A, and Roberts C (2004) Does a Nurse-Led Mental Health Liaison Service for Older People Reduce Psychiatric Morbidity in

Acute General Medical Wards? A Randomised Controlled Trial, *Age and Ageing*, 33(5):472-8.

Beaupre LA, Cinats JG, Senthilselvan A, Lier D, Jones CA, Scharfenberger A, Johnston DW, and Saunders LD (2006) Reduced Morbidity for Elderly Patients With a Hip Fracture After Implementation of a Perioperative Evidence-Based Clinical Pathway, *Quality and Safety in Health Care*, 15(5):375-9.

Bekker AY and Weeks EJ (2003) Cognitive Function After Anaesthesia in the Elderly, *Best Practice and Research, Clinical Anaesthesiology*. 17(2):259-72.

[Bergeron N, Dubois MJ, Dumont M, Dial S, and Skrobik Y \(2001\) Intensive Care Delirium Screening Checklist: Evaluation of a New Screening Tool, \*Intensive Care Medicine\*, 27\(5\):859-64.](#)

Bergeron N, Skrobik Y, and Dubois M-J (2002) Delirium in Critically Ill Patients, *Critical Care*, 6(3):181-2.

Blass JP and Gibson GE (1999) Cerebrometabolic Aspects of Delirium in Relationship to Dementia, *Dementia and Geriatric Cognitive Disorders*, 10(5):335-8.

Blondell RD, Powell GE, Dodds HN, Looney SW, and Lukan JK (2004) Admission Characteristics of Trauma Patients in Whom Delirium Develops, *American Journal of Surgery*, 187(3):332-7.

Bond SM, Neelon VJ, and Belyea MJ (2006) Delirium in Hospitalized Older Patients With Cancer, *Oncology Nursing Forum*, 33(6):1075-83.

Boockvar KS, Litke A, Penrod JD, Halm EA, Morrison RS, Silberzweig SB, Magaziner J, Koval K, and Siu AL (2004) Patient Relocation in the 6 Months After Hip Fracture: Risk Factors for Fragmented Care, *Journal of the American Geriatrics Society*, 52(11):1826-31.

Brannstrom B (1999) Care of the Delirious Patient, *Dementia and Geriatric Cognitive Disorders*, 10(5):416-9.

Breitbart W, Marotta R, Platt MM, Weisman H, Derevenco M, Grau C, Corbera K, Raymond S, Lund S, and Jacobson P (1996) A Double-Blind Trial of Haloperidol, Chlorpromazine, and Lorazepam in the Treatment of Delirium in Hospitalized AIDS Patients, *American Journal of Psychiatry*, 153(2):231-7.

Breitbart W, Gibson C, and Tremblay A (2002) The Delirium Experience: Delirium Recall and Delirium-Related Distress in Hospitalized Patients With Cancer, Their Spouses/Caregivers, and Their Nurses, *Psychosomatics*, 43(3):183-94.

Bruce AJ, Ritchie CW, Blizard R, Lai R, and Raven P (2007) The Incidence of Delirium Associated With Orthopedic Surgery: a Meta-Analytic Review, *International Psychogeriatrics*, 19(2):197-214.

Bruera E, Bush SH, Willey J, Paraskevopoulos T, Li Z, Palmer JL, Cohen MZ, Sivesind D, and Elsayem A (2009) Impact of Delirium and Recall on the Level of Distress in Patients With Advanced Cancer and Their Family Caregivers, *Cancer*, 115(9):2004-12.

- Bryson GL and Wyand A (2006) Evidence-Based Clinical Update: General Anesthesia and the Risk of Delirium and Postoperative Cognitive Dysfunction, *Canadian Journal of Anaesthesia*, 53(7):669-77.
- Bucht G, Gustafson Y, and Sandberg O (1999) Epidemiology of Delirium, *Dementia and Geriatric Cognitive Disorders*, 10(5):315-8.
- Buis CI, Wiesner RH, Krom RA, Kremers WK, and Wijdicks EF (2002) Acute Confusional State Following Liver Transplantation for Alcoholic Liver Disease, *Neurology*, 59(4):601-5.
- Cacchione PZ (2002) Four Acute Confusion Assessment Instruments: Reliability and Validity for Use in Long-Term Care Facilities, *Journal of Gerontological Nursing*, 28(1):12-9.
- Cacchione PZ, Culp K, Dyck MJ, and Laing J (2003) Risk for Acute Confusion in Sensory-Impaired, Rural, Long-Term-Care Elders, *Clinical Nursing Research*, 12(4):340-55.
- Cacchione PZ, Culp K, Laing J, and Tripp Reimer T (2003) Clinical Profile of Acute Confusion in the Long-Term Care Setting, *Clinical Nursing Research*, 12(2):145-58.
- Cameron DJ, Thomas RI, Mulvihill M, and Bronheim H (1987) Delirium: a Test of the Diagnostic and Statistical Manual III Criteria on Medical Inpatients, *Journal of the American Geriatrics Society*, 35(11):1007-10.
- Caplan G (2008) Does 'Hospital in the Home' Treatment Prevent Delirium?, *Aging Health*, 4(1):69-74.
- Caplan JP (2009) Haloperidol and Delirium: Management or Treatment?, *Critical Care Medicine*, 37(1):354-5.
- Cavaliere F, D'Ambrosio F, Volpe C, and Masieri S (2005) Postoperative Delirium, *Current Drug Targets*, 6(7):807-14.
- Clark LR, Fraaza V, Schroeder S, and Maddens ME (1995) Alternative Nursing Environments: Do They Affect Hospital Outcomes?, *Journal of Gerontological Nursing*, 21(11):32-8.
- Clayer M and Bruckner J (2000) Occult Hypoxia After Femoral Neck Fracture and Elective Hip Surgery, *Clinical Orthopaedics and Related Research*, (370):265-71.
- Cole MG (1999) Delirium: Effectiveness of Systematic Interventions, *Dementia and Geriatric Cognitive Disorders*, 10(5):406-11.
- Corsinovi L, Bo M, Ricauda AN, Marinello R, Gariglio F, Marchetto C, Gastaldi L, Fissore L, Zanocchi M, and Molaschi M (2009) Predictors of Falls and Hospitalization Outcomes in Elderly Patients Admitted to an Acute Geriatric Unit, *Archives of Gerontology and Geriatrics*, 49(1):142-5.
- Culp K, Tripp-Reimer T, Wadle K, Wakefield B, Akins J, Mobily P, and Kundradt M (1995) Screening for Acute Confusion in Elderly Long-Term Care Residents, *Journal of Neuroscience Nursing*, 29(2):86-8.

Dai Y-T (2000) Risk Factors and Incidence of Postoperative Delirium Elderly Chinese Patients, *Gerontology*, 46(1):28-35.

Dasgupta M and Dumbrell AC (2006) Preoperative Risk Assessment for Delirium After Noncardiac Surgery: A Systematic Review, *Journal of the American Geriatrics Society*, 54(10):1578-89.

Dautzenberg PL, Mulder LJ, Olde Rikkert MG, Wouters CJ, and Loonen AJ (2004) Delirium in Elderly Hospitalised Patients: Protective Effects of Chronic Rivastigmine Usage, *International Journal of Geriatric Psychiatry*, 19(7):641-4.

de Jonghe JF, Kalisvaart KJ, Dijkstra M, van Dis H, Vreeswijk R, Kat MG, Eikelenboom P, van der PT, and van Gool WA (2007) Early Symptoms in the Prodromal Phase of Delirium: a Prospective Cohort Study in Elderly Patients Undergoing Hip Surgery, *American Journal of Geriatric Psychiatry*, 15(2):112-21.

de Negreiros DP, Silva Meleiro AMA, Furlanetto LM, and Trzepacz PT (2008) Portuguese Version of the Delirium Rating Scale-Revised-98: Reliability and Validity, *International Journal of Geriatric Psychiatry*, 23(5):472-7.

de Rooij SE, van Munster BC, Korevaar JC, Casteelen G, Schuurmans MJ, RC, and Levi M (2006) Delirium Subtype Identification and the Validation of the Delirium Rating Scale-Revised-98 (Dutch Version) in Hospitalized Elderly Patients, *International Journal of Geriatric Psychiatry*, 21(9):876-82.

Del Rosario E, Esteve N, Sernandez MJ, Batet C, and Aguilar JL (2008) Does Femoral Nerve Analgesia Impact the Development of Postoperative Delirium in the Elderly? A Retrospective Investigation, *Acute Pain*, 10(2):59-64.

Demeure MJ (2006) The Elderly Surgical Patient and Postoperative Delirium, *Journal of the American College of Surgeons*, 203(5):752-7.

Dosa D, Intrator O, McNicoll L, Cang Y, and Teno J (2007) Preliminary Derivation of a Nursing Home Confusion Assessment Method Based on Data From the Minimum Data Set, *Journal of the American Geriatrics Society*, 55(7):1099-105.

Duggleby W and Lander J (1994) Cognitive Status and Postoperative Pain: Older Adults, *Journal of Pain & Symptom Management*, 9(1):19-27.

Duppils GS and Wikblad K (2004) Cognitive Function and Health-Related Quality of Life After Delirium in Connection With Hip Surgery. A Six-Month Follow-Up, *Orthopaedic Nursing*, 23(3):195-203.

Dyer CB, Ashton CM, and Teasdale TA (1995) Postoperative Delirium. A Review of 80 Primary Data-Collection Studies, *Archives of Internal Medicine*, 155(5):461-5.

Dyrud Jr JE (2004) Posttransplantation Delirium: A Review, *Current Opinion in Organ Transplantation*, 9(4):428-31.

Eeles E and Rockwood K (2008) Delirium in the Long-Term Care Setting: Clinical and Research Challenges, *Journal of the American Medical Directors Association*, 9(3):157-61.

Eikelenboom P and Hoogendijk WJ (1999) Do Delirium and Alzheimer's Dementia Share Specific Pathogenetic Mechanisms?, *Dementia and Geriatric Cognitive Disorders*, 10(5):319-24.

Ely EW, Stephens RK, Jackson JC, Thomason JWW, Truman B, Gordon S, Dittus RS, and Bernard GR (2004) Current Opinions Regarding the Importance, Diagnosis, and Management of Delirium in the Intensive Care Unit: A Survey of 912 Healthcare Professionals, *Critical Care Medicine*, 32(1):106-12.

Eriksson M, Samuelsson E, Gustafson Y, Aberg T, and Engstrom KG (2002) Delirium After Coronary Bypass Surgery Evaluated by the Organic Brain Syndrome Protocol, *Scandinavian Cardiovascular Journal*, 36(4):250-5.

Eriksson S (1999) Social and Environmental Contributors to Delirium in the Elderly, *Dementia and Geriatric Cognitive Disorders*, 10(5):350-2.

Faezah SK, Zhang D, and Yin LF (2008) The Prevalence and Risk Factors of Delirium Amongst the Elderly in Acute Hospital, *Singapore Nursing Journal*, 35(1):11-4.

Fainsinger RI, De Moissac D, Mancini I, and Oneschuk D (2000) Sedation for Delirium and Other Symptoms in Terminally Ill Patients in Edmonton, *Journal of Palliative Care*, 16(2):5-10.

Ferro JM, Caeiro L, and Verdelho A (2002) Delirium in Acute Stroke, *Current Opinion in Neurology*, 15(1):51-5.

Fick DM, Agostini JV, and Inouye SK (2002) Delirium Superimposed on Dementia: a Systematic Review, *Journal of the American Geriatrics Society*, 50(10):1723-32.

Fick DM, Kolanowski AM, Waller JL, and Inouye SK (2005) Delirium Superimposed on Dementia in a Community-Dwelling Managed Care Population: a 3-Year Retrospective Study of Occurrence, Costs, and Utilization, *Journals of Gerontology Series A-Biological Sciences and Medical Sciences*, 60A(6):748-53.

Fisher BW and Flowerdew G (1995) A Simple Model for Predicting Postoperative Delirium in Older Patients Undergoing Elective Orthopedic Surgery, *Journal of the American Geriatrics Society*, 43(2):175-8.

Flood KL, Carroll MB, Le CV, Ball L, Esker DA, and Carr DB (2006) Geriatric Syndromes in Elderly Patients Admitted to an Oncology-Acute Care for Elders Unit, *Journal of Clinical Oncology*, 24(15):2298-303.

Fricchione GL, Nejad SH, Esses JA, Cummings TJJ, Querques J, Cassem NH, and Murray GB (2008) Postoperative Delirium, *American Journal of Psychiatry*, 165(7):803-12.

Gagnon P, Allard P, Mâsse B, and DeSerres M (2000) Delirium in Terminal Cancer: a Prospective Study Using Daily Screening, Early Diagnosis, and Continuous Monitoring, *Journal of Pain & Symptom Management*, 19(6):412-26.

Ganai S. L (2007) Adverse Outcomes of Geriatric Patients Undergoing Abdominal Surgery Who Are at High Risk for Delirium, *Archives of Surgery*, 142(11):1072-8.

Gao R, Yang ZZ, Li M, Shi ZC, and Fu Q (2008) Probable Risk Factors for Postoperative Delirium in Patients Undergoing Spinal Surgery, *European Spine Journal*, 17(11):1531-7.

Geary SM (1994) Intensive Care Unit Psychosis Revisited: Understanding and Managing Delirium in the Critical Care Setting, *Critical Care Nursing Quarterly*, 17(1):51-63.

George J, Bleasdale S, and Singleton SJ (1997) Causes and Prognosis of Delirium in Elderly Patients Admitted to a District General Hospital, *Age and Ageing*, 26(6):423-7.

George J and Lee S (2005) Clinical Management. Delirium in Terminal Illness, *European Journal of Palliative Care*, 12(5):185-7.

Gerdner LA (1999) Individualized Music Intervention Protocol, *Journal of Gerontological Nursing*, 25(10):10-6.

Girard TD, Pandharipande PP, and Wesley EW (2008) Delirium in the Intensive Care Unit, *Critical Care*, 12(SUPPL. 3)

Hallberg IR (1999) Impact of Delirium on Professionals, *Dementia and Geriatric Cognitive Disorders*, 10(5):420-5.

Hamann J, Bickel H, Schwaibold H, Hartung R, and Forstl H (2005) Postoperative Acute Confusional State in Typical Urologic Population: Incidence, Risk Factors, and Strategies for Prevention, *Urology*, 65(3):449-53.

Han CS and Kim YK (2004) A Double-Blind Trial of Risperidone and Haloperidol for the Treatment of Delirium, *Psychosomatics*, 45(4):297-301.

Harari D, Martin FC, Buttery A, O'Neill S, and Hopper A (2007) The Older Persons' Assessment and Liaison Team 'OPAL': Evaluation of Comprehensive Geriatric Assessment in Acute Medical Inpatients, *Age and Ageing*, 36(6):670-5.

Hare M, Wynaden D, McGowan S, and Speed G (2008) Assessing Cognition in Elderly Patients Presenting to the Emergency Department, *International Emergency Nursing*, 16(2):73-9.

Hashimoto H, Nakamura K, and Izumiyama N (1997) Postoperative Delirium Easily Develops in Patients With Intramitochondrial Inclusion Bodies in Colonic Neurons, *Aging-Clinical and Experimental Research*, 9(3):180-4.

Hjermstad MJ, Loge JH, and Kaasa S (2004) Methods for Assessment of Cognitive Failure and Delirium in Palliative Care Patients: Implications for Practice and Research, *Palliative Medicine*, 18(6):494-506.

Hofste WJ, Linssen CA, Boezeman EH, Hengeveld JS, Leusink JA, and de Boer A (1997) Delirium and Cognitive Disorders After Cardiac Operations: Relationship to Pre- and Intraoperative Quantitative Electroencephalogram, *International Journal of Clinical Monitoring and Computing*, 14(1):29-36.

Holden J, Jayathissa S, and Young G (2008) Delirium Among Elderly General Medical Patients in a New Zealand Hospital, *Internal Medicine Journal*, 38(8):629-34.

- Holmes JD and House AO (2000) Psychiatric Illness in Hip Fracture, *Age and Ageing*, 29(6):537-46.
- Holroyd S and Laurie S (1999) Correlates of Psychotic Symptoms Among Elderly Outpatients, *International Journal of Geriatric Psychiatry*, 14(5):379-84.
- Hu H (2006) Olanzapine and Haloperidol for Senile Delirium: A Randomized Controlled Observation, *Chinese Journal of Clinical Rehabilitation*, 10(42):188-90.
- Huang SC, Tsai SJ, Chan CH, Hwang JP, and Sim CB (1998) Characteristics and Outcome of Delirium in Psychiatric Inpatients, *Psychiatry and Clinical Neurosciences*, 52(1):47-50.
- Hwang J-P, Yang C-H, Lee T-W, and Tsai S-J (2003) The Efficacy and Safety of Olanzapine for the Treatment of Geriatric Psychosis, *Journal of Clinical Psychopharmacology*, 23(2):113-8.
- Immers HE, Schuurmans MJ, and van de Bijl JJ (2005) Recognition of Delirium in ICU Patients: a Diagnostic Study of the NEECHAM Confusion Scale in ICU Patients, *BMC Nursing*, 4:7.
- Inouye SK, Leo-Summers L, Zhang Y, Bogardus ST, Jr., Leslie DL, and Agostini JV (2005) A Chart-Based Method for Identification of Delirium: Validation Compared With Interviewer Ratings Using the Confusion Assessment Method, *Journal of the American Geriatrics Society*, 53(2):312-8.
- Iseli RK, Brand C, Telford M, and LoGiudice D (2007) Delirium in Elderly General Medical Inpatients: a Prospective Study, *Internal Medicine Journal*, 37(12):806-11.
- Jarrett PG, Rockwood K, Carver D, Stolee P, and Cosway S (1995) Illness Presentation in Elderly Patients, *Archives of Internal Medicine*, 155(10):1060-4.
- Johnson J (1999) Identifying and Recognizing Delirium, *Dementia and Geriatric Cognitive Disorders*, 10(5):353-8.
- Joosten E, Lemiengre J, Nelis T, Verbeke G, and Milisen K (2006) Is Anaemia a Risk Factor for Delirium in an Acute Geriatric Population?, *Gerontology*, 52(6):382-5.
- Justic M (2000) Does "ICU Psychosis" Really Exist?, *Critical Care Nurse*, 20(3):28-39.
- Kaneko T, Takahashi S, Naka T, Hirooka Y, Inoue Y, and Kaibara N (1997) Postoperative Delirium Following Gastrointestinal Surgery in Elderly Patients, *Surgery Today*, 27(2):107-11.
- Kawaguchi Y, Kanamori M, Ishihara H, Abe Y, Nobukiyo M, Sigeta T, Hori T, and Kimura T (2006) Postoperative Delirium in Spine Surgery, *Spine Journal*, 6(2):164-9.
- Kelly KG, Zisselman M, Cutillo-Schmitter T, Reichard R, Payne D, and Denman SJ (2001) Severity and Course of Delirium in Medically Hospitalized Nursing Facility Residents, *American Journal of Geriatric Psychiatry*, 9(1):72-7.
- Khasraghi FA, Lee EJ, Christmas C, and Wenz JF (2003) The Economic Impact of Medical Complications in Geriatric Patients With Hip Fracture, *Orthopedics*, 26(1):49-53.

Kiely DK, Bergmann MA, Murphy KM, Jones RN, Orav EJ, and Marcantonio ER (2003) Delirium Among Newly Admitted Postacute Facility Patients: Prevalence, Symptoms, and Severity, *Journals of Gerontology Series A-Biological Sciences and Medical Sciences*, 58(5):M441-M445.

Kiely DK, Bergmann MA, Jones RN, Murphy KM, Orav EJ, and Marcantonio ER (2004) Characteristics Associated With Delirium Persistence Among Newly Admitted Post-Acute Facility Patients, *Journals of Gerontology Series A-Biological Sciences and Medical Sciences*, 59A(4):344-9.

Kishi Y, Iwasaki Y, Takezawa K, Kurosawa H, and Endo S (1995) Delirium in Critical Care Unit Patients Admitted Through an Emergency Room, *General Hospital Psychiatry*, 17(5):371-9.

Koebrugge B, Koek HL, Van Wensen RJA, Dautzenberg PLJ, and Bosscha K (2009) Delirium After Abdominal Surgery at a Surgical Ward With a High Standard of Delirium Care: Incidence, Risk Factors and Outcomes, *Digestive Surgery*, 26(1):63-8.

Koponen H, Stenback U, Mattila E, Soininen H, Reinikainen K, and Riekkinen PJ (1989) Delirium Among Elderly Persons Admitted to a Psychiatric Hospital: Clinical Course During the Acute Stage and One-Year Follow-Up, *Acta Psychiatrica Scandinavica*, 79(6):579-85.

Koponen HJ (1999) Neurochemistry and Delirium, *Dementia and Geriatric Cognitive Disorders*, 10(5):339-41.

Koster S, Hensens AG, and van der PJ (2009) The Long-Term Cognitive and Functional Outcomes of Postoperative Delirium After Cardiac Surgery, *Annals of Thoracic Surgery*, 87(5):1469-74.

Kuwahara M, Yurugi S, Mashiba K, Iio H, Niitsuma K, and Noda T (2008) Postoperative Delirium in Plastic or Dermatologic Surgery, *European Journal of Plastic Surgery*, 31(4):171-4.

Lam PT, Tse CY, and Lee CH (2003) Delirium in a Palliative Care Unit, *Progress in Palliative Care*, 11(3):126-33.

Laurila JV, Pitkala KH, Strandberg TE, and Tilvis RS (2004) Impact of Different Diagnostic Criteria on Prognosis of Delirium: a Prospective Study, *Dementia and Geriatric Cognitive Disorders*, 18(3-4):240-4.

Laurila JV, Laakkonen M-L, Timo SE, and eijo TS (2008) Predisposing and Precipitating Factors for Delirium in a Frail Geriatric Population, *Journal of Psychosomatic Research*, 65(3):249-54.

Lawlor PG, Gagnon B, Mancini IL, Pereira JL, Hanson J, Suarez-Almazor ME, and Bruera ED (2000) Occurrence, Causes, and Outcome of Delirium in Patients With Advanced Cancer: a Prospective Study, *Archives of Internal Medicine*, 160(6):786-94.

Lazarus HR and Hagens JH (1968) Prevention of Psychosis Following Open-Heart Surgery, *American Journal of Psychiatry*, 124(9):1190-5.



Lepouse C, Lautner CA, Liu L, Gomis P, and Leon A (2006) Emergence Delirium in Adults in the Post-Anaesthesia Care Unit, *British Journal of Anaesthesia*, 96(6):747-53.

Lerner AJ, Hedera P, Koss E, Stuckey J, and Friedland RP (1997) Delirium in Alzheimer Disease, *Alzheimer Disease and Associated Disorders*, 11(1):16-20.

Levanen J, Makela ML, and Scheinin H (1995) Dexmedetomidine Premedication Attenuates Ketamine-Induced Cardiostimulatory Effects and Postanesthetic Delirium, *Anesthesiology*, 82(5):1117-25.

Lindesay J (1999) The Concept of Delirium, *Dementia and Geriatric Cognitive Disorders*, 10(5):310-4.

Liptzin B (1999) What Criteria Should Be Used for the Diagnosis of Delirium?, *Dementia and Geriatric Cognitive Disorders*, 10(5):364-7.

Liu C-Y (2004) Efficacy of Risperidone in Treating the Hyperactive Symptoms of Delirium, *International Clinical Psychopharmacology*, 19(3):165-8.

Ljubisavljevic V and Kelly B (2003) Risk Factors for Development of Delirium Among Oncology Patients, *General Hospital Psychiatry*, 25(5):345-52.

Lundstrom M, Edlund A, Bucht G, Karlsson S, and Gustafson Y (2003) Dementia After Delirium in Patients With Femoral Neck Fractures, *Journal of the American Geriatrics Society*, 51(7):1002-6.

Lynch EP, Lazor MA, Gellis JE, Orav J, Goldman L, and Marcantonio ER (1998) The Impact of Postoperative Pain on the Development of Postoperative Delirium, *Anesthesia and Analgesia*, 86(4):781-5.

Macdonald AJ (1999) Can Delirium Be Separated From Dementia?, *Dementia and Geriatric Cognitive Disorders*, 10(5):386-8.

Mador JE, Giles L, Whitehead C, and Crotty M (2004) A Randomized Controlled Trial of a Behavior Advisory Service for Hospitalized Older Patients With Confusion, *International Journal of Geriatric Psychiatry*, 19(9):858-63.

Marcantonio ER, Goldman L, Orav EJ, Cook EF, and Lee TH (1998) The Association of Intraoperative Factors With the Development of Postoperative Delirium, *American Journal of Medicine*, 105(5):380-4.

Marcantonio ER, Simon SE, Bergmann MA, Jones RN, Murphy KM, and Morris JN (2003) Delirium Symptoms in Post-Acute Care: Prevalent, Persistent, and Associated With Poor Functional Recovery, *Journal of the American Geriatrics Society*, 51(1):4-9.

Marcantonio ER, Kiely DK, Simon SE, John OE, Jones RN, Murphy KM, and Bergmann MA (2005) Outcomes of Older People Admitted to Postacute Facilities With Delirium, *Journal of the American Geriatrics Society*, 53(6):963-9.

Marshall MC and Soucy MD (2003) Delirium in the Intensive Care Unit, *Critical Care Nursing Quarterly*, 26(3):172-8.

- Martin H, Slyk MP, Deyman S, and Cornacchione MJ (2003) Safety Profile Assessment of Risperidone and Olanzapine in Long-Term Care Patients With Dementia, *Journal of the American Medical Directors Association*, 4(4):183-8.
- McAlpine JN, Hodgson EJ, Abramowitz S, Richman SM, Su Y, Kelly MG, Luther M, Baker L, Zelterman D, Rutherford TJ, and Schwartz PE (2008) The Incidence and Risk Factors Associated With Postoperative Delirium in Geriatric Patients Undergoing Surgery for Suspected Gynecologic Malignancies, *Gynecologic Oncology*, 109(2):296-302.
- McAvay GJ, Van Ness PH, Bogardus ST, Jr., Zhang Y, Leslie DL, Leo-Summers LS, and Inouye SK (2006) Older Adults Discharged From the Hospital With Delirium: 1-Year Outcomes, *Journal of the American Geriatrics Society*, 54(8):1245-50.
- McCaffrey R (2009) The Effect of Music on Acute Confusion in Older Adults After Hip or Knee Surgery, *Applied Nursing Research*, 22(2):107-12.
- McCusker J, Cole M, Dendukuri N, Belzile E, and Primeau F (2001) Delirium in Older Medical Inpatients and Subsequent Cognitive and Functional Status: a Prospective Study, *CMAJ Canadian Medical Association Journal*, 165(5):575-83.
- McCusker J, Cole M, Abrahamowicz M, Primeau F, and Belzile E (2002) Delirium Predicts 12-Month Mortality, *Archives of Internal Medicine*, 162(4):457-63.
- McCusker J, Cole MG, Dendukuri N, and Belzile E (2003) Does Delirium Increase Hospital Stay?, *Journal of the American Geriatrics Society*, 51(11):1539-46.
- McManus J, Pathansali R, Stewart R, Macdonald A, and Jackson S (2007) Delirium Post-Stroke, *Age and Ageing*, 36(6):613-8.
- McNicol L (2004) Outcomes Following Delirium in Critically Ill Older Persons: Need for Future Research, *Geriatrics and Aging*, 7(9):30-3.
- Meagher DJ, O'Hanlon D, O'Mahony E, and Casey PR (1996) The Use of Environmental Strategies and Psychotropic Medication in the Management of Delirium, *British Journal of Psychiatry*, 168(4):512-5.
- Meagher DJ, MacLulich AMJ, and Laurila JV (2008) Defining Delirium for the International Classification of Diseases, 11th Revision, *Journal of Psychosomatic Research*, 65(3):207-14.
- Milisen K, Foreman MD, Godderis J, Abraham IL, and Broos PL (1998) Delirium in the Hospitalized Elderly: Nursing Assessment and Management, *Nursing Clinics of North America*, 33(3):417-39.
- Milisen K, Foreman MD, Wouters B, Driesen R, Godderis J, Abraham IL, and Broos PL (2002) Documentation of Delirium in Elderly Patients With Hip Fracture, *Journal of Gerontological Nursing*, 28(11):23-9.
- Milstein A (2000) The Incidence of Delirium Immediately Following Cataract Removal Surgery: A Prospective Study in the Elderly, *Aging and Mental Health*, 4(2):178-81.
- Miyaji S, Yamamoto K, Hoshino S, Yamamoto H, Sakai Y, and Miyaoka H (2007) Comparison of the Risk of Adverse Events Between Risperidone and Haloperidol in Delirium Patients, *Psychiatry and Clinical Neurosciences*, 61(3):275-82.

- Moretti R, Torre P, Antonello RM, Cattaruzza T, and Cazzato G (2004) Cholinesterase Inhibition As a Possible Therapy for Delirium in Vascular Dementia: a Controlled, Open 24-Month Study of 246 Patients, *American Journal of Alzheimer's Disease & Other Dementias*, 19(6):333-9.
- Morita T, Tei Y, and Inoue S (2003) Impaired Communication Capacity and Agitated Delirium in the Final Week of Terminally Ill Cancer Patients: Prevalence and Identification of Research Focus, *Journal of Pain & Symptom Management*, 26(3):827-34.
- Murphy KM (1999) A Study of Potentially Reversible Cognitive Impairment in Nursing Home Residents, *Dissertation Abstracts International: Section A: Humanities and Social Sciences*, 59(7-A):2741.
- Nakamura J (1995) The Effect of Mianserin Hydrochloride on Delirium, *Human Psychopharmacology*, 10(4):289-97.
- Nakamura J, Uchimura N, Yamada S, and Nakazawa Y (1997) Does Plasma Free-3-Methoxy-4-Hydroxyphenyl(Ethylene)Glycol Increase in the Delirious State? A Comparison of the Effects of Mianserin and Haloperidol on Delirium, *International Clinical Psychopharmacology*, 12(3):147-52.
- Nakase-Thompson R, Sherer M, Yablon SA, Nick TG, and Trzepacz PT (2004) Acute Confusion Following Traumatic Brain Injury, *Brain Injury*, 18(2):131-42.
- Naughton BJ, Moran MB, Kadah H, Heman-Ackah Y, and Longano J (1995) Delirium and Other Cognitive Impairment in Older Adults in an Emergency Department, *Annals of Emergency Medicine*, 25(6):751-5.
- Neitzel J, Sendelbach S, and Larson LR (2007) Delirium in the Orthopaedic Patient, *Orthopaedic Nursing*, 26(6):354-65.
- Nightingale S, Holmes J, Mason J, and House A (2001) Psychiatric Illness and Mortality After Hip Fracture, *Lancet*, 357(9264):1264-5.
- Nishikawa K, Nakayama M, Omote K, and Namiki A (2004) Recovery Characteristics and Post-Operative Delirium After Long-Duration Laparoscope-Assisted Surgery in Elderly Patients: Propofol-Based Vs. Sevoflurane-Based Anesthesia, *Acta Anaesthesiologica Scandinavica*, 48(2):162-8.
- Norkiene I, Ringaitiene D, Misiuriene I, Samalavicius R, Bubulis R, Baublys A, and Uzdavinyas G (2007) Incidence and Precipitating Factors of Delirium After Coronary Artery Bypass Grafting, *Scandinavian Cardiovascular Journal*, 41(3):180-5.
- O'Keeffe ST (1994) Rating the Severity of Delirium: The Delirium Assessment Scale, *International Journal of Geriatric Psychiatry*, 9(7):551-6.
- O'Keeffe ST (1999) Clinical Subtypes of Delirium in the Elderly, *Dementia and Geriatric Cognitive Disorders*, 10(5):380-5.
- O'Malley G, Leonard M, Meagher D, and O'Keeffe ST (2008) The Delirium Experience: a Review, *Journal of Psychosomatic Research*, 65(3):223-8.

Oh Y-S, Kim D-W, Chun H-J, and Yi H-J (2008) Incidence and Risk Factors of Acute Postoperative Delirium in Geriatric Neurosurgical Patients, *Journal of Korean Neurosurgical Society*, 43(3):143-8.

Olofsson B, Lundstrom M, Borssen B, Nyberg L, and Gustafson Y (2005) Delirium Is Associated With Poor Rehabilitation Outcome in Elderly Patients Treated for Femoral Neck Fractures, *Scandinavian Journal of Caring Sciences*, 19(2):119-27.

Olsson T (1999) Activity in the Hypothalamic-Pituitary-Adrenal Axis and Delirium, *Dementia and Geriatric Cognitive Disorders*, 10(5):345-9.

Onor ML, Saina M, and Aguglia E (2006) Efficacy and Tolerability of Quetiapine in the Treatment of Behavioral and Psychological Symptoms of Dementia, *American Journal of Alzheimer's Disease & Other Dementias*, 21(6):448-53.

Pandharipande PP, Pun BT, Herr DL, Maze M, Girard TD, Miller RR, Shintani AK, Thompson JL, Jackson JC, Deppen SA, Stiles RA, Dittus RS, Bernard GR, and Ely EW (2007) Effect of Sedation With Dexmedetomidine Vs Lorazepam on Acute Brain Dysfunction in Mechanically Ventilated Patients: the MENDS Randomized Controlled Trial, *JAMA: Journal of the American Medical Association*, 298(22):2644-53.

Pautex S, Herrmann FR, and Zulian GB (2008) Factors Associated With Falls in Patients With Cancer Hospitalized for Palliative Care, *Journal of Palliative Medicine*, 11(6):878-84.

Peduto VA, Mezzetti D, Properzi M, and Giorgini C (2000) Sevoflurane Provides Better Recovery Than Propofol Plus Fentanyl in Anaesthesia for Day-Care Surgery, *European Journal of Anaesthesiology*, 17(2):138-43.

Pi-Figueras M, Aguilera A, Arellano M, Miralles R, Garcia-Caselles P, Torres R, and Cervera AM (2004) Prevalence of Delirium in a Geriatric Convalescence Hospitalization Unit: Patient's Clinical Characteristics and Risk Precipitating Factor Analysis, *Archives of Gerontology and Geriatrics - Supplement*,(9):333-7.

Pun BT and Ely EW (2007) The Importance of Diagnosing and Managing ICU Delirium, *Chest*, 132(2):624-36.

Rabins PV, Black B, German P, Roca R, McGuire M, Brant L, and Cook J (1996) The Prevalence of Psychiatric Disorders in Elderly Residents of Public Housing, *Journals of Gerontology Series A-Biological Sciences and Medical Sciences*, 51(6):M319-M324.

Rahkonen T, Mäkelä H, Paanila S, Halonen P, Sivenius J, and Sulkava R (2000) Delirium in Elderly People Without Severe Predisposing Disorders: Etiology and 1-Year Prognosis After Discharge, *International Psychogeriatrics*, 12(4):473-81.

Rahkonen T, Luukkainen-Markkula R, Paanila S, Sivenius J, and Sulkava R (2000) Delirium Episode As a Sign of Undetected Dementia Among Community Dwelling Elderly Subjects: a 2 Year Follow Up Study, *Journal of Neurology, Neurosurgery and Psychiatry*, 69(4):519-21.

Ranhoff AH, Rozzini R, Sabatini T, Cassinadri A, Boffelli S, and Trabucchi M (2006) Delirium in a Sub-Intensive Care Unit for the Elderly: Occurrence and Risk Factors, *Aging-Clinical and Experimental Research*, 18(5):440-5.

Rice KL (2008) Nurses' Recognition of Delirium in the Hospitalized Older Adult, *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69(2-B):936.

Ritchie J, Steiner W, and Abrahamowicz M (1996) Incidence of and Risk Factors for Delirium Among Psychiatric Inpatients, *Psychiatric Services*, 47(7):727-30.

Roberts BL (2006) Patients' Dreams in ICU: Recall at Two Years Post Discharge and Comparison to Delirium Status During ICU Admission: A Multicentre Cohort Study., *Intensive and Critical Care Nursing*, 22(5):264-73.

Robertsson B (1999) Assessment Scales in Delirium, *Dementia and Geriatric Cognitive Disorders*, 10(5):368-79.

Robinson TN, Raeburn CD, Angles EM, and Moss M (2008) Low Tryptophan Levels Are Associated With Postoperative Delirium in the Elderly, *American Journal of Surgery*, 196(5):670-4.

Rockwood K (1994) Increasing the Recognition of Delirium in Elderly Patients, *Journal of the American Geriatrics Society*, 42(3):252-6.

Rockwood K (1996) Cross-Validation of the Delirium Rating Scale in Older Patients, *Journal of the American Geriatrics Society*, 44(7):839-42.

Rockwood K (1999) Educational Interventions in Delirium, *Dementia and Geriatric Cognitive Disorders*, 10(5):426-9.

Rosen J, Sweet RA, Mulsant BH, Rifai AH, Pasternak R, and Zubenko GS (1994) The Delirium Rating Scale in a Psychogeriatric Inpatient Setting, *Journal of Neuropsychiatry and Clinical Neurosciences*, 6(1):30-5.

Rudberg MA (1997) The Natural History of Delirium in Older Hospitalized Patients: A Syndrome of Heterogeneity, *Age and Ageing*, 26(3):169-74.

Rudolph JL, Schreiber K, and Harrington MB (2008) Postoperative Delirium: Overview and Opportunities to Optimize Outcomes, *Journal of Clinical Outcomes Management*, 15(10):502-11.

Ruffo D (2002) Post-Operative Delirium: A Predictive Tool, *Geriatrics Today: Journal of the Canadian Geriatrics Society*, 5(1):21-4.

Sampson EL, Raven PR, Ndhlovu PN, Vallance A, Garlick N, Watts J, Blanchard MR, Bruce A, Blizard R, and Ritchie CW (2007) A Randomized, Double-Blind, Placebo-Controlled Trial of Donepezil Hydrochloride (Aricept) for Reducing the Incidence of Postoperative Delirium After Elective Total Hip Replacement, *International Journal of Geriatric Psychiatry*, 22(4):343-9.

Sandberg O, Gustafson Y, Brannstrom B, and Bucht G (1999) Clinical Profile of Delirium in Older Patients, *Journal of the American Geriatrics Society*, 47(11):1300-6.

Sanders KM, Minnema AM, and Murray GB (1989) Low Incidence of Extrapyrarnidal Symptoms in Treatment of Delirium With Intravenous Haloperidol and Lorazepam in the Intensive Care Unit, *Journal of Intensive Care Medicine*, 4(5):201-4.

- Sarhill N, Walsh D, Nelson KA, LeGrand S, and Davis MP (2001) Assessment of Delirium in Advanced Cancer: the Use of the Bedside Confusion Scale, *American Journal of Hospice and Palliative Care*, 18(5):335-41.
- Schindler BA, Shook J, and Schwartz GM (1989) Beneficial Effects of Psychiatric Intervention on Recovery After Coronary Artery Bypass Graft Surgery, *General Hospital Psychiatry*, 11(5):358-64.
- Schofield I (1997) A Small Exploratory Study of the Reaction of Older People to an Episode of Delirium, *Journal of Advanced Nursing*, 25(5):942-52.
- Serrano-Duenas M (2005) Delirium in Parkinson's Disease Patients. A Five-Year Follow-Up Study, *Parkinsonism and Related Disorders*, 11(6):387-92.
- Shiiba M, Takei M, Nakatsuru M, Bukawa H, Yokoe H, Uzawa K, and Tanzawa H (2009) Clinical Observations of Postoperative Delirium After Surgery for Oral Carcinoma, *International Journal of Oral and Maxillofacial Surgery*, 38(6):661-5.
- Siddiqi N (2006) Delirium: An Update on Diagnosis, Treatment and Prevention, *Clinical Medicine, Journal of the Royal College of Physicians of London*, 6(6):540-3.
- Skrobik Y (2003) An Overview of Delirium in the Critical Care Setting, *Geriatrics and Aging*, 6(10):30-5.
- Smith S, Garnett P, and Buckley P (1997) Delirium in the Critically Ill, *Care of the Critically Ill*, 13(5):175-8.
- Solomons K and Geiger O (2000) Olanzapine Use in the Elderly: A Retrospective Analysis, *Canadian Journal of Psychiatry - Revue Canadienne De Psychiatrie*, 45(2):151-5.
- Spiller JA and Keen JC (2006) Hypoactive Delirium: Assessing the Extent of the Problem for Inpatient Specialist Palliative Care, *Palliative Medicine*, 20(1):17-23.
- Stagno D, Gibson C, and Breitbart W (2004) The Delirium Subtypes: a Review of Prevalence, Phenomenology, Pathophysiology, and Treatment Response, *Palliative and Supportive Care*, 2(2):171-9.
- Swain DG, O'Brien AG, and Nightingale PG (2000) Cognitive Assessment in Elderly Patients Admitted to Hospital: the Relationship Between the Shortened Version of the Abbreviated Mental Test and the Abbreviated Mental Test and Mini-Mental State Examination, *Clinical Rehabilitation*, 14(6):608-10.
- Tagarakis GI, Tsolaki-Tagaraki F, Tsolaki M, Diegeler A, Tsilimingas NB, and Papassotiropoulos A (2007) The Role of Apolipoprotein E in Cognitive Decline and Delirium After Bypass Heart Operations, *American Journal of Alzheimer's Disease & Other Dementias*, 22(3):223-8.
- Taguchia T, Yano M, and Kido Y (2007) Influence of Bright Light Therapy on Postoperative Patients: A Pilot Study, *Intensive and Critical Care Nursing*, 23(5):289-97.
- Treloar AJ and Macdonald AJ (1997) Outcome of Delirium: Part 1. Outcome of Delirium Diagnosed by DSM-III-R, ICD-10 and CAMDEX and Derivation of the

Reversible Cognitive Dysfunction Scale Among Acute Geriatric Inpatients, *International Journal of Geriatric Psychiatry*, 12(6):609-13.

Trzepacz PT (1999) Update on the Neuropathogenesis of Delirium, *Dementia and Geriatric Cognitive Disorders*, 10(5):330-4.

Trzepacz PT, Mittal D, Torres R, Kanary K, Norton J, and Jimerson N (2001) Validation of the Delirium Rating Scale-Revised-98: Comparison With the Delirium Rating Scale and the Cognitive Test for Delirium, *Journal of Neuropsychiatry and Clinical Neurosciences*, 13(2):229-42.

Tucker GJ (1999) The Diagnosis of Delirium and DSM-IV, *Dementia and Geriatric Cognitive Disorders*, 10(5):359-63.

Tune LE (2008) How Acute Is Delirium in Nursing Homes: an Observational Study From Wesley Woods at Emory, *American Journal of Geriatric Psychiatry*, 16(9):786.

Ushijima M, Yokoyama S, Sugiyama E, and Amano N (2008) Contribution of Perospirone and Risperidone to Reduce Delirium in Senile Patients, *Psychogeriatrics*, 8(1):4-7.

van der Mast RC and Roest FH (1996) Delirium After Cardiac Surgery: a Critical Review, *Journal of Psychosomatic Research*, 41(1):13-30.

van der Mast RC (1999) Postoperative Delirium, *Dementia and Geriatric Cognitive Disorders*, 10(5):401-5.

van Zyl LT and Davidson PR (2003) Delirium in Hospital: an Underreported Event at Discharge, *Canadian Journal of Psychiatry - Revue Canadienne De Psychiatrie*, 48(8):555-60.

Villalpando-Berumen JM, Pineda-Colorado AM, Palacios P, Reyes-Guerrero J, Villa AR, and Gutierrez-Robledo LM (2003) Incidence of Delirium, Risk Factors, and Long-Term Survival of Elderly Patients Hospitalized in a Medical Specialty Teaching Hospital in Mexico City, *International Psychogeriatrics*, 15(4):325-36.

Voyer P, Richard S, Doucet L, and Carmichael P-H (2009) Detecting Delirium and Subsyndromal Delirium Using Different Diagnostic Criteria Among Demented Long-Term Care Residents, *Journal of the American Medical Directors Association*, 10(3):181-8.

Vreeswijk R, Toornvliet A, Honing MLH, Bakker K, de MT, Daas G, Spronk PE, de Jonghe JFM, and Kalisvaart KJ (2009) Validation of the Dutch Version of the Confusion Assessment Method (CAM-ICU) for Delirium Screening in the Intensive Care Unit, *Netherlands Journal of Critical Care*, 13(2):73-8.

Wacker P, Nunes PV, Cabrita H, and Forlenza OV (2006) Post-Operative Delirium Is Associated With Poor Cognitive Outcome and Dementia, *Dementia and Geriatric Cognitive Disorders*, 21(4):221-7.

Wahlund L and Bjorlin GA (1999) Delirium in Clinical Practice: Experiences From a Specialized Delirium Ward, *Dementia and Geriatric Cognitive Disorders*, 10(5):389-92.

Wakefield BJ (2002) Risk for Acute Confusion on Hospital Admission, *Clinical Nursing Research*, 11(2):153-72.

Wakefield BJR (1997) Prevalence, Incidence, Risk Factors and Short-Term Outcomes for Hospitalized Elderly Patients Experiencing Acute Confusion, *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 57(12-B):7457.

Wang S, Lee B, Goh E, and Chon K (2004) Factors Associated With Postoperative Delirium After Major Head and Neck Surgery, *Annals of Otolaryngology, Rhinology & Laryngology*, 113(1):48-51.

Wei LA, Fearing MA, Sternberg EJ, and Inouye SK (2008) The Confusion Assessment Method: a Systematic Review of Current Usage, *Journal of the American Geriatrics Society*, 56(5):823-30.

Weinrich S and Sarna L (1994) Delirium in the Older Person With Cancer, *Cancer*, 74(7 SUPPL.):2079-91.

Williams MA, Campbell EB, Raynor WJ, Mlynarczyk SM, and Ward SE (1985) Reducing Acute Confusional States in Elderly Patients With Hip Fractures, *Research in Nursing and Health*, 8(4):329-37.

Winawer N (2001) Postoperative Delirium, *Medical Clinics of North America*, 85(5):1229-39.

Yang C-H, Tsai S-J, and Hwang J-P (2005) The Efficacy and Safety of Quetiapine for Treatment of Geriatric Psychosis, *Journal of Psychopharmacology*, 19(6):661-6.

Yildizeli B (2005) Factors Associated With Postoperative Delirium After Thoracic Surgery, *Annals of Thoracic Surgery*, 79(3):1004-9.

Zakriya K, Sieber FE, Christmas C, Wenz JF, Sr., and Franckowiak S (2004) Brief Postoperative Delirium in Hip Fracture Patients Affects Functional Outcome at Three Months, *Anesthesia and Analgesia*, 98(6):1798-802.

Zarate CA, Jr., Baldessarini RJ, Siegel AJ, Nakamura A, McDonald J, Muir-Hutchinson LA, Cherkerzian T, and Tohen M (1997) Risperidone in the Elderly: a Pharmacoepidemiologic Study, *Journal of Clinical Psychiatry*, 58(7):311-7.