

Contents

Pharmacology Forest Plots	4
Antidepressants versus Placebo	4
Escitalopram versus Placebo.....	4
Sertraline versus Placebo.....	7
Paroxetine versus Placebo	10
Citalopram versus Placebo.....	14
Duloxetine versus Placebo	15
Venlafaxine versus Placebo.....	18
Imipramine versus Placebo.....	22
Pregablin versus Placebo	22
Benzodiazepine versus Placebo	26
Diazepam versus Placebo.....	26
Alprazolam versus Placebo	30
Lorazepam versus Placebo.....	34
Buspirone versus Placebo	37
Buspirons versus Placebo.....	37
Hydroxyzine versus Placebo.....	40
Hydroxyzine versus Placebo.....	40
Quetiapine versus Placebo	41
Head-to-Head trials of Pharmacological Interventions	44
Escitalopram versus Paroxetine.....	44
Sertraline versus Paroxetine	46
Escitalopram versus Venlafaxine	47
Duloxetine versus Venlafaxine.....	48
Antidepressants versus Other Pharmacological Interventions	50
Venlafaxine versus Pregablin	50
Venlafaxine versus Buspirone.....	53
Venlafaxine versus Diazepam	54
Quetiapine versus Paroxetine.....	55

Quetiapine versus Escitalopram	57
Other Pharmacological Interventions (other than antidepressants).....	59
Hydroxyzine versus Buspirone	59
Buspirone versus Lorazepam	60
Pregablin versus Lorazepam	60
Pregablin versus Alprazolam.....	62
Comparing the Effectiveness of Different Dosages	64
Venlafaxine - HAMA	64
Venlafaxine - Non-response ($\leq 50\%$ reduction in HAMA).....	65
Venlafaxine – Discontinuation due to adverse events	65
Venlafaxine - Nausea	66
Venlafaxine - Insomnia.....	67
Venlafaxine - Nervousness.....	68
Venlafaxine - Dizziness.....	68
Venlafaxine – Asthenia	69
Escitalopram - HAMA	70
Escitalopram - Discontinuation due to adverse events	70
Escitalopram – Nausea.....	71
Escitalopram - Fatigue.....	72
Escitalopram – Headache.....	72
Escitalopram – Insomnia.....	73
Escitalopram – Somnolence.....	73
Escitalopram – Anxiety.....	74
Escitalopram – Dizziness	74
Paroxetine – HAMA.....	75
Paroxetine – HADSA.....	75
Paroxetine - Non-response ($\leq 50\%$ reduction in HAMA)	76
Paroxetine - Non-remission (≥ 7 on HAMA)	76
Paroxetine - Discontinuation due to adverse events.....	77
Paroxetine – Nausea	77
Paroxetine – Somnolence	78
Paroxetine - Decreased libido	78

Paroxetine - Decreased appetite	79
Duloxetine - HAMA	79
Duloxetine – HADSA.....	80
Duloxetine - Non-response ($\leq 50\%$ reduction in HAMA).....	80
Duloxetine – Non-remission (≥ 7 on HAMA).....	81
Duloxetine – Sheehan Disability Scale	81
Duloxetine - Q-LES-Q-SF.....	82
Duloxetine - Discontinuation due to adverse events.....	82
Duloxetine - Discontinuation for any reason	83
Pregablin - HAMA.....	83
Pregablin – HADSA	84
Pregablin - Non-response ($\leq 50\%$ reduction in HAMA)	85
Pregablin - Discontinuation due to adverse events.....	85
Pregablin – Discontinuation due to any reason.....	86
Pregablin – Somnolence	87
Pregablin – Dizziness.....	89
Pregablin – Nausea	91
Pregablin - Headache	91
Pregablin – Insomnia.....	92
Maintenance Treatment.....	93
Pregablin versus Placebo	93
Duloxetine versus Placebo	94
Paroxetine versus Placebo	96
Escitalopram versus Placebo.....	98
Quetiapine versus Placebo.....	99
Augmentation	100
Pharmacological treatment for GAD and Olanzapine.....	100
Pharmacological treatment for GAD and Risperidone	101
Pharmacological treatment for GAD and Quetiapine.....	102
Pharmacological treatment for GAD and Antipsychotics	103

Pharmacology Forest Plots


Antidepressants versus Placebo

Escitalopram versus Placebo

Intervention: Escitalopram

Comparator: Placebo


Outcome: HAMA



Intervention: Escitalopram

Comparator: Placebo


Outcome: Non-response (≤50% reduction in HAMA)



Intervention: Escitalopram

Comparator: Placebo


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Escitalopram

Comparator: Placebo


Outcome: Discontinuation due to adverse events



Intervention: Escitalopram

Comparator: Placebo


Outcome: Nausea



Intervention: Escitalopram

Comparator: Placebo


Outcome: Sexual problems



Intervention: Escitalopram

Comparator: Placebo

Outcome: Insomnia




Sertraline versus Placebo

Intervention: Sertraline

Comparator: Placebo


Outcome: HAMA



Intervention: Sertraline

Comparator: Placebo


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Sertraline

Comparator: Placebo


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Sertraline

Comparator: Placebo


Outcome: Discontinuation due to adverse events



Intervention: Sertraline

Comparator: Placebo


Outcome: Nausea



Intervention: Sertraline

Comparator: Placebo


Outcome: Sexual problems



Intervention: Sertraline

Comparator: Placebo

Outcome: Insomnia




Paroxetine versus Placebo

Intervention: Paroxetine

Comparator: Placebo


Outcome: HAMA



Intervention: Paroxetine

Comparator: Placebo


Outcome: Non-response (≤50% reduction in HAMA)



Intervention: Paroxetine

Comparator: Placebo


Outcome: Non-remission (≥7 on HAMA)



Intervention: Paroxetine

Comparator: Placebo


Outcome: Discontinuation due to adverse events



Intervention: Paroxetine

Comparator: Placebo


Outcome: Nausea



Intervention: Paroxetine

Comparator: Placebo


Outcome: Sexual problems



Intervention: Paroxetine

Comparator: Placebo

Outcome: Insomnia




Citalopram versus Placebo

Intervention: Citalopram

Comparator: Placebo


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Citalopram

Comparator: Placebo


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Citalopram

Comparator: Placebo

Outcome: Discontinuation due to adverse events




Duloxetine versus Placebo

Intervention: Duloxetine

Comparator: Placebo


Outcome: HAMA



Intervention: Duloxetine

Comparator: Placebo


Outcome: Non-response (≤50% reduction in HAMA)



Intervention: Duloxetine

Comparator: Placebo


Outcome: Non-remission (≥7 on HAMA)



Intervention: Duloxetine

Comparator: Placebo


Outcome: Discontinuation due to adverse events



Intervention: Duloxetine

Comparator: Placebo


Outcome: Nausea



Intervention: Duloxetine

Comparator: Placebo


Outcome: Sexual problems



Intervention: Duloxetine

Comparator: Placebo

Outcome: Insomnia




Venlafaxine versus Placebo

Intervention: Venlafaxine

Comparator: Placebo


Outcome: HAMA



Intervention: Venlafaxine

Comparator: Placebo


Outcome: Non-response (≤50% reduction in HAMA)



Intervention: Venlafaxine

Comparator: Placebo


Outcome: Non-remission (≥7 on HAMA)



Intervention: Venlafaxine

Comparator: Placebo


Outcome: Discontinuation due to adverse events



Intervention: Venlafaxine

Comparator: Placebo


Outcome: Nausea



Intervention: Venlafaxine

Comparator: Placebo


Outcome: Sexual problems



Intervention: Venlafaxine

Comparator: Placebo

Outcome: Insomnia




Imipramine versus Placebo

Intervention: Imipramine

Comparator: Placebo

Outcome: HAMA




Pregablin versus Placebo

Intervention: Pregablin

Comparator: Placebo


Outcome: HAMA



Intervention: Pregablin

Comparator: Placebo


Outcome: Non-response (≤50% reduction in HAMA)



Intervention: Pregablin

Comparator: Placebo


Outcome: Non-remission (≥7 on HAMA)



Intervention: Pregablin

Comparator: Placebo


Outcome: Discontinuation due to adverse events



Intervention: Pregablin

Comparator: Placebo


Outcome: Nausea



Intervention: Pregabalin

Comparator: Placebo


Outcome: Insomnia



Intervention: Pregabalin

Comparator: Placebo


Outcome: Dizziness



Intervention: Pregabalin

Comparator: Placebo

Outcome: Fatigue




Benzodiazepine versus Placebo

Diazepam versus Placebo

Intervention: Diazepam

Comparator: Placebo


Outcome: HAMA



Intervention: Diazepam

Comparator: Placebo


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Diazepam

Comparator: Placebo


Outcome: Discontinuation due to adverse events



Intervention: Diazepam

Comparator: Placebo


Outcome: Nausea



Intervention: Diazepam

Comparator: Placebo


Outcome: Sexual problems



Intervention: Diazepam

Comparator: Placebo


Outcome: Fatigue



Intervention: Diazepam

Comparator: Placebo

Outcome: Dizziness




Alprazolam versus Placebo

Intervention: Alprazolam

Comparator: Placebo


Outcome: HAMA



Intervention: Alprazolam

Comparator: Placebo


Outcome: Non-response (≤50% reduction in HAMA)



Intervention: Alprazolam

Comparator: Placebo


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Alprazolam

Comparator: Placebo


Outcome: Discontinuation due to adverse events



Intervention: Alprazolam

Comparator: Placebo


Outcome: Nausea



Intervention: Alprazolam

Comparator: Placebo


Outcome: Insomnia



Intervention: Alprazolam

Comparator: Placebo


Outcome: Fatigue



Intervention: Alprazolam

Comparator: Placebo

Outcome: Dizziness




Lorazepam versus Placebo

Intervention: Lorazepam

Comparator: Placebo


Outcome: HAMA



Intervention: Lorazepam

Comparator: Placebo


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Lorazepam

Comparator: Placebo


Outcome: Non-remission (≥7 on HAMA)



Intervention: Lorazepam

Comparator: Placebo


Outcome: Discontinuation due to adverse events



Intervention: Lorazepam

Comparator: Placebo


Outcome: Nausea



Intervention: Lorazepam

Comparator: Placebo


Outcome: Insomnia



Intervention: Lorazepam

Comparator: Placebo

Outcome: Dizziness




Buspirone versus Placebo

Buspiron versus Placebo

Intervention: Buspirone

Comparator: Placebo


Outcome: HAMA



Intervention: Buspirone

Comparator: Placebo


Outcome: Non-response (≤50% reduction in HAMA)



Intervention: Buspirone

Comparator: Placebo


Outcome: Discontinuation due to adverse events



Intervention: Buspirone

Comparator: Placebo


Outcome: Nausea



Intervention: Buspirone

Comparator: Placebo


Outcome: Insomnia



Intervention: Buspirone

Comparator: Placebo

Outcome: Dizziness




Hydroxysine versus Placebo

Hydroxyzine versus Placebo

Intervention: Hydroxysine

Comparator: Placebo


Outcome: HAMA



Intervention: Hydroxysine

Comparator: Placebo


Outcome: Non-response (≤50% reduction in HAMA)



Intervention: Hydroxysine

Comparator: Placebo

Outcome: Discontinuation due to adverse events




Quetiapine versus Placebo

Intervention: Quetiapine 50mg, 150mg, 300mg and flexible dose

Comparator: Placebo


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Quetiapine 50mg, 150mg, 300mg and flexible dose

Comparator: Placebo


Outcome: Non-remission (≥7 on HAMA)



Intervention: Quetiapine 50mg, 150mg, 300mg and flexible dose

Comparator: Placebo

Outcome: Discontinuation due to adverse events




Head-to-Head trials of Pharmacological Interventions

Escitalopram versus Paroxetine

Intervention: Escitalopram

Comparator: Paroxetine


Outcome: HAMA (change from baseline)



Intervention: Escitalopram

Comparator: Paroxetine


Outcome: Non-response (≤50% reduction in HAMA)



Intervention: Escitalopram

Comparator: Paroxetine


Outcome: Discontinuation due to adverse events



Intervention: Escitalopram

Comparator: Paroxetine


Outcome: Diarrhea



Intervention: Escitalopram

Comparator: Paroxetine


Outcome: Sexual problems



Intervention: Escitalopram

Comparator: Paroxetine

Outcome: Anxiety




Sertraline versus Paroxetine

Intervention: Sertraline

Comparator: Paroxetine


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Sertraline

Comparator: Paroxetine

Outcome: Non-remission (≥ 7 on HAMA)




Escitalopram versus Venlafaxine

Intervention: Escitalopram

Comparator: Venlafaxine


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Escitalopram

Comparator: Venlafaxine


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Escitalopram

Comparator: Venlafaxine

Outcome: Discontinuation due to adverse events




Duloxetine versus Venlafaxine

Intervention: Duloxetine

Comparator: Venlafaxine


Outcome: HAMA



Intervention: Duloxetine

Comparator: Venlafaxine


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Duloxetine

Comparator: Venlafaxine


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Duloxetine

Comparator: Venlafaxine


Outcome: Quality of life (Sheehan disability scale)



Intervention: Duloxetine

Comparator: Venlafaxine


Outcome: Discontinuation due to adverse events



Intervention: Duloxetine

Comparator: Venlafaxine

Outcome: Diarrhea




Antidepressants versus Other Pharmacological Interventions

Venlafaxine versus Pregabalin

Intervention: Venlafaxine

Comparator: Pregabalin


Outcome: HAMA



Intervention: Venlafaxine

Comparator: Pregablin


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Venlafaxine

Comparator: Pregablin


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Venlafaxine

Comparator: Pregablin


Outcome: Quality of Life (Q-LES-Q)



Intervention: Venlafaxine

Comparator: Pregablin


Outcome: Discontinuation due to adverse events



Intervention: Venlafaxine

Comparator: Pregablin


Outcome: Dizziness



Intervention: Venlafaxine

Comparator: Pregablin


Outcome: Insomnia



Intervention: Venlafaxine

Comparator: Pregablin


Outcome: Somnolence



Intervention: Venlafaxine

Comparator: Pregabalin

Outcome: Nausea




Venlafaxine versus Buspirone

Intervention: Venlafaxine

Comparator: Buspirone


Outcome: Non-response (≤50% reduction in HAMA)



Intervention: Venlafaxine

Comparator: Buspirone


Outcome: Discontinuation due to adverse events



Intervention: Venlafaxine

Comparator: Buspirone


Outcome: Dizziness



Intervention: Venlafaxine

Comparator: Buspirone

Outcome: Nausea




Venlafaxine versus Diazepam

Intervention: Venlafaxine

Comparator: Diazepam


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Venlafaxine

Comparator: Diazepam

Outcome: Discontinuation due to adverse events




Quetiapine versus Paroxetine

Intervention: Quetiapine 50mg

Comparator: Paroxetine


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Quetiapine 50mg

Comparator: Paroxetine


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Quetiapine 50mg

Comparator: Paroxetine


Outcome: Discontinuation due to adverse events



Intervention: Quetiapine 150mg

Comparator: Paroxetine


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Quetiapine 150mg

Comparator: Paroxetine


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Quetiapine 150mg

Comparator: Paroxetine

Outcome: Discontinuation due to adverse events




Quetiapine versus Escitalopram

Intervention: Quetiapine 150mg

Comparator: Escitalopram


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Quetiapine 150mg

Comparator: Escitalopram


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Quetiapine 150mg

Comparator: Escitalopram


Outcome: Discontinuation due to adverse events



Intervention: Quetiapine 300mg

Comparator: Escitalopram


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Quetiapine 300mg

Comparator: Escitalopram


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Quetiapine 300mg

Comparator: Escitalopram

Outcome: Discontinuation due to adverse events




Other Pharmacological Interventions (other than antidepressants)

Hydroxyzine versus Buspirone

Intervention: Hydroxyzine

Comparator: Buspirone


Outcome: HAMA



Intervention: Hydroxyzine

Comparator: Buspirone

Outcome: At least one side effect




Buspirone versus Lorazepam

Intervention: Hydroxyzine

Comparator: Lorazepam

Outcome: HAMA




Pregablin versus Lorazepam

Intervention: Pregablin

Comparator: Lorazepam


Outcome: HAMA



Intervention: Pregablin

Comparator: Lorazepam


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Pregablin

Comparator: Lorazepam


Outcome: Non-remission (≥7 on HAMA)



Intervention: Pregablin

Comparator: Lorazepam


Outcome: Discontinuation due to adverse events



Intervention: Pregablin

Comparator: Lorazepam


Outcome: Dizziness



Intervention: Pregablin

Comparator: Lorazepam

Outcome: Somnolence




Pregablin versus Alprazolam

Intervention: Pregablin

Comparator: Alprazolam


Outcome: HAMA



Intervention: Pregablin

Comparator: Alprazolam


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Pregabalin

Comparator: Alprazolam


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Pregabalin

Comparator: Alprazolam


Outcome: Discontinuation due to adverse events



Intervention: Pregabalin

Comparator: Alprazolam


Outcome: Dizziness



Intervention: Pregablin

Comparator: Alprazolam

Outcome: Somnolence




Comparing the Effectiveness of Different Dosages

Venlafaxine - HAMA

Intervention: Venlafaxine 75mg

Comparator: Venlafaxine 150mg

Outcome: HAMA




Venlafaxine - Non-response ($\leq 50\%$ reduction in HAMA)

Intervention: Venlafaxine 75mg

Comparator: Venlafaxine 150mg

Outcome: Non-response ($\leq 50\%$ reduction in HAMA)




Venlafaxine - Discontinuation due to adverse events

Intervention: Venlafaxine 37.5mg and 75mg

Comparator: Venlafaxine 75mg and 150mg

Outcome: Discontinuation due to adverse events




Venlafaxine - Nausea

Intervention: Venlafaxine 37.5mg, 75mg and 150mg

Comparator: Venlafaxine 75mg, 150mg and 225mg

Outcome: Nausea




Venlafaxine - Insomnia

Intervention: Venlafaxine 75mg and 150mg

Comparator: Venlafaxine 150mg and 225mg

Outcome: Insomnia




Venlafaxine - Nervousness

Intervention: Venlafaxine 75mg and 150mg

Comparator: Venlafaxine 150mg and 225mg

Outcome: Nervousness




Venlafaxine - Dizziness

Intervention: Venlafaxine 37.5mg and 75mg

Comparator: Venlafaxine 75mg and 150mg

Outcome: Dizziness




Venlafaxine - Asthenia

Intervention: Venlafaxine 75mg and 150mg

Comparator: Venlafaxine 150mg and 225mg

Outcome: Asthenia




Escitalopram - HAMA

Intervention: Escitalopram 5mg and 10mg

Comparator: Escitalopram 10mg and 20mg

Outcome: HAMA




Escitalopram - Discontinuation due to adverse events

Intervention: Escitalopram 5mg and 10mg

Comparator: Escitalopram 10mg and 20mg

Outcome: Discontinuation due to adverse events




Escitalopram - Nausea

Intervention: Escitalopram 5mg and 10mg

Comparator: Escitalopram 10mg and 20mg

Outcome: Nausea




Escitalopram - Fatigue

Intervention: Escitalopram 5mg and 10mg

Comparator: Escitalopram 10mg and 20mg

Outcome: Fatigue




Escitalopram - Headache

Intervention: Escitalopram 5mg and 10mg

Comparator: Escitalopram 10mg and 20mg

Outcome: Headache




Escitalopram - Insomnia

Intervention: Escitalopram 5mg and 10mg

Comparator: Escitalopram 10mg and 20mg

Outcome: Insomnia




Escitalopram - Somnolence

Intervention: Escitalopram 5mg and 10mg

Comparator: Escitalopram 10mg and 20mg

Outcome: Somnolence




Escitalopram - Anxiety

Intervention: Escitalopram 5mg and 10mg

Comparator: Escitalopram 10mg and 20mg

Outcome: Anxiety




Escitalopram - Dizziness

Intervention: Escitalopram 5mg and 10mg

Comparator: Escitalopram 10mg and 20mg

Outcome: Dizziness




Paroxetine - HAMA

Intervention: Paroxetine 20mg

Comparator: Paroxetine 40mg

Outcome: HAMA




Paroxetine - HADSA

Intervention: Paroxetine 20mg

Comparator: Paroxetine 40mg

Outcome: HADSA




Paroxetine - Non-response ($\leq 50\%$ reduction in HAMA)

Intervention: Paroxetine 20mg

Comparator: Paroxetine 40mg

Outcome: Non-response ($\leq 50\%$ reduction in HAMA)




Paroxetine - Non-remission (≥ 7 on HAMA)

Intervention: Paroxetine 20mg

Comparator: Paroxetine 40mg

Outcome: Non-remission (≥ 7 on HAMA)




Paroxetine - Discontinuation due to adverse events

Intervention: Paroxetine 20mg

Comparator: Paroxetine 40mg

Outcome: Discontinuation due to adverse events




Paroxetine - Nausea

Intervention: Paroxetine 20mg

Comparator: Paroxetine 40mg

Outcome: Nausea




Paroxetine - Somnolence

Intervention: Paroxetine 20mg

Comparator: Paroxetine 40mg

Outcome: Somnolence




Paroxetine - Decreased libido

Intervention: Paroxetine 20mg

Comparator: Paroxetine 40mg

Outcome: Decreased libido




Paroxetine - Decreased appetite

Intervention: Paroxetine 20mg

Comparator: Paroxetine 40mg

Outcome: Decreased appetite




Duloxetine - HAMA

Intervention: Duloxetine 20mg and 60mg

Comparator: Duloxetine 60-120mg and 120mg

Outcome: HAMA




Duloxetine - HADSA

Intervention: Duloxetine 20mg and 60mg

Comparator: Duloxetine 60-120mg and 120mg

Outcome: HADSA




Duloxetine - Non-response (≤50% reduction in HAMA)

Intervention: Duloxetine 20mg and 60mg

Comparator: Duloxetine 60-120mg and 120mg

Outcome: Non-response (≤50% reduction in HAMA)




Duloxetine – Non-remission (≥7 on HAMA)

Intervention: Duloxetine 60mg

Comparator: Duloxetine 120mg

Outcome: Non-remission (≥7 on HAMA)




Duloxetine – Sheehan Disability Scale

Intervention: Duloxetine 60mg

Comparator: Duloxetine 120mg

Outcome: Sheehan Disability Scale




Duloxetine - Q-LES-Q-SF

Intervention: Duloxetine 60mg

Comparator: Duloxetine 120mg

Outcome: Q-LES-Q-SF




Duloxetine - Discontinuation due to adverse events

Intervention: Duloxetine 20mg and 60mg

Comparator: Duloxetine 60-120mg and 120mg

Outcome: Discontinuation due to adverse events




Duloxetine - Discontinuation for any reason

Intervention: Duloxetine 60mg

Comparator: Duloxetine 120mg

Outcome: Discontinuation for any reason




Pregablin - HAMA

Intervention: Pregablin 150mg, 200mg, 300mg, 400mg and 450mg

Comparator: Pregablin 400mg, 450mg and 600mg

Outcome: HAMA




Pregablin - HADSA

Intervention: Pregablin 400mg

Comparator: Pregablin 600mg

Outcome: HADSA




Pregablin - Non-response ($\leq 50\%$ reduction in HAMA)

Intervention: Pregablin 300mg and 450mg

Comparator: Pregablin 450mg and 600mg

Outcome: Non-response ($\leq 50\%$ reduction in HAMA)




Pregablin - Discontinuation due to adverse events

Intervention: Pregablin 150mg, 300mg, 400mg and 450mg

Comparator: Pregablin 450mg and 600mg

Outcome: Discontinuation due to adverse events




Pregablin – Discontinuation due to any reason

Intervention: Pregablin 400mg

Comparator: Pregablin 600mg

Outcome: Discontinuation due to any reason




Pregablin - Somnolence

Intervention: Pregablin 150mg, 200mg, 300mg, 400mg and 450mg

Comparator: Pregablin 400mg, 450mg, 600mg

Outcome: Somnolence




Pregablin - Dizziness

Intervention: Pregablin 150mg, 200mg, 300mg, 400mg and 450mg

Comparator: Pregablin 400mg, 450mg and 600mg

Outcome: Dizziness




Pregablin - Nausea

Intervention: Pregablin 150mg, 300mg, 400mg and 450mg

Comparator: Pregablin 450mg and 600mg

Outcome: Nausea




Pregablin - Headache

Intervention: Pregablin 150mg, 200mg, 300mg, 400mg and 450mg

Comparator: Pregablin 400mg, 450mg and 600mg

Outcome: Headache




Pregablin - Insomnia

Intervention: Pregablin 400mg

Comparator: Pregablin 600mg

Outcome: Insomnia




Maintenance Treatment

Pregablin versus Placebo

Intervention: Pregablin

Comparator: Placebo


Outcome: Relapse



Intervention: Pregablin

Comparator: Placebo


Outcome: HAMA



Intervention: Pregablin

Comparator: Placebo


Outcome: Discontinuation for any reason



Intervention: Pregablin

Comparator: Placebo

Outcome: Discontinuation due to adverse events




Duloxetine versus Placebo

Intervention: Duloxetine

Comparator: Placebo


Outcome: Relapse



Intervention: Duloxetine

Comparator: Placebo


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Duloxetine

Comparator: Placebo


Outcome: HAMA



Intervention: Duloxetine

Comparator: Placebo


Outcome: Quality of Life (Q-LES-Q-SF)



Intervention: Duloxetine

Comparator: Placebo


Outcome: Discontinuation for any reason



Intervention: Duloxetine

Comparator: Placebo

Outcome: Discontinuation due to adverse events




Paroxetine versus Placebo

Intervention: Paroxetine

Comparator: Placebo


Outcome: Relapse



Intervention: Paroxetine

Comparator: Placebo


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Paroxetine

Comparator: Placebo


Outcome: HAMA



Intervention: Paroxetine

Comparator: Placebo


Outcome: Discontinuation for any reason



Intervention: Paroxetine

Comparator: Placebo

Outcome: Discontinuation due to adverse events




Escitalopram versus Placebo

Intervention: Escitalopram

Comparator: Placebo


Outcome: Relapse



Intervention: Escitalopram

Comparator: Placebo


Outcome: Discontinuation for any reason



Intervention: Escitalopram

Comparator: Placebo

Outcome: Discontinuation due to adverse events




Quetiapine versus Placebo

Intervention: Quetiapine

Comparator: Placebo


Outcome: Time to anxiety event



Intervention: Quetiapine

Comparator: Placebo


Outcome: HAMA



Intervention: Quetiapine

Comparator: Placebo

Outcome: Quality of Life (Q-LES-Q)




Augmentation

Pharmacological treatment for GAD and Olanzapine

Intervention: Olanzapine

Comparator: Placebo


Outcome: HAMA



Intervention: Olanzapine

Comparator: Placebo


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Olanzapine

Comparator: Placebo


Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Olanzapine

Comparator: Placebo

Outcome: Discontinuation due to adverse events




Pharmacological treatment for GAD and Risperidone

Intervention: Risperidone

Comparator: Placebo


Outcome: HAMA



Intervention: Risperidone

Comparator: Placebo

Outcome: Discontinuation due to adverse events




Pharmacological treatment for GAD and Quetiapine

Intervention: Quetiapine

Comparator: Placebo


Outcome: HAMA



Intervention: Quetiapine

Comparator: Placebo


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Quetiapine

Comparator: Placebo

Outcome: Discontinuation due to adverse events




Pharmacological treatment for GAD and Antipsychotics

Intervention: Antipsychotics

Comparator: Placebo


Outcome: HAMA



Intervention: Antipsychotics

Comparator: Placebo


Outcome: Non-remission (≥ 7 on HAMA)



Intervention: Antipsychotics

Comparator: Placebo

Outcome: Non-response ($\leq 50\%$ reduction in HAMA)



Intervention: Antipsychotics

Comparator: Placebo

Outcome: Discontinuation due to adverse events

