APPENDIX 25: EXCLUDED STUDIES

STUDY ID	REASON FOR EXCLUSION	NOTES
AHRENS2003	Cannot locate	
BAKER 2006	Cannot locate	
FURMARK2010	Cannot locate	
MALKIEWICH1979	Cannot locate	
SHEAR1998	Cannot locate	
VANAMERINGEN2007	Drug not licensed in the UK	
VERSIANI1997	Drug not licensed in the UK	
AL-KABAISY1992	Mixed diagnosis population	n=99; no disaggregated data given
ALLSOPP1984	Mixed diagnosis population	n=33; Unclear how many had social anxiety.
ANGELOSANTE	Mixed diagnosis population	Part of Kendall's larger dataset, her outcomes not relevant; n=98; unclear how many had SAD (sample had SP, GAD and separation anxiety)
BARRETT1996	Mixed diagnosis population	n=79; 19 had SAD
BERNSTEIN2005	Mixed diagnosis population	n=61; 12 had primary SP, 17 had it as a secondary diagnosis
BODDEN2008	Mixed diagnosis population	
BOWERS2002	Mixed diagnosis population	n=4 Don't contact
CERNY1967	Mixed diagnosis population	
CROWE1972	Mixed diagnosis population	n=14
DEGROOT2007	Mixed diagnosis population	n=29; 5 had primary diagnosis of SP
ERIKSON2007	Mixed diagnosis population	
FAVA1998	Mixed diagnosis population	n=20
GHOSH1988	Mixed diagnosis population	n=84; 16 had social phobia, across 3 groups
GINSBERG2002	Mixed diagnosis population	n=12
HIRSHFELD-BECKER2010	Mixed diagnosis population	n=64; 43 had social anxiety either as a primary or secondary diagnosis
HUSSAIN1971	Mixed diagnosis population	
KENDALL2008	Mixed diagnosis population	
KITCHINER2009	Mixed diagnosis population	Author replied but only 7 had social phobia, across 3 groups (one group had only 1 person in it)
LIBER2008	Mixed diagnosis population	
MANASSIS2002	Mixed diagnosis population	n=78; 5 had principal diagnosis of social phobia (and 5 with secondary diagnosis of SP)
MARKS1971	Mixed diagnosis population	n=16
MARKS2004	Mixed diagnosis population	Author couldn't provide disaggregated data
NORTON2012	Mixed diagnosis population	25/46 with social anxiety
OBLOWITZ1983	Mixed diagnosis population	n=70; Not clear if/how many had social anxiety. Focus on psychomotor performance

PHONGSAVAN2008	Mixed diagnosis population	n=73
RAZANI1974	Mixed diagnosis population	n=5
ROYBYRNE2010	Mixed diagnosis population	
SCHADE2005	Mixed diagnosis population	
SCHNEIDER2005	Mixed diagnosis population	n=68; 24 with social phobia (13 with secondary diag of sp)
SCHUURMANS2006	Mixed diagnosis population	n=84; Across 3 groups, 9 had social anxiety. Data not reported for different diagnoses.
SHORTT2001	Mixed diagnosis population	n=71; 19 had primary diagnosis of SAD
SILVERMAN1999	Mixed diagnosis population	n=81; 10 had social phobia, across 3 conditions
SIQUELAND2005	Mixed diagnosis population	n=11
SOLYOM1981	Mixed diagnosis population	n=40; Unclear how many had social anxiety. Data not reported for people with social anxiety.
SPENCE2011	Mixed diagnosis population	
SUVEG2006	Mixed diagnosis population	n=6
TITOV2011	Mixed diagnosis population	n=77; 8 had social phobia (5 treatment, 3 control)
TYRER1973	Mixed diagnosis population	n=40; 15 of 40 had social phobia. Outcomes reported for the combined sample.
WHITEHEAD1978	Mixed diagnosis population	n=14
YUKSEL1984	Mixed diagnosis population	n=31; 4 had social phobia, 2 per arm
DAVIDSON2002	No paper - conference abstract	
GULLIVER2009	No paper - conference abstract	
KRYLOV1996	No paper - conference abstract	
MUNJIZA1996	No paper - conference abstract	
GSK1996a	No paper - trial registration	
GSK1996b	No paper - trial registration	
GSK1997	No paper - trial registration	
GSK1999	No paper - trial registration	
GSK2002	No paper - trial registration	
GSK2006a	No paper - trial registration	
GSK2006b	No paper - trial registration	
LIEBOWITZ2004	No paper - trial registration	http://www.controlled-trials.com/mrct/trial/414775/liebowitz
NORDAHL2006	No paper - trial registration	NCT00184106
SIMON2006	No paper - trial registration	http://www.controlled-trials.com/mrct/trial/420911/duloxetine
STEIN2006c	No paper - trial registration	NCT00282828
VANAMERINGEN2006	No paper - trial registration	http://www.controlled-trials.com/mrct/trial/422761/sertraline
DADSETAN2008	Not a bonafide therapy	
SALEMINK2009	Not a bonafide therapy	n=36, unclear how many had social anxiety

ZHANG2000	Not a bonafide therapy	
AMIR(various years)	Not a treatment study	One-session probe detection task
BARLOW1969	Not a treatment study	
BARLOW1970	Not a treatment study	
BUCKNER2009	Not a treatment study	
CASSIN2011	Not a treatment study	
COX2002	Not a treatment study	
DONAHUE2009	Not a treatment study	Single dose; NCT00407199
GOTTLIEB1979	Not a treatment study	
HALE1986	Not a treatment study	
HARVEY2000	Not a treatment study	
HAUG2000	Not a treatment study	
HEEREN2011	Not a treatment study	
HOEK2009	Not a treatment study	
HUPPERT2003	Not a treatment study	
KIM2002	Not a treatment study	13 minute experiment
KOCOVSKI2011	Not a treatment study	
MEINSTER1974	Not a treatment study	
MONTGOMERY1999	Not a treatment study	Conference abstract, trial report not found
MURIS2000	Not a treatment study	
NILSSON2011	Not a treatment study	Analogue study, one session
OLIVARES2006	Not a treatment study	
ORR2010	Not a treatment study	Lab experiment
PARR2009	Not a treatment study	Lab experiment
RODRIGUEZ2005	Not a treatment study	
ROSA-ALCAZAR2009	Not a treatment study	
SCHMITZ2011	Not a treatment study	
SEEKLES2009	Not a treatment study	
SORAVIA2006	Not a treatment study	One dose trial
TAYLOR2010	Not a treatment study	Focus on judgemental bias, lab-based study with 1-off behavioural task
VRIELYNCK2009	Not a treatment study	
WIEGAND2004	Not a treatment study	
WIESER2010	Not a treatment study	
ALLIN1984	Not an RCT	Control subjects recruited differently to the treated subjects
AMIR2004	Not an RCT	And not a treatment study
AMIR2008	Not an RCT	And not a treatment study
ANARI2009	Not an RCT	
APOSHYAN	Not an RCT	
ARAD2004	Not an RCT	And not SA population

BROWN1995	Not an RCT	
BUTOLLO1981	Not an RCT	n=96
CAMART2006	Not an RCT	
CHAVIRA2002	Not an RCT	
COMER2012	Not an RCT	No control group; n=9 and mixed diagnoses
COURBASSON2010	Not an RCT	
CZEPOWICZ	Not an RCT	
DUMMIT1996	Not an RCT	
EKE2002	Not an RCT	N=4
EVANS1973	Not an RCT	
FALLOON1981	Not an RCT	
GARCIA-LOPEZ2002	Not an RCT	
GASTON2006	Not an RCT	
GAY1990	Not an RCT	Described as random but only 4 in each condition, 2 of which were 'placed' in the group
GOLDIN2011	Not an RCT	
HUDSON2007	Not an RCT	N=7
JOORMANN	Not an RCT	
KATZMAN2004	Not an RCT	
KINRYS2003	Not an RCT	
KLINGER2005	Not an RCT	
MANASSIS2008	Not an RCT	FU to non-RCT
MCDOUGALL2000	Not an RCT	Used repeated measures design
MERSCH1989	Not an RCT	
MERSCH1991	Not an RCT	
MONTEJOGONZALEZ1997	Not an RCT	
MORTBERG2005	Not an RCT	
NAGATA2003	Not an RCT	And not SA population
NORTON2008	Not an RCT	n=52; 25 had primary diagnosis of SAD
OLIVARES2002	Not an RCT	
ONTIVEROS1998	Not an RCT	
OST1981	Not an RCT	Participants divided into groups based on responses to a behavioural task
PECKNOLD1982	Not an RCT	Controlled trial but not randomised
PERUGI1994	Not an RCT	No control group
ROSSI1989	Not an RCT	Review and non-RCT investigation. Unclear whether population has SA
SELIGMAN2011	Not an RCT	Review
SIMPSON1998	Not an RCT	Open trial, not RCT
SONAWALLA2002	Not an RCT	
STONE2000	Not an RCT	n=6

STRAVYNSKI1989	Not an RCT	Participants served as their own controls
VAN-DAM-BAGGEN1986	Not an RCT	Also not SA population
VANDAMBAGGEN2000	Not an RCT	
VANVEEN2002	Not an RCT	
VERSIANI1988	Not an RCT	
VERSIANI1996	Not an RCT	
VOGELE2010	Not an RCT	
WALKUP2002	Not an RCT	Open label extension - can't use
WELLS1997	Not an RCT	
WHITTENBERG	Not an RCT	Control group not randomised; only 8 people per group
WILD2007	Not an RCT	
WLAZLO1990	Not an RCT	
BAER2005	Not an RCT	
BALDWIN2009	Not an RCT - review	
BALDWIN2009	Not an RCT - review	
BECH2008	Not an RCT - review	
CONNOR2002	Not an RCT - review	
HOFMANN2010	Not an RCT - review	
LIEBOWITZ1999	Not an RCT - review	
MALLICK2004	Not an RCT - review	Pooled data analysis - not an RCT
SEGOOL2008	Not an RCT - review	
STEIN2002	Not an RCT - review	
STEIN2006a	Not an RCT - review	
ANTONA2006	Not available in English	
ANTONA2008	Not available in English	
BARQUERA2008	Not available in English	
ELREY2998	Not available in English	
GILBERNAL2009	Not available in English	
ITO2000	Not available in English	
LEE1997	Not available in English	
LEGERON	Not available in English	
MELFSEN2003	Not available in English	
MELYANI2009	Not available in English	
OLIVARES2007	Not available in English	
ORTBANDT2009	Not available in English	
PEITZ2006	Not available in English	
PENG2003	Not available in English	
STANGIER2001	Not available in English	
STRAVYNSKI1994	Not available in English	

TEJEDOR1996	Not available in English	
TOOZANDEHJANI2011	Not available in English	
WILLUTZKI2004	Not available in English	
WILLUTZKI2011	Not available in English	
YANG	Not available in English	
ZHANG2003	Not available in English	
AVEDISOVA2007	Not SA population	n=59; treatment for benzo withdrawal
ADY1989	Not SA population	11 undergradutes, unclear inclusion criteria
ALLAIN2003	Not SA population	Healthy subjects
ALSTROM1984	Not SA population	No diagnosis obtained
ANON	Not SA population	
ANON1979	Not SA population	
ANTHONY2002	Not SA population	
APONTE1971	Not SA population	
APPEL1976	Not SA population	Outcomes include pulse and performance errors. No relevant psychological measures.
ARANA2006	Not SA population	Included 'people who considered themselves shy'
ASCHER1999	Not SA population	
ASSALIA2003	Not SA population	
AUNE2009	Not SA population	Universal prevention programme
BADOS1987	Not SA population	
BARBER1996	Not SA population	
BEARD2008	Not SA population	
BERGSTRESSER1976	Not SA population	
BILLOTTI1985	Not SA population	
BIRAN1981	Not SA population	
BLACK2012	Not SA population	
BOOTH1990	Not SA population	
BRODSKY	Not SA population	
BRUNET2008	Not SA population	
BURNLEY1992	Not SA population	No diagnostic instrument used
CAPPE1986	Not SA population	
CAPPE1986	Not SA population	SAD score of at least one-half standard deviation above the mean, obtain a score of 9 or above on the shyness interference measure - No diagnosis obtained
CARPENTER1981	Not SA population	
CARRIGAN1999	Not SA population	Inclusion cut-off on public speaking scale, undergraduate non-clinical sample
CARSTENS1976	Not SA population	
CHIPPARELLI1982	Not SA population	Student sample; non-assertiveness with the opposite sex

COPLAN2010	Not SA population	Parent-rated behavioural inhibition scores above the top 15% cut-off on the Behavioural Inhibition Questionnaire - No diagnosis obtained
CUNNINGHAM2006	Not SA population	Members of a public speaking association - No diagnosis obtained
DELVEY1981	Not SA population	
DOPPELT1984	Not SA population	
ENGLISH1978	Not SA population	
FREMOUW1978	Not SA population	Inclusion criteria above median on a scale - No diagnosis obtained
GARDNER1981	Not SA population	No diagnostic instrument used
GOLDFARB	Not SA population	15 minute one-off intervention
GORMALLY1981	Not SA population	
HARTLEY1983	Not SA population	Not an RCT - crossover design and not SA symptoms
HAYNES-CLEMENTS1984	Not SA population	Non-clinical sample with self-reported 'shyness', not included on the basis of interview
HAZLETT-STEVENS2001	Not SA population	Inclusion criteria one item on the FQ
HEDQUIST1970	Not SA population	Unassertive' college students
HEKMAT1984	Not SA population	
HEKMAT1985	Not SA population	
HINDO2010	Not SA population	Student sample; cutoff inclusion criteria; 1 session treatment
JAMES1984	Not SA population	
JERREMALM1986	Not SA population	Two waves of randomisation, first sorted according to physiological reeactivity, no diagnosis obtained
KARST1970	Not SA population	
KENDRICK1982	Not SA population	
KIRSCH1975	Not SA population	Undergrad sample, inclusion based on Behaviour Checklist (short form) and PRCS
KIRSCH1977	Not SA population	Undergrad sample, unclear inclusion criteria
KLEIN1992	Not SA population	Separation Anxiety not SA
KLEINASSER1969	Not SA population	
KOBAN2007	Not SA population	
LADOUCEUR1983	Not SA population	
LENT1981	Not SA population	And no usable data
LOWENSTEIN1982	Not SA population	Non-clinical sample; no measure of social anxiety at post-treatment
MALL2011	Not SA population	Excluded people meeting diagnostic criteria for SAD
MALLET1982	Not SA population	
MARSHALL1976	Not SA population	Undergrad sample, all included who applied
MARSHALL1977	Not SA population	Undergrad sample, unclear inclusion criteria

MCCALL1992	Not SA population	Catatonic mutism population - cause not social
MCGOWAN1981	Not SA population	No diagnostic instrument used
MCKINNEY1981	Not SA population	
MELANSON1986	Not SA population	Undergrad sample, 16 on the PRCS - No diagnosis obtained
MICHENBAUM1971	Not SA population	Undergrad sample, unclear inclusion criteria
MORGAN1970	Not SA population	
MOTLEY1994	Not SA population	Undergrad sample, inclusion based on PRPSA - No diagnosis obtained
MYLAR1972	Not SA population	Undergrad sample, unclear inclusion criteria
NAGAE2001	Not SA population	22 'or greater on the Fear of Negative Evaluation Scale, or 18 or greater on the Social Avoidance and Distress Scale - No diagnosis obtained
NELSON2010a	Not SA population	Undergrad sample, no social anxiety scale used for inclusion, one-off intervention
NELSON2010b	Not SA population	
O'DONNELL1973	Not SA population	Student sample; included on the basis of score on the Fear Survey Schedule - No diagnosis obtained
OKABAYASKI1992	Not SA population	
OLIVARES2002	Not SA population	
OLIVEAU1969a	Not SA population	
OLIVEAU1969b	Not SA population	
OSBORNE2007	Not SA population	Inclusion criteria, top 25% on Music Performance Anxiety Inventory for Adolescents, only 9/21 had a diagnosis of social anxiety
PERSSON1984	Not SA population	
PHILLIPS1972	Not SA population	
PIPES1978	Not SA population	
POWELL1992	Not SA population	
POWELL2008	Not SA population	
PUCEL1973	Not SA population	Treatment focussed on alcohol reduction. Pre-treatment anxiety scores non-clinical
REITMAN2001	Not SA population	Student sample, unclear inclusion criteria, outcomes not relevant
RENNER2008	Not SA population	Student sample, SIAS used as inclusion criteria
RESSLER2004	Not SA population	Acrophobia
RICHTER1975	Not SA population	No diagnostic instrument used
RIMM1970	Not SA population	
RUBIN2009	Not SA population	Undergrad sample, criteria of 18 on the public-speaking component of the PRCA-24 - No diagnosis obtained
RUSSELL1973	Not SA population	
SAMAWEERA	Not SA population	Undergrad sample, brief lab experiment
SAPP1990	Not SA population	Test anxiety
SCHELVER1983	Not SA population	scoring above 13 on the Social Anxiety and Distress Scale - no diagnosis obtained

SCHOENBERGER1997	Not SA population	Undergraduate sample, no diagnostic interview given, just cut-off on a public speaking scale
SCHONIGER2004	Not SA population	Community sample, unclear inclusion criteria
SELLERS1982	Not SA population	Student sample; PRCA-C survey and the Shyness Survey used as inclusion criteria
SIEGMUND2011	Not SA population	Agoraphobia/panic
SIMEON1992	Not SA population	Avoidant subgroup=9
SLUTSKY1978	Not SA population	Undergrad sample, unclear inclusion criteria
SMITH1980	Not SA population	
SMITH1987	Not SA population	Test anxiety
SOLYOM1073	Not SA population	
SPECTOR1993	Not SA population	Volunteer sample, included on the basis of cut-off on public speaking scale, no diagnostic interview
STANTON1991	Not SA population	
STANTON1994	Not SA population	
STRAATMEYER1974	Not SA population	
SWEENEY1982	Not SA population	Student sample, unclear inclusion criteria
THEVOS2000	Not SA population	Participants don't have current diagnosis of SA
THURBER2006	Not SA population	Student sample, no inclusion criteria
TREXLER1972	Not SA population	Undergrad sample, unclear inclusion criteria
TSAO2000	Not SA population	Undergrad sample, inclusion based on likert scale rating
VANTVEER-TAZELAAR2006	Not SA population	
VROLIJK1977	Not SA population	
WALLACH2009	Not SA population	Undergrad sample, “no cutoff scores nor diagnosis was used"
WALLER1982	Not SA population	No diagnostic instrument used
WEINBERGER1973	Not SA population	Undergrad sample, unclear inclusion criteria
WEISSBERG1977	Not SA population	Undergrad sample from psych and communication courses, no inclusion criteria
WESTENBERG1987	Not SA population	n=45
WHITWORTH1996	Not SA population	No diagnostic instrument used
WILLIAMS1984	Not SA population	
WILSON1973	Not SA population	
WOLPIN1966	Not SA population	
WOOD1978	Not SA population	
WOY1972	Not SA population	Undergrad sample, unclear inclusion criteria
WRIGHT1979	Not SA population	
YOUNG2009	Not SA population	
ZANE1991	Not SA population	Agoraphobia with performance anxiety traits
ZITRIN1983	Not SA population	Agoraphobia, mixed phobia and simple

		phobia population
CARLBRING2012	Ongoing	NCT01312571 Not yet published
LEICHSENRING2009	Ongoing	
NIMH2005	Ongoing	
WILTINK2011	Ongoing	
FAHLEN1995	Outcomes not relevant	No PDF - 1996 onwards
GATES1985	Outcomes not relevant	
GSK2005	Outcomes not relevant	
HOFMANN2006	Outcomes not relevant	
JOHNSON2007	Outcomes not relevant	
KENNEDY2009	Too young	