National Clinical Guideline Centre

Pneumonia

Diagnosis and management of community- and hospital-acquired pneumonia in adults

Clinical guideline <…>

Appendix D

June 2014

Draft for consultation

Commissioned by the National Institute for Health and Care Excellence

Disclaimer
Healthcare professionals are expected to take NICE clinical guidelines fully into account when exercising their clinical judgement. However, the guidance does not override the responsibility of healthcare professionals to make decisions appropriate to the circumstances of each patient, in consultation with the patient and/or their guardian or carer.

Copyright
National Clinical Guideline Centre, 2014. Confidential.

Funding
National Institute for Health and Care Excellence

Contents

1 Flow charts 5
1.1 Diagnostic tests 5
1.2 Severity assessment (CAP and HAP) 6
1.3 Microbiological tests (CAP and HAP) 7
1.4 Choice and duration of empirical antibiotic therapy (CAP and HAP) 8
1.5 Timing of antibiotic therapy 9
1.6 Glucocorticosteroid treatment 10
1.7 Gas exchange 11
1.8 Monitoring 12
1.9 Safe discharge 13
1.10 Patient information 14

1 Flow charts

1.1 Diagnostic tests

1.2 Severity assessment (CAP and HAP)

1.3 Microbiological tests (CAP and HAP)

1.4 Choice and duration of empirical antibiotic therapy (CAP and HAP)

1.5 Timing of antibiotic therapy

1.6 Glucocorticosteroid treatment

1.7 Gas exchange

1.8 Monitoring

1.9 Safe discharge

1.10 Patient information