

## IPG176 - Percutaneous fetal balloon valvuloplasty for pulmonary atresia with intact ventricular septum

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

### Procedure:

#### OPCS-4 code(s):

**R04.8 Other specified therapeutic percutaneous operations on fetus**

**Y40.3 Balloon dilation of organ NOC**

**Y53.2 Approach to organ under ultrasonic control**

**Note:** A code from category **Y95.- Gestational age** must be assigned in a subsidiary position where this information is available.

**Z32.4 Pulmonary valve**

### Diagnosis or health condition:

#### ICD-10 code(s):

**Q25.5 Atresia of pulmonary artery**

## **Clinical coding recommendations for NICE guidance**

For each published interventional procedure guidance, we work with NHS England to provide relevant clinical coding information.

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

NICE and NHS England Terminology and Classifications Delivery Service work collaboratively to ensure the most appropriate OPCS-4 and ICD-10 codes are provided.

NHS England is the national release centre for the UK edition of ICD-10 and OPCS-4. Further Classifications information, see [here](#).