

IPG441 – Irreversible electroporation for treating primary lung cancer and metastases in the lung

#The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

Procedure:

OPCS code(s):

E59.8 Other specified other operations on lung

Y12.3 Electrochemotherapy to lesion of organ NOC

Y53.- Approach to organ under image control

Or

Y68.- Other approach to organ under image control

Note: Codes within category **Y53.-** and **Y68.-** are used as secondary codes to classify interventions that are percutaneous and require some form of image control: if the method of image control is unspecified, **Y53.9 Unspecified approach to organ under image control** is assigned.

Diagnosis or health condition:

ICD-10 code(s):

C34.- Malignant neoplasm of bronchus and lung

Or

C78.0 Secondary malignant neoplasm of lung

Clinical coding recommendations for NICE guidance

For each published interventional procedure guidance, we work with NHS England to provide relevant clinical coding information.

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

NICE and NHS England Terminology and Classifications Delivery Service work collaboratively to ensure the most appropriate OPCS-4 and ICD-10 codes are provided.

NHS England is the national release centre for the UK edition of ICD-10 and OPCS-4. Further Classifications information, see [here](#).