

IPG568 - Percutaneous insertion of craniocaudal expandable implants for vertebral compression fracture

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

Procedure:

OPCS-4 code(s):

V44.6 Augmentation vertebroplasty of fracture of spine using intravertebral implant

V55.- Levels of spine

Y53.4 Approach to organ under fluoroscopic control

Z66.- Vertebra

Diagnosis or health condition:

ICD-10 code(s):

A vertebral fracture can be caused by physical injury, osteoporosis or the spread of cancer into the spine. Therefore, one of the following codes will be assigned depending on the cause of the vertebral compression fracture:

Injury

T08.- Fracture of spine, level unspecified

Osteoporosis

M80.- Osteoporosis with pathological fracture

Secondary spread of cancer into the spine

C79.5† Secondary malignant neoplasm of bone and bone marrow

M49.5* Collapsed vertebra in diseases classified elsewhere

Clinical coding recommendations for NICE guidance

For each published interventional procedure guidance, we work with NHS England to provide relevant clinical coding information.

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

NICE and NHS England Terminology and Classifications Delivery Service work collaboratively to ensure the most appropriate OPCS-4 and ICD-10 codes are provided.

NHS England is the national release centre for the UK edition of ICD-10 and OPCS-4. Further Classifications information, see [here](#).