

IPG710 - Percutaneous endovascular forearm arteriovenous fistula creation for haemodialysis access

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

Procedure:

OPCS-4 code(s):

L74.2 Creation of arteriovenous fistula NEC

Y53.2 Approach to organ under ultrasonic control

Or

Y53.4 Approach to organ under fluoroscopic control

Z89.3 Forearm NEC

Note:** the specific site codes for the named artery and vein where stated are assigned in preference to site code **Z89.3 Forearm NEC

Z94.- Laterality of operation

Diagnosis or health condition:

ICD-10 code(s):

The relevant ICD-10 code for the renal condition for which the patient is receiving dialysis

Plus

Z49.0 Preparatory care for dialysis

(created for future dialysis treatment)

Or

Z99.2 Dependence on renal dialysis

(patient is already receiving dialysis treatment)

Clinical coding recommendations for NICE guidance

For each published interventional procedure guidance, we work with NHS England to provide relevant clinical coding information.

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

NICE and NHS England Terminology and Classifications Delivery Service work collaboratively to ensure the most appropriate OPCS-4 and ICD-10 codes are provided.

NHS England is the national release centre for the UK edition of ICD-10 and OPCS-4. Further Classifications information, see [here](#).