

## IP972/2 – Percutaneous implantation of pulmonary artery pressure sensor for monitoring in the management of chronic heart failure

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

### **Procedure:**

#### **OPCS-4 code(s):**

**L13.8 Other specified transluminal operations on pulmonary artery**

**Y44.2 Monitoring of pressure in organ NOC**

**Y53.1 Approach to organ under radiological control**

### **Diagnosis or health condition:**

#### **ICD-10 code(s):**

**I50.- Heart failure**

Or

**I11.0 Hypertensive heart disease with (congestive) heart failure**

Or

**I13.0 Hypertensive heart and renal disease with (congestive) heart failure**

Or

**I13.2 Hypertensive heart and renal disease with both (congestive) heart failure and renal failure**

**Note:** *Due to the structure of ICD-10 it is possible a diagnosis of chronic heart failure could be classified elsewhere within the classification and final code selection will depend on what is documented within the patient's medical record.*

## **Clinical coding recommendations for NICE guidance**

For each published interventional procedure guidance, we work with NHS Digital to provide relevant clinical coding information.

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

NICE and NHS Digital Information Representation Services work collaboratively to ensure the most appropriate OPCS-4 and ICD-10 codes are provided.

NHS Digital is the national release centre for the UK edition of ICD-10 and OPCS-4. Further Classifications information, see [here](#).