



Evidence reviews

Evidence review

Published: 30 June 2022

Last updated: 20 July 2022

www.nice.org.uk

The following documents contain the evidence that was used to develop the 2022 recommendations:

- [A: Service delivery](#)
- [B: Treatment of a new episode of depression](#)
- [C: Preventing relapse](#)
- [D: Further-line treatment](#)
- [E: Chronic depression](#)
- [F: Depression with coexisting personality disorder](#)
- [G: Psychotic depression](#)
- [H: Access to services](#)
- [I: Patient Choice](#)

Evidence review supplements

- [A1: Clinical evidence tables for review question 1.1](#)
- [A2: Clinical evidence tables for review question 1.2](#)
- [B1: Clinical evidence tables for review questions 2.1-2.2](#)
- [B2: Forest plots for treatment of a new episode of less severe depression](#)
- [B3: Forest plots for first-line treatment of more severe depression](#)
- [B4: Pairwise and NMA comparisons for review questions 2.1-2.2](#)
- [C1: Clinical evidence tables for review question 2.3](#)
- [D1: Clinical evidence tables for review question 2.4-2.5](#)
- [E1: Clinical evidence tables for review question 2.6](#)
- [F1: Clinical evidence tables for review question 2.7](#)
- [G1: Clinical evidence tables for review question 2.8](#)
- [H1: Clinical evidence tables for review question 3.0](#)
- [I1: Clinical evidence tables for review question 4.0](#)

Evidence for the 2009 and 2021 recommendations can be found in the 2009 full guideline on the treatment and management of depression in adults, and supporting appendices:

- [Full guideline - October 2009](#)
- [Appendix 15: Evidence tables for economic studies](#)
- [Appendix 16a: Clinical evidence profiles for service delivery](#)
- [Appendix 16b: Clinical evidence profiles for psychological and psychological interventions](#)
- [Appendix 16c: Clinical evidence profiles for pharmacological and physical interventions](#)
- [Appendix 16d: Clinical evidence profiles for the management of subthreshold depressive symptoms](#)
- [Appendix 17a: Clinical studies characteristics tables – service delivery](#)
- [Appendix 17b: Clinical studies characteristics tables – psychological and psychosocial interventions](#)
- [Appendix 17c: Clinical studies characteristics tables – pharmacological and physical interventions](#)
- [Appendix 17d: Clinical studies characteristics tables – management of subthreshold depressive symptoms](#)
- [Appendix 18: References to studies from the previous guideline](#)
- [Appendix 19a: Clinical evidence forest plots for service delivery](#)
- [Appendix 19b: Psychological and psychosocial clinical evidence forest plots](#)
- [Appendix 19c: Clinical evidence forest plots for pharmacology and other physical treatments](#)
- [Appendix 19d: Clinical evidence forest plots for the management of subthreshold depressive symptoms](#)
- [Appendix 20: Case identification included and excluded studies](#)
- [Appendix 21: Methods used to develop this guideline](#)

Other supporting evidence

- [Supplement 1: Methods](#)
- [Supplement 2: Glossary and abbreviations](#)
- [Economic evidence](#)