

Appendix A: How this guideline was developed

This guideline was developed in accordance with the process and methods set out in [Developing NICE guidelines: the manual](#).

The review questions used to develop the guideline were as follows:

1. Home based intermediate care:

1a. What is the effectiveness and cost effectiveness of home based intermediate care?

1b. What are the views and experiences of people using services and their carers in relation to home based intermediate care?

1c. What are the views and experiences of health, social care and other practitioners about home based intermediate care?

2. Bed based intermediate care (in hospital or residential settings):

2a. What is the effectiveness and cost effectiveness of bed based intermediate care?

2b. What are the views and experiences of people using services and their carers in relation to bed based intermediate care?

2c. What are the views and experiences of health, social care and other practitioners about bed based intermediate care?

3. Crisis response – intermediate care:

3a. What is the effectiveness and cost effectiveness of crisis response?

3b. What are the views and experiences of people using services and their carers in relation to crisis response?

3c. What are the views and experiences of health, social care and other practitioners about crisis response?

4. Reablement:

4(a) What is the effectiveness and cost effectiveness of reablement?

4(b) What are the views and experiences of people using services and their carers in relation to reablement?

4(c) What are the views and experiences of health, social care and other practitioners about reablement?

5. Intermediate care and reablement for people living with dementia:

5(a) What is the effectiveness and cost effectiveness of intermediate care and reablement for people living with dementia?

5(b) What are the views and experiences of people living with dementia and carers about intermediate care and reablement?

5(c) What are the views and experiences of health, social care and other practitioners about intermediate care and reablement for people living with dementia?

6. Information, advice, advocacy, training and support:

6(a) What is the effectiveness and cost effectiveness of information, advice, advocacy, training and support for people using intermediate care and reablement?

6(b) What are the views and experiences of people using intermediate care and reablement, and their families and carers, about information, advice, advocacy, training and support?

6(c) What are the views and experiences of health, social care and other practitioners about information, advice, advocacy, training and support for people using intermediate care and reablement and their families and carers?

7(a) What characteristics of intermediate care and reablement service models and approaches are associated with improving outcomes for adults using these services and their families?

7(b) What do adults using intermediate and reablement care services, their carers and families consider to be the important characteristics of service models and approaches?

7(c) What do health, social care and other practitioners consider are the important characteristics of intermediate care and reablement service models and approaches?

Search strategies

The evidence reviews used to develop the guideline recommendations were underpinned by systematic literature searches, following the methods described in [Developing NICE guidelines: the manual](#). The aim of the systematic searches was to comprehensively identify the published evidence to answer the review questions developed by the Guideline Development Group and NICE Collaborating Centre for Social Care.

The search strategies for the review questions were developed by the NICE Collaborating Centre for Social Care. Structured questions were developed using an appropriate framework, for example PICO or SPICE, and translated into search strategies using subject heading and free text terms. The strategies were run across a number of databases and sources.

Economic evidence was searched by using a variety of databases, for example: the NHS Economic Evaluation Database (NHS EED) and the Cochrane Database of Systematic Reviews and ECONLIT which contain economic reviews.

Search filters were devised for some of the questions, to manage the number of results along with obtaining specific types and quality of data (study types, cost effectiveness / economics and views / experiences), existing NICE search filters were adapted to describe and collect terminology relevant to social care.

Guideline Development Group members were also asked to alert the NICE Collaborating Centre for Social Care to any additional evidence, published, unpublished or in press, that met the inclusion criteria.

The searches were undertaken between October 2015 and July 2016, including the update searches.

Overall contextual search approaches

The review search utilised both systematic and mapping approaches, across each individual question, requiring a number of approaches to manage the size of the overall data and to provide precision and sensitivity where possible. This section briefly explains the challenges surrounding the broadness of the general topic area within rehabilitation and intermediate care, countered with challenges in the brevity of settings, which included housing or health and the criminal justice system, counter-balanced with terms such as reablement and dementia that are more condition or intervention specific. Service definitions from the National Audit for Intermediate care provided some focus through specific service type definitions such as home based, bed-based and crisis response, however we undertook various approaches in both the search, such as study filters, along with management of the data, such as de-duplication of similar sets of data for each question, to limit the number of studies obtained from the potentially vast mixture of broad and focused searches which are explained in more detail below.

Searches for this topic covered broad areas such as rehabilitation, intermediate care and occupational therapy, settings such as hospital, home, nursing, specialist units and study types such as systematic reviews, meta-analysis and qualitative data. A variety of searching, screening and reference management approaches were employed such as study type search filters, searching and screening within the data collection, duplicate reference management along with additional expert testimony and citation harvesting.

Key themes and terms

Intermediate care in the context of the reviews was understood to mean, care that is in-between different parts of a wider system. This required terms that covered: both a setting (intermediate care: units, wards, facilities and centres etc.) and a type of care delivery (intermediate care services, teams and assessments etc.) which are delivered by a variety professionals within multi-disciplinary teams, from across the health and social care sector. Intermediate care services are located in the acute (hospital), community, nursing and residential settings, as well as being based in a

private residence such as the home (home care). What differentiates Intermediate care from other forms of rehabilitation is its duration, which is limited to short-term or brief intervention, or limited by time, such as six to eight weeks for reablement, or two working days for crisis response.

Rehabilitation in the context of the reviews was understood to mean, the restoration and recovery of the individual to an independent state of functioning. This required terms that covered rehabilitation as a main subject along with terms for occupational and physiotherapy across the same variety of settings outlined above. The concept of regaining independence required additional terms that considered outcomes such as activities of daily living or individual recovery goals and outcomes.

Additional terms such as step-up and step-down services, hospital at home, delayed discharges, transitional care and integrated care were sought to gather information from areas potentially classed as in-between care situations from within the literature.

Review search approaches

We designed search strategies for each review question by formulating the individual review protocols by considering the needs of the scope and the review questions, along with the service category definitions in the National Audit for Intermediate Care (2015). We enlisted various methods to maximise sensitivity and precision within the data yield by conducting a variety of filtered and mapping searches, across the different review questions

In review questions one and two (home and bed-based), search filters were utilised to limited study types such as: systematic reviews, meta-analysis, randomised controlled trials, cost effectiveness and qualitative reviews. We combined these with a core search approach, to control the precision of yield from within the largest element of the search strategy, the core subjects areas of: rehabilitation, intermediate care, occupational therapy and physiotherapy. Finally we combined terms related to both outcomes and time limits, as expressed by the included definitions within the National Audit for Intermediate care, along with terms surrounding the particular setting (home or bed-based) and date limits for each question.

Within the production of the protocol for review three, the Information Scientist identified that the definition of crisis response from within the audit, did not represent the majority of the data classified as: crisis response or intervention and rapid response or intervention, within the intended search sources. It was recommended that this area be supported by a subject witness along with applying a study type filter (as above) to a core broad coverage search strategy covering: crises that need immediate responses from a variety of multi-agency professional in a variety of settings, to ensure all potentially relevant studies were identified. This was limited by the use of a study type filter along with limiting studies to specific settings such as residential, home and acute locations and time limits.

Due to the lack of specific data on the NAIC service definition of crisis response, four broad search groups were devised: search one captured immediate (rapid or crisis) responses and needs in any setting but restricted by time limits and date, search two captured immediate (rapid or crisis) responses and needs in combination with assessment or referral but restricted by time limits and date, search three captured immediate (rapid or crisis) responses and needs in any settings combined with different professional groups but restricted by time limits and date, search four captured immediate (rapid or crisis) response and needs in any setting in combination with types of activity and outcome but restricted by time and date limits.

National Audit for Intermediate care (2015) - Appendix 3: Service category definitions
Service: Crisis response

- Setting: Community based services provided to service users in their own home or care home.
- Aim: Assessment and short term interventions to avoid hospital admission.
- Period: Interventions for the majority of service users will last up to 48 hours or two working days (if longer interventions are provided the service should be included under home based IC).
- Work force: Multi-disciplinary teams but predominantly health professionals.
- Includes: Intermediate care assessment teams, rapid response and crisis resolution.

- Excludes: Mental health crisis resolution services, community matrons / active case management teams.

Review four consisted of searches on the specific intervention of reablement, as this data set was discrete. Additional related terms were used to increase the yield such as restorative care, enablement and home independence programmes, to create the first search set. We then created a second search set seeking to extract relevant data from the broad rehabilitation, intermediate care, homecare and community care data sets. We then combined the resulting set with time-limited terms such as: six weeks, brief or short term and finally the second set was combined with the first reablement set and then limited by age factors and language. We did not limit by date, or study type, to ensure the highest yield of data was collected. We also undertook reference harvesting of studies identified in the review protocol development.

In review five we created a dementia set (1) a reablement set (2) along with terms for intermediate care to ensure we gathered a broad yield of data on dementia and intermediate care. A rehabilitation set (3) was combined with time and measure limits. The reablement set and rehabilitation set were kept discrete sets by using the OR operator. Finally we combined the two OR search sets (2 & 3) with the dementia set (1). As with review four we did not limit by date, or study type, to ensure the highest yield of data was collected.

A broad communication search strategy for review six was devised, capturing data on information, advice, advocacy or training and support. We combined three broad datasets: rehabilitation, education and information communication formats. We combined terms for rehabilitation and information and limited by date to create the final data set. The collection was not bound by the definitions within the Audit for Intermediate Care, meaning time-limits that may have provided more focused limited results were not possible to use. Within the test searches for the review protocol we identified that the search needed to be broad enough to capture a variety of related concepts such as self-help in rehabilitation along with advocacy and decision making but we also identified that the subject matter may be found more in the qualitative

area of research, so search filters for study types were tested but issues combining study type filters with publication type searches, deemed them unsuitable for use in this combined field.

The seventh review question was added after all questions (including the update search) had been completed. Terms for intermediate care were consistently used across all of the existing review questions and therefore no new search strategy was created to answer the review question. Reviewers searched within the existing data from all reviews on intermediate care, in a combined reference management review library. The Information Specialist provided additional searches on audits of intermediate care and rehabilitation, to supplement existing review data.

The mapping update searches covered all questions for a one year date period which involved a broad search group on rehabilitation combined with a study type filter and limited by date. This sought to collect a mapped collection of specific studies, that may have been missed by previous individual question focused searches, by creating a sensitive (study type) data set which provided a short-term check and balance, to ensure all relevant studies within those groups had been collected, across all database sources for the whole review.

For more detailed explanation on the searches detailed above, please visit Appendix A for more information.

Scoping searches

Scoping searches were undertaken in January 2015, using the following websites and databases (listed in alphabetical order); browsing or simple search strategies were employed. The search results were used to provide information for scope development and project planning.

Databases	Organisational websites	NICE guidelines (existing)
Centre for Reviews and Dissemination (CRD) Databases; DARE, NHS EDD, HTA, PROSPERO	AgeUK	NICE Guideline CG42

Database of promoting health effectiveness reviews (DoPHER) - EPPI Centre	Care Quality Commission (CQC)	NICE Guideline CG83
Google	Department of Health (DH)	NICE Guideline CG124
Google Scholar	EPPI Centre Publication Library	NICE Guideline CG161
NICE Evidence search	Health and Social Care Information Centre (HSCIC)	NICE Guideline CG162
PubMed (NCBI)	Institute for Research and Innovation in Social Services (IRISS)	NICE Guideline CMG48
Social Care Online (SCO)	London School of Economics (LSE)	NICE Guideline PH16
The Cochrane Library of Systematic Reviews	National Audit Office (NAO)	NICE Quality Standard 14
The Campbell Library for Systematic Reviews	National Institute for Health Research (NIHR)	NICE Quality Standard 16
TRIP Database	NHS England	NICE Quality Standard QS1
	Personal Social Services Research Unit (PSSRU)	NICE Quality Standard QS2
	Quality and outcomes of person-centred care policy research unit (QORU)	NICE Quality Standard QS30

	Reablement UK	
	The Kings Fund	
	Think local act personal (TLAP)	

Main searches

The following database, organisational or academic sources were either selected (per review question) or searched for all of the questions (update) and are presented in the sections below.


Databases:

- Abstracts in Social Gerontology
- Ageline
- Allied and Complementary Medicine Database (AMED)
- Applied Social Sciences Index and Abstracts (ASSIA)
- British Nursing Index (BNI)
- Cochrane Database of Systematic Reviews, Trials and Economic reviews
- Cumulative Index to Nursing and Allied Health Literature (CINAHL)
- EconLIT
- Excerpta Medica database (Embase)
- Health Management Information Consortium (HMIC)
- International bibliography of social sciences (IBSS)
- Medical Literature Analysis and Retrieval System Online (MEDLINE)
- ProQuest Hospital Collection – Nursing & Allied Health source
- PsycINFO
- Social Care Online (SCO)
- Social Policy and Practice (SPP)
- Social Services Abstracts (SSA)
- Social Work Abstracts (SWA)
- SocINDEX

Organisational data and academic sources:

- AgeUK
- Alzheimer's research UK
- Alzheimer's society
- Association of Directors of Adult Social Services (ADASS)
- Campbell Database of Systematic Reviews
- Care & Repair England
- Carers Trust
- Center on Knowledge Translation for Disability and Rehabilitation Research (KTDRR)
- CIRRIE Database of International Rehabilitation Research
- Centre for Reviews and Dissemination (CRD) Databases contains: DARE, NHS EDD, HTA and PROSPERO
- Deloitte
- DEMOS
- EPPI-Centre
- Housing Care.Org
- Housing LIN (Housing Learning and Improvement Network)
- Joseph Rowntree Foundation (JRF)
- Local Government Association (LGA)
- Local Government Information Unit (LGIU)
- Mental Health Foundation
- National Institute for Health Research (NIHR)
- National Rehabilitation Information Center (NARIC) contains: REHABDATA
- NHS England
- NHS Improving Quality (IQ)
- Occupational Therapy Seeker
- Office for Public Management (OPM)
- Physiotherapy Evidence Database (PEDro)
- Personal Social Services Research Unit (PSSRU)
- Prevention Library (SCIE)
- Price Waterhouse Cooper (PWC)

- Reablement UK
- Royal College of General Practitioners (RCGP)
- Royal College of Physicians (RCP)
- Royal College of Nursing (RCN)
- Royal Voluntary Service
- Social Policy Research Unit (SPRU)
- The Kings Fund
- Think Local Act Personal (TLAP)
- University College London
- University of Bradford
- University of Stirling
- University of York
- York Health Economics Consortium (YHEC)



Systematic review searches

Review question 1 - Home based (Intermediate Care)

Conducted in October 2015, the home based search strategy was formulated to answer questions about Intermediate Care in the home or community setting.

Questions

- What is the effectiveness and cost effectiveness of home based intermediate care?
- What are the views and experiences of people using services, their families and carers in relation to home based intermediate care?
- What are the views and experiences of health, social care and other practitioners about home based intermediate care?

Databases:

- Abstracts in Social Gerontology
- Allied and Complementary Medicine Database (AMED)
- Applied Social Sciences Index and Abstracts (ASSIA)
- Cochrane Database of Systematic Reviews
- Cumulative Index to Nursing and Allied Health Literature (CINAHL)
- Excerpta Medica database (Embase)
- Medical Literature Analysis and Retrieval System Online (MEDLINE)
- Social Care Online (SCO)
- Social Policy and Practice (SPP)
- Social Work Abstracts
- SocINDEX

Organisation and academic sources:

- AgeUK

- Association of Directors of Adult Social Services (ADASS)
- Campbell Collaboration
- Care & Repair England
- Center on Knowledge Translation for Disability and Rehabilitation Research (KTDRR)
- Deloitte
- EPPI-Centre
- Housing LIN (Housing Learning and Improvement Network)
- Joseph Rowntree Foundation (JRF)
- National Audit Office
- National Institute for Health Research: (NIHR)
- National Rehabilitation Information Center
- NHS England
- NHS IQ (Improving Quality)
- OT Seeker
- Physiotherapy Evidence Database (PEDro)
- Personal Social Services Research Unit (PSSRU)
- Prevention Library (SCIE)
- Price Waterhouse Cooper (PWC)
- Rehabdata
- Social Policy Research Unit (SPRU)
- The King's Fund
- York health Economics Consortium

A range of electronic databases in the fields of social care, health, rehabilitation and social science were searched, using a combination of controlled and free text terms around the requirements of the Scope, Appendix 3: Service category definitions, of the 'National Audit of Intermediate Care 2014' and the Review Protocol.

Due to the quantity of data on rehabilitation, three individual 'study type' filters were adapted to collect the following study types: systematic reviews and randomised controlled trials along with qualitative information surrounding service users', carers and professionals' views and experiences.

Study Filters

1. Study Filter (SF1) Systematic reviews, meta-analysis, non-randomised or randomised controlled trials, trials, case control or cohort or cross-sectional studies
2. Study Filter (SF2) Cost effectiveness, economics
3. Study Filter (SF3) Qualitative studies or views and experiences (users, carers, professionals)

The individual study filters were combined with the following core search approach:

- A: Intervention (rehabilitative or intermediate care etc.)
- B: Outcomes (recovery or maintaining or regaining independence)
- C: Duration (time, week, short, brief etc.)
- D: Setting or services (Home based settings, intermediate, housing, nursing and residential care settings)
- E: Language and date limits (English, 2005-2015)

Some database searches were limited to the core search approach and were adapted to the design of each individual database and provider platform.

Organisation and additional searches

Terms frequently used within the organisation searches for home based intermediate care consisted of: intermediate care, rehabilitation combined with home based or time and regaining independence. Relevant PDF's were then searched within, to clarify the relevance to the specific question.

Additional Google and Google Scholar searches were undertaken due to the decision to change the standard NCCSC search approach, to a question by question approach, after the scope searches had been conducted and the 'National Audit of Intermediate Care' service categories were identified. These searches included the key terms above associated with systematic review, outcomes, cost and effectiveness, views or experiences, literature reviews or qualitative data.

All searches: RQ1 (A, B, C) - Home based Intermediate Care

Medical Literature Analysis and Retrieval System Online (MEDLINE) - OVID

Date searched: 02/10/2015

No. of records: 1521

Limits: study type, publication type, humans, language (English), date (2005 – 2015)

RQ1 A: Home based Intermediate Care - effectiveness

	Searches	Results
1	(Systematic adj2 (review\$ or overview or search\$)).tw.	81446
2	((Evidence or literature) adj2 review).tw.	90768
3	"Review"/	2055802
4	((Published or search\$ or handsearch\$ or relevant or selected) adj3 (journals or database\$ or stud\$)).tw.	120982
5	((Pool\$ or synthes\$ or extract\$) adj2 (data or evidence)).tw.	49402
6	Meta-Analysis/	60238
7	Meta-Analysis as Topic/	14897
8	("Meta analy\$" or "metaanaly\$" or "meta regression" or metaregression).tw.	83940
9	Randomized Controlled Trials as Topic/	104032
10	Randomized controlled trial.pt.	411493

11	Controlled clinical trial.pt.	91674
12	Random allocation.sh.	86176
13	Double blind method.sh.	134903
14	Single blind method.sh.	21328
15	Clinical trial.pt.	505286
16	Randomi#ed.ab.	400148
17	Random\$.ab.	780547
18	Trial.ti.	146789
19	Case-Control Studies/	748879
20	Cohort Studies/	1491696
21	Cross-Sectional Studies/	203974
22	or/1-21	4899018
23	Rehabilitation/	160763
24	Rehabilitat\$.tw.	118212
25	Rehabilitation Nursing/	1194
26	(Intermediate adj3 care).tw.	1469
27	Physiotherap\$.tw.	17171
28	Occupational Therapy/	10754

29	(Occupational adj3 care).tw.	975
30	or/23-29	263945
31	((Recov\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong\$) adj3 (function or mobilite\$ or abilit\$ or confidence or skill\$ or independen\$)).tw.	113410
32	"Recovery of Function"/	35714
33	"Activities of Daily Living"/	55539
34	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").tw.	47686
35	Self Care/	25779
36	(Self adj (care or manag\$)).tw.	21450
37	Goals/	12642
38	((Support\$ or assist\$ or plan\$ or facilitat\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$) adj3 (admission\$ or discharge\$ or transfer\$ or model\$)).tw.	78572
39	or/31-38	353298
40	((Short or medium or long) adj3 term).tw.	695426
41	Week\$.tw.	916078
42	(Time or intensive or period\$ or length or brief).tw.	3732843
43	or/40-42	4723286

44	30 and 39 and 43	32565
45	(Hospital adj3 home).tw.	5178
46	Housing/	26712
47	Housing for the Elderly/	1476
48	(Home\$ adj3 (return\$ or remain\$ or care or base\$ or nursing or health or setting or user\$ or client\$)).tw.	64279
49	((Own or environment or patient\$ or person or user\$ or client\$ or assess\$) adj3 (home\$ or house\$ or domiciliary or accommodat\$)).tw.	40965
50	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).tw.	6931
51	Home Care Services/	41398
52	Intermediate Care Facilities/	643
53	(Intermediate adj3 (scheme\$ or service\$ or setting\$ or facilit\$ or residen\$ or home\$ or hous\$ or team\$ or model\$ or integrated or interdisciplinary or multidisciplinary)).tw.	1886
54	Day Care/	4763
55	("Subacute" or "sub acute" or "sub-acute").tw.	28450
56	((Day or community or "step up" or "step down") adj3 (hospital\$ or ward\$ or facilit\$)).tw.	33559
57	("Community based" adj3 (service\$ or setting\$ or environment or	8979

	health or care or nursing or provision)).tw.	
58	"Delivery of Health Care, Integrated"/	9416
59	Community Health Services/	28133
60	Community Health Nursing/	18652
61	Residential Facilities/	45070
62	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).tw.	5407
63	(Local adj3 (setting\$ or environment or house\$)).tw.	6769
64	Nursing Homes/	29607
65	(Nursing adj3 (facilit\$ or home\$ or setting\$)).tw.	29179
66	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).tw.	54898
67	Homes for the Aged/	11673
68	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).tw.	561
69	Assisted Living Facilities/	1014
70	((Shared or assisted or independent or own) adj3 (home\$ or hous\$ or living or lives)).tw.	8622
71	Home Nursing/	8204
72	Halfway Houses/	1038

73	Prisons/	7743
74	Almshouses/	48
75	(Halfway adj (hous\$ or home\$ or setting\$ or facilit\$)).tw.	213
76	Almshouse\$.tw.	51
77	"Naturally occurring retirement communit\$".tw.	24
78	((Home or house) adj3 bound).tw.	161
79	or/45-78	332960
80	44 and 79	6207
81	22 and 80	3578
82	Historical Article/	326338
83	Editorial/	395262
84	Comment/	667442
85	Letter/	950262
86	News/	177358
87	Animals/	5598522
88	Humans/	14399784
89	87 not (87 and 88)	4021057
90	or/82-86,89	5921744

91	81 not 90	3559
92	Limit 91 to English language	3373
93	Limit 92 to yr="2005 -Current"	2002

Medical Literature Analysis and Retrieval System Online (MEDLINE) - OVID

Date searched: 02/10/2015

No. of records: 562

Limits: study type, publication type, humans, language (English), date (2005 – 2015)

Q1 B: Home based Intermediate Care - cost effectiveness

	Searches	Results
1	Economics/	26917
2	"Costs and Cost Analysis"/	43481
3	"Cost Allocation"/	1971
4	Cost-Benefit Analysis/	64480
5	"Cost Control"/	20766
6	"Cost Savings"/	9477
7	"Cost of Illness"/	19922
8	"Cost Sharing"/	2084
9	"Deductibles and coinsurance"/	1491

10	Medical savings accounts/	493
11	Health care costs/	29966
12	Direct service costs/	1071
13	Hospital costs/	8508
14	Health expenditures/	14849
15	Capital expenditures/	1964
16	Value of life/	5509
17	Economics, hospital/	20784
18	Economics, medical/	13952
19	Economics, nursing/	3940
20	"Fees and charges"/	27892
21	Budgets/	12570
22	((Low or high) adj cost\$.tw.	41789
23	(Care adj cost\$.tw.	12642
24	(Fiscal or funding or financial or finance).tw.	95767
25	(Economic\$ or price\$ or commission\$ or pricing).tw.	225374
26	Socioeconomic\$.tw.	59886
27	((Cost\$ or compar\$ or net\$) adj3 (service\$ or offset\$ or effect\$ or utility\$ or consequence\$ or benefit\$ or model\$ or estimate\$ or	335891

	unit\$ or variable)).tw.	
28	Models, Economic/	11132
29	((Personal or pool\$) adj3 budget\$).tw.	109
30	(Personal health adj3 budget\$).tw.	30
31	((("Social care" or "social work\$" or "social service\$") adj3 cost\$).tw.	189
32	or/1-31	860416
33	Rehabilitation/	160763
34	Rehabilitat\$.tw.	118212
35	Rehabilitation Nursing/	1194
36	(Intermediate adj3 care).tw.	1469
37	Physiotherap\$.tw.	17171
38	Occupational Therapy/	10754
39	(Occupational adj therap\$).tw.	9883
40	or/33-39	265487
41	"Recovery of Function"/	35714
42	((Recov\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong\$) adj3 (function or mobilitt\$ or abilit\$ or confidence or skill\$ or independen\$)).tw.	113410

43	"Activities of Daily Living"/	55539
44	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").tw.	47686
45	Self Care/	25779
46	(Self adj (care or manag\$)).tw.	21450
47	Goals/	12642
48	((Support\$ or assist\$ or plan\$ or facilitat\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$) adj3 (admission\$ or discharge\$ or transfer\$ or model\$)).tw.	78572
49	or/41-48	353298
50	((Short or medium or long) adj3 term).tw.	695426
51	Week\$.tw.	916078
52	(Time or intensive or period\$ or length or brief).tw.	3732843
53	or/50-52	4723286
54	40 and 49 and 53	32626
55	(Hospital adj3 home).tw.	5178
56	Housing/	26712
57	Housing for the Elderly/	1476
58	(Home\$ adj3 (return\$ or remain\$ or care or base\$ or nursing or health or setting or user\$ or client\$)).tw.	64279

59	((Own or environment or patient\$ or person or user\$ or client\$ or assess\$) adj3 (home\$ or house\$ or domiciliary or accommodat\$)).tw.	40965
60	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).tw.	6931
61	Home Care Services/	41398
62	Intermediate Care Facilities/	643
63	(Intermediate adj3 (scheme\$ or service\$ or setting\$ or facilit\$ or residen\$ or home\$ or hous\$ or team\$ or model\$ or integrated or interdisciplinary or multidisciplinary)).tw.	1886
64	Day Care/	4763
65	("Subacute" or "sub acute" or "sub-acute").tw.	28450
66	((Day or community or "step up" or "step down") adj3 (hospital\$ or ward\$ or facilit\$)).tw.	33559
67	("Community based" adj3 (service\$ or setting\$ or environment or health or care or nursing or provision)).tw.	8979
68	"Delivery of Health Care, Integrated"/	9416
69	Community Health Services/	28133
70	Community Health Nursing/	18652
71	Residential Facilities/	45070
72	(Residential adj3 (facilit\$ or setting\$ or environment or health or	5407

	care)).tw.	
73	(Local adj3 (setting\$ or environment or house\$)).tw.	6769
74	Nursing Homes/	29607
75	(Nursing adj3 (facilit\$ or home\$ or setting\$)).tw.	29179
76	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).tw.	54898
77	Homes for the Aged/	11673
78	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).tw.	561
79	Assisted Living Facilities/	1014
80	((Shared or assisted or independent or own) adj3 (home\$ or hous\$ or living or lives)).tw.	8622
81	Home Nursing/	8204
82	Halfway Houses/	1038
83	Prisons/	7743
84	Almshouses/	48
85	(Halfway adj (hous\$ or home\$ or setting\$ or facilit\$)).tw.	213
86	Almshouse\$.tw.	51
87	"Naturally occurring retirement communit\$".tw.	24

88	((Home or house) adj3 bound).tw.	161
89	or/55-88	332960
90	54 and 89	6221
91	32 and 90	1145
92	Historical Article/	326338
93	Editorial/	395262
94	Comment/	667442
95	Letter/	950262
96	News/	177358
97	Animals/	5598522
98	Humans/	14399784
99	97 not (97 and 98)	4021057
100	or/92-96,99	5921744
101	91 not 100	1141
102	Limit 101 to English language	1069
103	Limit 102 to yr="2005 -Current"	562

Medical Literature Analysis and Retrieval System Online (MEDLINE) - OVID

Date searched 02/10/2015

No. of records: 2104

Limits: study type, publication type, humans, language (English), date (2005 – 2015)

Q1 C: Home based Intermediate Care - views and experiences

	Searches	Results
1	Qualitative Research/	24521
2	Qualitative\$.ti,ab.	174147
3	(Meta-synthesis\$ or meta synthesis\$ or metasyntesis).tw.	462
4	(Meta-ethnograph* or metaethnograph* or meta ethnograph*).tw.	230
5	(Evidence synthesis or realist synthesis).tw.	1779
6	Interview/	26399
7	Interview\$.ti,ab.	248785
8	"In depth".ti,ab.	38280
9	(Case adj (study or studies)).ti,ab.	60877
10	Questionnaires/	331977
11	Self report/	12739
12	Questionnaire\$.ti,ab.	343232
13	Behavioral research.tw.	1257

14	Personal Narratives/	1731
15	Cohort Studies/	188794
16	(Cohort adj (study or studies or analysis)).ti,ab.	111300
17	Observational Study/	14502
18	(Observation\$ adj (study or studies)).ti,ab.	56741
19	Focus Groups/	18986
20	"Focus Group?".ti,ab.	26220
21	or/1-20	1191951
22	Attitude/	40558
23	Perception/	22994
24	Patient Satisfaction/	64036
25	Patient Participation/	19389
26	View\$.tw.	361673
27	Caregivers/	24041
28	Experience\$.tw.	766697
29	Attitude\$.tw.	106400
30	Perspective\$.tw.	200981
31	(Satisf\$ or dissatisf\$).tw.	245135

32	(choice\$ or choos\$ or control or centred or centered).tw.	2238278
33	Patient Preference/	4026
34	Preference\$.tw.	104558
35	Complaint\$.tw.	66348
36	Expectation\$.tw.	61137
37	Feedback\$.tw.	95010
38	Patient Advocacy/	22827
39	or/22-38	3868351
40	21 or 39	4596882
41	Rehabilitation/	160763
42	Rehabilitat\$.tw.	118212
43	Rehabilitation Nursing/	1194
44	(Intermediate adj3 care).tw.	1469
45	Physiotherap\$.tw.	17171
46	Occupational Therapy/	10754
47	(Occupational adj therap\$).tw.	9883
48	or/41-47	265487
49	"Recovery of Function"/	35714

50	((Recov\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong\$) adj3 (function or mobilitt\$ or abilit\$ or confidence or skill\$ or independen\$)).tw.	113410
51	"Activities of Daily Living"/	55539
52	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").tw.	47686
53	Self Care/	25779
54	(Self adj (care or manag\$)).tw.	21450
55	Goals/	12642
56	((Support\$ or assist\$ or plan\$ or facilitat\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$) adj3 (admission\$ or discharge\$ or transfer\$ or model\$)).tw.	78572
57	or/49-56	353298
58	((Short or medium or long) adj3 term).tw.	695426
59	Week\$.tw.	916078
60	(Time or intensive or period\$ or length or brief).tw.	3732843
61	or/58-60	4723286
62	48 and 57 and 61	32626
63	(Hospital adj3 home).tw.	5178
64	Housing/	26712

65	Housing for the Elderly/	1476
66	(Home\$ adj3 (return\$ or remain\$ or care or base\$ or nursing or health or setting or user\$ or client\$)).tw.	64279
67	((Own or environment or patient\$ or person or user\$ or client\$ or assess\$) adj3 (home\$ or house\$ or domiciliary or accommodat\$)).tw.	40965
68	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).tw.	6931
69	Home Care Services/	41398
70	Intermediate Care Facilities/	643
71	(Intermediate adj3 (scheme\$ or service\$ or setting\$ or facilit\$ or residen\$ or home\$ or hous\$ or team\$ or model\$ or integrated or interdisciplinary or multidisciplinary)).tw.	1886
72	Day Care/	4763
73	("Subacute" or "sub acute" or "sub-acute").tw.	28450
74	((Day or community or "step up" or "step down") adj3 (hospital\$ or ward\$ or facilit\$)).tw.	33559
75	("Community based" adj3 (service\$ or setting\$ or environment or health or care or nursing or provision)).tw.	8979
76	"Delivery of Health Care, Integrated"/	9416
77	Community Health Services/	28133

78	Community Health Nursing/	18652
79	Residential Facilities/	45070
80	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).tw.	5407
81	(Local adj3 (setting\$ or environment or house\$)).tw.	6769
82	Nursing Homes/	29607
83	(Nursing adj3 (facilit\$ or home\$ or setting\$)).tw.	29179
84	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).tw.	54898
85	Homes for the Aged/	11673
86	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).tw.	561
87	Assisted Living Facilities/	1014
88	((Shared or assisted or independent or own) adj3 (home\$ or hous\$ or living or lives)).tw.	8622
89	Home Nursing/	8204
90	Halfway Houses/	1038
91	Prisons/	7743
92	Almshouses/	48
93	(Halfway adj (hous\$ or home\$ or setting\$ or facilit\$)).tw.	213

94	Almshouse\$.tw.	51
95	"Naturally occurring retirement communit\$.tw.	24
96	((Home or house) adj3 bound).tw.	161
97	or/63-96	332960
98	62 and 97	6221
99	40 and 98	3865
100	Historical Article/	326338
101	Editorial/	395262
102	Comment/	667442
103	Letter/	950262
104	News/	177358
105	Animals/	5598522
106	Humans/	14399784
107	105 not (105 and 106)	4021057
108	or/100-104,107	5921744
109	99 not 108	3844
110	Limit 109 to English language	3606
111	Limit 110 to yr="2005 -Current"	2104

Allied and Complementary Medicine Database (AMED) – OVID

Date searched 06/10/2015

No. of records: 186

Limits: study type, publication type, human, language (English), date (2005 – 2015)

Q1 A: Home based Intermediate Care - effectiveness

1	(Systematic adj2 (review\$ or overview or search\$)).tw.	2945
2	((Evidence or literature) adj2 review).tw.	4179
3	Methods/	37989
4	((Published or search\$ or handsearch\$ or relevant or selected) adj3 (journal\$ or database\$ or stud\$)).tw.	2852
5	((Pool\$ or synthes\$ or extract\$) adj2 (data or evidence)).tw.	1162
6	Meta analysis/	152
7	(Meta analy\$ or metaanaly\$ or "meta regression" or metaregression).tw.	1156
8	Randomized controlled trials/	1738
9	Controlled clinical trial.pt.	70
10	Random allocation/	313
11	Double blind method/	559
12	Single blind method/	66
13	Clinical trial.pt.	1172
14	Randomi#ed.ab.	8319

15 Random\$.ab.	13692
16 Trial.ti.	3913
17 Case Control Studies/	105
18 Cohort Studies/	712
19 (Cross sectional adj2 stud\$.ti.	231
20 or/1-19	58579
21 Rehabilitation/	48096
22 Rehabilitat\$.tw.	56799
23 Rehabilitation Nursing/	65
24 (Intermediate adj3 care).tw.	48
25 physiotherapy/	9156
26 physiotherap\$.tw.	13399
27 occupational therapy/	5664
28 (Occupational adj3 care).tw.	307
29 or/21-28	71852
30 Recovery of Function/	495
31 Activities of Daily Living/	4846
32 ((Recov\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong\$) adj3 (function\$ or mobilite\$ or abilit\$ or	4252

	confidence or skill\$ or independen\$)).tw.	
33	((Activit\$ adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").tw.	8751
34	Self Care/	1515
35	(Self adj (care or manag\$)).tw.	2411
36	Goals/	408
37	((Support\$ or assist\$ or plan\$ or facilitat\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$) adj3 (admission\$ or discharg\$ or transfer\$ or model\$)).tw.	1900
38	or/30-37	16446
39	((Short or medium or long) adj3 term).tw.	8330
40	Week\$.tw.	14267
41	(Time or intensive or period\$ or length or brief).tw.	39821
42	or/39-41	52720
43	29 and 38 and 42	3059
44	(Hospital adj3 home).tw.	433
45	housing/	333
46	(Home\$ adj3 (return\$ or remain\$ or care or base\$ or nursing or health or setting or user\$ or client\$)).tw.	5706
47	((Own or environment or patient\$ or person\$ or user\$ or client\$ or	3138

assess\$) adj3 (home\$ or hous\$ or domiciliary or accommodat\$)).tw.	
((Temporary or "extra care" or "close care" or specialist or sheltered or 48 supported) adj3 (home\$ or hous\$ or accommodat\$ or setting\$ or facilit\$ or 495 model\$ or schem\$)).tw.	
49 Home Care Services/	1532
(Intermediate adj3 (scheme\$ or setting\$ or facilit\$ or resident\$ or home\$ 50 or hous\$ or team\$ or model\$ or integrated or interdisciplinary or 28 multidisciplinary)).tw.	
51 Day Care/	264
52 ("subacute" or "sub acute" or "sub-acute").tw.	733
53 ((Day or community or "step up" or "step down") adj3 (hospital\$ or ward\$ or facilit\$)).tw.	919
54 ("Community based" adj3 (service\$ or setting\$ or environment or health or care or nursing or provision)).tw.	551
55 delivery of health care/	8687
56 Community health services/	1764
57 Community health nursing/	196
58 Residential facilities/	617
59 (Residential adj3 (facilit\$ or setting\$ or environment or health or care)).tw.	989
60 (Local adj3 (setting\$ or environment or hous\$)).tw.	71
61 Nursing homes/	818

62	(Nursing adj3 (facilit\$ or home\$ or setting\$)).tw.	2289
63	((Care or rest or group or senior or elder\$ or retire\$) adj3 (home\$ or hous\$ or facilit\$)).tw.	4829
64	Homes for the aged/	196
65	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).tw.	40
66	Assisted Living Facilities.et.	6
67	((Shared or assisted or independent or own) adj3 (home\$ or hous\$ or living or lives)).tw.	2668
68	Home nursing/	492
69	Prisons/	59
70	(Halfway adj (hous\$ or home\$ or setting\$ or facilit\$)).tw.	9
71	prison\$.tw.	206
72	Almshouse\$.tw.	0
73	"Naturally occurring retirement communit\$".tw.	2
74	((Home or house) adj3 bound).tw.	15
75	or/44-74	21884
76	43 and 75	763
77	20 and 76	276
78	History/	3894

79 Editorial.pt.	6596
80 comment.pt.	1505
81 Letter.pt.	5276
82 News.pt.	395
83 Animals/	5759
84 humans/	99039
85 83 not (83 and 84)	5225
86 or/78-82,85	22314
87 77 not 86	275
88 limit 87 to english language	269
89 limit 88 to yr="2005-Current"	186

Allied and Complementary Medicine Database (AMED) – OVID

Date searched 07/10/2015

No. of records: 83

Limits: study type, publication type, humans, language (English), date (2005 – 2015)

Q1 B: Home based Intermediate Care - cost effectiveness

1 Economics/	3083
2 "Costs and cost analysis"/	711
3 "Cost benefit analysis"/	458

4	"Cost of illness"/	280
5	Insurance health/	333
6	quality of life/	7597
7	"Fees and charges"/	64
8	((Low or high) adj cost\$.tw.	389
9	(Care adj cost\$.tw.	277
10	(Fiscal or funding or financial or finance).tw.	2016
11	(Economic\$ or price\$ or commission\$ or pricing).tw.	5285
12	Socioeconomic\$.tw.	1198
13	((Cost\$ or compar\$ or net\$) adj3 (service\$ or offset\$ or effect\$ or utilit\$ or consequence\$ or benefit\$ or model\$ or estimate\$ or unit\$ or variable)).tw.	6005
14	((Personal or pool) adj3 budget\$.tw.	12
15	(Personal health adj3 budget\$.tw.	2
16	("Social care" or "social work" or "social service\$") adj3 cost\$.tw.	20
17	or/1-16	20751
18	Rehabilitation/	48096
19	Rehabilitat\$.tw.	56799
20	Rehabilitation Nursing/	65
21	(Intermediate adj3 care).tw.	48

22	physiotherapy/	9156
23	physiotherap\$.tw.	13399
24	occupational therapy/	5664
25	(Occupational adj3 care).tw.	307
26	or/18-25	71852
27	Recovery of Function/	495
28	Activities of Daily Living/	4846
29	((Recov\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong\$) adj3 (function\$ or mobility\$ or ability\$ or confidence or skill\$ or independence\$)).tw.	4252
30	((Activity\$ adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").tw.	8751
31	Self Care/	1515
32	(Self adj (care or management\$)).tw.	2411
33	Goals/	408
34	((Support\$ or assist\$ or plan\$ or facilitate\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$) adj3 (admission\$ or discharge\$ or transfer\$ or model\$)).tw.	1900
35	or/27-34	16446
36	((Short or medium or long) adj3 term).tw.	8330

37	Week\$.tw.	14267
38	(Time or intensive or period\$ or length or brief).tw.	39821
39	or/36-38	52720
40	26 and 35 and 39	3059
41	(Hospital adj3 home).tw.	433
42	housing/	333
43	(Home\$ adj3 (return\$ or remain\$ or care or base\$ or nursing or health or setting or user\$ or client\$)).tw.	5706
44	((Own or environment or patient\$ or person\$ or user\$ or client\$ or assess\$) adj3 (home\$ or hous\$ or domiciliary or accommodat\$)).tw.	3138
45	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodat\$ or setting\$ or facilit\$ or model\$ or schem\$)).tw.	495
46	Home Care Services/	1532
47	(Intermediate adj3 (scheme\$ or setting\$ or facilit\$ or resident\$ or home\$ or hous\$ or team\$ or model\$ or integrated or interdisciplinary or multidisciplinary)).tw.	28
48	Day Care/	264
49	("subacute" or "sub acute" or "sub-acute").tw.	733
50	((Day or community or "step up" or "step down") adj3 (hospital\$ or ward\$ or facilit\$)).tw.	919

51	("Community based" adj3 (service\$ or setting\$ or environment or health or care or nursing or provision)).tw.	551
52	delivery of health care/	8687
53	Community health services/	1764
54	Community health nursing/	196
55	Residential facilities/	617
56	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).tw.	989
57	(Local adj3 (setting\$ or environment or hous\$)).tw.	71
58	Nursing homes/	818
59	(Nursing adj3 (facilit\$ or home\$ or setting\$)).tw.	2289
60	((Care or rest or group or senior or elder\$ or retire\$) adj3 (home\$ or hous\$ or facilit\$)).tw.	4829
61	Homes for the aged/	196
62	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).tw.	40
63	Assisted Living Facilities.et.	6
64	((Shared or assisted or independent or own) adj3 (home\$ or hous\$ or living or lives)).tw.	2668
65	Home nursing/	492
66	Prisons/	59
67	(Halfway adj (hous\$ or home\$ or setting\$ or facilit\$)).tw.	9

68 prison\$.tw.	206
69 Almshouse\$.tw.	0
70 "Naturally occurring retirement communit\$".tw.	2
71 ((Home or house) adj3 bound).tw.	15
72 or/41-71	21884
73 40 and 72	763
74 17 and 73	168
75 History/	3894
76 Editorial.pt.	6596
77 comment.pt.	1505
78 Letter.pt.	5276
79 News.pt.	395
80 Animals/	5759
81 humans/	99039
82 80 not (80 and 81)	5225
83 or/75-79,82	22314
84 74 not 83	167
85 limit 84 to english language	159

86 limit 85 to yr="2005-Current"

83

Allied and Complementary Medicine Database (AMED) – OVID

Date searched 07/10/2015

No. of records: 246

Limits: study type, publication type, humans, language (English), date (2005 – 2015)

Q1 C: Home based Intermediate Care - views and experiences

1	qualitativ\$.ti,ab.	5290
2	(meta-synthesis or meta synthesis or metasyntesis).tw.	28
3	(Meta-ethnograph\$ or meta ethnograph\$ or metaethnograph\$).tw.	7
4	(Evidence synthesis or realist synthesis).tw.	85
5	interviews/	556
6	Interview\$.ti,ab.	8933
7	"In depth".ti,ab.	1676
8	(Case adj (study or studies)).ti,ab.	3474
9	questionnaires/	3645
10	questionnaire\$.ti,ab.	12042
11	Behavio*ral research.tw.	10
12	cohort studies/	712
13	(Cohort adj (study or studies or analysis)).ti,ab.	1787

14	(Observation\$ adj (study or studies)).ti,ab.	954
15	group processes/	609
16	Focus group*.ti,ab.	1349
17	or/1-16	30188
18	Attitude/	1888
19	Perception/	1868
20	patient satisfaction/	2307
21	patient participation/	863
22	view\$.tw.	5973
23	caregivers/	2354
24	experience\$.tw.	17798
25	attitude\$.tw.	11654
26	perspective\$.tw.	6281
27	(satisf\$ or dissatisf\$).tw.	7895
28	(choice\$ or choos\$ or control or centred or centered).tw.	26485
29	preference\$.tw.	1648
30	complain\$.tw.	2411
31	expectation\$.tw.	1664

32	feedback\$.tw.	1913
33	patient advocacy/	482
34	or/18-33	68538
35	17 or 34	82909
36	Rehabilitation/	48096
37	Rehabilitat\$.tw.	56799
38	Rehabilitation Nursing/	65
39	(Intermediate adj3 care).tw.	48
40	physiotherapy/	9156
41	physiotherap\$.tw.	13399
42	occupational therapy/	5664
43	(Occupational adj3 therap\$).tw.	11031
44	or/36-43	74714
45	Recovery of Function/	495
46	Activities of Daily Living/	4846
47	((Recov\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong\$) adj3 (function\$ or mobil\$ or abilit\$ or confidence or skill\$ or independen\$)).tw.	4252
48	((Activit\$ adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").tw.	8751

49	Self Care/	1515
50	(Self adj (care or manag\$)).tw.	2411
51	Goals/	408
52	((Support\$ or assist\$ or plan\$ or facilitat\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$) adj3 (admission\$ or discharg\$ or transfer\$ or model\$)).tw.	1900
53	or/45-52	16446
54	((Short or medium or long) adj3 term).tw.	8330
55	Week\$.tw.	14267
56	(Time or intensive or period\$ or length or brief).tw.	39821
57	or/54-56	52720
58	44 and 53 and 57	3143
59	(Hospital adj3 home).tw.	433
60	housing/	333
61	(Home\$ adj3 (return\$ or remain\$ or care or base\$ or nursing or health or setting or user\$ or client\$)).tw.	5706
62	((Own or environment or patient\$ or person\$ or user\$ or client\$ or assess\$) adj3 (home\$ or hous\$ or domiciliary or accommodat\$)).tw.	3138
63	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodat\$ or setting\$ or facilit\$ or model\$ or schem\$)).tw.	495

64	Home Care Services/	1532
65	(Intermediate adj3 (scheme\$ or setting\$ or facilit\$ or resident\$ or home\$ or hous\$ or team\$ or model\$ or integrated or interdisciplinary or multidisciplinary)).tw.	28
66	Day Care/	264
67	("subacute" or "sub acute" or "sub-acute").tw.	733
68	((Day or community or "step up" or "step down") adj3 (hospital\$ or ward\$ or facilit\$)).tw.	919
69	("Community based" adj3 (service\$ or setting\$ or environment or health or care or nursing or provision)).tw.	551
70	delivery of health care/	8687
71	Community health services/	1764
72	Community health nursing/	196
73	Residential facilities/	617
74	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).tw.	989
75	(Local adj3 (setting\$ or environment or hous\$)).tw.	71
76	Nursing homes/	818
77	(Nursing adj3 (facilit\$ or home\$ or setting\$)).tw.	2289
78	((Care or rest or group or senior or elder\$ or retire\$) adj3 (home\$ or hous\$ or facilit\$)).tw.	4829

79	Homes for the aged/	196
80	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).tw.	40
81	Assisted Living Facilities.et.	6
82	((Shared or assisted or independent or own) adj3 (home\$ or hous\$ or living or lives)).tw.	2668
83	Home nursing/	492
84	Prisons/	59
85	(Halfway adj (hous\$ or home\$ or setting\$ or facilit\$)).tw.	9
86	prison\$.tw.	206
87	Almshouse\$.tw.	0
88	"Naturally occurring retirement communit\$".tw.	2
89	((Home or house) adj3 bound).tw.	15
90	or/59-89	21884
91	58 and 90	788
92	35 and 91	459
93	History/	3894
94	Editorial.pt.	6596
95	comment.pt.	1505
96	Letter.pt.	5276

97	News.pt.	395
98	Animals/	5759
99	humans/	99039
100	98 not (98 and 99)	5225
101	or/93-97,100	22314
102	92 not 101	457
103	limit 102 to english language	443
104	limit 103 to yr="2005-Current"	246

Cochrane Database of Systematic Reviews, Trials and Economic reviews - Wiley

Date searched 06/10/2015

No. of records: 1150

Limits: 2005 - 2015

Cochrane review (all) = 57

Other reviews = 7

Trials = 1076

Economics Evaluations = 10

Q1 A, B, C: Home based Intermediate Care - effectiveness, cost effectiveness, views and experiences

ID	Search	Hits
#1	Rehabilitat*:ti,ab,kw (Word variations have been searched)	15386

#2	Any MeSH descriptor with qualifier(s): [Rehabilitation - RH]	14015
#3	"intermediate care":ti,ab,kw (Word variations have been searched)	122
#4	Physiotherap*:ti,ab,kw (Word variations have been searched)	5443
#5	occupational therap*:ti,ab,kw (Word variations have been searched)	2072
#6	#1 or #2 or #3 or #4 or #5	29520
#7	((Recov* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximise or prolong*) near (function or mobilite* or abilit* or confidence or skill* or independen*)):ti,ab,kw (Word variations have been searched)	13101
#8	((Activities near "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care"):ti,ab,kw (Word variations have been searched)	10101
#9	(self near (care or manag*)):ti,ab,kw (Word variations have been searched)	7083
#10	Goals:ti,ab,kw (Word variations have been searched)	12324
#11	((Support* or assist* or plan* or facilitate* or delay* or early or pre or prevent* or avoid* or scheme*) near (admission* or discharge* or transfer* or model*)):ti,ab,kw (Word variations have been searched)	7068
#12	#7 or #8 or #9 or #10 or #11	45295
#13	((Short or medium or long) near term):ti,ab,kw (Word variations have been searched)	67418
#14	(Time or intensive or period* or length or brief or week* or	41682

	limit*):ti,ab,kw (Word variations have been searched)	7
#15	#13 or #14	44050 2
#16	#6 and #12 and #15	4704
#17	MeSH descriptor: [Home Care Services, Hospital-Based] explode all trees	251
#18	MeSH descriptor: [Housing] explode all trees	295
#19	MeSH descriptor: [Intermediate Care Facilities] explode all trees	18
#20	(Home* near (return* or remain* or care or base* or nursing or health or setting or user* or client*)):ti,ab,kw (Word variations have been searched)	10042
#21	((Own or environment or patient* or person or user* or client* or assess*) near (home* or house* or domiciliary or accommodat*)):ti,ab,kw (Word variations have been searched)	8485
#22	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) near (home* or hous* or accommodation or setting* or facilit* or model* or scheme*)):ti,ab,kw (Word variations have been searched)	2601
#23	MeSH descriptor: [Home Care Services] explode all trees	2253
#24	(Intermediate near (scheme* or service* or setting* or facilit* or residen* or home* or hous* or team* or model* or integrated or interdisciplinary or multidisciplinary)):ti,ab,kw (Word variations have been searched)	121
#25	MeSH descriptor: [Day Care] explode all trees	287
#26	MeSH descriptor: [Ambulatory Care] explode all trees	3520

#27	("Subacute" or "sub acute" or "sub-acute"):ti,ab,kw (Word variations have been searched)	1506
#28	((Day or community or "step up" or "step down") near (hospital* or ward* or facilit*)):ti,ab,kw (Word variations have been searched)	7945
#29	("Community based" near (service* or setting* or environment or health or care or nursing or provision)):ti,ab,kw (Word variations have been searched)	1154
#30	MeSH descriptor: [Delivery of Health Care, Integrated] explode all trees	277
#31	MeSH descriptor: [Community Health Services] explode all trees	25108
#32	MeSH descriptor: [Community Health Nursing] explode all trees	377
#33	MeSH descriptor: [Residential Facilities] explode all trees	1401
#34	(Residential near (facilit* or setting* or environment or health or care)):ti,ab,kw (Word variations have been searched)	669
#35	(Local near (setting* or environment or house*)):ti,ab,kw (Word variations have been searched)	197
#36	MeSH descriptor: [Nursing Homes] explode all trees	1062
#37	(Nursing near (facilit* or home* or setting*)):ti,ab,kw (Word variations have been searched)	3762
#38	((Care or rest or group or senior or elder or retire*) near (home* or hous* or facilit*)):ti,ab,kw (Word variations have been searched)	9809
#39	MeSH descriptor: [Homes for the Aged] explode all trees	502
#40	((Old* or elder* or geriatric*) near (people* or age*) near home*):ti,ab,kw (Word variations have been searched)	591

#41	MeSH descriptor: [Assisted Living Facilities] explode all trees	37
#42	((Shared or assisted or independent or own) near (home* or hous* or living or lives)):ti,ab,kw (Word variations have been searched)	1300
#43	MeSH descriptor: [Home Nursing] explode all trees	317
#44	MeSH descriptor: [Halfway Houses] explode all trees	18
#45	MeSH descriptor: [Prisons] explode all trees	91
#46	(Halfway near (hous* or home* or setting* or facilit*)):ti,ab,kw (Word variations have been searched)	25
#47	((Home or house) near bound):ti,ab,kw (Word variations have been searched)	18
#48	(Hospital near home):ti,ab,kw (Word variations have been searched)	1542
#49	#17 or #18 or #19 or #20 or #21 or #22 or #23 or #24 or #25 or #26 or #27 or #28 or #29 or #30 or #31 or #32 or #33 or #34 or #35 or #36 or #37 or #38 or #39 or #40 or #41 or #42 or #43 or #44 or #45 or #46 or #47 or #48	54489
# 50	#16 and #49 Publication Year 2005-2015	1150

Cumulative Index to Nursing and Allied Health Literature (CINAHL) - EBSCO

Date searched 05/10/2015

No. of records: 461

Limits: study type, publication type, human, language (English), date (2005 – 2015)

Q1 A: Home based Intermediate Care - effectiveness

#	Query	Results
S96	S84 NOT S93 Limiters - Published Date: 20050101-20151231; English Language	461
S95	S84 NOT S93 Limiters - English Language	711
S94	S84 NOT S93	723
S93	S85 OR S86 OR S87 OR S88 OR S89 OR S92	400,480
S92	S90 NOT (S90 AND S91) Limiters - Published Date: 20050101-20151231; English Language	22,269
S91	(MH "Human")	931,115
S90	(MH "Animals")	29,277
S89	(MH "News")	2,622
S88	PT letter	149,503
S87	PT commentary	164,099
S86	PT editorial	163,139
S85	(MH "Historical Research")	1,270

S84	S60 AND S83	751
S83	S61 OR S62 OR S63 OR S64 OR S65 OR S66 OR S67 OR S68 OR S69 OR S70 OR S71 OR S72 OR S73 OR S74 OR S75 OR S76 OR S77 OR S78 OR S79 OR S80 OR S81 OR S82	631,933
S82	(MH "Cross Sectional Studies")	71,106
S81	(MH "Prospective Studies")	176,515
S80	(MH "Case Control Studies")	30,931
S79	TI trial	35,123
S78	AB random*	106,762
S77	AB randomi#ed	66,112
S76	PT clinical trial	52,379
S75	(MH "Clinical Trials")	82,718
S74	TI "single blind method" OR AB "single blind method"	7
S73	TI "double blind method" OR AB "double blind method"	11
S72	(MH "Double-Blind Studies")	21,609
S71	(MH "Random Assignment")	32,432
S70	TI "controlled clinical trial" OR AB "controlled clinical trial"	1,790

S69	PT randomized controlled trial	29,640
S68	(MH "Randomized Controlled Trials")	24,014
S67	TI ("meta analy*" or "metaanaly*" or "meta regression" or metaregression) OR AB ("meta analy*" or "metaanaly*" or "meta regression" or metaregression)	16,587
S66	(MH "Meta Analysis")	16,500
S65	TI ((pool* or synthes* or extract*) N2 (data or evidence)) OR AB ((pool* or synthes* or extract*) N2 (data or evidence))	13,182
S64	TI ((published or search* or handsearch* or relevant or selected) N3 (journals or database* or stud*)) OR AB ((published or search* or handsearch* or relevant or selected) N3 (journals or database* or stud*))	26,081
S63	TI review* OR AB review*	225,363
S62	(MH "Literature Review")	3,421
S61	(MH "Systematic Review")	23,821
S60	S27 AND S59	1,373
S59	S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58	206,008

S58	TI ((home or house) N3 bound) OR AB ((home or house) N3 bound)	79
S57	TI "naturally occurring retirement communit*" OR AB "naturally occurring retirement communit*"	42
S56	TI almshouse* OR AB almshouse*	11
S55	TI (halfway N1 (hous* or home* or setting* or facilit*)) OR AB (halfway N1 (hous* or home* or setting* or facilit*))	37
S54	(MH "Charities")	836
S53	(MH "Correctional Facilities")	3,133
S52	(MH "Halfway Houses")	98
S51	(MH "Home Nursing")	2,565
S50	TI ((shared or assisted or independent or own) N3 (home* or hous* or living or lives)) OR AB ((shared or assisted or independent or own) N3 (home* or hous* or living or lives))	5,050
S49	TI ((old* or elder* or geriatric*) N1 (people* or age*) N1 home*) OR AB ((old* or elder* or geriatric*) N1 (people* or age*) N1 home*)	506
S48	TI ((care or rest or group or senior or elder or retire*) N3 home* or hous* or facilit*)) OR AB ((care or rest or group or senior or elder or retire*) N3 home* or hous* or facilit*))	109,744
S47	TI (nursing N3 (facilit* or home* or setting*)) OR AB (nursing N3 (facilit* or home* or setting*))	18,744

S46	(MH "Nursing Homes")	15,610
S45	TI (local N3 (setting* or environment or house*)) OR AB (local N3 (setting* or environment or house*))	727
S44	TI (residential N3 (facilit* or setting* or environment or health or care)) OR AB (residential N3 (facilit* or setting* or environment or health or care))	3,182
S43	(MH "Residential Facilities")	2,818
S42	(MH "Community Health Nursing")	20,841
S41	(MH "Community Health Services")	11,818
S40	(MH "Health Care Delivery, Integrated")	5,122
S39	TI ("community based" N3 (service* or setting* or environment or health or care or nursing or provision)) OR AB ("community based" N3 (service* or setting* or environment or health or care or nursing or provision))	4,721
S38	TI ((day or community or "step up" or "step down") N3 (hospital* or ward* or facilit*)) OR AB ((day or community or "step up" or "step down") N3 (hospital* or ward* or facilit*))	9,857
S37	TI ("subacute" or "sub acute" or "sub-acute") OR AB ("subacute" or "sub acute" or "sub-acute")	2,606
S36	(MH "Day Care")	1,873

S35	TI (intermediate N3 (scheme* or service* or setting* or facilit* or residen* or home* or hous* or team* or model* or integrated or interdisciplinary or multidisciplinary)) OR AB (intermediate N3 (scheme* or service* or setting* or facilit* or residen* or home* or hous* or team* or model* or integrated or interdisciplinary or multidisciplinary))	366
S34	(MH "Home Health Care")	15,021
S33	TI ((temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*)) OR AB ((temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))	2,414
S32	TI ((own or environment or patient* or person or user* or client* or assess*) N3 (home* or house* or domiciliary or accommodat*)) OR AB (own or environment or patient* or person or user* or client* or assess*) N3 (home* or house* or domiciliary or accommodat*))	15,101
S31	TI (home* N3 (return* or remain* or care or base* or nursing or health or setting or user* or client*)) OR AB (home* N3 (return* or remain* or care or base* or nursing or health or setting or user* or client*))	40,115
S30	(MH "Housing for the Elderly")	1,937
S29	(MH "Housing")	5,010
S28	TI hospital N3 home OR AB hospital N3 home	2,847
S27	S12 AND S22 AND S26	3,901

S26	S23 OR S24 OR S25	446,449
S25	TI (time or intensive or period* or length or brief) OR AB (time or intensive or period* or length or brief)	338,864
S24	TI week* OR AB week*	95,614
S23	TI ((short or medium or long) N3 term) OR AB ((short or medium or long) N3 term)	77,647
S22	S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21	107,218
S21	TI ((support* or assist* or plan* or facilitat* or delay* or early or pre or prevent* or avoid* or scheme*) N3 (admission* or discharge* or transfer* or model*)) OR AB ((support* or assist* or plan* or facilitat* or delay* or early or pre or prevent* or avoid* or scheme*) N3 (admission* or discharge* or transfer* or model*))	14,205
S20	(MH "Goal-Setting")	3,406
S19	(MH "Goal Attainment")	885
S18	(MH "Goals and Objectives")	5,688
S17	TI (self N1 (care or manag*)) OR AB (self N1 (care or manag*))	13,863
S16	(MH "Self Care")	20,591
S15	TI ((activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care") OR AB ((activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal	20,508

	care")	
S14	(MH "Activities of Daily Living+")	32,519
S13	TI ((recov* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximise or prolong*) N3 (function or mobility or abilit* or confidence or skill* or independen*)) OR AB ((recov* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximise or prolong*) N3 (function or mobility or abilit* or confidence or skill* or independen*))	13,918
S12	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11	79,592
S11	TI (occupational N3 care) OR AB (occupational N3 care)	753
S10	(MH "Home Occupational Therapy")	255
S9	(MH "Occupational Therapy")	13,527
S8	TI physiotherap* OR AB physiotherap*	10,853
S7	TI intermediate N3 care OR AB intermediate N3 care	691
S6	(MH "Rehabilitation Nursing")	2,079
S5	TI rehabilitat* OR AB rehabilitat*	49,914
S4	(MH "Rehabilitation, Geriatric")	2,561
S3	(MH "Rehabilitation, Community-Based")	696

S2	(MH "Home Rehabilitation")	865
S1	(MH "Rehabilitation")	10,936

Cumulative Index to Nursing and Allied Health Literature (CINAHL) - EBSCO

Date searched 05/10/2015

No. of records: 122

Limits: study type, publication type, human, language (English), date (2005 – 2015)

Q1 B: Home based Intermediate Care - cost effectiveness

#	Query	Results
S101	S89 NOT S98 Limiters - Published Date: 20050101-20151231; English Language	122
S100	S89 NOT S98 Limiters - English Language	202
S99	S89 NOT S98	203
S98	S90 OR S91 OR S92 OR S93 OR S94 OR S97	404,756
S97	S95 NOT (S95 AND S96)	26,973
S96	(MH "Human")	931,115
S95	(MH "Animals")	29,277

S94	(MH "News")	2,622
S93	PT letter	149,503
S92	PT commentary	164,099
S91	PT editorial	163,139
S90	(MH "Historical Research")	1,270
S89	S60 AND S88	206
S88	S61 OR S62 OR S63 OR S64 OR S65 OR S66 OR S67 OR S68 OR S69 OR S70 OR S71 OR S72 OR S73 OR S74 OR S75 OR S76 OR S77 OR S78 OR S79 OR S80 OR S81 OR S82 OR S83 OR S84 OR S85 OR S86 OR S87	182,913
S87	TI (("social care" or "social work*" or "social service*") N3 cost*) OR AB (("social care" or "social work*" or "social service*") N3 cost*)	114
S86	TI personal health N3 budget* OR AB personal health N3 budget*	61
S85	TI ((personal or pool*) N3 budget*) OR AB ((personal or pool*) N3 budget*)	187
S84	TI ((cost* or compar* or net*) N3 (service* or offset* or effect* or utilit* or consequence* or benefit* or model* or estimate* or unit* or variable)) OR AB ((cost* or compar* or net*) N3 (service* or offset* or effect* or utilit* or consequence* or	48,329

	benefit* or model* or estimate* or unit* or variable))	
S83	TI socioeconomic* OR AB socioeconomic*	13,604
S82	TI (economic* or price* or commission* or pricing) OR AB (economic* or price* or commission* or pricing)	42,673
S81	TI (fiscal or funding or financial or finance) OR AB (fiscal or funding or financial or finance)	32,328
S80	TI care N1 cost* OR AB care N1 cost*	6,110
S79	TI ((low or high) N1 cost*) OR AB ((low or high) N1 cost*)	4,890
S78	(MH "Budgets")	6,855
S77	(MH "Fees and Charges")	6,156
S76	TI "value of life" OR AB "value of life"	100
S75	(MH "Economic Value of Life")	367
S74	TI "capital expenditure*" OR AB "capital expenditure**"	44
S73	TI "health expenditure*" OR AB "health expenditure**"	489
S72	(MH "Health Facility Costs")	2,394
S71	(MH "Health Care Costs")	23,440
S70	(MH "Medical Savings Accounts")	189

S69	TI ("deductibles and coinsurance") OR AB ("deductibles and coinsurance")	3
S68	TI "cost sharing" OR AB "cost sharing"	383
S67	(MH "Economic Aspects of Illness")	3,847
S66	(MH "Cost Savings")	9,163
S65	(MH "Cost Control")	4,866
S64	(MH "Cost Benefit Analysis")	14,827
S63	TI "cost allocation" OR AB "cost allocation"	16
S62	(MH "Costs and Cost Analysis")	9,458
S61	(MH "Economics")	7,139
S60	S27 AND S59	1,373
S59	S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58	206,008
S58	TI ((home or house) N3 bound) OR AB ((home or house) N3 bound)	79
S57	TI "naturally occurring retirement communit*" OR AB "naturally	42

	occurring retirement communit**	
S56	TI almshouse* OR AB almshouse*	11
S55	TI (halfway N1 (hous* or home* or setting* or facilit*)) OR AB (halfway N1 (hous* or home* or setting* or facilit*))	37
S54	(MH "Charities")	836
S53	(MH "Correctional Facilities")	3,133
S52	(MH "Halfway Houses")	98
S51	(MH "Home Nursing")	2,565
S50	TI ((shared or assisted or independent or own) N3 (home* or hous* or living or lives)) OR AB ((shared or assisted or independent or own) N3 (home* or hous* or living or lives))	5,050
S49	TI ((old* or elder* or geriatric*) N1 (people* or age*) N1 home*) OR AB ((old* or elder* or geriatric*) N1 (people* or age*) N1 home*)	506
S48	TI ((care or rest or group or senior or elder or retire*) N3 home* or hous* or facilit*)) OR AB ((care or rest or group or senior or elder or retire*) N3 home* or hous* or facilit*))	109,744
S47	TI (nursing N3 (facilit* or home* or setting*)) OR AB (nursing N3 (facilit* or home* or setting*))	18,744
S46	(MH "Nursing Homes")	15,610

S45	TI (local N3 (setting* or environment or house*)) OR AB (local N3 (setting* or environment or house*))	727
S44	TI (residential N3 (facilit* or setting* or environment or health or care)) OR AB (residential N3 (facilit* or setting* or environment or health or care))	3,182
S43	(MH "Residential Facilities")	2,818
S42	(MH "Community Health Nursing")	20,841
S41	(MH "Community Health Services")	11,818
S40	(MH "Health Care Delivery, Integrated")	5,122
S39	TI ("community based" N3 (service* or setting* or environment or health or care or nursing or provision)) OR AB ("community based" N3 (service* or setting* or environment or health or care or nursing or provision))	4,721
S38	TI ((day or community or "step up" or "step down") N3 (hospital* or ward* or facilit*)) OR AB ((day or community or "step up" or "step down") N3 (hospital* or ward* or facilit*))	9,857
S37	TI ("subacute" or "sub acute" or "sub-acute") OR AB ("subacute" or "sub acute" or "sub-acute")	2,606
S36	(MH "Day Care")	1,873
S35	TI (intermediate N3 (scheme* or service* or setting* or facilit* or residen* or home* or hous* or team* or model* or integrated or interdisciplinary or multidisciplinary)) OR AB (intermediate N3	366

	(scheme* or service* or setting* or facilit* or residen* or home* or hous* or team* or model* or integrated or interdisciplinary or multidisciplinary))	
S34	(MH "Home Health Care")	15,021
S33	TI ((temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*)) OR AB ((temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))	2,414
S32	TI ((own or environment or patient* or person or user* or client* or assess*) N3 (home* or house* or domiciliary or accommodat*)) OR AB (own or environment or patient* or person or user* or client* or assess*) N3 (home* or house* or domiciliary or accommodat*))	15,101
S31	TI (home* N3 (return* or remain* or care or base* or nursing or health or setting or user* or client*)) OR AB (home* N3 (return* or remain* or care or base* or nursing or health or setting or user* or client*))	40,115
S30	(MH "Housing for the Elderly")	1,937
S29	(MH "Housing")	5,010
S28	TI hospital N3 home OR AB hospital N3 home	2,847
S27	S12 AND S22 AND S26	3,901

S26	S23 OR S24 OR S25	446,449
S25	TI (time or intensive or period* or length or brief) OR AB (time or intensive or period* or length or brief)	338,864
S24	TI week* OR AB week*	95,614
S23	TI ((short or medium or long) N3 term) OR AB ((short or medium or long) N3 term)	77,647
S22	S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21	107,218
S21	TI ((support* or assist* or plan* or facilitat* or delay* or early or pre or prevent* or avoid* or scheme*) N3 (admission* or discharge* or transfer* or model*)) OR AB ((support* or assist* or plan* or facilitat* or delay* or early or pre or prevent* or avoid* or scheme*) N3 (admission* or discharge* or transfer* or model*))	14,205
S20	(MH "Goal-Setting")	3,406
S19	(MH "Goal Attainment")	885
S18	(MH "Goals and Objectives")	5,688
S17	TI (self N1 (care or manag*)) OR AB (self N1 (care or manag*))	13,863
S16	(MH "Self Care")	20,591

S15	TI ((activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care") OR AB ((activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")	20,508
S14	(MH "Activities of Daily Living+")	32,519
S13	TI ((recov* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximise or prolong*) N3 (function or mobility or abilit* or confidence or skill* or independen*)) OR AB ((recov* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximise or prolong*) N3 (function or mobility or abilit* or confidence or skill* or independen*))	13,918
S12	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11	79,592
S11	TI (occupational N3 care) OR AB (occupational N3 care)	753
S10	(MH "Home Occupational Therapy")	255
S9	(MH "Occupational Therapy")	13,527
S8	TI physiotherap* OR AB physiotherap*	10,853
S7	TI intermediate N3 care OR AB intermediate N3 care	691
S6	(MH "Rehabilitation Nursing")	2,079
S5	TI rehabilitat* OR AB rehabilitat*	49,914

S4	(MH "Rehabilitation, Geriatric")	2,561
S3	(MH "Rehabilitation, Community-Based")	696
S2	(MH "Home Rehabilitation")	865
S1	(MH "Rehabilitation")	10,936

Cumulative Index to Nursing and Allied Health Literature (CINAHL) - EBSCO

Date searched 05/10/2015

No. of records: 598

Limits: study type, publication type, human, language (English), date (2005 – 2015)

Q1 C: Home based Intermediate Care - views and experiences

#	Query	Results
S114	S102 not S111 Limiters - Published Date: 20050101-20151231; English Language	598
S113	S102 not S111 Limiters - English Language	957
S112	S102 not S111	983
S111	S103 OR S104 OR S105 OR S106 OR S107 OR S110	404,756
S110	S108 not (S108 and S109)	26,973

S109	(MH "Human")	931,115
S108	(MH "Animals")	29,277
S107	(MH "News")	2,622
S106	PT letter	149,503
S105	PT commentary	164,099
S104	PT editorial	163,139
S103	(MH "Historical Research")	1,270
S102	S60 AND S101	1,006
S101	S83 OR S100	874,943
S100	S84 OR S85 OR S86 OR S87 OR S88 OR S89 OR S90 OR S91 OR S92 OR S93 OR S94 OR S95 OR S96 OR S97 OR S98 OR S99	548,565
S99	(MH "Patient Advocacy")	9,137
S98	TI feedback* OR AB feedback*	12,074
S97	TI expectation* OR AB expectation*	15,406
S96	TI complaint* OR AB complaint*	10,672
S95	TI preference* OR AB preference*	14,115

S94	TI (choice* or choos* or control or centred or centered) OR AB (choice* or choos* or control or centred or centered)	203,993
S93	TI (satisf* or dissatisf*)OR AB (satisf* or dissatisf*)	46,741
S92	TI perspective* OR AB perspective*	60,962
S91	TI attitude* OR AB attitude*	35,867
S90	TI experience* OR AB experience*	164,189
S89	(MH "Caregivers")	17,815
S88	TI view* OR AB view*	54,567
S87	(MH "Consumer Participation")	10,486
S86	(MH "Patient Satisfaction")	26,610
S85	(MH "Perception")	12,368
S84	(MH "Attitude")	7,671
S83	S61 OR S62 OR S63 OR S64 OR S65 OR S66 OR S67 OR S68 OR S69 OR S70 OR S71 OR S72 OR S73 OR S74 OR S75 OR S76 OR S77 OR S78 OR S79 OR S80 OR S81 OR S82	543,369
S82	TI "focus group?" OR AB "focus group?"	9,070
S81	(MH "Focus Groups")	23,044

S80	TI (observation* N1 (study or studies)) OR AB (observation* N1 (study or studies))	13,755
S79	(MH "Nonexperimental Studies")	10,291
S78	TI (cohort N1 (study or studies or analysis)) OR AB (cohort N1 (study or studies or analysis))	26,190
S77	(MH "Prospective Studies")	176,515
S76	TI "personal narrative*" OR AB "personal narrative*"	287
S75	(MH "Narratives")	8,890
S74	TI behavio?ral research OR AB behavio?ral research	190
S73	TI questionnaire* OR AB questionnaire*	83,782
S72	(MH "Self Report")	37,208
S71	(MH "Questionnaires+")	195,362
S70	TI (case N1 (study or studies)) OR AB (case N1 (study or studies))	34,501
S69	TI "in depth" OR AB "in depth"	11,892
S68	TI interview* OR AB interview*	91,580
S67	(MH "Interviews+")	128,760

S66	TI (evidence synthesis or realist synthesis) OR AB (evidence synthesis or realist synthesis)	822
S65	TI (meta-ethnograph* or metaethnograph* or meta ethnograph*) OR AB (meta-ethnograph* or metaethnograph* or meta ethnograph*)	129
S64	TI (meta-synthesis* or meta synthesis* or metasyntesis) OR AB (meta-synthesis* or meta synthesis* or metasyntesis)	593
S63	(MH "Meta Synthesis")	411
S62	TI qualitative* OR AB qualitative*	50,688
S61	(MH "Qualitative Studies")	55,237
S60	S27 AND S59	1,373
S59	S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58	206,008
S58	TI ((home or house) N3 bound) OR AB ((home or house) N3 bound)	79
S57	TI "naturally occurring retirement communit*" OR AB "naturally occurring retirement communit*"	42
S56	TI almshouse* OR AB almshouse*	11

S55	TI (halfway N1 (hous* or home* or setting* or facilit*)) OR AB (halfway N1 (hous* or home* or setting* or facilit*))	37
S54	(MH "Charities")	836
S53	(MH "Correctional Facilities")	3,133
S52	(MH "Halfway Houses")	98
S51	(MH "Home Nursing")	2,565
S50	TI ((shared or assisted or independent or own) N3 (home* or hous* or living or lives)) OR AB ((shared or assisted or independent or own) N3 (home* or hous* or living or lives))	5,050
S49	TI ((old* or elder* or geriatric*) N1 (people* or age*) N1 home*) OR AB ((old* or elder* or geriatric*) N1 (people* or age*) N1 home*)	506
S48	TI ((care or rest or group or senior or elder or retire*) N3 home* or hous* or facilit*)) OR AB ((care or rest or group or senior or elder or retire*) N3 home* or hous* or facilit*))	109,744
S47	TI (nursing N3 (facilit* or home* or setting*)) OR AB (nursing N3 (facilit* or home* or setting*))	18,744
S46	(MH "Nursing Homes")	15,610
S45	TI (local N3 (setting* or environment or house*)) OR AB (local N3 (setting* or environment or house*))	727

S44	TI (residential N3 (facilit* or setting* or environment or health or care)) OR AB (residential N3 (facilit* or setting* or environment or health or care))	3,182
S43	(MH "Residential Facilities")	2,818
S42	(MH "Community Health Nursing")	20,841
S41	(MH "Community Health Services")	11,818
S40	(MH "Health Care Delivery, Integrated")	5,122
S39	TI ("community based" N3 (service* or setting* or environment or health or care or nursing or provision)) OR AB ("community based" N3 (service* or setting* or environment or health or care or nursing or provision))	4,721
S38	TI ((day or community or "step up" or "step down") N3 (hospital* or ward* or facilit*)) OR AB ((day or community or "step up" or "step down") N3 (hospital* or ward* or facilit*))	9,857
S37	TI ("subacute" or "sub acute" or "sub-acute") OR AB ("subacute" or "sub acute" or "sub-acute")	2,606
S36	(MH "Day Care")	1,873
S35	TI (intermediate N3 (scheme* or service* or setting* or facilit* or residen* or home* or hous* or team* or model* or integrated or interdisciplinary or multidisciplinary)) OR AB (intermediate N3 (scheme* or service* or setting* or facilit* or residen* or home* or hous* or team* or model* or integrated or interdisciplinary or	366

	multidisciplinary))	
S34	(MH "Home Health Care")	15,021
S33	TI ((temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*)) OR AB ((temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))	2,414
S32	TI ((own or environment or patient* or person or user* or client* or assess*) N3 (home* or house* or domiciliary or accommodat*)) OR AB (own or environment or patient* or person or user* or client* or assess*) N3 (home* or house* or domiciliary or accommodat*))	15,101
S31	TI (home* N3 (return* or remain* or care or base* or nursing or health or setting or user* or client*)) OR AB (home* N3 (return* or remain* or care or base* or nursing or health or setting or user* or client*))	40,115
S30	(MH "Housing for the Elderly")	1,937
S29	(MH "Housing")	5,010
S28	TI hospital N3 home OR AB hospital N3 home	2,847
S27	S12 AND S22 AND S26	3,901
S26	S23 OR S24 OR S25	446,449

S25	TI (time or intensive or period* or length or brief) OR AB (time or intensive or period* or length or brief)	338,864
S24	TI week* OR AB week*	95,614
S23	TI ((short or medium or long) N3 term) OR AB ((short or medium or long) N3 term)	77,647
S22	S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21	107,218
S21	TI ((support* or assist* or plan* or facilitat* or delay* or early or pre or prevent* or avoid* or scheme*) N3 (admission* or discharge* or transfer* or model*)) OR AB ((support* or assist* or plan* or facilitat* or delay* or early or pre or prevent* or avoid* or scheme*) N3 (admission* or discharge* or transfer* or model*))	14,205
S20	(MH "Goal-Setting")	3,406
S19	(MH "Goal Attainment")	885
S18	(MH "Goals and Objectives")	5,688
S17	TI (self N1 (care or manag*)) OR AB (self N1 (care or manag*))	13,863
S16	(MH "Self Care")	20,591
S15	TI ((activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care") OR AB ((activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social	20,508

	support" or "personal care")	
S14	(MH "Activities of Daily Living+")	32,519
S13	TI ((recov* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximise or prolong*) N3 (function or mobility or abilit* or confidence or skill* or independen*)) OR AB ((recov* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximise or prolong*) N3 (function or mobility or abilit* or confidence or skill* or independen*))	13,918
S12	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11	79,592
S11	TI (occupational N3 care) OR AB (occupational N3 care)	753
S10	(MH "Home Occupational Therapy")	255
S9	(MH "Occupational Therapy")	13,527
S8	TI physiotherap* OR AB physiotherap*	10,853
S7	TI intermediate N3 care OR AB intermediate N3 care	691
S6	(MH "Rehabilitation Nursing")	2,079
S5	TI rehabilitat* OR AB rehabilitat*	49,914
S4	(MH "Rehabilitation, Geriatric")	2,561
S3	(MH "Rehabilitation, Community-Based")	696

S2	(MH "Home Rehabilitation")	865
S1	(MH "Rehabilitation")	10,936

Excerpta Medica database (Embase) - OVID

Date searched 05/10/2015

No. of records: 738

Limits: study type, publication type, human, language (English), date (2005 – 2015)

Q1 A: Home based Intermediate Care - effectiveness

1	(Systematic adj2 (review\$ or overview\$ or search\$)).tw.	100903
2	((Evidence or literature) adj2 review\$).tw.	126865
3	"review"/	1595807
4	((Published or search\$ or handsearch\$ or relevant or selected) adj3 (journals or database\$ or stud\$)).tw.	147417
5	((Pool\$ or synthes\$ or extract\$) adj2 (data or evidence)).tw.	59299
6	Meta-Analysis/	95468
7	"meta analysis (topic)"/	22513
8	(Meta analy\$ or metaanaly\$ or "meta regression" or metaregression).tw.	105498
9	"randomized controlled trial (topic)"/	83664
10	Randomized controlled trial/	339642

11 controlled clinical trial/	347275
12 randomization/	59981
13 double blind procedure/	99780
14 single blind procedure/	19696
15 clinical trial/	704196
16 Randomi*sed.ab.	81446
17 Random\$.ab.	869923
18 Trial.tw.	462194
19 case control study/	93793
20 cohort analysis/	212552
21 cross-sectional study/	152299
22 or/1-21	3551996
23 rehabilitation/	36711
24 Rehabilitat\$.tw.	122667
25 rehabilitation nursing/	1156
26 (Intermediate adj3 care).tw.	1514
27 physiotherapy/	48031
28 Physiotherap\$.tw.	22448

29 occupational therapy/	12054
30 (Occupational adj3 care).tw.	867
31 or/23-30	187951
32 ((Recov\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong) adj3 (function or mobility\$ or ability\$ or confidence or skill\$ or independence\$)).tw.	123752
33 Functional training/	697
34 daily life activity/	53995
35 ((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").tw.	55297
36 self care/	32095
37 (Self adj (care or management\$)).tw.	25936
38 motivation/	58283
39 ((Support\$ or assist\$ or plan\$ or facilitate\$ or delay\$ or early or prevent\$ or avoid\$ or scheme\$) adj3 (admission\$ or discharge\$ or transfer\$ or model\$)).tw.	83837
40 or/32-39	382850
41 ((Short or medium or long) adj3 term).tw.	715544
42 Week\$.tw.	985492
43 (Time or intensive or period\$ or length or brief).tw.	3704199

44	or/41-43	4691199
45	31 and 40 and 44	11639
46	(Hospital adj3 home).tw.	5183
47	housing/	11346
48	home for the aged/	5040
49	(Home\$ adj3 (return\$ or remain\$ or care or base\$ or nursing or health or setting or user\$ or client\$)).tw.	59682
50	((Own or environment or patient\$ or person\$ or people or user\$ or client\$ or assess\$) adj3 (home\$ or hous\$ or domiciliary or accommodat\$)).tw.	54350
51	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).tw.	7219
52	home care/	34127
53	intermediate care unit/	10
54	(Intermediate adj3 (scheme\$ or service\$ or setting\$ or facilit\$ or residen\$ or home\$ or hous\$ or team\$ or model\$ or integrated or interdisciplinary or multidisciplinary)).tw.	1688
55	day care/	5674
56	("Subacute" or "sub acute" or "sub-acute").tw.	23200
57	((Day or community or "step up" or "step down") adj3 (hospital\$ or ward\$ or facilit\$)).tw.	37235

58	("Community based" adj3 (service\$ or setting\$ or environment or health or care or nursing or provision)).tw.	9251
59	integrated health care system/	7659
60	community care/	36192
61	community health nursing/	10885
62	residential home/	4061
63	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).tw.	5311
64	(Local adj3 (setting\$ or environment or hous\$)).tw.	6796
65	nursing home/	27171
66	(Nursing adj3 (facilit\$ or home\$ or setting\$)).tw.	25783
67	((Care or rest or group or senior or elder\$ or retire\$) adj3 (home\$ or hous\$ or facilit\$)).tw.	55001
68	home for the aged/	5040
69	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).tw.	335
70	assisted living facility/	1488
71	((Shared or assisted or independent or own) adj3 (home\$ or hous\$ or living or lives)).tw.	9213
72	home care/	34127
73	halfway house/	361

74 prison/	8725
75 (Halfway adj (hous\$ or home\$ or setting\$ or facilit\$)).tw.	71
76 Almshouse\$.tw.	23
77 "Naturally occurring retirement communit\$".tw.	28
78 ((Home or house) adj3 bound).tw.	169
79 or/46-78	308853
80 45 and 79	2539
81 22 and 80	995
82 History/	117046
83 History of medicine/	21960
84 Anthropology/	9706
85 editorial.pt.	401900
86 Comment.kw.	53
87 note.pt.	511758
88 letter.pt.	615286
89 Animal/	743034
90 Human/	11179124
91 89 not (89 and 90)	511429

92 or/82-88,91	2153670
93 81 not 92	990
94 limit 93 to english	939
95 limit 94 to yr="2005 -Current"	738

Excerpta Medica database (Embase) - OVID

Date searched 05/10/2015

No. of records: 395

Limits: Limits: study type, publication type, human, language (English), date (2005 – 2015)

Q1 B: Home based Intermediate Care - cost effectiveness

1	economics/	138962
2	"cost"/	28209
3	"cost benefit analysis"/	56160
4	"cost control"/	41208
5	"cost of illness"/	15401
6	"health care cost"/	127457
7	health insurance/	72662
8	"hospital cost"/	13512

9	socioeconomics/	82707
10	health economics/	17229
11	fee/	7142
12	budget/	17827
13	((Low or high) adj cost\$.tw.	44749
14	(Care adj cost\$.tw.	14272
15	(Fiscal or funding or financial or finance).tw.	101462
16	(Economic\$ or price\$ or commission\$ or pricing).tw.	232931
17	Socioeconomic\$.tw.	58772
18	((Cost\$ or compar\$ or net\$) adj3 (service\$ or offset\$ or effect\$ or utilit\$ or consequence\$ or benefit\$ or model\$ or estimate\$ or unit\$ or variable\$)).tw.	368574
19	"cost effectiveness analysis"/	100271
20	((Personal or pool\$) adj3 budget\$.tw.	111
21	(Personal health adj3 budget\$.tw.	27
22	("Social care" or "social work\$" or "social service\$") adj3 cost\$.tw.	226
23	or/1-22	1072372

24	rehabilitation/	36711
25	Rehabilitat\$.tw.	122667
26	rehabilitation nursing/	1156
27	(Intermediate adj3 care).tw.	1514
28	physiotherapy/	48031
29	Physiotherap\$.tw.	22448
30	occupational therapy/	12054
31	(Occupational adj3 care).tw.	867
32	or/24-31	187951
33	((Recov\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong) adj3 (function or mobility or ability or confidence or skill\$ or independence\$)).tw.	123752
34	Functional training/	697
35	daily life activity/	53995
36	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").tw.	55297
37	self care/	32095
38	(Self adj (care or management)).tw.	25936

39	motivation/	58283
40	((Support\$ or assist\$ or plan\$ or facilitat\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$) adj3 (admission\$ or discharg\$ or transfer\$ or model\$)).tw.	83837
41	or/33-40	382850
42	((Short or medium or long) adj3 term).tw.	715544
43	Week\$.tw.	985492
44	(Time or intensive or period\$ or length or brief).tw.	3704199
45	or/42-44	4691199
46	32 and 41 and 45	11639
47	(Hospital adj3 home).tw.	5183
48	housing/	11346
49	home for the aged/	5040
50	(Home\$ adj3 (return\$ or remain\$ or care or base\$ or nursing or health or setting or user\$ or client\$)).tw.	59682
51	((Own or environment or patient\$ or person\$ or people or user\$ or client\$ or assess\$) adj3 (home\$ or hous\$ or domiciliary or accommodat\$)).tw.	54350

52	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).tw.	7219
53	home care/	34127
54	intermediate care unit/	10
55	(Intermediate adj3 (scheme\$ or service\$ or setting\$ or facilit\$ or residen\$ or home\$ or hous\$ or team\$ or model\$ or integrated or interdisciplinary or multidisciplinary)).tw.	1688
56	day care/	5674
57	("Subacute" or "sub acute" or "sub-acute").tw.	23200
58	((Day or community or "step up" or "step down") adj3 (hospital\$ or ward\$ or facilit\$)).tw.	37235
59	("Community based" adj3 (service\$ or setting\$ or environment or health or care or nursing or provision)).tw.	9251
60	integrated health care system/	7659
61	community care/	36192
62	community health nursing/	10885
63	residential home/	4061
64	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).tw.	5311

65	(Local adj3 (setting\$ or environment or hous\$)).tw.	6796
66	nursing home/	27171
67	(Nursing adj3 (facilit\$ or home\$ or setting\$)).tw.	25783
68	((Care or rest or group or senior or elder\$ or retire\$) adj3 (home\$ or hous\$ or facilit\$)).tw.	55001
69	home for the aged/	5040
70	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).tw.	335
71	assisted living facility/	1488
72	((Shared or assisted or independent or own) adj3 (home\$ or hous\$ or living or lives)).tw.	9213
73	home care/	34127
74	halfway house/	361
75	prison/	8725
76	(Halfway adj (hous\$ or home\$ or setting\$ or facilit\$)).tw.	71
77	Almshouse\$.tw.	23
78	"Naturally occurring retirement communit\$".tw.	28
79	((Home or house) adj3 bound).tw.	169

80	or/47-79	308853
81	46 and 80	2539
82	23 and 81	537
83	History/	117046
84	History of medicine/	21960
85	Anthropology/	9706
86	editorial.pt.	401900
87	Comment.kw.	53
88	note.pt.	511758
89	letter.pt.	615286
90	Animal/	743034
91	Human/	11179124
92	90 not (90 and 91)	511429
93	or/83-89, 92	2153670
94	82 not 93	417
95	Limit 94 to English	407
96	Limit 94 to "yr=2005-current"	395

Excerpta Medica database (Embase) - OVID

Date searched 05/10/2015

No. of records: 1191

Limits: study type, publication type, human, language (English), date (2005 – 2015)

Q1 C: Home based Intermediate Care - views & experiences

1	qualitative research/	33355
2	Qualitative\$.ti,ab.	167416
3	(Meta-synthesis\$ or meta synthesis\$ or metasynthesis).tw.	469
4	(Meta-ethnograph\$ or meta ethnograph\$ or metaethnograph\$).tw.	222
5	(Evidence synthesis or realist synthesis).tw.	1959
6	interview/	125784
7	Interview\$.ti,ab.	260434
8	"In depth".ti,ab.	41785
9	(Case adj (study or studies)).ti,ab.	67700
10	questionnaire/	416378
11	self report/	74120
12	Questionnaire\$.ti,ab.	426722
13	Behavio*ral research.tw.	917
14	personal experience/	17735
15	cohort analysis/	212552
16	(Cohort adj (study or studies or analysis)).ti,ab.	144867

17	observational study/	78365
18	(Observation\$ adj (study or studies)).ti,ab.	81575
19	Focus group*.ti,ab.	31328
20	or/1-19	1309974
21	attitude/	31609
22	perception/	54381
23	patient satisfaction/	90828
24	patient participation/	16379
25	View\$.tw.	319940
26	caregiver/	45630
27	experience\$.tw.	793778
28	Attitude.tw.	33284
29	perspective.tw.	141248
30	(satisf\$ or dissatisf\$).tw.	248540
31	(choice\$ or choos\$ or control or centred or centered).tw.	2174869
32	patient preference/	7951
33	preference\$.tw.	101108
34	complaint\$.tw.	74317

35	expectation\$.tw.	61585
36	feedback.tw.	91942
37	Patient advocacy/	10990
38	or/21-37	3686639
39	20 or 38	4477056
40	rehabilitation/	36711
41	Rehabilitat\$.tw.	122667
42	rehabilitation nursing/	1156
43	(Intermediate adj3 care).tw.	1514
44	physiotherapy/	48031
45	Physiotherap\$.tw.	22448
46	occupational therapy/	12054
47	(Occupational adj3 care).tw.	867
48	or/40-47	187951
49	((Recov\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong) adj3 (function or mobility\$ or ability\$ or confidence or skill\$ or independence\$)).tw.	123752
50	Functional training/	697
51	daily life activity/	53995

52	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").tw.	55297
53	self care/	32095
54	(Self adj (care or manag\$)).tw.	25936
55	motivation/	58283
56	((Support\$ or assist\$ or plan\$ or facilitat\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$) adj3 (admission\$ or discharg\$ or transfer\$ or model\$)).tw.	83837
57	or/49-56	382850
58	((Short or medium or long) adj3 term).tw.	715544
59	Week\$.tw.	985492
60	(Time or intensive or period\$ or length or brief).tw.	3704199
61	or/58-60	4691199
62	48 and 57 and 61	11639
63	(Hospital adj3 home).tw.	5183
64	housing/	11346
65	home for the aged/	5040
66	(Home\$ adj3 (return\$ or remain\$ or care or base\$ or nursing or health or setting or user\$ or client\$)).tw.	59682
67	((Own or environment or patient\$ or person\$ or people or user\$ or client\$ or assess\$) adj3 (home\$ or hous\$ or domiciliary or	54350

	accommodat\$)).tw.	
68	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).tw.	7219
69	home care/	34127
70	intermediate care unit/	10
71	(Intermediate adj3 (scheme\$ or service\$ or setting\$ or facilit\$ or residen\$ or home\$ or hous\$ or team\$ or model\$ or integrated or interdisciplinary or multidisciplinary)).tw.	1688
72	day care/	5674
73	("Subacute" or "sub acute" or "sub-acute").tw.	23200
74	((Day or community or "step up" or "step down") adj3 (hospital\$ or ward\$ or facilit\$)).tw.	37235
75	("Community based" adj3 (service\$ or setting\$ or environment or health or care or nursing or provision)).tw.	9251
76	integrated health care system/	7659
77	community care/	36192
78	community health nursing/	10885
79	residential home/	4061
80	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).tw.	5311

81	(Local adj3 (setting\$ or environment or hous\$)).tw.	6796
82	nursing home/	27171
83	(Nursing adj3 (facilit\$ or home\$ or setting\$)).tw.	25783
84	((Care or rest or group or senior or elder\$ or retire\$) adj3 (home\$ or hous\$ or facilit\$)).tw.	55001
85	home for the aged/	5040
86	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).tw.	335
87	assisted living facility/	1488
88	((Shared or assisted or independent or own) adj3 (home\$ or hous\$ or living or lives)).tw.	9213
89	home care/	34127
90	halfway house/	361
91	prison/	8725
92	(Halfway adj (hous\$ or home\$ or setting\$ or facilit\$)).tw.	71
93	Almshouse\$.tw.	23
94	"Naturally occurring retirement communit\$".tw.	28
95	((Home or house) adj3 bound).tw.	169
96	or/63-95	308853
97	62 and 96	2539

98	39 and 97	1567
99	History/	117046
100	History of medicine/	21960
101	Anthropology/	9706
102	editorial.pt.	401900
103	Comment.kw.	53
104	note.pt.	511758
105	letter.pt.	615286
106	Animal/	743034
107	Human/	11179124
108	106 not (106 and 107)	511429
109	or/99-105,108	2153670
110	98 not 109	1561
111	limit 110 to english	1473
112	limit 111 to yr="2005-Current"	1191

Social Care Online (SCO) – Social Care Institute for Excellence (SCIE)

Date searched 02/10/2015

No. of records: 18

Limits: 2005 - 2015

Q1 A, B, C: Home based Intermediate Care: effectiveness, cost effectiveness, Views & experiences

([Subject Terms: "rehabilitation" OR Subject Terms: "intermediate care" OR Subject Terms: "physiotherapy" OR Subject Terms: "occupational therapy"] AND [Subject Terms: "recovery" OR Subject Terms: "independence" OR Subject Terms: "activities of daily living" OR Subject Terms: "self care" OR Subject Terms: "discharge" OR Subject Terms: "hospital admission" OR Subject Terms: "hospital discharge" OR Subject Terms: "hospital readmission"]) AND [Content Types: 'systematic review' OR Content Types: 'research review'] AND [Publication Year:'2005 2015'])

Applied Social Sciences Index and Abstracts (ASSIA) - ProQuest

Date searched 05/10/2015

No. of records: 138

Limits: study type, date (2005 – 2015)

Q1 A, B, C: Home based Intermediate Care: effectiveness, cost effectiveness, views and experiences

((SU.EXACT("Rehabilitation") OR ALL(rehabilitat*) OR SU.EXACT.EXPLODE("Intermediate care") OR subject("Intermediate care") OR ALL(Intermediate N/3 care) OR SU.EXACT.EXPLODE("Physiotherapy") OR (SU.EXACT("Occupational therapy") OR SU.EXACT("Community occupational therapy") OR SU.EXACT("Occupational social work")) OR (Occupational N/2 therapy)) AND ((SU.EXACT.EXPLODE("Community based discharge planning") OR SU.EXACT.EXPLODE("Bedblocking" OR "Discharge" OR "Early discharge" OR "Supervised discharge" OR "Wrongful discharge")) OR ALL(Support* N/3 admission*) OR ALL(Support* N/3 discharge*) OR ALL(Support* N/3 discharge*) OR ALL(Support* N/3 transfer*) OR ALL(assist* N/3 discharge*) OR ALL(delay* N/3 discharge*) OR ALL(early* N/3 discharge*) OR ALL(pre* N/3 discharge*) OR ALL(facilitat* N/3 discharge*) OR ALL(timely N/3 discharge*) OR ALL(scheme N/3 discharge*) OR SU.EXACT("Goals") OR SU.EXACT.EXPLODE("Admissions" OR "Emergency admission" OR "Readmission") OR SU.EXACT.EXPLODE("Recovery" OR "Short term recovery") OR ALL((Recov* or maintain* or relearn* or learn* or

regain* or remain* or live or loss or remain* or live or loss or maximise or prolong*)
 N/3 (function or mobility or abilit* or confidence or skill* or independen*) OR
 SU.EXACT.EXPLODE("Activities of daily living" OR "Cross dressing" OR "Dressing"
 OR "Getting up") OR ALL((Activities N/3 "daily living") or ADL or ADLs or "domestic
 task*" or "social support" or "personal care") OR SU.EXACT.EXPLODE("Selfcare")
 OR ALL(Self N/0 (care or manag*)) AND (ALL((Short or medium or long) N/3 term)
 OR ALL(time or period* or intensive or week* or brief or length))) AND
 ((SU.EXACT.EXPLODE("Systematic reviews") OR (systematic n/3 (review or
 overview or search)) OR SU.EXACT("Reviews") OR ALL((Published or search* or
 handsearch* or relevant or selected) N/3 (journals or database* or stud*)) OR
 ALL((Pool* or synthes* or extract*) N/2 (data or evidence)) OR
 SU.EXACT.EXPLODE("Metaanalysis" OR "Validity generalization") OR
 ALL("Metaanaly*" or "metaanaly*" or "meta regression" or metaregression) OR
 SU.EXACT.EXPLODE("Clinical randomized controlled trials" OR "Cluster
 randomized controlled trials" OR "Double blind randomized controlled trials" OR
 "Randomized consent design" OR "Randomized controlled trials" OR "Single blind
 randomized controlled trials" OR "Urn randomization") OR
 SU.EXACT("Randomization") OR SU.EXACT("Clinical trials") OR
 SU.EXACT.EXPLODE("Case controlled studies") OR SU.EXACT("Cohort analysis")
 OR SU.EXACT.EXPLODE("Cross sectional studies") OR (SU.EXACT("Qualitative
 data") OR SU.EXACT("Qualitative analysis") OR SU.EXACT("Qualitative
 research"))) OR (SU.EXACT("Economics") OR SU.EXACT("Cost effectiveness")))
 AND pd(20050101-20151005)

Social Policy & Practice (SPP) - OVID

Date searched 05/10/2015

No. of records: 102

Limits: study type, date (2005 – 2015)

Q1 A, B, C: Home based Intermediate Care: Effectiveness, Cost effectiveness, Views & experiences

Results	Search Type	Actions
---------	-------------	---------

1	Rehabilitat\$.af.	4948
2	Rehabilitation.sh.	2723
3	(Intermediate adj3 care).af.	531
4	Physiotherap\$.af.	466
5	Occupational therap\$.af.	2038
6	(Occupational adj3 care).af.	68
7	or/1-6	7221
8	((Recov\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong\$) adj3 (function or mobility\$ or abilit\$ or confidence or skill\$ or independen\$)).af.	3625
9	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").af.	5271
10	Goals.af.	3245
11	(Self adj (care or manag\$)).af.	1019
12	((Support\$ or assist\$ or plan\$ or facilitat\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$) adj3 (admission\$ or discharge\$ or transfer\$ or model\$)).af.	3347
13	or/8-12	15863
14	((Short or medium or long) adj3 term).af.	13947
15	(Time or week\$ or intensive or period\$ or length or brief).af.	45966

16	or/14-15	57248
17	7 and 13 and 16	324
18	(Systematic adj2 (review\$ or overview or search\$)).tw.	2300
19	((Evidence or literature) adj2 review).tw.	3476
20	((Published or search\$ or handsearch\$ or relevant or selected) adj3 (journals or database\$ or stud\$)).tw.	1424
21	((Pool\$ or synthes\$ or extract\$) adj2 (data or evidence)).tw.	281
22	("Meta analy\$" or "metaanaly\$" or "meta regression" or metaregression).tw.	811
23	Qualitative\$.af.	10721
24	Cost effectiveness.af.	2415
25	Economics.af.	4921
26	Trial.af.	2846
27	Cross sectional.af.	2227
28	View\$.af.	34058
29	Experience\$.af.	47406
30	Random\$.af.	4905
31	18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30	96034

32	17 and 31	141
33	32 and 2005:2015.(sa_year).	102

Social Work Abstracts - OVID

Date searched 05/10/2015

No. of records: 23

Limits: date (2005 – 2015)

Q1 A, B, C: Home based Intermediate Care: effectiveness, cost effectiveness, views and experiences

Searches	Results	Search Type
1	Rehabilitat\$.af.	1445
2	(Intermediate adj3 care).af.	26
3	Physiotherap\$.af.	3
4	(Occupational adj3 care).af.	6
5	Occupational therapy.sh. or occupational therapy in health care.jn.	123
6	or/1-5	1578
7	Recovery\$.af.	826

8	((Maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong\$) adj3 (function or mobility\$ or abilit\$ or confidence or skill\$ or independen\$)).af.	367
9	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").af.	2035
10	(Self adj (care or manag\$)).af.	233
11	Goals.af.	1976
12	((Support\$ or assist\$ or plan\$ or facilitat\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$) adj3 (admission\$ or discharge\$ or transfer\$ or model\$)).af.	845
13	or/7-12	6021
14	((Short or medium or long) adj3 term).af.	2803
15	(Time or week\$ or intensive or period\$ or length or brief).af.	11366
16	or/14-15	13420
17	6 and 13 and 16	75
18	17 and 2005:2015.(sa_year).	23

SocINDEX - EBSCO

Date searched 30/09/2015

No. of records: 2210

Limits: language (English), date (2005 – 2015)

Q1 A, B, C: Home based Intermediate Care: Effectiveness, Cost effectiveness, Views & experiences

#	Query	Results
S55	S21 AND S52 Limiters - Date of Publication: 20050101-20151231 Narrow by Language: - english	2,210
S54	S21 AND S52 Limiters - Date of Publication: 20050101-20151231	2,284
S53	S21 AND S52	5,087
S52	S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51	87,006
S51	TX ((Home or house) N3 bound)	52
S50	TX "Naturally occurring retirement communit**"	55
S49	TX Almshouse*	142
S48	TX (Halfway N0 (hous* or home* or setting* or facilit*))	1,138
S47	DE "ALMSHOUSES"	91
S46	DE "PRISONS"	5,186

S45	TX home nursing	5,630
S44	DE "HALFWAY houses"	528
S43	TX ((shared or assisted or independent or own) N3 (home* or hous* or living or lives))	8,386
S42	DE "CONGREGATE housing"	432
S41	TX ((Old* or elder* or geriatric*) N0 (people* or age*) N0 home*)	380
S40	DE "SENIOR housing"	327
S39	TX ((Care or rest or group or senior or elder or retire*) N3 (home* or hous* or facilit*))	30,630
S38	TX (Nursing N3 (facilit* or home* or setting*))	6,794
S37	DE "NURSING care facilities"	1,925
S36	TX (Local N3 (setting* or environment or house*)).	1,343
S35	TX (Residential N3 (facilit* or setting* or environment or health or care))	25,451
S34	DE "INSTITUTIONAL care"	2,885
S33	DE "COMMUNITY health services" OR DE "COMMUNITY health services for older people"	3,451
S32	TX ("Community based" N3 (service* or setting* or environment or	4,209

	health or care or nursing or provision))	
S31	TX ((Day or community or "step up" or "step down") N3 (hospital* or ward* or facilit*))	7,498
S30	DE "DAY care centers for people with disabilities"	11
S29	TX (Intermediate N3 (scheme* or service* or setting* or facilit* or residen* or home* or hous* or team* or model* or integrated or interdisciplinary or multidisciplinary))	293
S28	TX "intermediate care facilities"	23
S27	DE "HOME care services"	2,313
S26	TX ((Temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))	2,539
S25	TX ((Own or environment or patient* or person or user* or client* or assess*) N3 (Home* or house* or domiciliary or accommodat*))	12,455
S24	TX (Home* N3 (return* or remain* or care or base* or nursing or health or setting or user* or client*)).	21,679
S23	DE "HOUSING"	8,339
S22	TX (Hospital N3 home)	894
S21	S5 AND S20	20,702

S20	S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19	871,930
S19	TX Effectiveness	49,301
S18	TX (Time or week* or intensive or period* or length)	794,162
S17	TX ((Short or medium or long) N3 term)	40,020
S16	TX ((Support* or assist* or plan* or facilitat* or delay* or early or pre or prevent* or avoid* or scheme*) N3 (admission* or discharge* or transfer* or model*))	10,881
S15	TX ("Rapid response" N3 (service* or team*))	25
S14	DE "RECREATIONAL therapy"	144
S13	TX ((Occupational or recreation\$) N0 therap*).	1,482
S12	DE "OCCUPATIONAL therapy"	355
S11	TX (Self N0 (care or manag*))	3,988
S10	TX ((Exercise or physical) N3 therap*)	1,429
S9	TX Physiotherap*	425
S8	DE "ACTIVITIES of daily living"	1,217
S7	TX ((Activities N3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care")	19,138

S6	TX ((Maintain* or relearn* or learn* or regain* or remain* or live or loss or maximise or prolong*) N3 (function or mobility* or abilit* or confidence or skill* or independen*))	10,522
S5	S1 OR S2 OR S3 OR S4	42,094
S4	TX Convales*	2,338
S3	TX "intermediate care"	156
S2	TX rehabilitat*	39,937
S1	DE "REHABILITATION"	5,013

ECONLIT - EBSCO

Date searched 05/10/2015

No. of records: 3

Limits: language (English), date (2005 – 2015)

Q1 A, B, C: Home based Intermediate Care: effectiveness, cost effectiveness, views and experiences

S36	S34 AND S35	True	S36	(3)
S35	S9 AND S32 Limiters - Published Date: 20050101-20151231	True	S35	(5)

S34	S9 AND S32 Narrow by Language: - English	True	S34 (18)
S33	S9 AND S32	True	S33 (22)
S32	S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31	True	S32 (35,651)
S31	TI (Time or intensive or period* or length)	True	S31 (25,949)
S30	TI week\$	True	S30 (353)
S29	TI ((Short or medium or long) N3 term)	True	S29 (6,556)
S28	TI ((Support* or assist* or plan* or facilitat* or delay* or early or pre or prevent* or avoid* or scheme*) N3 (admission* or discharg* or	True	S28 (1,140)

	transfer* or model*))		
S27	TI ("Rapid response" N3 (service* or team*))	True	S27 (1)
S26	SU Goals	True	S26 (1,058)
S25	SU recreation therapy	True	S25 (0)
S24	TI ((Occupational or recreation*) N1 therap*)	True	S24 (2)
S23	SU occupational therapy	True	S23 (0)
S22	TI (Self N1 (care or manag*))	True	S22 (235)
S21	SU self care	True	S21 (2)
S20	TI ((Exercis* or physical*) N3 therap*)	True	S20 (5)

S19	TI physiotherap*	True	S19	(3)
S18	SU physical therapy modalities	True	S18	(0)
S17	SU physiotherapy	True	S17	(0)
S16	SU kinesiotherapy	True	S16	(0)
S15	SU Exercise therapy	True	S15	(0)
S14	TI ((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")	True	S14	(105)
S13	SU activities of daily living	True	S13	(0)
S12	TI ((Recov* or maintain* or relearn* or regain* or remain* or live or loss or maximise or prolong*) N3 (function* or mobility* or ability* or confidence or skill* or independence*))	True	S12	(283)

S11	SU recovery of function	True	S11	(0)
S10	SU recovery	True	S10	(218)
S9	S1 OR S2 OR S6 OR S7 OR S8	True	S9	(721)
S8	TI recuperat*	True	S8	(17)
S7	SU recuperation	True	S7	(1)
S6	TI Convalesc*	True	S6	(5)
S5	SU convalescence	True	S5	(0)
S4	TI intermediate N3 care	True	S4	(0)
S3	SU rehabilitation nursing	True	S3	(0)

S2	TI Rehabilitat*	True S2 (415)
S1	SU rehabilitation	True S1 (348)

Abstracts in Social Gerontology (EBSCO)

Date searched 07/10/2015

No. of records: 77

Limits: study type, language (English), date (2005 – 2015)

Q1 A, B, C: Home based Intermediate Care: Effectiveness, Cost effectiveness, Views & experiences

Search	Terms	Results
S37	S17 AND S34 (Limiters - Publication Date: 20050101-20151231 Narrow by Language: - English)	(77)
S36	S17 AND S34 (Limiters - Publication Date: 20050101-20151231)	(77)
S35	S17 AND S34	(79)

S34	S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33	(8,706)
S33	TX (view\$ N3 experience\$)	(51)
S32	(ZU "attitude (psychology)")	(1,121)
S31	(ZU "case-control method")	(189)
S30	(ZU "clinical trials")	(805)
S29	(ZU "economics")	(328)
S28	(ZU "cost effectiveness") or (ZU "cost effectiveness -- research")	(240)
S27	(ZU "cross-sectional method")	(1,576)
S26	(ZU "qualitative research")	(823)
S25	(ZU "randomized controlled trials")	(955)

S24	(ZU "systematic reviews (medical research)")	(588)
S23	(ZU "meta-analysis")	(502)
S22	TX ("Meta analy\$" or "metaanaly\$" or "meta regression" or metaregression)	(28)
S21	TX ((Pool\$ or synthes\$ or extract\$) N2 (data or evidence))	(12)
S20	TX ((Published or search\$ or handsearch\$ or relevant or selected) N3 (journals or database\$ or stud\$))	(709)
S19	TX ((Evidence or literature) N2 review)	(1,415)
S18	TX (Systematic N2 (review\$ or overview or search\$))	(1,560)
S17	S6 AND S13 AND S16	(366)
S16	S14 OR S15	(24,465)
S15	(Time or week\$ or intensive or period\$ or length or brief)	(18,304)
S14	TX ((Short or medium or long) N3 term)	(8,590)

S13	S7 OR S8 OR S9 OR S10 OR S11 OR S12	(9,946)
S12	TX ((Support\$ or assist\$ or plan\$ or facilitat\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$) N3 (admission\$ or discharge\$ or transfer\$ or model\$))	(437)
S11	TX Goals	(2,398)
S10	TX (Self N0 (care or manag\$))	(804)
S9	TX ((Activities N3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care")	(5,909)
S8	(ZU "activities of daily living")	(1,441)
S7	TX ((Recov\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong\$) N3 (function or mobilit\$ or abilit\$ or confidence or skill\$ or independen\$))	(1,318)
S6	S1 OR S2 OR S3 OR S4 OR S5	(3,512)
S5	(ZU "occupational therapy")	(104)
S4	TX Physiotherap*	(282)

S3	TX (Intermediate N3 care)	(113)
S2	TX Rehabilitat*	(3,186)
S1	(ZU "rehabilitation")	(384)

RQ2. Bed-based Intermediate Care (hospital, nursing, residential settings)

Conducted in October 2015, the bed-based search strategy was formulated to answer questions about Intermediate Care in acute (hospital) or nursing or the community setting.

Questions

- What is the effectiveness and cost effectiveness of bed-based intermediate care?
- What are the views and experiences of people using services, their families and carers in relation to bed-based intermediate care?
- What are the views and experiences of health, social care and other practitioners about bed-based intermediate care?

Databases

- Abstracts in Social Gerontology

- British Nursing Index (BNI)
- Cumulative Index to Nursing and Allied Health Literature (CINAHL)
- Health Management Information Consortium (HMIC)
- Medical Literature Analysis and Retrieval System Online (MEDLINE)
- National Rehabilitation Information Center (NARIC)
- OT Seeker
- ProQuest Hospital Collection
- Social Policy and Practice (SPP)
- SocINDEX

Organisational Websites

- NHS England
- College of Occupational Therapists (COT)
- Royal College of Physicians (RCP)
- Royal College of General Practitioners (RCGP)
- Royal College of Nursing (RCN)
- National Institute for Health Research (NIHR)

A range of electronic databases in the fields of social care, health, rehabilitation and social science were searched, using a combination of controlled and free text terms around the requirements of the Scope, Appendix 3: Service category definitions of the 'National Audit of Intermediate Care 2014' and the Review Protocol.

Due to the quantity of data on rehabilitation, three individual 'study type' filters were adapted to the questions to collect the following study types: systematic reviews and randomised controlled trials, along with qualitative information surrounding service users', carers and professionals' views and experiences.

Study Filters

1. Study Filter (SF1) Systematic reviews, meta-analysis, non-randomised or randomised controlled trials, trials, case control or cohort or cross-sectional studies

2. Study Filter (SF2) Cost effectiveness, economics
3. Study Filter (SF3) Qualitative studies or views and experiences (users, carers, professionals)

The individual study filters were combined with the following core search approach:

- A: Intervention (rehabilitation or intermediate care etc.)
- B: Outcomes (recover or maintain or regain independence)
- C: Duration (time, week, short, brief)
- D: Setting (Beds in acute (hospital), intermediate, nursing and residential care settings)
- E: Language and date limits (English, 2005-2015)

Some database searches were limited to the core search approach, these were adapted to the design of each individual database and provider platform.

Organisation and additional searches

Terms frequently used within the organisation searches for bed-based intermediate care consisted of: intermediate care, rehabilitation combined with bed-based or time and regaining independence. Relevant PDF's were then searched within, to clarify the relevance to the specific question.

Additional Google and Google Scholar searches were undertaken due to the decision to change the standard NCCSC search approach, to a question by question approach, after the scope searches had been conducted and the 'National Audit of Intermediate Care' service categories were identified. These searches included the key terms above associated with systematic review, outcomes, cost and effectiveness, views or experiences, literature reviews or qualitative data.

All searches - RQ2 (A, B, C) Bed-based Intermediate Care

Medical Literature Analysis and Retrieval System Online (MEDLINE) - OVID

Date searched: 02/10/2015

No. of records: 3092

Limits: study type, publication type, humans, language (English), date (2005 – 2015)

RQ2 A: Bed-based Intermediate Care – effectiveness

Searches	Results	Search Type
1	(Systematic adj2 (review\$ or overview or search\$)).ti,ab.	82482
2	((Evidence or literature) adj2 review).ti,ab.	91592
3	"Review"/	2067108
4	((Published or search\$ or handsearch\$ or relevant or selected) adj3 (journals or database\$ or stud\$)).ti,ab.	121959
5	((Pool\$ or synthes\$ or extract\$) adj2 (data or evidence)).ti,ab.	49892
6	Meta-Analysis/	60912
7	Meta-Analysis as Topic/	14966
8	("Meta analy\$" or "metaanaly\$" or "meta regression" or metaregression).ti,ab.	84847
9	Randomized Controlled Trials as Topic/	104873
10	Randomized controlled trial.pt.	413926
11	Controlled clinical trial.pt.	91903
12	Random allocation.sh.	86480

13	Double blind method.sh.	135448
14	Single blind method.sh.	21451
15	Clinical trial.pt.	507039
16	Randomi#ed.ti,ab.	431442
17	Random\$.ti,ab.	805533
18	Trial.ti,ab.	413818
19	Case-Control Studies/	754284
20	Cohort Studies/	1500770
21	Cross-Sectional Studies/	205604
22	or/1-21	5006306
23	Rehabilitation/	161484
24	Rehabilitat\$.ti,ab.	118889
25	Rehabilitation Nursing/	1196
26	(Intermediate adj3 (care or team\$ or provider\$ or provision or programme\$ or service\$)).ti,ab.	1598
27	Physiotherap\$.ti,ab.	17263
28	Occupational Therapy/	10797
29	(Occupational adj3 care).ti,ab.	979

30	Community Health Services/	28272
31	Community Health Nursing/	18750
32	(Community adj2 (service\$ or nurs\$)).ti,ab.	13520
33	Continuity of Patient Care/	15578
34	Delivery of Health care, Integrated/	9288
35	Integrated care.ti,ab.	2156
36	Progressive Patient care/	1170
37	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat\$ or co-operat\$ or collaborat\$).ti,ab.	280734
38	or/23-37	602739
39	((Recover\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximis\$ or prolong\$ or earl\$) adj (function or mobilit\$ or abilit\$ or confidence or skill\$ or independen\$ or support or ill\$)).ti,ab.	12772
40	"Recovery of Function"/	35942
41	"Activities of Daily Living"/	55821
42	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	48075

43	(Goal adj3 sett\$).ti,ab.	2523
44	Patient Admission/	19942
45	Patient Readmission/	9737
46	Patient Discharge/	20853
47	((Support\$ or assist\$ or plan\$ or facilitat\$ or barrier\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$ or acute or timely or premature or inappropriate or unnecessary) adj (admission\$ or discharge or transfer\$)).ti,ab.	8089
48	Length of Stay/	65048
49	Bed Occupancy/	2322
50	or/39-49	244896
51	((Short or medium or long) adj term).ti,ab.	698283
52	(Month\$ or week\$ or hour\$ or day\$).ti,ab.	3317518
53	(Time or period\$ or length or brief or fast\$ or limit\$).ti,ab.	4719367
54	or/51-53	6902737
55	38 and 50 and 54	42620
56	Beds/	3842
57	((Bed\$1 or bedside\$1 or bed?side\$1 or "bed?based" or "bed-based") adj3 (acute or care or setting\$ or rehab\$ or service\$ or facilit\$ or intermediate)).ti,ab.	7362

58	Bed Occupancy/	2322
59	Hospitals/	56324
60	(Hospital\$ adj3 (ward\$ or acute or general or community or care or based or nursing or home or setting)).ti,ab.	165067
61	Hospitals, community/	10608
62	Hospitals, convalescent/	271
63	Hospital Units/	9267
64	Hospitals, General/	11115
65	Hospitals, Special/	9835
66	Rehabilitation Centers/	7169
67	((temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	6969
68	Intermediate Care Facilities/	644
69	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or facilit\$ or residen\$)).ti,ab.	3413
70	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	40063
71	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	17610

72	Residential Facilities/	45172
73	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	5444
74	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	1951
75	Nursing Homes/	29674
76	(Nursing adj3 (facilit\$ or home\$ or setting\$)).ti,ab.	29338
77	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	55277
78	Homes for the Aged/	11697
79	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	563
80	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	1028
81	((Secondary or tertiary) adj setting\$).ti,ab.	121
82	Prisons/	7767
83	(Prison adj3 hospital).ti,ab.	142
84	or/56-83	391124
85	55 and 84	9652
86	22 and 85	5639

87	Historical Article/	327350
88	Editorial/	397197
89	Comment/	670345
90	Letter/	952922
91	News/	177831
92	Animals/	5620648
93	Humans/	14467704
94	92 not (92 and 93)	4035006
95	or/87-91,94	5942364
96	86 not 95	5619
97	Limit 96 to English language	5253
98	Limit 97 to yr="2005-current"	3092

Medical Literature Analysis and Retrieval System Online (MEDLINE) - OVID

Date searched: 20/10/2015

No. of records: 871

Limits: study type, publication type, human, language (English), date (2005 – 2015)

Q2 B: Bed-based Intermediate Care: Cost effectiveness

Searches	Results	Search Type
1	Economics/	27199
2	"Costs and Cost Analysis"/	43582
3	"Cost Allocation"/	1972
4	Cost-Benefit Analysis/	64741
5	"Cost Control"/	20793
6	"Cost Savings"/	9503
7	"Cost of Illness"/	20031
8	"Cost Sharing"/	2091
9	"Deductibles and coinsurance"/	1493
10	Medical savings accounts/	494
11	Health care costs/	30109
12	Direct service costs/	1073
13	Hospital costs/	8538
14	Health expenditures/	14909
15	Capital expenditures/	1964
16	Value of life/	5518

17	Economics, hospital/	20833
18	Economics, medical/	13967
19	Economics, nursing/	3956
20	"Fees and charges"/	27949
21	Budgets/	12587
22	((Low or high) adj cost\$.ti,ab.	42160
23	(Care adj cost\$.ti,ab.	12724
24	(Fiscal or funding or financial or finance).ti,ab.	96498
25	(Economic\$ or price\$ or commission\$ or pricing).ti,ab.	227014
26	Socioeconomic\$.ti,ab.	60387
27	((Cost\$ or compar\$ or net\$) adj3 (service\$ or offset\$ or effect\$ or utility\$ or consequence\$ or benefit\$ or model\$ or estimate\$ or unit\$ or variable)).ti,ab.	338012
28	Models, Economic/	11185
29	((Personal or pool\$) adj3 budget\$.ti,ab.	112
30	(Personal health adj3 budget\$.ti,ab.	31
31	("Social care" or "social work\$" or "social service\$") adj3 cost\$.ti,ab.	191
32	or/1-31	865824

33	Rehabilitation/	161484
34	Rehabilitat\$.ti,ab.	118889
35	Rehabilitation Nursing/	1196
36	(Intermediate adj3 (care or team\$ or provider\$ or provision or programme\$ or service\$)).ti,ab.	1598
37	Physiotherap\$.ti,ab.	17263
38	Occupational Therapy/	10797
39	(Occupational adj3 care).ti,ab.	979
40	Community Health Services/	28272
41	Community Health Nursing/	18750
42	(Community adj2 (service\$ or nurs\$)).ti,ab.	13520
43	Continuity of Patient Care/	15578
44	Delivery of Health care, Integrated/	9288
45	Integrated care.ti,ab.	2156
46	Progressive Patient care/	1170
47	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat\$ or co-operat\$ or collaborat\$).ti,ab.	280734

48	or/33-47	602739
49	((Recover\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximis\$ or prolong\$ or earl\$) adj (function or mobilitt\$ or abilit\$ or confidence or skill\$ or independen\$ or support or ill\$)).ti,ab.	12772
50	"Recovery of Function"/	35942
51	"Activities of Daily Living"/	55821
52	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	48075
53	(Goal adj3 sett\$).ti,ab.	2523
54	Patient Admission/	19942
55	Patient Readmission/	9737
56	Patient Discharge/	20853
57	((Support\$ or assist\$ or plan\$ or facilitat\$ or barrier\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$ or acute or timely or premature or inappropriate or unnecessary) adj (admission\$ or discharge or transfer\$)).ti,ab.	8089
58	Length of Stay/	65048
59	Bed Occupancy/	2322
60	or/49-59	244896
61	((Short or medium or long) adj term).ti,ab.	698283

62	(Month\$ or week\$ or hour\$ or day\$).ti,ab.	3317518
63	(Time or period\$ or length or brief or fast\$ or limit\$).ti,ab.	4719367
64	or/61-63	6902737
65	48 and 60 and 64	42620
66	Beds/	3842
67	((Bed\$1 or bedside\$1 or bed?side\$1 or "bed?based" or "bed-based") adj3 (acute or care or setting\$ or rehab\$ or service\$ or facilit\$ or intermediate)).ti,ab.	7362
68	Bed Occupancy/	2322
69	Hospitals/	56324
70	(Hospital\$ adj3 (ward\$ or acute or general or community or care or based or nursing or home or setting)).ti,ab.	165067
71	Hospitals, community/	10608
72	Hospitals, convalescent/	271
73	Hospital Units/	9267
74	Hospitals, General/	11115
75	Hospitals, Special/	9835
76	Rehabilitation Centers/	7169
77	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or	6969

	accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	
78	Intermediate Care Facilities/	644
79	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or facilit\$ or residen\$)).ti,ab.	3413
80	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	40063
81	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	17610
82	Residential Facilities/	45172
83	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	5444
84	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	1951
85	Nursing Homes/	29674
86	(Nursing adj3 (facilit\$ or home\$ or setting\$)).ti,ab.	29338
87	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	55277
88	Homes for the Aged/	11697
89	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	563
90	((Subacute or sub-acute or "sub acute" or postacute or post-	1028

	acute or "post acute") adj care).ti,ab.	
91	((Secondary or tertiary) adj setting\$.ti,ab.	121
92	Prisons/	7767
93	(Prison adj3 hospital).ti,ab.	142
94	or/66-93	391124
95	65 and 94	9652
96	32 and 95	1967
97	Historical Article/	327350
98	Editorial/	397197
99	Comment/	670345
100	Letter/	952922
101	News/	177831
102	Animals/	5620648
103	Humans/	14467704
104	102 not (102 and 103)	4035006
105	or/97-101,104	5942364
106	96 not 105	1963
107	Limit 106 to English language	1818

108	Limit 107 to yr="2005-current"	871
-----	--------------------------------	-----

Medical Literature Analysis and Retrieval System Online (MEDLINE) - OVID

Date searched: 20/10/2015

No. of records: 1997

Limits: study type, publication type, human, language (English), date (2005 – 2015)

Q2 C: Bed-based Intermediate Care: views and experiences

Searches	Results	Search Type
1	Qualitative Research/	24764
2	Qualitative\$.ti,ab.	175249
3	(Meta-synthesis\$ or meta synthesis\$ or metasyntesis).ti,ab.	474
4	(Meta-ethnograph* or metaethnograph* or meta ethnograph*).ti,ab.	234
5	(Evidence synthesis or realist synthesis).ti,ab.	1800
6	Interview/	26473
7	Interview\$.ti,ab.	250351
8	"In depth".ti,ab.	38612
9	(Case adj (study or studies)).ti,ab.	61356
10	Questionnaires/	333871
11	Self report/	12998

12	Questionnaire\$.ti,ab.	345638
13	Behavioral research.ti,ab.	1264
14	Personal Narratives/	1758
15	Cohort Studies/	190167
16	(Cohort adj (study or studies or analysis)).ti,ab.	112412
17	Observational Study/	15166
18	(Observation\$ adj (study or studies)).ti,ab.	57247
19	Focus Groups/	19142
20	"Focus Group?".ti,ab.	26452
21	or/1-20	1200375
22	Attitude/	40726
23	Perception/	23130
24	Patient Satisfaction/	64308
25	Patient Participation/	19493
26	View\$.ti,ab.	363476
27	Caregivers/	24186
28	Experience\$.ti,ab.	771671
29	Attitude\$.ti,ab.	107081

30	Perspective\$.ti,ab.	202284
31	(Satisf\$ or dissatisf\$).ti,ab.	246761
32	(Choice\$ or choos\$ or control or centred or centered).ti,ab.	2251233
33	Patient Preference/	4063
34	Preference\$.ti,ab.	105182
35	Complaint\$.ti,ab.	66787
36	Expectation\$.ti,ab.	61527
37	Feedback\$.ti,ab.	95612
38	Patient Advocacy/	22875
39	or/22-38	3890815
40	Rehabilitation/	161484
41	Rehabilitat\$.ti,ab.	118889
42	Rehabilitation Nursing/	1196
43	(Intermediate adj3 (care or team\$ or provider\$ or provision or programme\$ or service\$)).ti,ab.	1598
44	Physiotherap\$.ti,ab.	17263
45	Occupational Therapy/	10797
46	(Occupational adj3 care).ti,ab.	979

47	Community Health Services/	28272
48	Community Health Nursing/	18750
49	(Community adj2 (service\$ or nurs\$)).ti,ab.	13520
50	Continuity of Patient Care/	15578
51	Delivery of Health care, Integrated/	9288
52	Integrated care.ti,ab.	2156
53	Progressive Patient care/	1170
54	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat\$ or co-operat\$ or collaborat\$).ti,ab.	280734
55	or/40-54	602739
56	((Recover\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximis\$ or prolong\$ or earl\$) adj (function or mobilit\$ or abilit\$ or confidence or skill\$ or independen\$ or support or ill\$)).ti,ab.	12772
57	"Recovery of Function"/	35942
58	"Activities of Daily Living"/	55821
59	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	48075

60	(Goal adj3 sett\$).ti,ab.	2523
61	Patient Admission/	19942
62	Patient Readmission/	9737
63	Patient Discharge/	20853
64	((Support\$ or assist\$ or plan\$ or facilitat\$ or barrier\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$ or acute or timely or premature or inappropriate or unnecessary) adj (admission\$ or discharge or transfer\$)).ti,ab.	8089
65	Length of Stay/	65048
66	Bed Occupancy/	2322
67	or/56-66	244896
68	((Short or medium or long) adj term).ti,ab.	698283
69	(Month\$ or week\$ or hour\$ or day\$).ti,ab.	3317518
70	(Time or period\$ or length or brief or fast\$ or limit\$).ti,ab.	4719367
71	or/68-70	6902737
72	55 and 67 and 71	42620
73	Beds/	3842
74	((Bed\$1 or bedside\$1 or bed?side\$1 or "bed?based" or "bed-based") adj3 (acute or care or setting\$ or rehab\$ or service\$ or facilit\$ or intermediate)).ti,ab.	7362

75	Bed Occupancy/	2322
76	Hospitals/	56324
77	(Hospital\$ adj3 (ward\$ or acute or general or community or care or based or nursing or home or setting)).ti,ab.	165067
78	Hospitals, community/	10608
79	Hospitals, convalescent/	271
80	Hospital Units/	9267
81	Hospitals, General/	11115
82	Hospitals, Special/	9835
83	Rehabilitation Centers/	7169
84	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	6969
85	Intermediate Care Facilities/	644
86	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or facilit\$ or residen\$)).ti,ab.	3413
87	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	40063
88	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	17610

89	Residential Facilities/	45172
90	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	5444
91	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	1951
92	Nursing Homes/	29674
93	(Nursing adj3 (facilit\$ or home\$ or setting\$)).ti,ab.	29338
94	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	55277
95	Homes for the Aged/	11697
96	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	563
97	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	1028
98	((Secondary or tertiary) adj setting\$).ti,ab.	121
99	Prisons/	7767
100	(Prison adj3 hospital).ti,ab.	142
101	or/73-100	391124
102	72 and 101	9652
103	21 and 102	3489

104	Historical Article/	327350
105	Editorial/	397197
106	Comment/	670345
107	Letter/	952922
108	News/	177831
109	Animals/	5620648
110	Humans/	14467704
111	109 not (109 and 110)	4035006
112	or/104-108,111	5942364
113	103 not 112	3486
114	Limit 113 to English language	3244
115	Limit 114 to yr="2005-current"	1997

ProQuest Hospital Collection - ProQuest

Date searched: 05/11/2015

No. of records: 874

Limits: study type, peer reviewed journals, date (2005/01/01 - 2015/10/22)

Q2 A, B, C: Bed-based Intermediate Care – effectiveness, cost effectiveness, views and experiences

((AB,TI(Rehabilitation) OR MESH.EXACT("Rehabilitation") OR MESH.EXACT("Rehabilitation Nursing") OR AB,TI(Intermediate NEAR/3 (care OR

team OR provider OR provision OR programme OR service)) OR
AB, TI(Physiotherap) OR MESH.EXACT("Occupational Therapy") OR
AB, TI(Occupational NEAR/3 care) OR MESH.EXACT("Community Health Services")
OR MESH.EXACT("Community Health Nursing") OR AB, TI(Community NEAR/2
(service OR nurse)) OR MESH.EXACT("Continuity of Patient Care") OR
MESH.EXACT("Delivery of Health Care, Integrated") OR AB, TI("Integrated care")
OR MESH.EXACT("Progressive Patient Care") OR AB, TI(Interdisciplinary OR inter-
disciplinary OR "inter disciplinary" OR interprofessional OR inter-professional OR
"inter professional" OR multiprofessional OR multi-professional OR "multi
professional" OR multidisciplinary OR multi-disciplinary OR "multi disciplinary" OR
multiagency OR multi-agency OR cooperation OR co-operation OR collaboration))
AND (AB, TI((Recover OR maintain OR relearn OR learn OR regain OR remain OR
live OR loss OR maximise OR prolong OR earl) NEAR/0 (function OR mobility OR
ability OR confidence OR skill OR independence OR support OR illness)) OR
MESH.EXACT("Recovery of Function") OR MESH.EXACT("Activities of Daily
Living") OR AB, TI((Activities NEAR/3 "daily living") OR ADL OR ADLs OR "domestic
task" OR "social support" OR "personal care") OR AB, TI(Goal NEAR/3 setting) OR
MESH.EXACT("Patient Admission") OR MESH.EXACT("Patient Readmission") OR
MESH.EXACT("Patient Discharge") OR AB, TI((Support OR assist OR plan OR
facilitate OR barrier OR delay OR early OR prevent OR avoid OR scheme OR acute
OR timely OR premature OR inappropriate OR unnecessary) NEAR/3 (admission
OR discharge OR transfer)) OR MESH.EXACT("Length of Stay") OR
MESH.EXACT("Bed Occupancy") AND (AB, TI((Short OR medium OR long) NEAR/0
term) OR AB, TI(Month OR week OR hour OR day) OR AB, TI(Time OR period OR
length OR brief OR fast OR limit)) AND MESH.EXACT("Beds") OR
MESH.EXACT("Hospitals") OR AB, TI(Hospital NEAR/3 (ward OR acute OR general
OR community OR care OR based OR nursing OR home OR setting)) OR
MESH.EXACT("Hospitals, Community") OR MESH.EXACT("Hospitals,
Convalescent") OR MESH.EXACT("Hospital Units") OR MESH.EXACT("Hospitals,
General") OR MESH.EXACT("Hospitals, Special") OR MESH.EXACT("Rehabilitation
Centers") OR AB, TI((temporary OR "extra care" OR "close care" OR specialist OR
sheltered OR supported) NEAR/3 (home OR housing OR accommodation OR
setting OR facilities OR model OR scheme)) OR MESH.EXACT("Intermediate Care
Facilities") OR AB, TI((Intermediate OR "skilled nursing") NEAR/3 (unit OR centre OR

center OR scheme OR setting OR facilities OR residence)) OR AB, TI((Community OR "step up" OR "step down" OR transitional) NEAR/3 (hospital OR ward OR facilities OR care OR bed OR hospice)) OR AB, TI(Community NEAR/3 (rehab OR scheme OR model OR setting OR environment OR provision)) OR MESH.EXACT("Residential Facilities") OR AB, TI(Residential NEAR/3 (facilities OR setting OR environment OR health OR care)) OR AB, TI(("Local authorities" OR "local authority" OR independent) NEAR/2 (facility OR facilities OR setting OR settings OR environment OR housing)) OR MESH.EXACT("Nursing Homes") OR AB, TI(Nursing NEAR/3 (facilities OR home OR setting)) OR AB, TI((Care OR rest OR group OR senior OR elder OR retirement) NEAR/3 (home OR housing OR facilitates)) OR MESH.EXACT("Homes for the Aged") OR AB, TI((Old OR elder OR geriatric) NEAR/0 (people OR age) NEAR/0 home) OR AB, TI((Subacute OR sub-acute OR "sub acute" OR postacute OR post-acute OR "post acute") NEAR/0 care) OR AB, TI((Secondary OR tertiary) NEAR/0 setting) OR MESH.EXACT("Prisons") OR AB, TI(Prison NEAR/3 hospital))) AND (SU.EXACT.EXPLODE("Systematic reviews") OR SU.EXACT.EXPLODE("Meta-analysis" OR "Validity generalization") OR SU.EXACT.EXPLODE("Clinical randomized controlled trials" OR "Cluster randomized controlled trials" OR "Double blind randomized controlled trials" OR "Randomized consent design" OR "Randomized controlled trials" OR "Single blind randomized controlled trials" OR "Urn randomization") OR SU.EXACT.EXPLODE("Adaptive designs" OR "Clinical trials") OR SU.EXACT.EXPLODE("Qualitative data") OR SU.EXACT.EXPLODE("Qualitative analysis") OR SU.EXACT.EXPLODE("Qualitative methods") OR SU.EXACT.EXPLODE("Qualitative research") OR SU.EXACT.EXPLODE("Cost effectiveness") OR SU.EXACT.EXPLODE("Health economics") OR SU.EXACT.EXPLODE("Cross-sectional studies") OR SU.EXACT.EXPLODE("Cohort analysis" OR "Longitudinal studies") OR SU.EXACT.EXPLODE("Case controlled studies")) AND pd(20050101-20151022)) AND (STYPE(scholarly journals) AND PEER(yes))

British Nursing Index (BNI) - ProQuest

Date searched: 21/11/2015

No. of records: 166

Limits: study type, date (2005/01/01-2015/12/31)

Q2 A: Bed-based Intermediate Care - effectiveness

(dtype(review) OR ab,ti(((evidence OR literature) NEAR/2 review*)) OR
ab,ti((systematic NEAR/2 (review* OR overview OR search*))) OR su("Randomised
controlled trial* as topic") OR ti(randomi*ed) OR ab,ti(("meta analy*" OR
"metaanaly*" OR "meta-analy*" OR "meta regression" OR metaregression OR
"meta-regression")) OR ab,ti(((Pool* OR synthes* OR extract*) NEAR/2 (data OR
evidence))) OR ab,ti(((Published OR search* OR handsearch* OR relevant OR
selected) NEAR/3 (journal* OR database* OR stud*))) OR su("Randomised
controlled trial*") OR ab,ti(randomi*ed) OR su("clinical trial*") OR su("single blind")
OR su("double blind") OR su("random allocation") OR su("controlled clinical trial*")
OR ab,ti(random*) OR su("Research methods") OR ab,ti(trial) OR
subject("Quantitative Research")) AND (su("bed occupancy") OR su("beds") OR
ab,ti(((Bed*1 OR bedside*1 OR bed*side*1 OR "bed*based" OR "bed-based")
NEAR/3 (acute OR care OR setting* OR rehab* OR service* OR facilit* OR
intermediate))) OR su("hospital*, special") OR su("hospitals") OR ab,ti((Hospital*
NEAR/3 (ward* OR acute OR general OR community OR care OR based OR
nursing OR home OR setting))) OR su("community health services") OR
su("community hospitals") OR su("convalesc*") OR su("hospital unit*") OR
su("hospitals, general") OR su("residential care") OR su("rehabilitation centres") OR
ab,ti(((Temporary OR "extra care" OR "close care" OR specialist OR sheltered OR
supported) NEAR/3 (home* OR hous* OR accommodation OR setting* OR facilit*
OR model* OR scheme*))) OR su("intermediate care facilities") OR
ab,ti(((Intermediate OR "skilled nursing") NEAR/3 (unit* OR centre* OR center* OR
scheme* OR setting* OR facilit* OR residen*))) OR ab,ti(((Community OR "step up"
OR "step down" OR transition*) NEAR/3 (hospital* OR ward* OR facilit* OR care OR
bed OR hospice))) OR ab,ti((Community NEAR/3 (rehab OR scheme* OR model*
OR setting* OR environment OR provision))) OR ab,ti((Subacute OR sub-acute OR
"sub acute" OR postacute OR post-acute OR "post acute") n/ care) OR
ab,ti((Residential NEAR/3 (facilit* OR setting* OR environment OR health OR care)))
OR ab,ti(("Local authorit*" OR independent) NEAR/3 (facilit* OR setting* OR
environment OR hous*)) OR su("nursing homes") OR ab,ti((Care OR rest OR group
OR senior OR elder OR retire*) NEAR/3 (home* OR hous* OR facilit*)) OR

su("elderly : housing") OR ab,ti((Old* OR elder* OR geriatric*) n/ (people* OR age*) n/ home*) OR ab,ti(Nursing NEAR/3 (facilit* OR home* OR setting*)) OR ab,ti(Prison NEAR/3 hospital) OR ab,ti((Secondary OR tertiary) n/ setting*) OR su(prisons)) AND (ab,ti(((short OR medium OR long) NEAR/4 term)) OR ab,ti((month* OR week* OR hour* OR day*)) OR ab,ti((time OR period* OR length OR brief OR fast* OR limit*))) AND ((su("health and quality of life") OR su("self care")) OR ab,ti(((recover* OR maintain* OR relearn* OR learn* OR regain* OR remain* OR live OR loss OR maximis* OR prolong* OR earl*) NEAR/4 (function OR mobilit* OR abilit* OR confidence OR skill* OR independen* OR support OR ill*))) OR ab,ti(((activities NEAR/3 "daily living") OR ADL OR ADLs OR "domestic tasks" OR "social support" OR "personal care")) OR ab,ti(goal NEAR/3 sett*) OR su("patients : admission") OR su("patients : discharge") OR ab,ti(((support* OR assist* OR plan* OR facilitat* OR barrier* OR delay* OR early OR "pre" OR prevent* OR avoid* OR scheme* OR acute OR timely OR premature OR inappropriate OR unnecessary) n/ (admission* OR discharge OR transfer*))) AND (ab,ti(interdisciplinary OR inter-disciplinary OR "inter disciplinary" OR interprofessional OR inter-professional OR "inter professional" OR multiprofessional OR multi-professional OR "multi professional" OR multidisciplinary OR multi-disciplinary OR "multi disciplinary" OR multiagency OR multi-agency OR "multi agency" OR cooperat* OR co-operat* OR collaborat*) OR su("occupational therapy") OR su(rehabilitation) OR ab,ti(rehabilitat*) OR su("rehabilitation nursing") OR ab,ti((intermediate NEAR/3 (care OR team* OR provider* OR provision OR program* OR service*))) OR su(physiotherapy) OR ab,ti(physiotherap*) OR ab,ti((integrated NEAR/2 (health* OR care))) OR ab,ti(occupational NEAR/3 care) OR su("community health services") OR su("community health nursing") OR su("community nursing") OR ab,ti(communit* NEAR/2 (service* OR nurs*)) OR su("continuity of care")) AND pd(20050101-20151231)

British Nursing Index (BNI) - ProQuest

Date searched: 21/11/2015

No. of records: 50

Limits: study type, date (2005/01/01-2015/12/31)

Q2 B: Bed-based Intermediate Care – cost effectiveness

(su("cost control") OR su("health economics") OR su("cost* and cost analysis") OR su("cost allocation") OR su("cost benefit analysis") OR su("hospital costs") OR su("cost savings") OR su("cost of illness") OR su("cost sharing") OR su(deductibles AND coinsurance) OR su("medical savings accounts") OR su("health care costs") OR su("direct service costs") OR su("economics, nursing") OR su("health expenditures") OR su("health service finance") OR su("capital expenditures") OR su("economics, hospital") OR su("value of life") OR su("economics, medical") OR ab,ti(fiscal OR funding OR financial OR finance) OR su("fees and charges") OR su(fees) OR su(charges) OR su("financial management") OR ab,ti((low OR high) n/ cost*) OR ab,ti(care n/ cost*) OR ab,ti("personal health" NEAR/3 budget*) OR ab,ti((personal OR pool*) NEAR/3 budget*) OR ab,ti(("social care" OR "social work*" OR "social services") NEAR/3 cost*) OR ab,ti(economics OR price* OR commission* OR pricing) OR ab,ti(socioeconomic*) OR ab,ti((cost* OR compar* OR net*) NEAR/3 (service* OR offset* OR effect* OR utility* OR consequence* OR benefit* OR model* OR estimate* OR unit* OR variable)) OR su("models, economic")) AND (((ab,ti(interdisciplinary OR inter-disciplinary OR "inter disciplinary" OR interprofessional OR inter-professional OR "inter professional" OR multiprofessional OR multi-professional OR "multi professional" OR multidisciplinary OR multi-disciplinary OR "multi disciplinary" OR multiagency OR multi-agency OR "multi agency" OR cooperat* OR co-operat* OR collaborat*) OR su("occupational therapy") OR su(rehabilitation) OR ab,ti(rehabilitat*) OR su("rehabilitation nursing") OR ab,ti((intermediate NEAR/3 (care OR team* OR provider* OR provision OR program* OR service*))) OR su(physiotherapy) OR ab,ti(physiotherap*) OR ab,ti("integrated care") OR ab,ti(occupational NEAR/3 care) OR su("community health services") OR su("community health nursing") OR su("community nursing") OR ab,ti(communit NEAR/2 (service* OR nurs*)) OR su("continuity of care") OR su("delivery of health care, integrated") OR su("integrated delivery of health care") OR su("progressive patient care")) AND (ab,ti(((recover* OR maintain* OR relearn* OR learn* OR regain* OR remain* OR live OR loss OR maximis* OR prolong* OR earl*) NEAR/4 (function OR mobil* OR abilit* OR confidence OR skill* OR independen* OR support OR ill*))) OR ab,ti(((activities NEAR/3 "daily living") OR ADL OR ADLs OR "domestic task*" OR "social support" OR "personal care")) OR ab,ti(goal NEAR/3 sett*) OR

su("patients : admission") OR su("patients : discharge") OR ab,ti(((support* OR assist* OR plan* OR facilitat* OR barrier* OR delay* OR early OR "pre" OR prevent* OR avoid* OR scheme* OR acute OR timely OR premature OR inappropriate OR unnecessary) n/ (admission* OR discharge OR transfer*)) OR su("bed occupancy") OR su("length of stay") AND (ab,ti(((short OR medium OR long) NEAR/4 term)) OR ab,ti((month* OR week* OR hour* OR day*)) OR ab,ti((time OR period* OR length OR brief OR fast* OR limit*))) AND (su("bed occupancy") OR su("beds") OR ab,ti(((Bed*1 OR bedside*1 OR bed*side*1 OR "bed*based" OR "bed-based") NEAR/3 (acute OR care OR setting* OR rehab* OR service* OR facilit* OR intermediate))) OR su("hospital*", "special") OR su("hospitals") OR ab,ti((Hospital* NEAR/3 (ward* OR acute OR general OR community OR care OR based OR nursing OR home OR setting))) OR su("community health services") OR su("community hospitals") OR su("convalesc*") OR su("hospital unit*") OR su("hospitals, general") OR su("residential care") OR su("rehabilitation centres") OR ab,ti(((Temporary OR "extra care" OR "close care" OR specialist OR sheltered OR supported) NEAR/3 (home* OR hous* OR accommodation OR setting* OR facilit* OR model* OR scheme*))) OR su("intermediate care facilities") OR ab,ti(((Intermediate OR "skilled nursing") NEAR/3 (unit* OR centre* OR center* OR scheme* OR setting* OR facilit* OR residen*))) OR ab,ti(((Community OR "step up" OR "step down" OR transition*) NEAR/3 (hospital* OR ward* OR facilit* OR care OR bed OR hospice))) OR ab,ti((Community NEAR/3 (rehab OR scheme* OR model* OR setting* OR environment OR provision))) OR ab,ti((Subacute OR sub-acute OR "sub acute" OR postacute OR post-acute OR "post acute") n/ care) OR ab,ti((Residential NEAR/3 (facilit* OR setting* OR environment OR health OR care))) OR ab,ti(("Local authorit*" OR independent) NEAR/3 (facilit* OR setting* OR environment OR hous*)) OR su("nursing homes") OR ab,ti((Care OR rest OR group OR senior OR elder OR retire*) NEAR/3 (home* OR hous* OR facilit*)) OR su("elderly : housing") OR ab,ti((Old* OR elder* OR geriatric*) n/ (people* OR age*) n/ home*) OR ab,ti(Nursing NEAR/3 (facilit* OR home* OR setting*)) OR ab,ti(Prison NEAR/3 hospital) OR ab,ti((Secondary OR tertiary) n/ setting*) OR su("prisons")) AND pd(20050101-20151231)

British Nursing Index (BNI) - ProQuest

Date searched: 21/11/2015

No. of records: 204

Limits: study type, date (2005/01/01 – 2015/12/31)

Q2 C: Bed-based Intermediate Care – views and experiences

((su(beds) OR ab,ti((Bed OR beds OR bedside OR bedsides OR "bed side" OR "bed sides" OR "bed based" OR "bed-based" OR bedbased) NEAR/3 (acute OR care OR setting OR settings OR rehabilitate OR rehabilitates OR rehabilitated OR rehabilitating OR rehabilitation OR rehabilitative OR service OR services OR facility OR facilities OR intermediate)) OR su("hospitals") OR ab,ti(Hospital OR hospitals NEAR/3 (ward OR wards OR acute OR general OR community OR care OR based OR nursing OR home OR setting)) OR su("community health services") OR su("hospitals convalescent") OR su("hospital units") OR su("general practice and hospitals") OR su("secure psychiatric hospitals") OR su("rehabilitation centres") OR ab,ti((Temporary OR "extra care" OR "close care" OR specialist OR sheltered OR supported) NEAR/3 (home OR homes OR house OR houses OR housing OR accommodation OR setting OR settings OR facility OR facilities OR model OR models OR modelling OR scheme OR schemes)) OR su("intermediate care facilities") OR ab,ti((Intermediate OR "skilled nursing") NEAR/3 (unit OR units OR centre OR centres OR center OR centers OR scheme OR schemes OR setting OR settings OR facility OR facilities OR resident OR residents OR residential OR residence OR residences)) OR ab,ti((Community OR "step up" OR "step down" OR transition OR transitions OR transitioning) NEAR/3 (hospital OR hospitals OR ward OR wards OR facility OR facilities OR care OR bed OR hospice)) OR ab,ti(Community NEAR/3 (rehab OR scheme OR schemes OR model OR models OR modelling OR setting OR settings OR environment OR provision)) OR su("residential care") OR ab,ti(Residential NEAR/3 (facility OR facilities OR setting OR settings OR environment OR health OR care)) OR ab,ti(("Local authority" OR "local authorities" OR independent) NEAR/3 (facility OR facilities OR setting OR settings OR environment OR house OR houses OR housing)) OR su("Nursing Homes") OR ab,ti(Nursing NEAR/3 (facility OR facilities OR home OR homes OR setting OR settings)) OR ab,ti((Care OR rest OR group OR senior OR elder OR retire OR retires OR retired OR retiring) NEAR/3 (home OR homes OR house OR houses OR housing OR facility OR facilities)) OR su("Elderly : Housing") OR

((ab,ti(Old OR older OR oldest OR elder OR elders OR elderly OR geriatric OR geriatrics OR geriatrician) NEAR/4 ab,ti(people OR person OR persons OR age OR aged)) NEAR/4 ab,ti(home OR homes)) OR ab,ti((Subacute OR "sub-acute" OR "sub acute" OR postacute OR "post-acute" OR "post acute") NEAR/4 care) OR ab,ti((Secondary OR tertiary) NEAR/4 setting OR settings) OR su("Prison") OR ab,ti(Prison NEAR/3 hospital)) AND ((su(Rehabilitation) OR ab,ti(Rehabilitate OR rehabilitates OR rehabilitated OR rehabilitation OR rehabilitative) OR su("Rehabilitation Nursing") OR ab,ti(Physiotherapy OR physiotherapist OR physiotherapists OR physiotherapeutic) OR su("Occupational Therapy") OR ab,ti(Occupational NEAR/3 care) OR su("Community Health Services") OR su("Community Health Nursing") OR su("Community Nursing") OR ab,ti(Community NEAR/2 (service OR services OR nurse OR nurses OR nursing)) OR su("Continuity of Care") OR su("Delivery of Health care, Integrated") OR ab,ti("Integrated care") OR su("Progressive Patient care") OR ab,ti(Interdisciplinary OR inter-disciplinary OR "inter disciplinary" OR interprofessional OR inter-professional OR "inter professional" OR multiprofessional OR multi-professional OR "multi professional" OR multidisciplinary OR multi-disciplinary OR "multi disciplinary" OR multiagency OR multi-agency OR cooperate OR cooperates OR cooperation OR co-operate OR co-operates OR co-operation OR collaborate OR collaborates OR collaboration) OR ab,ti((Recover OR Recovers OR Recovered OR recovering OR Recovery OR maintain OR maintains OR maintained OR maintaining OR relearn OR relearns OR relearned OR relearning OR learn OR learns OR learned OR learning OR regain OR regains OR regained OR regaining OR remain OR remains OR remained OR remaining OR live OR loss OR maximise OR maximises OR maximising OR prolong OR prolongs OR prolonged OR prolonging OR early OR earlier OR earliest) NEAR/4 (function OR mobility OR ability OR abilities OR confidence OR skill OR skills OR independence OR independent OR support OR ill OR illness OR illnesses)) OR ab,ti(Intermediate NEAR/3 (care OR team OR teams OR teamwork OR teamworking OR provider OR providers OR provision OR program OR programs OR programme OR programmes OR service OR services))) AND (ab,ti((Recover OR Recovers OR Recovered OR recovering OR Recovery OR maintain OR maintains OR maintained OR maintaining OR relearn OR relearns OR relearned OR relearning OR learn OR learns OR learned OR learning OR regain OR regains OR regained OR regaining OR remain OR remains OR remained OR remaining OR live OR loss OR maximise

OR maximises OR maximising OR prolong OR prolongs OR prolonged OR
prolonging OR early OR earlier OR earliest) NEAR/4 (function OR mobility OR ability
OR abilities OR confidence OR skill OR skills OR independence OR independent
OR support OR ill OR illness OR illnesses)) OR su("Recovery of Function") OR
su("Activities of Daily Living") OR ab,ti((Activities NEAR/3 "daily living") OR ADL OR
ADLs OR "domestic task" OR "domestic tasks" OR "social support" OR "personal
care") OR ab,ti(Goal NEAR/3 (setting OR settings)) OR su("Patients : Admission")
OR su("Patients : Readmission") OR su("Patients : Discharge") OR ab,ti((Support
OR supports OR supported OR supporting OR assist OR assists OR assisted OR
assisting OR plan OR plans OR planned OR planning OR facilitate OR facilitates OR
facilitated OR facilitating OR facilitation OR barrier OR barriers OR delay OR delays
OR delayed OR delaying OR early OR "pre" OR prevent OR prevents OR prevented
OR preventing OR avoid OR avoids OR avoided OR avoiding OR scheme OR
schemes OR acute OR timely OR premature OR inappropriate OR unnecessary)
NEAR/4 (admission OR admissions OR discharge OR transfer OR transfers OR
transferred OR transferring)) OR su("Length of Stay") OR su("Bed Occupancy")
AND (ab,ti((Short OR medium OR long) NEAR/4 term) OR Ab,ti(Month OR months
OR monthly OR week OR weeks OR weekly OR hour OR hours OR hourly OR day
OR days) OR ab,ti(Time OR period OR periods OR periodical OR periodically OR
length OR brief OR fast OR faster OR fastest OR limit OR limits OR limited)))) AND
((su.exact("research methods") AND ab,ti(qualitative)) OR ab,ti(view OR views OR
experience OR experiences OR attitude OR attitudes) OR ab,ti(cross-sectional))
AND pd(20050101-20151231)

Cumulative Index to Nursing and Allied Health Literature (CINAHL) - EBSCO

Date searched: 05/11/2015

No. of records: 392

Limits: study type, scholarly journals, language (English), date (20050101-
20151231)

Q2 A: Bed-based Intermediate Care - effectiveness

#	Query	Results
S81	S64 AND S79 Limiters - Scholarly (Peer Reviewed) Journals, English; Publication Date: 20050101-20151231	392
S80	S64 AND S79	713
S79	S65 OR S66 OR S67 OR S68 OR S69 OR S70 OR S71 OR S72 OR S73 OR S74 OR S75 OR S76 OR S77 OR S78	221,415
S78	(ZU "cross-sectional studies") or (ZU "cross-sectional study") or (ZU "cross-sectional survey")	28
S77	(ZU "cohort studies") or (ZU "cohort study")	59
S76	(ZU "case-control studies") or (ZU "case-control study")	25
S75	(ZU "clinical trial") or (ZU "clinical trial registry") or (ZU "clinical trial registry utilization") or (ZU "clinical trials") or (ZU "clinical trials england") or (ZU "clinical trials evaluation")	84,181
S74	TI Randomi#ed OR AB Randomi#ed	87,582
S73	(ZU "randomized controlled trials classification") or (ZU "randomized controlled trials england") or (ZU "randomized controlled trials equipment and supplies") or (ZU "randomized controlled trials ethical issues") or (ZU "randomized controlled trials evaluation") or (ZU "randomized controlled trials great britain") or (ZU "randomized controlled trials legislation and jurisprudence") or (ZU "randomized controlled trials methods") or (ZU "randomized controlled trials united kingdom") or (ZU "randomized controlled trials utilization") or (ZU "randomized	480

	study") or (ZU "randomized trial") or (ZU "randomized trials") or (ZU "randomized-controlled trial") or (ZU "randomness")	
S72	TI (("Meta analy*" or "metaanaly*" or "meta regression" or metaregression)) OR AB (("Meta analy*" or "metaanaly*" or "meta regression" or metaregression))	18,054
S71	(ZU "meta-analysis")	174
S70	TI (((Pool* or synthes* or extract*) N2 (data or evidence))) OR AB (((Pool* or synthes* or extract*) N2 (data or evidence)))	13,531
S69	TI (((Published or search* or handsearch* or relevant or selected) N3 (journals or database* or stud*))) OR AB (((Published or search* or handsearch* or relevant or selected) N3 (journals or database* or stud*)))	28,297
S68	(ZU "review") or (ZU "review analysis")	80
S67	TI (((Evidence or literature) N2 review)) OR AB (((Evidence or literature) N2 review))	37,747
S66	(ZU "systematic review") or (ZU "systematic review administration") or (ZU "systematic review and meta-analysis") or (ZU "systematic review classification") or (ZU "systematic review education") or (ZU "systematic review ethical issues") or (ZU "systematic review evaluation") or (ZU "systematic review methods") or (ZU "systematic review standards") or (ZU "systematic review trends") or (ZU "systematic review utilization") or (ZU "systematic reviewe") or (ZU "systematic reviews") or (ZU "systematic-review")	24,581

S65	TI ((Systematic N2 (review* or overview or search*))) OR AB ((Systematic N2 (review* or overview or search*)))	31,269
S64	S39 AND S63	4,183
S63	S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60 OR S61 OR S62	280,754
S62	TI (Prison N3 hospital) OR AB (Prison N3 hospital)	52
S61	(ZU "prison")	4
S60	TI (((Secondary or tertiary) N0 setting*)) OR AB (((Secondary or tertiary) N0 setting*))	1,210
S59	TI (((sub#acute or post#acute) N0 care)) OR AB (((sub#acute or post#acute) N0 care))	485
S58	TI (((Old* or elder* or geriatric*) N3 (people* or age*) N0 home*)) OR AB (((Old* or elder* or geriatric*) N3 (people* or age*) N0 home*))	204
S57	TI (((Care or rest or group or senior or elder or retire*) N3 (home* or hous* or facilit*))) OR AB (((Care or rest or group or senior or elder or retire*) N3 (home* or hous* or facilit*)))	34,389
S56	(ZU "care homes")	2
S55	TI ((Nursing N3 (facilit* or home* or setting*))) OR AB ((Nursing N3 (facilit* or home* or setting*)))	18,993

S54	(ZU "nursing homes") or (ZU "nursing homes administration") or (ZU "nursing homes administration united kingdom") or (ZU "nursing homes classification") or (ZU "nursing homes england") or (ZU "nursing homes ethical issues england") or (ZU "nursing homes ethical issues in old age") or (ZU "nursing homes ethical issues united kingdom") or (ZU "nursing homes evaluation") or (ZU "nursing homes evaluation england") or (ZU "nursing homes evaluation united kingdom") or (ZU "nursing homes in old age") or (ZU "nursing homes legislation and jurisprudence") or (ZU "nursing homes legislation and jurisprudence united kingdom") or (ZU "nursing homes manpower united kingdom") or (ZU "nursing homes methods") or (ZU "nursing homes organizations united kingdom") or (ZU "nursing homes standards") or (ZU "nursing homes statistics and numerical data") or (ZU "nursing homes trends") or (ZU "nursing homes trends united kingdom") or (ZU "nursing homes united kingdom") or (ZU "nursing homes utilization") or (ZU "nursing homes utilization england") or (ZU "nursing homes utilization in old age") or (ZU "nursing homes utilization united kingdom")	15,735
S53	TI (((Local authorit* or independent or NHS) N3 (facilit* or setting* or environment or hous*))) OR AB (((Local authorit* or independent or NHS) N3 (facilit* or setting* or environment or hous*)))	1,005
S52	TI ((Residential N3 (facilit* or setting* or environment or health or care))) OR TI ((Residential N3 (facilit* or setting* or environment or health or care)))	1,430
S51	(ZU "residential facilities") or (ZU "residential facilities administration") or (ZU "residential facilities administration united kingdom") or (ZU "residential facilities england") or (ZU "residential facilities evaluation") or (ZU "residential facilities in	2,853

	old age") or (ZU "residential facilities in old age england") or (ZU "residential facilities in old age united kingdom") or (ZU "residential facilities legislation and jurisprudence united kingdom") or (ZU "residential facilities methods") or (ZU "residential facilities psychosocial factors") or (ZU "residential facilities standards") or (ZU "residential facilities standards england") or (ZU "residential facilities standards united kingdom") or (ZU "residential facilities statistics and numerical data") or (ZU "residential facilities trends") or (ZU "residential facilities trends united kingdom") or (ZU "residential facilities united kingdom") or (ZU "residential facilities utilization") or (ZU "residential homes")	
S50	TI ((Community N3 (rehab or scheme* or model* or setting* or environment or provision))) OR AB ((Community N3 (rehab or scheme* or model* or setting* or environment or provision)))	9,148
S49	TI (((Community or "step up" or "step down" or transition*) N3 (hospital* or ward* or facilit* or care or bed or hospice))) OR AB (((Community or "step up" or "step down" or transition*) N3 (hospital* or ward* or facilit* or care or bed or hospice)))	20,138
S48	TI (((Intermediate or skilled nursing) N3 (unit* or centre* or center* or scheme* or setting* or facilit* or residen*))) OR AB (((Intermediate or skilled nursing) N3 (unit* or centre* or center* or scheme* or setting* or facilit* or residen*)))	1,433
S47	TI (Intermediate N3 facilities) OR AB (Intermediate N3 facilities)	67
S46	TI (((Temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))) OR AB (((Temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation	2,651

	or setting* or facilit* or model* or scheme*)))	
S45	(ZU "rehabilitation centers") or (ZU "rehabilitation centers administration") or (ZU "rehabilitation centers classification") or (ZU "rehabilitation centers england") or (ZU "rehabilitation centers ethical issues") or (ZU "rehabilitation centers evaluation") or (ZU "rehabilitation centers evaluation in old age") or (ZU "rehabilitation centers evaluation united kingdom") or (ZU "rehabilitation centers history united kingdom") or (ZU "rehabilitation centers in old age") or (ZU "rehabilitation centers legislation and jurisprudence") or (ZU "rehabilitation centers manpower") or (ZU "rehabilitation centers standards") or (ZU "rehabilitation centers statistics and numerical data") or (ZU "rehabilitation centers trends") or (ZU "rehabilitation centers trends united kingdom") or (ZU "rehabilitation centers united kingdom") or (ZU "rehabilitation classification") or (ZU "rehabilitation community") or (ZU "rehabilitation england")	5,604
S44	TI hospital* OR AB hospital*	183,681
S43	(ZU "hospitals") or (ZU "hospitals classification pennsylvania") or (ZU "hospitals england") or (ZU "hospitals ethical issues") or (ZU "hospitals ethical issues england") or (ZU "hospitals ethical issues united kingdom") or (ZU "hospitals evaluation") or (ZU "hospitals evaluation england") or (ZU "hospitals evaluation great britain") or (ZU "hospitals evaluation united kingdom") or (ZU "hospitals great britain") or (ZU "hospitals history united kingdom") or (ZU "hospitals in old age") or (ZU "hospitals legislation and jurisprudence") or (ZU "hospitals legislation and jurisprudence england") or (ZU "hospitals legislation and jurisprudence united kingdom") or (ZU "hospitals manpower") or (ZU "hospitals manpower united kingdom") or (ZU "hospitals methods") or (ZU "hospitals organizations") or (ZU "hospitals	45,900

statistics and numerical data australia") or (ZU "hospitals statistics and numerical data united states") or (ZU "hospitals trends") or (ZU "hospitals trends england") or (ZU "hospitals trends united kingdom") or (ZU "hospitals united kingdom") or (ZU "hospitals utilization") or (ZU "hospitals utilization in old age") or (ZU "hospitals utilization united kingdom") or (ZU "hospitals, community") or (ZU "hospitals, community administration") or (ZU "hospitals, community economics united kingdom") or (ZU "hospitals, community england") or (ZU "hospitals, community ethical issues") or (ZU "hospitals, community evaluation") or (ZU "hospitals, community great britain") or (ZU "hospitals, community methods") or (ZU "hospitals, community standards") or (ZU "hospitals, community statistics and numerical data") or (ZU "hospitals, community statistics and numerical data england") or (ZU "hospitals, community trends") or (ZU "hospitals, community trends united kingdom") or (ZU "hospitals, community united kingdom") or (ZU "hospitals, community utilization") or (ZU "hospitals, federal") or (ZU "hospitals, public") or (ZU "hospitals, public administration") or (ZU "hospitals, public administration great britain") or (ZU "hospitals, public classification") or (ZU "hospitals, public evaluation") or (ZU "hospitals, public evaluation united kingdom") or (ZU "hospitals, public great britain") or (ZU "hospitals, public legislation and jurisprudence") or (ZU "hospitals, public legislation and jurisprudence great britain") or (ZU "hospitals, public manpower") or (ZU "hospitals, public organizations") or (ZU "hospitals, public standards") or (ZU "hospitals, public statistics and numerical data") or (ZU "hospitals, public united kingdom") or (ZU "hospitals, public utilization") or (ZU "hospitals, public utilization great britain") or (ZU "hospitals, rural administration") or (ZU "hospitals, rural evaluation") or (ZU "hospitals, rural legislation and jurisprudence") or (ZU "hospitals, rural standards") or (ZU "hospitals, rural trends") or (ZU "hospitals, rural united kingdom")

	or (ZU "hospitals, rural utilization") or (ZU "hospitals, special") or (ZU "hospitals, special evaluation") or (ZU "hospitals, special history united kingdom") or (ZU "hospitals, special legislation and jurisprudence") or (ZU "hospitals, special standards") or (ZU "hospitals, special statistics and numerical data") or (ZU "hospitals, special trends") or (ZU "hospitals, urban")	
S42	(ZU "hospital") or (ZU "hospices")	2,338
S41	TI (((Bed* or bedside* or bed#side* or "bed#based" or "bed-based") N3 (acute or care or setting* or rehab* or service* or facilit* or intermediate))) OR AB (((Bed* or bedside* or bed#side* or "bed#based" or "bed-based") N3 (acute or care or setting* or rehab* or service* or facilit* or intermediate)))	3,471
S40	(ZU "bed capacity") or (ZU "bed occupancy") or (ZU "bed occupancy administration") or (ZU "bed occupancy administration united kingdom") or (ZU "bed occupancy england") or (ZU "bed occupancy evaluation") or (ZU "bed occupancy evaluation england") or (ZU "bed occupancy in old age") or (ZU "bed occupancy in old age united kingdom") or (ZU "bed occupancy legislation and jurisprudence") or (ZU "bed occupancy legislation and jurisprudence united kingdom") or (ZU "bed occupancy methods") or (ZU "bed occupancy psychosocial factors") or (ZU "bed occupancy standards") or (ZU "bed occupancy statistics and numerical data") or (ZU "bed occupancy statistics and numerical data in old age") or (ZU "bed occupancy trends") or (ZU "bed occupancy trends united kingdom") or (ZU "bed occupancy united kingdom") or (ZU "bed rest") or (ZU "bed rest evaluation") or (ZU "bed rest evaluation in old age") or (ZU "bed rest in old age") or (ZU "bed rest methods") or (ZU "bed rest nursing") or (ZU "bed rest psychosocial factors") or (ZU "bed rest trends") or (ZU "bed rest utilization") or (ZU "bed rest utilization in	5,641

	old age") or (ZU "beds") or (ZU "beds and mattresses") or (ZU "beds and mattresses adverse effects") or (ZU "beds and mattresses adverse effects in old age") or (ZU "beds and mattresses evaluation") or (ZU "beds and mattresses evaluation united kingdom") or (ZU "beds and mattresses in old age") or (ZU "beds and mattresses standards") or (ZU "beds and mattresses trends") or (ZU "beds and mattresses united kingdom") or (ZU "beds and mattresses utilization in old age") or (ZU "beds and mattresses utilization united kingdom")	
S39	S18 AND S32 AND S38	8,207
S38	S33 OR S34 OR S35 OR S36 OR S37	670,579
S37	((ZU "length of stay")) or ((ZU "length of stay evaluation"))	18,095
S36	TI (((Short or medium or long) N0 term)) OR AB (((Short or medium or long) N0 term))	80,845
S35	TI ((Month* or week* or hour* or day*)) OR AB ((Month* or week* or hour* or day*))	323,040
S34	TI ((Time or period* or length or brief or fast* or limit*)) OR AB ((Time or period* or length or brief or fast* or limit*))	448,481
S33	(ZU "time")	4,252
S32	S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31	83,899
S31	TI (((Support* or assist* or plan* or facilitat* or barrier* or delay* or early or pre or prevent* or avoid* or scheme* or acute or timely or premature or inappropriate or unnecessary) N0 (admission* or	4,383

	discharge or transfer*))) OR AB (((Support* or assist* or plan* or facilitat* or barrier* or delay* or early or pre or prevent* or avoid* or scheme* or acute or timely or premature or inappropriate or unnecessary) N0 (admission* or discharge or transfer*)))	
S30	(ZU "hospital discharge")	3
S29	((ZU "patient discharge")) or ((ZU "discharge") or (ZU "discharge planning"))	11,730
S28	((ZU "readmission")) or ((ZU "patient readmission"))	5,220
S27	(ZU "admission") or (ZU "patient admission")	8,195
S26	(ZU "hospital admission") or (ZU "hospital admissions")	6
S25	TI (Goal N3 sett*) AND AB (Goal N3 sett*)	144
S24	(ZU "goal setting") or (ZU "goal-setting")	3,452
S23	TI (((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")) OR AB (((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care"))	21,223
S22	(ZU "activities of daily living") or (ZU "activities of daily living classification") or (ZU "activities of daily living education") or (ZU "activities of daily living equipment and supplies") or (ZU "activities of daily living evaluation") or (ZU "activities of daily living evaluation in adulthood") or (ZU "activities of daily living evaluation in middle age") or (ZU "activities of daily living evaluation in old age") or (ZU "activities of daily living in middle	17,811

	age") or (ZU "activities of daily living in old age") or (ZU "activities of daily living nursing") or (ZU "activities of daily living organizations") or (ZU "activities of daily living psychosocial factors") or (ZU "activities of daily living psychosocial factors in old age") or (ZU "activities of daily living trends") or (ZU "activities of daily living trends in old age") or (ZU "activities of daily living united kingdom") or (ZU "activities of daily living utilization")	
S21	TI (((Recover* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximis* or prolong* or earl*) N0 (Function or mobilit* or abilit* or confidence or skill* or independen* or support or ill*))) OR AB (((Recover* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximis* or prolong* or earl*) N0 (Function or mobilit* or abilit* or confidence or skill* or independen* or support or ill*)))	7,162
S20	(ZU "recovery of function")	1
S19	(ZU "recovery") or (ZU "recovery and rehabilitation") or (ZU "recovery education") or (ZU "recovery evaluation") or (ZU "recovery evaluation in adulthood") or (ZU "recovery evaluation in old age") or (ZU "recovery in adulthood") or (ZU "recovery in middle age") or (ZU "recovery in old age") or (ZU "recovery methods") or (ZU "recovery physiology") or (ZU "recovery psychosocial factors") or (ZU "recovery united kingdom") or (ZU "recovery utilization") or (ZU "recovery, exercise") or (ZU "recovery, exercise evaluation in old age") or (ZU "recovery, exercise in middle age") or (ZU "recreation") or (ZU "recreation evaluation")	17,083
S18	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR	181,966

	S17	
S17	TI ((Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat* or co-operat* or collaborat*)) OR AB ((Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat* or co-operat* or collaborat*))	68,709
S16	(ZU "progressive patient care") or (ZU "progressive patient care administration") or (ZU "progressive patient care education") or (ZU "progressive patient care in old age")	183
S15	(ZU "integrated care") or (ZU "integrated experience") or (ZU "integrated health and social care") or (ZU "integrated knowledge translation") or (ZU "integrated model") or (ZU "integrated programs") or (ZU "integrated teams") or (ZU "integrating care") or (ZU "integration") or (ZU "integrative care") or (ZU "integrative medicine")	2,097
S14	(ZU "delivery of health care")	8
S13	(ZU "continuity of patient care") or (ZU "continuity of patient care administration") or (ZU "continuity of patient care england") or (ZU "continuity of patient care ethical issues") or (ZU "continuity of patient care evaluation") or (ZU "continuity of patient care evaluation united kingdom") or (ZU "continuity of patient care history") or (ZU "continuity of patient care in adulthood") or (ZU	7,617

	"continuity of patient care in adulthood united kingdom") or (ZU "continuity of patient care in old age") or (ZU "continuity of patient care in old age great britain") or (ZU "continuity of patient care legislation and jurisprudence") or (ZU "continuity of patient care methods") or (ZU "continuity of patient care methods in old age") or (ZU "continuity of patient care methods united kingdom") or (ZU "continuity of patient care standards") or (ZU "continuity of patient care standards england") or (ZU "continuity of patient care statistics and numerical data") or (ZU "continuity of patient care trends") or (ZU "continuity of patient care united kingdom") or (ZU "continuity of patient care utilization")	
S12	(ZU "community nursing") or (ZU "community practice")	4
S11	TI ((Community N2 (service* or nurs*)).) OR AB ((Community N2 (service* or nurs*)))	13,426
S10	(ZU "community health services") or (ZU "community health services administration") or (ZU "community health services administration england") or (ZU "community health services administration great britain") or (ZU "community health services administration in old age") or (ZU "community health services administration united kingdom") or (ZU "community health services education") or (ZU "community health services england") or (ZU "community health services ethical issues") or (ZU "community health services evaluation") or (ZU "community health services evaluation in old age") or (ZU "community health services evaluation united kingdom") or (ZU "community health services history united kingdom") or (ZU "community health services in old age") or (ZU "community health services in old age united kingdom") or (ZU "community health services manpower") or (ZU "community health services methods") or (ZU "community health services organizations united kingdom") or	12,988

	(ZU "community health services psychosocial factors united kingdom") or (ZU "community health services standards") or (ZU "community health services standards united kingdom") or (ZU "community health services statistics and numerical data") or (ZU "community health services trends") or (ZU "community health services trends england") or (ZU "community health services trends in old age") or (ZU "community health services trends united kingdom") or (ZU "community health services united kingdom") or (ZU "community health services utilization england") or (ZU "community health services utilization in old age") or (ZU "community health workers")	
S9	TI (Occupational N3 care) OR AB (Occupational N3 care)	761
S8	(ZU "occupational therapy") or (ZU "occupational therapy assessment") or (ZU "occupational therapy assessment evaluation") or (ZU "occupational therapy assessment evaluation in old age") or (ZU "occupational therapy assessment in old age") or (ZU "occupational therapy assessment methods") or (ZU "occupational therapy assessment methods in adulthood") or (ZU "occupational therapy assessment methods in old age") or (ZU "occupational therapy assessment standards") or (ZU "occupational therapy assessment trends") or (ZU "occupational therapy assessment trends united kingdom") or (ZU "occupational therapy assessment united kingdom") or (ZU "occupational therapy assistants") or (ZU "occupational therapy assistants education") or (ZU "occupational therapy assistants education united kingdom") or (ZU "occupational therapy assistants history") or (ZU "occupational therapy assistants in middle age") or (ZU "occupational therapy assistants organizations") or (ZU "occupational therapy equipment and supplies") or (ZU "occupational therapy equipment and supplies united kingdom") or (ZU "occupational therapy ethical issues") or	16,739

(ZU "occupational therapy ethical issues united kingdom") or (ZU "occupational therapy evaluation") or (ZU "occupational therapy evaluation england") or (ZU "occupational therapy evaluation in old age") or (ZU "occupational therapy evaluation united kingdom") or (ZU "occupational therapy great britain") or (ZU "occupational therapy history") or (ZU "occupational therapy history england") or (ZU "occupational therapy history great britain") or (ZU "occupational therapy history in old age") or (ZU "occupational therapy history united kingdom") or (ZU "occupational therapy in old age") or (ZU "occupational therapy in old age united kingdom") or (ZU "occupational therapy legislation and jurisprudence") or (ZU "occupational therapy legislation and jurisprudence united kingdom") or (ZU "occupational therapy manpower united kingdom") or (ZU "occupational therapy methods") or (ZU "occupational therapy methods united kingdom") or (ZU "occupational therapy organizations") or (ZU "occupational therapy organizations england") or (ZU "occupational therapy organizations united kingdom") or (ZU "occupational therapy practice") or (ZU "occupational therapy practice administration") or (ZU "occupational therapy practice england") or (ZU "occupational therapy practice ethical issues") or (ZU "occupational therapy practice evaluation") or (ZU "occupational therapy practice methods") or (ZU "occupational therapy practice standards") or (ZU "occupational therapy practice trends") or (ZU "occupational therapy practice trends united kingdom") or (ZU "occupational therapy practice united kingdom") or (ZU "occupational therapy practice, evidence-based") or (ZU "occupational therapy practice, evidence-based methods") or (ZU "occupational therapy practice, evidence-based utilization") or (ZU "occupational therapy practice, research-based") or (ZU "occupational therapy psychosocial factors") or (ZU "occupational therapy service") or (ZU "occupational therapy service administration united

	kingdom") or (ZU "occupational therapy service england") or (ZU "occupational therapy service evaluation united kingdom") or (ZU "occupational therapy service manpower england") or (ZU "occupational therapy service trends united kingdom") or (ZU "occupational therapy service united kingdom") or (ZU "occupational therapy service utilization") or (ZU "occupational therapy service utilization in old age") or (ZU "occupational therapy standards") or (ZU "occupational therapy standards united kingdom") or (ZU "occupational therapy systematic evaluation of evidence") or (ZU "occupational therapy trends") or (ZU "occupational therapy trends united kingdom") or (ZU "occupational therapy united kingdom") or (ZU "occupational therapy utilization") or (ZU "occupational therapy utilization united kingdom")	
S7	TI Physiotherapy OR AB Physiotherapy	7,777
S6	(ZU "physiotherapy") or (ZU "physiotherapy evidence database")	866
S5	TI ((Intermediate N3 (care or team* or provider* or provision or programme* or service*))) OR AB ((Intermediate N3 (care or team* or provider* or provision or programme* or service*)))	750
S4	(ZU "intermediate care")	3
S3	TI Rehabilitat* OR AB Rehabilitat*	50,661
S2	(ZU "rehabilitation") or (ZU "rehabilitation administration")	11,079
S1	((ZU "rehabilitation education")) or ((ZU "rehabilitation england") or (ZU "rehabilitation equipment and supplies") or (ZU "rehabilitation equipment and supplies united kingdom") or (ZU "rehabilitation ethical issues") or (ZU "rehabilitation europe") or	26,289

(ZU "rehabilitation evaluation") or (ZU "rehabilitation evaluation united kingdom") or (ZU "rehabilitation history united kingdom") or (ZU "rehabilitation in adulthood") or (ZU "rehabilitation in adulthood united kingdom") or (ZU "rehabilitation in middle age") or (ZU "rehabilitation interventions") or (ZU "rehabilitation legislation and jurisprudence") or (ZU "rehabilitation legislation and jurisprudence united kingdom") or (ZU "rehabilitation manpower united kingdom") or (ZU "rehabilitation medicine") or (ZU "rehabilitation method") or (ZU "rehabilitation methods") or (ZU "rehabilitation methods european union") or (ZU "rehabilitation nursing") or (ZU "rehabilitation nursing classification") or (ZU "rehabilitation nursing education") or (ZU "rehabilitation nursing education united kingdom") or (ZU "rehabilitation nursing england") or (ZU "rehabilitation nursing equipment and supplies") or (ZU "rehabilitation nursing ethical issues") or (ZU "rehabilitation nursing evaluation") or (ZU "rehabilitation nursing history") or (ZU "rehabilitation nursing in old age") or (ZU "rehabilitation nursing intervention") or (ZU "rehabilitation nursing legislation and jurisprudence") or (ZU "rehabilitation nursing manpower") or (ZU "rehabilitation nursing methods") or (ZU "rehabilitation nursing organizations") or (ZU "rehabilitation nursing psychosocial factors") or (ZU "rehabilitation nursing standards") or (ZU "rehabilitation nursing trends") or (ZU "rehabilitation nursing trends united kingdom") or (ZU "rehabilitation nursing united kingdom") or (ZU "rehabilitation of hearing impaired evaluation") or (ZU "rehabilitation of hearing impaired in adulthood") or (ZU "rehabilitation of hearing impaired in old age") or (ZU "rehabilitation of hearing impaired methods") or (ZU "rehabilitation of hearing impaired methods in adulthood") or (ZU "rehabilitation of hearing impaired organizations") or (ZU "rehabilitation of hearing impaired trends") or (ZU "rehabilitation of vision impaired") or (ZU "rehabilitation of vision impaired education") or (ZU "rehabilitation of vision impaired education

united kingdom") or (ZU "rehabilitation of vision impaired equipment and supplies") or (ZU "rehabilitation of vision impaired evaluation") or (ZU "rehabilitation of vision impaired history") or (ZU "rehabilitation of vision impaired in adulthood") or (ZU "rehabilitation of vision impaired in old age") or (ZU "rehabilitation of vision impaired methods") or (ZU "rehabilitation of vision impaired psychosocial factors") or (ZU "rehabilitation organizations") or (ZU "rehabilitation outcome") or (ZU "rehabilitation outcomes") or (ZU "rehabilitation patients") or (ZU "rehabilitation patients education in old age") or (ZU "rehabilitation patients ethical issues") or (ZU "rehabilitation patients evaluation") or (ZU "rehabilitation patients in old age") or (ZU "rehabilitation patients psychosocial factors") or (ZU "rehabilitation programme") or (ZU "rehabilitation psychosocial factors") or (ZU "rehabilitation science") or (ZU "rehabilitation standards") or (ZU "rehabilitation statistics and numerical data") or (ZU "rehabilitation trends") or (ZU "rehabilitation trends united kingdom") or (ZU "rehabilitation united kingdom") or (ZU "rehabilitation, cancer") or (ZU "rehabilitation, cancer administration") or (ZU "rehabilitation, cancer methods") or (ZU "rehabilitation, cancer nursing") or (ZU "rehabilitation, cancer psychosocial factors") or (ZU "rehabilitation, cancer standards") or (ZU "rehabilitation, cancer utilization") or (ZU "rehabilitation, cardiac") or (ZU "rehabilitation, cardiac evaluation") or (ZU "rehabilitation, cardiac in old age") or (ZU "rehabilitation, cardiac methods") or (ZU "rehabilitation, cardiac nursing") or (ZU "rehabilitation, cardiac organizations") or (ZU "rehabilitation, cardiac psychosocial factors") or (ZU "rehabilitation, cardiac standards") or (ZU "rehabilitation, cardiac trends") or (ZU "rehabilitation, cardiac trends united kingdom") or (ZU "rehabilitation, cardiac united kingdom") or (ZU "rehabilitation, cardiac utilization") or (ZU "rehabilitation, cognitive") or (ZU "rehabilitation, cognitive classification") or (ZU "rehabilitation,

cognitive evaluation") or (ZU "rehabilitation, cognitive in old age") or (ZU "rehabilitation, cognitive methods") or (ZU "rehabilitation, cognitive trends") or (ZU "rehabilitation, community-based") or (ZU "rehabilitation, community-based administration") or (ZU "rehabilitation, community-based ethical issues") or (ZU "rehabilitation, community-based evaluation") or (ZU "rehabilitation, community-based in old age") or (ZU "rehabilitation, community-based manpower") or (ZU "rehabilitation, community-based methods") or (ZU "rehabilitation, community-based methods united kingdom") or (ZU "rehabilitation, community-based standards united kingdom") or (ZU "rehabilitation, community-based trends united kingdom") or (ZU "rehabilitation, community-based united kingdom") or (ZU "rehabilitation, community-based utilization") or (ZU "rehabilitation, geriatric") or (ZU "rehabilitation, geriatric england") or (ZU "rehabilitation, geriatric equipment and supplies") or (ZU "rehabilitation, geriatric ethical issues") or (ZU "rehabilitation, geriatric great britain") or (ZU "rehabilitation, geriatric methods") or (ZU "rehabilitation, geriatric methods united kingdom") or (ZU "rehabilitation, geriatric nursing") or (ZU "rehabilitation, geriatric standards") or (ZU "rehabilitation, geriatric trends") or (ZU "rehabilitation, geriatric trends united kingdom") or (ZU "rehabilitation, geriatric united kingdom") or (ZU "rehabilitation, geriatric utilization") or (ZU "rehabilitation, psychosocial") or (ZU "rehabilitation, psychosocial england") or (ZU "rehabilitation, psychosocial in adulthood") or (ZU "rehabilitation, psychosocial in middle age") or (ZU "rehabilitation, psychosocial in old age") or (ZU "rehabilitation, psychosocial methods") or (ZU "rehabilitation, psychosocial methods united kingdom") or (ZU "rehabilitation, psychosocial standards") or (ZU "rehabilitation, psychosocial trends") or (ZU "rehabilitation, pulmonary") or (ZU "rehabilitation, pulmonary education") or (ZU "rehabilitation, pulmonary education united kingdom") or (ZU "rehabilitation, pulmonary

england") or (ZU "rehabilitation, pulmonary equipment and supplies") or (ZU "rehabilitation, pulmonary equipment and supplies in old age") or (ZU "rehabilitation, pulmonary evaluation") or (ZU "rehabilitation, pulmonary evaluation in old age") or (ZU "rehabilitation, pulmonary in old age") or (ZU "rehabilitation, pulmonary legislation and jurisprudence") or (ZU "rehabilitation, pulmonary methods") or (ZU "rehabilitation, pulmonary nursing") or (ZU "rehabilitation, pulmonary psychosocial factors") or (ZU "rehabilitation, pulmonary standards united kingdom") or (ZU "rehabilitation, pulmonary trends") or (ZU "rehabilitation, pulmonary trends united kingdom") or (ZU "rehabilitation, speech and language") or (ZU "rehabilitation, speech and language education") or (ZU "rehabilitation, speech and language evaluation") or (ZU "rehabilitation, speech and language in adulthood") or (ZU "rehabilitation, speech and language in infancy and childhood united kingdom") or (ZU "rehabilitation, speech and language in old age") or (ZU "rehabilitation, speech and language methods") or (ZU "rehabilitation, speech and language nursing") or (ZU "rehabilitation, speech and language organizations") or (ZU "rehabilitation, speech and language standards united kingdom") or (ZU "rehabilitation, speech and language trends") or (ZU "rehabilitation, speech and language trends united kingdom") or (ZU "rehabilitation, speech and language united kingdom") or (ZU "rehabilitation, vocational") or (ZU "rehabilitation, vocational education") or (ZU "rehabilitation, vocational equipment and supplies") or (ZU "rehabilitation, vocational evaluation") or (ZU "rehabilitation, vocational evaluation in old age") or (ZU "rehabilitation, vocational great britain") or (ZU "rehabilitation, vocational in middle age") or (ZU "rehabilitation, vocational in old age") or (ZU "rehabilitation, vocational legislation and jurisprudence united kingdom") or (ZU "rehabilitation, vocational manpower") or (ZU "rehabilitation, vocational methods") or (ZU

	"rehabilitation, vocational methods united kingdom") or (ZU "rehabilitation, vocational nursing") or (ZU "rehabilitation, vocational organizations") or (ZU "rehabilitation, vocational organizations united kingdom") or (ZU "rehabilitation, vocational psychosocial factors") or (ZU "rehabilitation, vocational standards") or (ZU "rehabilitation, vocational standards united kingdom") or (ZU "rehabilitation, vocational statistics and numerical data") or (ZU "rehabilitation, vocational trends") or (ZU "rehabilitation, vocational trends united kingdom") or (ZU "rehabilitation, vocational united kingdom") or (ZU "rehabilitation, vocational utilization in old age"))	
--	--	--

Cumulative Index to Nursing and Allied Health Literature (CINAHL) - EBSCO

Date searched: 05/11/2015

No. of records: 363

Limits: study type, scholarly journals, language (English), date (2005/01/01-2015/12/31)

Q2 B: Bed-based Intermediate Care – cost effectiveness

#	Query	Results
S109	S64 AND S106 Limiters - Published Date: 20050101-20151231; English Language, Academic Journals	363
S108	S64 AND S106 Limiters - Published Date: 20050101-20151231	426
S107	S64 AND S106	701

S106	S65 OR S66 OR S67 OR S68 OR S69 OR S70 OR S71 OR S72 OR S73 OR S74 OR S75 OR S76 OR S77 OR S78 OR S79 OR S80 OR S81 OR S82 OR S83 OR S84 OR S85 OR S86 OR S87 OR S88 OR S89 OR S90 OR S91 OR S92 OR S93 OR S94 OR S95 OR S96 OR S97 OR S98 OR S99 OR S100 OR S101 OR S102 OR S103 OR S104 OR S105	165,476
S105	TI (("Social care" or "social work*" or "social service*") N3 cost*) OR AB (("Social care" or "social work*" or "social service*") N3 cost*)	116
S104	TI (Personal health N3 budget*) OR AB (Personal health N3 budget*)	66
S103	TI (((Personal or pool*) N3 budget*) OR AB (((Personal or pool*) N3 budget*)	192
S102	TI (economic* N3 model*) OR AB (economic* N3 model*)	761
S101	(ZU "models, theoretical economics")	3
S100	(ZU "economic value of life") or (ZU "economic value of life economics")	368
S99	TI (((Cost* or compar* or net*) N3 (service* or offset* or effect* or utility* or consequence* or benefit* or model* or estimate* or unit* or variable))) OR AB (((Cost* or compar* or net*) N3 (service* or offset* or effect* or utility* or consequence* or benefit* or model* or estimate* or unit* or variable)))	52,108
S98	((Cost* or compar* or net*) N3 (service* or offset* or effect* or utility* or consequence* or benefit* or model* or estimate* or unit*	60,998

	or variable))	
S97	TI Socioeconomic* OR AB Socioeconomic*	14,255
S96	TI ((Economic* or price* or commission* or pricing)) OR AB ((Economic* or price* or commission* or pricing))	44,288
S95	TI ((Fiscal or funding or financial or finance)) OR AB ((Fiscal or funding or financial or finance))	33,960
S94	TI (Care N0 cost*) OR AB (Care N0 cost*)	3,757
S93	TI (((Low or high) N0 cost*)) OR AB (((Low or high) N0 cost*))	4,273
S92	(ZU "local government economics") or (ZU "local government economics united kingdom")	4
S91	(ZU "nursing homes economics") or (ZU "nursing homes economics england") or (ZU "nursing homes economics great britain")	847
S90	(ZU "residential care economics") or (ZU "residential care economics england") or (ZU "residential care economics in old age") or (ZU "residential care economics united kingdom")	189
S89	(ZU "bed rest economics")	2
S88	(ZU "bed occupancy economics") or (ZU "bed occupancy economics united kingdom")	47
S87	(ZU "time economics")	14
S86	(ZU "bed occupancy economics") or (ZU "bed occupancy	47

	economics united kingdom")	
S85	(ZU "length of stay economics") or (ZU "length of stay economics great britain") or (ZU "length of stay economics in old age") or (ZU "length of stay economics united kingdom")	581
S84	(ZU "discharge planning economics") or (ZU "discharge planning economics united kingdom")	17
S83	(ZU "patient discharge economics")	102
S82	(ZU "patient admission economics") or (ZU "patient admission economics in old age")	152
S81	(ZU "activities of daily living economics")	3
S80	(ZU "disability evaluation economics")	4
S79	(ZU "recovery economics")	1
S78	(ZU "collaboration economics")	12
S77	(ZU "multicenter studies economics")	20
S76	(ZU "multidisciplinary care team economics") or (ZU "multidisciplinary care team economics in old age") or (ZU "multidisciplinary care team economics united kingdom")	106
S75	(ZU "progressive patient care economics")	9
S74	(ZU "continuity of patient care economics") or (ZU "continuity of patient care economics united kingdom")	98

S73	(ZU "community health nursing economics") or (ZU "community health nursing economics england")	231
S72	(ZU "community health services economics")	407
S71	(ZU "occupational therapy economics") or (ZU "occupational therapy economics united kingdom")	127
S70	(ZU "hospital costs") or (ZU "hospital charges") or (ZU "hospices economics united kingdom") or (ZU "hospices economics") or (ZU "hospital information systems economics united kingdom") or (ZU "hospital planning economics") or (ZU "hospital policies economics united kingdom") or (ZU "hospital programs economics") or (ZU "hospital resources") or (ZU "hospital units economics") or (ZU "hospital units economics united kingdom") or (ZU "hospitalists economics") or (ZU "hospitalization economics") or (ZU "hospitalization economics in adulthood") or (ZU "hospitalization economics in old age") or (ZU "hospitalization economics united kingdom") or (ZU "hospitals economics") or (ZU "hospitals economics great britain") or (ZU "hospitals economics united kingdom") or (ZU "hospitals, community economics") or (ZU "hospitals, community economics england") or (ZU "hospitals, community economics united kingdom") or (ZU "hospitals, psychiatric economics united kingdom") or (ZU "hospitals, psychiatric economics") or (ZU "hospitals, public economics") or (ZU "hospitals, public economics united kingdom") or (ZU "hospitals, rural economics") or (ZU "hospitals, special economics") or (ZU "hospitals, urban economics") or (ZU "hospitals, urban england")	5,126
S69	(ZU "rehabilitation centers economics") or (ZU "rehabilitation centers economics england") or (ZU "rehabilitation centers	178

	economics united kingdom")	
S68	(ZU "value-based health care") or (ZU "value-based pricing") or (ZU "value-based purchasing") or (ZU "value-based purchasing economics") or (ZU "value-based purchasing evaluation")	281
S67	(ZU "budgets")	6,914
S66	(ZU "costs") or (ZU "costs and cost analysis") or (ZU "costs and cost analysis administration") or (ZU "costs and cost analysis economics") or (ZU "costs and cost analysis evaluation") or (ZU "costs and cost analysis evaluation in old age") or (ZU "costs and cost analysis in old age") or (ZU "costs and cost analysis methods") or (ZU "costs and cost analysis methods united kingdom") or (ZU "costs and cost analysis standards") or (ZU "costs and cost analysis statistics and numerical data") or (ZU "costs and cost analysis trends") or (ZU "costs and cost analysis trends england") or (ZU "costs and cost analysis united kingdom")	9,551
S65	(ZU "economics")	7,247
S64	S39 AND S63	4,183
S63	S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60 OR S61 OR S62	280,754
S62	TI (Prison N3 hospital) OR AB (Prison N3 hospital)	52
S61	(ZU "prison")	4
S60	TI (((Secondary or tertiary) N0 setting*)) OR AB (((Secondary or	1,210

	tertiary) N0 setting*))	
S59	TI (((sub#acute or post#acute) N0 care)) OR AB (((sub#acute or post#acute) N0 care))	485
S58	TI (((Old* or elder* or geriatric*) N3 (people* or age*) N0 home*)) OR AB (((Old* or elder* or geriatric*) N3 (people* or age*) N0 home*))	204
S57	TI (((Care or rest or group or senior or elder or retire*) N3 (home* or hous* or facilit*))) OR AB (((Care or rest or group or senior or elder or retire*) N3 (home* or hous* or facilit*)))	34,389
S56	(ZU "care homes")	2
S55	TI ((Nursing N3 (facilit* or home* or setting*))) OR AB ((Nursing N3 (facilit* or home* or setting*)))	18,993
S54	(ZU "nursing homes") or (ZU "nursing homes administration") or (ZU "nursing homes administration united kingdom") or (ZU "nursing homes classification") or (ZU "nursing homes england") or (ZU "nursing homes ethical issues england") or (ZU "nursing homes ethical issues in old age") or (ZU "nursing homes ethical issues united kingdom") or (ZU "nursing homes evaluation") or (ZU "nursing homes evaluation england") or (ZU "nursing homes evaluation united kingdom") or (ZU "nursing homes in old age") or (ZU "nursing homes legislation and jurisprudence") or (ZU "nursing homes legislation and jurisprudence united kingdom") or (ZU "nursing homes manpower united kingdom") or (ZU "nursing homes methods") or (ZU "nursing homes organizations united kingdom") or (ZU "nursing homes standards") or (ZU "nursing homes statistics and numerical data") or (ZU "nursing homes trends") or (ZU "nursing homes trends united kingdom") or (ZU "nursing homes	15,735

	united kingdom") or (ZU "nursing homes utilization") or (ZU "nursing homes utilization england") or (ZU "nursing homes utilization in old age") or (ZU "nursing homes utilization united kingdom")	
S53	TI (((Local authorit* or independent or NHS) N3 (facilit* or setting* or environment or hous*))) OR AB (((Local authorit* or independent or NHS) N3 (facilit* or setting* or environment or hous*)))	1,005
S52	TI ((Residential N3 (facilit* or setting* or environment or health or care))) OR TI ((Residential N3 (facilit* or setting* or environment or health or care)))	1,430
S51	(ZU "residential facilities") or (ZU "residential facilities administration") or (ZU "residential facilities administration united kingdom") or (ZU "residential facilities england") or (ZU "residential facilities evaluation") or (ZU "residential facilities in old age") or (ZU "residential facilities in old age england") or (ZU "residential facilities in old age united kingdom") or (ZU "residential facilities legislation and jurisprudence united kingdom") or (ZU "residential facilities methods") or (ZU "residential facilities psychosocial factors") or (ZU "residential facilities standards") or (ZU "residential facilities standards england") or (ZU "residential facilities standards united kingdom") or (ZU "residential facilities statistics and numerical data") or (ZU "residential facilities trends") or (ZU "residential facilities trends united kingdom") or (ZU "residential facilities united kingdom") or (ZU "residential facilities utilization") or (ZU "residential homes")	2,853
S50	TI ((Community N3 (rehab or scheme* or model* or setting* or environment or provision))) OR AB ((Community N3 (rehab or scheme* or model* or setting* or environment or provision)))	9,148

S49	TI (((Community or "step up" or "step down" or transition*) N3 (hospital* or ward* or facilit* or care or bed or hospice))) OR AB (((Community or "step up" or "step down" or transition*) N3 (hospital* or ward* or facilit* or care or bed or hospice)))	20,138
S48	TI (((Intermediate or skilled nursing) N3 (unit* or centre* or center* or scheme* or setting* or facilit* or residen*))) OR AB (((Intermediate or skilled nursing) N3 (unit* or centre* or center* or scheme* or setting* or facilit* or residen*)))	1,433
S47	TI (Intermediate N3 facilities) OR AB (Intermediate N3 facilities)	67
S46	TI (((Temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))) OR AB (((Temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*)))	2,651
S45	(ZU "rehabilitation centers") or (ZU "rehabilitation centers administration") or (ZU "rehabilitation centers classification") or (ZU "rehabilitation centers england") or (ZU "rehabilitation centers ethical issues") or (ZU "rehabilitation centers evaluation") or (ZU "rehabilitation centers evaluation in old age") or (ZU "rehabilitation centers evaluation united kingdom") or (ZU "rehabilitation centers history united kingdom") or (ZU "rehabilitation centers in old age") or (ZU "rehabilitation centers legislation and jurisprudence") or (ZU "rehabilitation centers manpower") or (ZU "rehabilitation centers standards") or (ZU "rehabilitation centers statistics and numerical data") or (ZU "rehabilitation centers trends") or (ZU "rehabilitation centers trends united kingdom") or (ZU "rehabilitation centers united kingdom") or (ZU "rehabilitation classification") or (ZU	5,604

	"rehabilitation community") or (ZU "rehabilitation england")	
S44	TI hospital* OR AB hospital*	183,681
S43	(ZU "hospitals") or (ZU "hospitals classification pennsylvania") or (ZU "hospitals england") or (ZU "hospitals ethical issues") or (ZU "hospitals ethical issues england") or (ZU "hospitals ethical issues united kingdom") or (ZU "hospitals evaluation") or (ZU "hospitals evaluation england") or (ZU "hospitals evaluation great britain") or (ZU "hospitals evaluation united kingdom") or (ZU "hospitals great britain") or (ZU "hospitals history united kingdom") or (ZU "hospitals in old age") or (ZU "hospitals legislation and jurisprudence") or (ZU "hospitals legislation and jurisprudence england") or (ZU "hospitals legislation and jurisprudence united kingdom") or (ZU "hospitals manpower") or (ZU "hospitals manpower united kingdom") or (ZU "hospitals methods") or (ZU "hospitals organizations") or (ZU "hospitals statistics and numerical data australia") or (ZU "hospitals statistics and numerical data united states") or (ZU "hospitals trends") or (ZU "hospitals trends england") or (ZU "hospitals trends united kingdom") or (ZU "hospitals united kingdom") or (ZU "hospitals utilization") or (ZU "hospitals utilization in old age") or (ZU "hospitals utilization united kingdom") or (ZU "hospitals, community") or (ZU "hospitals, community administration") or (ZU "hospitals, community economics united kingdom") or (ZU "hospitals, community england") or (ZU "hospitals, community ethical issues") or (ZU "hospitals, community evaluation") or (ZU "hospitals, community great britain") or (ZU "hospitals, community methods") or (ZU "hospitals, community standards") or (ZU "hospitals, community statistics and numerical data") or (ZU "hospitals, community statistics and numerical data england") or (ZU "hospitals, community trends") or (ZU "hospitals, community trends united kingdom") or (ZU "hospitals, community united kingdom") or (ZU "hospitals, community utilization") or (ZU	45,900

	"hospitals, federal") or (ZU "hospitals, public") or (ZU "hospitals, public administration") or (ZU "hospitals, public administration great britain") or (ZU "hospitals, public classification") or (ZU "hospitals, public evaluation") or (ZU "hospitals, public evaluation united kingdom") or (ZU "hospitals, public great britain") or (ZU "hospitals, public legislation and jurisprudence") or (ZU "hospitals, public legislation and jurisprudence great britain") or (ZU "hospitals, public manpower") or (ZU "hospitals, public organizations") or (ZU "hospitals, public standards") or (ZU "hospitals, public statistics and numerical data") or (ZU "hospitals, public united kingdom") or (ZU "hospitals, public utilization") or (ZU "hospitals, public utilization great britain") or (ZU "hospitals, rural administration") or (ZU "hospitals, rural evaluation") or (ZU "hospitals, rural legislation and jurisprudence") or (ZU "hospitals, rural standards") or (ZU "hospitals, rural trends") or (ZU "hospitals, rural united kingdom") or (ZU "hospitals, rural utilization") or (ZU "hospitals, special") or (ZU "hospitals, special evaluation") or (ZU "hospitals, special history united kingdom") or (ZU "hospitals, special legislation and jurisprudence") or (ZU "hospitals, special standards") or (ZU "hospitals, special statistics and numerical data") or (ZU "hospitals, special trends") or (ZU "hospitals, urban")	
S42	(ZU "hospital") or (ZU "hospices")	2,338
S41	TI (((Bed* or bedside* or bed#side* or "bed#based" or "bed-based") N3 (acute or care or setting* or rehab* or service* or facilit* or intermediate))) OR AB (((Bed* or bedside* or bed#side* or "bed#based" or "bed-based") N3 (acute or care or setting* or rehab* or service* or facilit* or intermediate)))	3,471
S40	(ZU "bed capacity") or (ZU "bed occupancy") or (ZU "bed occupancy administration") or (ZU "bed occupancy administration united kingdom") or (ZU "bed occupancy england") or (ZU "bed	5,641

	occupancy evaluation") or (ZU "bed occupancy evaluation england") or (ZU "bed occupancy in old age") or (ZU "bed occupancy in old age united kingdom") or (ZU "bed occupancy legislation and jurisprudence") or (ZU "bed occupancy legislation and jurisprudence united kingdom") or (ZU "bed occupancy methods") or (ZU "bed occupancy psychosocial factors") or (ZU "bed occupancy standards") or (ZU "bed occupancy statistics and numerical data") or (ZU "bed occupancy statistics and numerical data in old age") or (ZU "bed occupancy trends") or (ZU "bed occupancy trends united kingdom") or (ZU "bed occupancy united kingdom") or (ZU "bed rest") or (ZU "bed rest evaluation") or (ZU "bed rest evaluation in old age") or (ZU "bed rest in old age") or (ZU "bed rest methods") or (ZU "bed rest nursing") or (ZU "bed rest psychosocial factors") or (ZU "bed rest trends") or (ZU "bed rest utilization") or (ZU "bed rest utilization in old age") or (ZU "beds") or (ZU "beds and mattresses") or (ZU "beds and mattresses adverse effects") or (ZU "beds and mattresses adverse effects in old age") or (ZU "beds and mattresses evaluation") or (ZU "beds and mattresses evaluation united kingdom") or (ZU "beds and mattresses in old age") or (ZU "beds and mattresses standards") or (ZU "beds and mattresses trends") or (ZU "beds and mattresses united kingdom") or (ZU "beds and mattresses utilization in old age") or (ZU "beds and mattresses utilization united kingdom")	
S39	S18 AND S32 AND S38	8,207
S38	S33 OR S34 OR S35 OR S36 OR S37	670,579
S37	((ZU "length of stay")) or ((ZU "length of stay evaluation"))	18,095
S36	TI (((Short or medium or long) N0 term)) OR AB (((Short or medium or long) N0 term))	80,845

S35	TI ((Month* or week* or hour* or day*)) OR AB ((Month* or week* or hour* or day*))	323,040
S34	TI ((Time or period* or length or brief or fast* or limit*)) OR AB ((Time or period* or length or brief or fast* or limit*))	448,481
S33	(ZU "time")	4,252
S32	S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31	83,899
S31	TI (((Support* or assist* or plan* or facilitat* or barrier* or delay* or early or pre or prevent* or avoid* or scheme* or acute or timely or premature or inappropriate or unnecessary) N0 (admission* or discharge or transfer*))) OR AB (((Support* or assist* or plan* or facilitat* or barrier* or delay* or early or pre or prevent* or avoid* or scheme* or acute or timely or premature or inappropriate or unnecessary) N0 (admission* or discharge or transfer*)))	4,383
S30	(ZU "hospital discharge")	3
S29	((ZU "patient discharge")) or ((ZU "discharge") or (ZU "discharge planning"))	11,730
S28	((ZU "readmission")) or ((ZU "patient readmission"))	5,220
S27	(ZU "admission") or (ZU "patient admission")	8,195
S26	(ZU "hospital admission") or (ZU "hospital admissions")	6
S25	TI (Goal N3 sett*) AND AB (Goal N3 sett*)	144

S24	(ZU "goal setting") or (ZU "goal-setting")	3,452
S23	TI (((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")) OR AB (((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")))	21,223
S22	(ZU "activities of daily living") or (ZU "activities of daily living classification") or (ZU "activities of daily living education") or (ZU "activities of daily living equipment and supplies") or (ZU "activities of daily living evaluation") or (ZU "activities of daily living evaluation in adulthood") or (ZU "activities of daily living evaluation in middle age") or (ZU "activities of daily living evaluation in old age") or (ZU "activities of daily living in middle age") or (ZU "activities of daily living in old age") or (ZU "activities of daily living nursing") or (ZU "activities of daily living organizations") or (ZU "activities of daily living psychosocial factors") or (ZU "activities of daily living psychosocial factors in old age") or (ZU "activities of daily living trends") or (ZU "activities of daily living trends in old age") or (ZU "activities of daily living united kingdom") or (ZU "activities of daily living utilization")	17,811
S21	TI (((Recover* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximis* or prolong* or earl*) N0 (Function or mobilit* or abilit* or confidence or skill* or independen* or support or ill*))) OR AB (((Recover* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximis* or prolong* or earl*) N0 (Function or mobilit* or abilit* or confidence or skill* or independen* or support or ill*))))	7,162
S20	(ZU "recovery of function")	1

S19	(ZU "recovery") or (ZU "recovery and rehabilitation") or (ZU "recovery education") or (ZU "recovery evaluation") or (ZU "recovery evaluation in adulthood") or (ZU "recovery evaluation in old age") or (ZU "recovery in adulthood") or (ZU "recovery in middle age") or (ZU "recovery in old age") or (ZU "recovery methods") or (ZU "recovery physiology") or (ZU "recovery psychosocial factors") or (ZU "recovery united kingdom") or (ZU "recovery utilization") or (ZU "recovery, exercise") or (ZU "recovery, exercise evaluation in old age") or (ZU "recovery, exercise in middle age") or (ZU "recreation") or (ZU "recreation evaluation")	17,083
S18	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17	181,966
S17	TI ((Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat* or co-operat* or collaborat*)) OR AB ((Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat* or co-operat* or collaborat*))	68,709
S16	(ZU "progressive patient care") or (ZU "progressive patient care administration") or (ZU "progressive patient care education") or (ZU "progressive patient care in old age")	183
S15	(ZU "integrated care") or (ZU "integrated experience") or (ZU "integrated health and social care") or (ZU "integrated knowledge translation") or (ZU "integrated model") or (ZU "integrated	2,097

	programs") or (ZU "integrated teams") or (ZU "integrating care") or (ZU "integration") or (ZU "integrative care") or (ZU "integrative medicine")	
S14	(ZU "delivery of health care")	8
S13	(ZU "continuity of patient care") or (ZU "continuity of patient care administration") or (ZU "continuity of patient care england") or (ZU "continuity of patient care ethical issues") or (ZU "continuity of patient care evaluation") or (ZU "continuity of patient care evaluation united kingdom") or (ZU "continuity of patient care history") or (ZU "continuity of patient care in adulthood") or (ZU "continuity of patient care in adulthood united kingdom") or (ZU "continuity of patient care in old age") or (ZU "continuity of patient care in old age great britain") or (ZU "continuity of patient care legislation and jurisprudence") or (ZU "continuity of patient care methods") or (ZU "continuity of patient care methods in old age") or (ZU "continuity of patient care methods united kingdom") or (ZU "continuity of patient care standards") or (ZU "continuity of patient care standards england") or (ZU "continuity of patient care statistics and numerical data") or (ZU "continuity of patient care trends") or (ZU "continuity of patient care united kingdom") or (ZU "continuity of patient care utilization")	7,617
S12	(ZU "community nursing") or (ZU "community practice")	4
S11	TI ((Community N2 (service* or nurs*)).) OR AB ((Community N2 (service* or nurs*)))	13,426
S10	(ZU "community health services") or (ZU "community health services administration") or (ZU "community health services administration england") or (ZU "community health services administration great britain") or (ZU "community health services	12,988

	administration in old age") or (ZU "community health services administration united kingdom") or (ZU "community health services education") or (ZU "community health services england") or (ZU "community health services ethical issues") or (ZU "community health services evaluation") or (ZU "community health services evaluation in old age") or (ZU "community health services evaluation united kingdom") or (ZU "community health services history united kingdom") or (ZU "community health services in old age") or (ZU "community health services in old age united kingdom") or (ZU "community health services manpower") or (ZU "community health services methods") or (ZU "community health services organizations united kingdom") or (ZU "community health services psychosocial factors united kingdom") or (ZU "community health services standards") or (ZU "community health services standards united kingdom") or (ZU "community health services statistics and numerical data") or (ZU "community health services trends") or (ZU "community health services trends england") or (ZU "community health services trends in old age") or (ZU "community health services trends united kingdom") or (ZU "community health services united kingdom") or (ZU "community health services utilization england") or (ZU "community health services utilization in old age") or (ZU "community health workers")	
S9	TI (Occupational N3 care) OR AB (Occupational N3 care)	761
S8	(ZU "occupational therapy") or (ZU "occupational therapy assessment") or (ZU "occupational therapy assessment evaluation") or (ZU "occupational therapy assessment evaluation in old age") or (ZU "occupational therapy assessment in old age") or (ZU "occupational therapy assessment methods") or (ZU "occupational therapy assessment methods in adulthood") or (ZU "occupational therapy assessment methods in old age") or (ZU "occupational therapy assessment standards") or (ZU "occupational	16,739

therapy assessment trends") or (ZU "occupational therapy assessment trends united kingdom") or (ZU "occupational therapy assessment united kingdom") or (ZU "occupational therapy assistants") or (ZU "occupational therapy assistants education") or (ZU "occupational therapy assistants education united kingdom") or (ZU "occupational therapy assistants history") or (ZU "occupational therapy assistants in middle age") or (ZU "occupational therapy assistants organizations") or (ZU "occupational therapy equipment and supplies") or (ZU "occupational therapy equipment and supplies united kingdom") or (ZU "occupational therapy ethical issues") or (ZU "occupational therapy ethical issues united kingdom") or (ZU "occupational therapy evaluation") or (ZU "occupational therapy evaluation england") or (ZU "occupational therapy evaluation in old age") or (ZU "occupational therapy evaluation united kingdom") or (ZU "occupational therapy great britain") or (ZU "occupational therapy history") or (ZU "occupational therapy history england") or (ZU "occupational therapy history great britain") or (ZU "occupational therapy history in old age") or (ZU "occupational therapy history united kingdom") or (ZU "occupational therapy in old age") or (ZU "occupational therapy in old age united kingdom") or (ZU "occupational therapy legislation and jurisprudence") or (ZU "occupational therapy legislation and jurisprudence united kingdom") or (ZU "occupational therapy manpower united kingdom") or (ZU "occupational therapy methods") or (ZU "occupational therapy methods united kingdom") or (ZU "occupational therapy organizations") or (ZU "occupational therapy organizations england") or (ZU "occupational therapy organizations united kingdom") or (ZU "occupational therapy practice") or (ZU "occupational therapy practice administration") or (ZU "occupational therapy practice england") or (ZU "occupational therapy practice ethical issues") or (ZU "occupational therapy practice evaluation") or (ZU "occupational therapy practice methods") or (ZU "occupational therapy practice standards") or (ZU

	"occupational therapy practice trends") or (ZU "occupational therapy practice trends united kingdom") or (ZU "occupational therapy practice united kingdom") or (ZU "occupational therapy practice, evidence-based") or (ZU "occupational therapy practice, evidence-based methods") or (ZU "occupational therapy practice, evidence-based utilization") or (ZU "occupational therapy practice, research-based") or (ZU "occupational therapy psychosocial factors") or (ZU "occupational therapy service") or (ZU "occupational therapy service administration united kingdom") or (ZU "occupational therapy service england") or (ZU "occupational therapy service evaluation united kingdom") or (ZU "occupational therapy service manpower england") or (ZU "occupational therapy service trends united kingdom") or (ZU "occupational therapy service united kingdom") or (ZU "occupational therapy service utilization") or (ZU "occupational therapy service utilization in old age") or (ZU "occupational therapy standards") or (ZU "occupational therapy standards united kingdom") or (ZU "occupational therapy systematic evaluation of evidence") or (ZU "occupational therapy trends") or (ZU "occupational therapy trends united kingdom") or (ZU "occupational therapy united kingdom") or (ZU "occupational therapy utilization") or (ZU "occupational therapy utilization united kingdom")	
S7	TI Physiotherapy OR AB Physiotherapy	7,777
S6	(ZU "physiotherapy") or (ZU "physiotherapy evidence database")	866
S5	TI ((Intermediate N3 (care or team* or provider* or provision or programme* or service*))) OR AB ((Intermediate N3 (care or team* or provider* or provision or programme* or service*)))	750
S4	(ZU "intermediate care")	3

S3	TI Rehabilitat* OR AB Rehabilitat*	50,661
S2	(ZU "rehabilitation") or (ZU "rehabilitation administration")	11,079
S1	((ZU "rehabilitation education")) or ((ZU "rehabilitation england") or (ZU "rehabilitation equipment and supplies") or (ZU "rehabilitation equipment and supplies united kingdom") or (ZU "rehabilitation ethical issues") or (ZU "rehabilitation europe") or (ZU "rehabilitation evaluation") or (ZU "rehabilitation evaluation united kingdom") or (ZU "rehabilitation history united kingdom") or (ZU "rehabilitation in adulthood") or (ZU "rehabilitation in adulthood united kingdom") or (ZU "rehabilitation in middle age") or (ZU "rehabilitation interventions") or (ZU "rehabilitation legislation and jurisprudence") or (ZU "rehabilitation legislation and jurisprudence united kingdom") or (ZU "rehabilitation manpower united kingdom") or (ZU "rehabilitation medicine") or (ZU "rehabilitation method") or (ZU "rehabilitation methods") or (ZU "rehabilitation methods european union") or (ZU "rehabilitation nursing") or (ZU "rehabilitation nursing classification") or (ZU "rehabilitation nursing education") or (ZU "rehabilitation nursing education united kingdom") or (ZU "rehabilitation nursing england") or (ZU "rehabilitation nursing equipment and supplies") or (ZU "rehabilitation nursing ethical issues") or (ZU "rehabilitation nursing evaluation") or (ZU "rehabilitation nursing history") or (ZU "rehabilitation nursing in old age") or (ZU "rehabilitation nursing intervention") or (ZU "rehabilitation nursing legislation and jurisprudence") or (ZU "rehabilitation nursing manpower") or (ZU "rehabilitation nursing methods") or (ZU "rehabilitation nursing organizations") or (ZU "rehabilitation nursing psychosocial factors") or (ZU "rehabilitation nursing standards") or (ZU "rehabilitation nursing trends") or (ZU "rehabilitation nursing trends united kingdom") or (ZU "rehabilitation nursing united kingdom") or (ZU "rehabilitation of hearing impaired evaluation") or (ZU "rehabilitation of hearing impaired in adulthood"))	26,289

or (ZU "rehabilitation of hearing impaired in old age") or (ZU "rehabilitation of hearing impaired methods") or (ZU "rehabilitation of hearing impaired methods in adulthood") or (ZU "rehabilitation of hearing impaired organizations") or (ZU "rehabilitation of hearing impaired trends") or (ZU "rehabilitation of vision impaired") or (ZU "rehabilitation of vision impaired education") or (ZU "rehabilitation of vision impaired education united kingdom") or (ZU "rehabilitation of vision impaired equipment and supplies") or (ZU "rehabilitation of vision impaired evaluation") or (ZU "rehabilitation of vision impaired history") or (ZU "rehabilitation of vision impaired in adulthood") or (ZU "rehabilitation of vision impaired in old age") or (ZU "rehabilitation of vision impaired methods") or (ZU "rehabilitation of vision impaired psychosocial factors") or (ZU "rehabilitation organizations") or (ZU "rehabilitation outcome") or (ZU "rehabilitation outcomes") or (ZU "rehabilitation patients") or (ZU "rehabilitation patients education in old age") or (ZU "rehabilitation patients ethical issues") or (ZU "rehabilitation patients evaluation") or (ZU "rehabilitation patients in old age") or (ZU "rehabilitation patients psychosocial factors") or (ZU "rehabilitation programme") or (ZU "rehabilitation psychosocial factors") or (ZU "rehabilitation science") or (ZU "rehabilitation standards") or (ZU "rehabilitation statistics and numerical data") or (ZU "rehabilitation trends") or (ZU "rehabilitation trends united kingdom") or (ZU "rehabilitation united kingdom") or (ZU "rehabilitation, cancer") or (ZU "rehabilitation, cancer administration") or (ZU "rehabilitation, cancer methods") or (ZU "rehabilitation, cancer nursing") or (ZU "rehabilitation, cancer psychosocial factors") or (ZU "rehabilitation, cancer standards") or (ZU "rehabilitation, cancer utilization") or (ZU "rehabilitation, cardiac") or (ZU "rehabilitation, cardiac evaluation") or (ZU "rehabilitation, cardiac in old age") or (ZU "rehabilitation, cardiac methods") or (ZU "rehabilitation, cardiac nursing") or (ZU "rehabilitation, cardiac organizations") or (ZU "rehabilitation, cardiac psychosocial factors") or (ZU "rehabilitation, cardiac standards") or

(ZU "rehabilitation, cardiac trends") or (ZU "rehabilitation, cardiac trends united kingdom") or (ZU "rehabilitation, cardiac united kingdom") or (ZU "rehabilitation, cardiac utilization") or (ZU "rehabilitation, cognitive") or (ZU "rehabilitation, cognitive classification") or (ZU "rehabilitation, cognitive evaluation") or (ZU "rehabilitation, cognitive in old age") or (ZU "rehabilitation, cognitive methods") or (ZU "rehabilitation, cognitive trends") or (ZU "rehabilitation, community-based") or (ZU "rehabilitation, community-based administration") or (ZU "rehabilitation, community-based ethical issues") or (ZU "rehabilitation, community-based evaluation") or (ZU "rehabilitation, community-based in old age") or (ZU "rehabilitation, community-based manpower") or (ZU "rehabilitation, community-based methods") or (ZU "rehabilitation, community-based methods united kingdom") or (ZU "rehabilitation, community-based standards united kingdom") or (ZU "rehabilitation, community-based trends united kingdom") or (ZU "rehabilitation, community-based united kingdom") or (ZU "rehabilitation, community-based utilization") or (ZU "rehabilitation, geriatric") or (ZU "rehabilitation, geriatric england") or (ZU "rehabilitation, geriatric equipment and supplies") or (ZU "rehabilitation, geriatric ethical issues") or (ZU "rehabilitation, geriatric great britain") or (ZU "rehabilitation, geriatric methods") or (ZU "rehabilitation, geriatric methods united kingdom") or (ZU "rehabilitation, geriatric nursing") or (ZU "rehabilitation, geriatric standards") or (ZU "rehabilitation, geriatric trends") or (ZU "rehabilitation, geriatric trends united kingdom") or (ZU "rehabilitation, geriatric united kingdom") or (ZU "rehabilitation, geriatric utilization") or (ZU "rehabilitation, psychosocial") or (ZU "rehabilitation, psychosocial england") or (ZU "rehabilitation, psychosocial in adulthood") or (ZU "rehabilitation, psychosocial in middle age") or (ZU "rehabilitation, psychosocial in old age") or (ZU "rehabilitation, psychosocial methods") or (ZU "rehabilitation, psychosocial methods united kingdom") or (ZU "rehabilitation,

psychosocial standards") or (ZU "rehabilitation, psychosocial trends") or (ZU "rehabilitation, pulmonary") or (ZU "rehabilitation, pulmonary education") or (ZU "rehabilitation, pulmonary education united kingdom") or (ZU "rehabilitation, pulmonary england") or (ZU "rehabilitation, pulmonary equipment and supplies") or (ZU "rehabilitation, pulmonary equipment and supplies in old age") or (ZU "rehabilitation, pulmonary evaluation") or (ZU "rehabilitation, pulmonary evaluation in old age") or (ZU "rehabilitation, pulmonary in old age") or (ZU "rehabilitation, pulmonary legislation and jurisprudence") or (ZU "rehabilitation, pulmonary methods") or (ZU "rehabilitation, pulmonary nursing") or (ZU "rehabilitation, pulmonary psychosocial factors") or (ZU "rehabilitation, pulmonary standards united kingdom") or (ZU "rehabilitation, pulmonary trends") or (ZU "rehabilitation, pulmonary trends united kingdom") or (ZU "rehabilitation, speech and language") or (ZU "rehabilitation, speech and language education") or (ZU "rehabilitation, speech and language evaluation") or (ZU "rehabilitation, speech and language in adulthood") or (ZU "rehabilitation, speech and language in infancy and childhood united kingdom") or (ZU "rehabilitation, speech and language in old age") or (ZU "rehabilitation, speech and language methods") or (ZU "rehabilitation, speech and language nursing") or (ZU "rehabilitation, speech and language organizations") or (ZU "rehabilitation, speech and language standards united kingdom") or (ZU "rehabilitation, speech and language trends") or (ZU "rehabilitation, speech and language trends united kingdom") or (ZU "rehabilitation, speech and language united kingdom") or (ZU "rehabilitation, vocational") or (ZU "rehabilitation, vocational education") or (ZU "rehabilitation, vocational equipment and supplies") or (ZU "rehabilitation, vocational evaluation") or (ZU "rehabilitation, vocational evaluation in old age") or (ZU "rehabilitation, vocational great britain") or (ZU "rehabilitation, vocational in middle age") or (ZU "rehabilitation, vocational in old

age") or (ZU "rehabilitation, vocational legislation and jurisprudence united kingdom") or (ZU "rehabilitation, vocational manpower") or (ZU "rehabilitation, vocational methods") or (ZU "rehabilitation, vocational methods united kingdom") or (ZU "rehabilitation, vocational nursing") or (ZU "rehabilitation, vocational organizations") or (ZU "rehabilitation, vocational organizations united kingdom") or (ZU "rehabilitation, vocational psychosocial factors") or (ZU "rehabilitation, vocational standards") or (ZU "rehabilitation, vocational standards united kingdom") or (ZU "rehabilitation, vocational statistics and numerical data") or (ZU "rehabilitation, vocational trends") or (ZU "rehabilitation, vocational trends united kingdom") or (ZU "rehabilitation, vocational united kingdom") or (ZU "rehabilitation, vocational utilization in old age"))	
--	--

Cumulative Index to Nursing and Allied Health Literature (CINAHL) - EBSCO

Date searched: 05/11/2015

No. of records: 1584

Limits: study type, scholarly journals, language (English), date (2005/01/01-2015/12/31)

Q2 C: Bed-based Intermediate Care – views and experiences

#	Query	Results
S115	S64 AND S112 Limiters - Published Date: 20050101-20151231; English Language	1,584
S114	S64 AND S112 Limiters - Published Date: 20050101-20151231	1,660

S113	S64 AND S112	2,602
S112	S65 OR S66 OR S67 OR S68 OR S69 OR S70 OR S71 OR S72 OR S73 OR S74 OR S75 OR S76 OR S77 OR S78 OR S79 OR S80 OR S81 OR S82 OR S83 OR S84 OR S85 OR S86 OR S87 OR S88 OR S89 OR S90 OR S91 OR S92 OR S93 OR S94 OR S95 OR S96 OR S97 OR S98 OR S99 OR S100 OR S101 OR S102 OR S103 OR S104 OR S105 OR S106 OR S107 OR S108 OR S109 OR S110 OR S111	804,581
S111	(ZU "carers") or (ZU "caring")	5,906
S110	(ZU "advocacy")	14
S109	(ZU "advocates")	1
S108	TI Feedback* OR AB Feedback*	12,581
S107	TI Expectation* OR AB Expectation*	15,777
S106	TI Complaint* OR AB Complaint*	11,001
S105	AB Preference* OR TI Preference*	14,727
S104	TI ((Choice* or choos* or control or centred or centered)) OR AB ((Choice* or choos* or control or centred or centered))	231,688
S103	TI ((Satisf* or dissatisf*)) OR AB ((Satisf* or dissatisf*))	48,136
S102	AB Perspective* OR TI Perspective*	62,357
S101	TI Attitude* OR AB Attitude*	36,632

S100	TI Experience* OR AB Experience*	169,304
S99	TI View* . OR AB View*	56,229
S98	(ZU "survey") or (ZU "survey research") or (ZU "survey research england") or (ZU "survey research evaluation") or (ZU "survey research great britain")	16,844
S97	TI (((staff* or user* or carer* or professional*) N3 (view* or experience* or attitude*))) OR AB (((staff* or user* or carer* or professional*) N3 (view* or experience* or attitude*)))	10,392
S96	(ZU "user driven") or (ZU "user experience") or (ZU "user interface") or (ZU "user involvement") or (ZU "user model") or (ZU "user participation") or (ZU "user studies") or (ZU "user behavior") or (ZU "user-orientation") or (ZU "users") or (ZU "users' experiences")	17
S95	(ZU "opinions survey")	1
S94	(ZU "perspective")	5
S93	((ZU "views")) or ((ZU "experience") or (ZU "experiences"))	21
S92	TI participat* OR AB participat*	13
S91	(ZU "participation")	35
S90	(ZU "patient participation")	13
S89	(ZU "patient satisfaction") or (ZU "patient satisfaction economics") or (ZU "patient satisfaction england") or (ZU "patient satisfaction	27,006

	ethnology")	
S88	((ZU "patient perception") or (ZU "patient perspective") or (ZU "patient perspectives")) or ((ZU "perception") or (ZU "perception evaluation") or (ZU "perception evaluation in adulthood") or (ZU "perception evaluation in middle age") or (ZU "perception evaluation in old age") or (ZU "perception evaluation united kingdom") or (ZU "perception in adulthood") or (ZU "perception in middle age") or (ZU "perception in old age") or (ZU "perceptions"))	12,545
S87	(ZU "attitude") or (ZU "attitude ethnology") or (ZU "attitude evaluation")	7,751
S86	(ZU "patient attitudes") or (ZU "patient attitudes england") or (ZU "patient attitudes ethnology") or (ZU "patient attitudes ethnology united kingdom") or (ZU "patient attitudes evaluation") or (ZU "patient attitudes evaluation united kingdom") or (ZU "patient attitudes in adolescence united kingdom") or (ZU "patient attitudes in adulthood") or (ZU "patient attitudes in middle age") or (ZU "patient attitudes in old age") or (ZU "patient attitudes in old age united kingdom") or (ZU "patient attitudes united kingdom")	21,352
S85	TI "Focus Group*" OR AB "Focus Group*"	14,916
S84	(ZU "focus groups") or (ZU "focus groups methods") or (ZU "focus groups utilization")	23,268
S83	TI ((Observation* N0 (study or studies))) OR AB ((Observation* N0 (study or studies)))	12,305
S82	(ZU "observational study") or (ZU "observations") or (ZU "observational methods") or (ZU "observational methods evaluation") or (ZU "observational methods methods") or (ZU	9,895

	"observational methods utilization") or (ZU "observational research") or (ZU "observational studies")	
S81	TI ((Cohort N0 (study or studies or analysis))) OR AB ((Cohort N0 (study or studies or analysis)))	27,620
S80	(ZU "cohort studies") or (ZU "cohort study")	59
S79	(ZU "narratives") or (ZU "narratives evaluation")	8,958
S78	TI Behavioral research OR AB Behavioral research	1,019
S77	behavioral research in accounting AND Behavioral research.	0
S76	TI Questionnaire* OR AB Questionnaire*	86,573
S75	((ZU "questionnaires")) or ((ZU "questionnaires evaluation"))	192,475
S74	TI ((Case N0 (study or studies))) OR AB ((Case N0 (study or studies)))	24,713
S73	(ZU "in-depth interview") or (ZU "in-depth interviews")	2
S72	TI Interview* OR AB Interview*	93,976
S71	(ZU "interview") or (ZU "interviews") or (ZU "interviews economics") or (ZU "interviews evaluation") or (ZU "interviews methods") or (ZU "interviews standards")	91,438
S70	TX ((Evidence synthesis or realist synthesis)) AND AB ((Evidence synthesis or realist synthesis))	763

S69	TI ((Meta-ethnograph* or metaethnograph* or meta ethnograph*) AND AB ((Meta-ethnograph* or metaethnograph* or meta ethnograph*))	33
S68	TI ((Meta-synthesis* or meta synthesis* or metasyntesis)) OR AB ((Meta-synthesis* or meta synthesis* or metasyntesis))	623
S67	(ZU "metasyntesis")	1
S66	TI Qualitative* OR AB Qualitative*	52,221
S65	(ZU "qualitative research") or (ZU "qualitative research methods") or (ZU "qualitative review") or (ZU "qualitative secondary data analysis") or (ZU "qualitative studies") or (ZU "qualitative studies economics") or (ZU "qualitative studies england") or (ZU "qualitative studies ethical issues") or (ZU "qualitative studies europe") or (ZU "qualitative studies evaluation") or (ZU "qualitative studies great britain") or (ZU "qualitative studies standards") or (ZU "qualitative studies trends") or (ZU "qualitative studies united kingdom") or (ZU "qualitative studies utilization") or (ZU "qualitative studies vocational rehabilitation") or (ZU "qualitative systematic review") or (ZU "qualitative validity") or (ZU "quality") or (ZU "quality assessment")	59,041
S64	S39 AND S63	4,183
S63	S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60 OR S61 OR S62	280,754
S62	TI (Prison N3 hospital) OR AB (Prison N3 hospital)	52

S61	(ZU "prison")	4
S60	TI (((Secondary or tertiary) N0 setting*) OR AB (((Secondary or tertiary) N0 setting*))	1,210
S59	TI (((sub#acute or post#acute) N0 care)) OR AB (((sub#acute or post#acute) N0 care))	485
S58	TI (((Old* or elder* or geriatric*) N3 (people* or age*) N0 home*)) OR AB (((Old* or elder* or geriatric*) N3 (people* or age*) N0 home*))	204
S57	TI (((Care or rest or group or senior or elder or retire*) N3 (home* or hous* or facilit*))) OR AB (((Care or rest or group or senior or elder or retire*) N3 (home* or hous* or facilit*)))	34,389
S56	(ZU "care homes")	2
S55	TI ((Nursing N3 (facilit* or home* or setting*))) OR AB ((Nursing N3 (facilit* or home* or setting*)))	18,993
S54	(ZU "nursing homes") or (ZU "nursing homes administration") or (ZU "nursing homes administration united kingdom") or (ZU "nursing homes classification") or (ZU "nursing homes england") or (ZU "nursing homes ethical issues england") or (ZU "nursing homes ethical issues in old age") or (ZU "nursing homes ethical issues united kingdom") or (ZU "nursing homes evaluation") or (ZU "nursing homes evaluation england") or (ZU "nursing homes evaluation united kingdom") or (ZU "nursing homes in old age") or (ZU "nursing homes legislation and jurisprudence") or (ZU "nursing homes legislation and jurisprudence united kingdom") or (ZU "nursing homes manpower united kingdom") or (ZU "nursing homes methods") or (ZU "nursing homes organizations united	15,735

	kingdom") or (ZU "nursing homes standards") or (ZU "nursing homes statistics and numerical data") or (ZU "nursing homes trends") or (ZU "nursing homes trends united kingdom") or (ZU "nursing homes united kingdom") or (ZU "nursing homes utilization") or (ZU "nursing homes utilization england") or (ZU "nursing homes utilization in old age") or (ZU "nursing homes utilization united kingdom")	
S53	TI (((Local authorit* or independent or NHS) N3 (facilit* or setting* or environment or hous*))) OR AB (((Local authorit* or independent or NHS) N3 (facilit* or setting* or environment or hous*)))	1,005
S52	TI ((Residential N3 (facilit* or setting* or environment or health or care))) OR TI ((Residential N3 (facilit* or setting* or environment or health or care)))	1,430
S51	(ZU "residential facilities") or (ZU "residential facilities administration") or (ZU "residential facilities administration united kingdom") or (ZU "residential facilities england") or (ZU "residential facilities evaluation") or (ZU "residential facilities in old age") or (ZU "residential facilities in old age england") or (ZU "residential facilities in old age united kingdom") or (ZU "residential facilities legislation and jurisprudence united kingdom") or (ZU "residential facilities methods") or (ZU "residential facilities psychosocial factors") or (ZU "residential facilities standards") or (ZU "residential facilities standards england") or (ZU "residential facilities standards united kingdom") or (ZU "residential facilities statistics and numerical data") or (ZU "residential facilities trends") or (ZU "residential facilities trends united kingdom") or (ZU "residential facilities united kingdom") or (ZU "residential facilities utilization") or (ZU "residential homes")	2,853

S50	TI ((Community N3 (rehab or scheme* or model* or setting* or environment or provision))) OR AB ((Community N3 (rehab or scheme* or model* or setting* or environment or provision)))	9,148
S49	TI (((Community or "step up" or "step down" or transition*) N3 (hospital* or ward* or facilit* or care or bed or hospice))) OR AB (((Community or "step up" or "step down" or transition*) N3 (hospital* or ward* or facilit* or care or bed or hospice)))	20,138
S48	TI (((Intermediate or skilled nursing) N3 (unit* or centre* or center* or scheme* or setting* or facilit* or residen*))) OR AB (((Intermediate or skilled nursing) N3 (unit* or centre* or center* or scheme* or setting* or facilit* or residen*)))	1,433
S47	TI (Intermediate N3 facilities) OR AB (Intermediate N3 facilities)	67
S46	TI (((Temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))) OR AB (((Temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*)))	2,651
S45	(ZU "rehabilitation centers") or (ZU "rehabilitation centers administration") or (ZU "rehabilitation centers classification") or (ZU "rehabilitation centers england") or (ZU "rehabilitation centers ethical issues") or (ZU "rehabilitation centers evaluation") or (ZU "rehabilitation centers evaluation in old age") or (ZU "rehabilitation centers evaluation united kingdom") or (ZU "rehabilitation centers history united kingdom") or (ZU "rehabilitation centers in old age") or (ZU "rehabilitation centers legislation and jurisprudence") or (ZU "rehabilitation centers manpower") or (ZU "rehabilitation centers standards") or (ZU "rehabilitation centers statistics and numerical	5,604

	data") or (ZU "rehabilitation centers trends") or (ZU "rehabilitation centers trends united kingdom") or (ZU "rehabilitation centers united kingdom") or (ZU "rehabilitation classification") or (ZU "rehabilitation community") or (ZU "rehabilitation england")	
S44	TI hospital* OR AB hospital*	183,681
S43	(ZU "hospitals") or (ZU "hospitals classification pennsylvania") or (ZU "hospitals england") or (ZU "hospitals ethical issues") or (ZU "hospitals ethical issues england") or (ZU "hospitals ethical issues united kingdom") or (ZU "hospitals evaluation") or (ZU "hospitals evaluation england") or (ZU "hospitals evaluation great britain") or (ZU "hospitals evaluation united kingdom") or (ZU "hospitals great britain") or (ZU "hospitals history united kingdom") or (ZU "hospitals in old age") or (ZU "hospitals legislation and jurisprudence") or (ZU "hospitals legislation and jurisprudence england") or (ZU "hospitals legislation and jurisprudence united kingdom") or (ZU "hospitals manpower") or (ZU "hospitals manpower united kingdom") or (ZU "hospitals methods") or (ZU "hospitals organizations") or (ZU "hospitals statistics and numerical data australia") or (ZU "hospitals statistics and numerical data united states") or (ZU "hospitals trends") or (ZU "hospitals trends england") or (ZU "hospitals trends united kingdom") or (ZU "hospitals united kingdom") or (ZU "hospitals utilization") or (ZU "hospitals utilization in old age") or (ZU "hospitals utilization united kingdom") or (ZU "hospitals, community") or (ZU "hospitals, community administration") or (ZU "hospitals, community economics united kingdom") or (ZU "hospitals, community england") or (ZU "hospitals, community ethical issues") or (ZU "hospitals, community evaluation") or (ZU "hospitals, community great britain") or (ZU "hospitals, community methods") or (ZU "hospitals, community standards") or (ZU "hospitals, community statistics and numerical data") or (ZU	45,900

	"hospitals, community statistics and numerical data england") or (ZU "hospitals, community trends") or (ZU "hospitals, community trends united kingdom") or (ZU "hospitals, community united kingdom") or (ZU "hospitals, community utilization") or (ZU "hospitals, federal") or (ZU "hospitals, public") or (ZU "hospitals, public administration") or (ZU "hospitals, public administration great britain") or (ZU "hospitals, public classification") or (ZU "hospitals, public evaluation") or (ZU "hospitals, public evaluation united kingdom") or (ZU "hospitals, public great britain") or (ZU "hospitals, public legislation and jurisprudence") or (ZU "hospitals, public legislation and jurisprudence great britain") or (ZU "hospitals, public manpower") or (ZU "hospitals, public organizations") or (ZU "hospitals, public standards") or (ZU "hospitals, public statistics and numerical data") or (ZU "hospitals, public united kingdom") or (ZU "hospitals, public utilization") or (ZU "hospitals, public utilization great britain") or (ZU "hospitals, rural administration") or (ZU "hospitals, rural evaluation") or (ZU "hospitals, rural legislation and jurisprudence") or (ZU "hospitals, rural standards") or (ZU "hospitals, rural trends") or (ZU "hospitals, rural united kingdom") or (ZU "hospitals, rural utilization") or (ZU "hospitals, special") or (ZU "hospitals, special evaluation") or (ZU "hospitals, special history united kingdom") or (ZU "hospitals, special legislation and jurisprudence") or (ZU "hospitals, special standards") or (ZU "hospitals, special statistics and numerical data") or (ZU "hospitals, special trends") or (ZU "hospitals, urban")	
S42	(ZU "hospital") or (ZU "hospices")	2,338
S41	TI (((Bed* or bedside* or bed#side* or "bed#based" or "bed-based") N3 (acute or care or setting* or rehab* or service* or facilit* or intermediate))) OR AB (((Bed* or bedside* or bed#side* or "bed#based" or "bed-based") N3 (acute or care or setting* or	3,471

	rehab* or service* or facilit* or intermediate)))	
S40	(ZU "bed capacity") or (ZU "bed occupancy") or (ZU "bed occupancy administration") or (ZU "bed occupancy administration united kingdom") or (ZU "bed occupancy england") or (ZU "bed occupancy evaluation") or (ZU "bed occupancy evaluation england") or (ZU "bed occupancy in old age") or (ZU "bed occupancy in old age united kingdom") or (ZU "bed occupancy legislation and jurisprudence") or (ZU "bed occupancy legislation and jurisprudence united kingdom") or (ZU "bed occupancy methods") or (ZU "bed occupancy psychosocial factors") or (ZU "bed occupancy standards") or (ZU "bed occupancy statistics and numerical data") or (ZU "bed occupancy statistics and numerical data in old age") or (ZU "bed occupancy trends") or (ZU "bed occupancy trends united kingdom") or (ZU "bed occupancy united kingdom") or (ZU "bed rest") or (ZU "bed rest evaluation") or (ZU "bed rest evaluation in old age") or (ZU "bed rest in old age") or (ZU "bed rest methods") or (ZU "bed rest nursing") or (ZU "bed rest psychosocial factors") or (ZU "bed rest trends") or (ZU "bed rest utilization") or (ZU "bed rest utilization in old age") or (ZU "beds") or (ZU "beds and mattresses") or (ZU "beds and mattresses adverse effects") or (ZU "beds and mattresses adverse effects in old age") or (ZU "beds and mattresses evaluation") or (ZU "beds and mattresses evaluation united kingdom") or (ZU "beds and mattresses in old age") or (ZU "beds and mattresses standards") or (ZU "beds and mattresses trends") or (ZU "beds and mattresses united kingdom") or (ZU "beds and mattresses utilization in old age") or (ZU "beds and mattresses utilization united kingdom")	5,641
S39	S18 AND S32 AND S38	8,207

S38	S33 OR S34 OR S35 OR S36 OR S37	670,579
S37	((ZU "length of stay")) or ((ZU "length of stay evaluation"))	18,095
S36	TI (((Short or medium or long) N0 term)) OR AB (((Short or medium or long) N0 term))	80,845
S35	TI ((Month* or week* or hour* or day*)) OR AB ((Month* or week* or hour* or day*))	323,040
S34	TI ((Time or period* or length or brief or fast* or limit*)) OR AB ((Time or period* or length or brief or fast* or limit*))	448,481
S33	(ZU "time")	4,252
S32	S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31	83,899
S31	TI (((Support* or assist* or plan* or facilitat* or barrier* or delay* or early or pre or prevent* or avoid* or scheme* or acute or timely or premature or inappropriate or unnecessary) N0 (admission* or discharge or transfer*))) OR AB (((Support* or assist* or plan* or facilitat* or barrier* or delay* or early or pre or prevent* or avoid* or scheme* or acute or timely or premature or inappropriate or unnecessary) N0 (admission* or discharge or transfer*)))	4,383
S30	(ZU "hospital discharge")	3
S29	((ZU "patient discharge")) or ((ZU "discharge") or (ZU "discharge planning"))	11,730
S28	((ZU "readmission")) or ((ZU "patient readmission"))	5,220

S27	(ZU "admission") or (ZU "patient admission")	8,195
S26	(ZU "hospital admission") or (ZU "hospital admissions")	6
S25	TI (Goal N3 sett*) AND AB (Goal N3 sett*)	144
S24	(ZU "goal setting") or (ZU "goal-setting")	3,452
S23	TI (((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")) OR AB (((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")))	21,223
S22	(ZU "activities of daily living") or (ZU "activities of daily living classification") or (ZU "activities of daily living education") or (ZU "activities of daily living equipment and supplies") or (ZU "activities of daily living evaluation") or (ZU "activities of daily living evaluation in adulthood") or (ZU "activities of daily living evaluation in middle age") or (ZU "activities of daily living evaluation in old age") or (ZU "activities of daily living in middle age") or (ZU "activities of daily living in old age") or (ZU "activities of daily living nursing") or (ZU "activities of daily living organizations") or (ZU "activities of daily living psychosocial factors") or (ZU "activities of daily living psychosocial factors in old age") or (ZU "activities of daily living trends") or (ZU "activities of daily living trends in old age") or (ZU "activities of daily living united kingdom") or (ZU "activities of daily living utilization")	17,811
S21	TI (((Recover* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximis* or prolong* or earl*) NO (Function or mobilit* or abilit* or confidence or skill* or independen* or support or ill*))) OR AB (((Recover* or maintain* or relearn* or learn* or regain* or remain* or live or loss or	7,162

	maximis* or prolong* or earl*) N0 (Function or mobilit* or abilit* or confidence or skill* or independen* or support or ill*)))	
S20	(ZU "recovery of function")	1
S19	(ZU "recovery") or (ZU "recovery and rehabilitation") or (ZU "recovery education") or (ZU "recovery evaluation") or (ZU "recovery evaluation in adulthood") or (ZU "recovery evaluation in old age") or (ZU "recovery in adulthood") or (ZU "recovery in middle age") or (ZU "recovery in old age") or (ZU "recovery methods") or (ZU "recovery physiology") or (ZU "recovery psychosocial factors") or (ZU "recovery united kingdom") or (ZU "recovery utilization") or (ZU "recovery, exercise") or (ZU "recovery, exercise evaluation in old age") or (ZU "recovery, exercise in middle age") or (ZU "recreation") or (ZU "recreation evaluation")	17,083
S18	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17	181,966
S17	TI ((Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat* or co-operat* or collaborat*)) OR AB ((Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat* or co-operat* or collaborat*))	68,709

S16	(ZU "progressive patient care") or (ZU "progressive patient care administration") or (ZU "progressive patient care education") or (ZU "progressive patient care in old age")	183
S15	(ZU "integrated care") or (ZU "integrated experience") or (ZU "integrated health and social care") or (ZU "integrated knowledge translation") or (ZU "integrated model") or (ZU "integrated programs") or (ZU "integrated teams") or (ZU "integrating care") or (ZU "integration") or (ZU "integrative care") or (ZU "integrative medicine")	2,097
S14	(ZU "delivery of health care")	8
S13	(ZU "continuity of patient care") or (ZU "continuity of patient care administration") or (ZU "continuity of patient care england") or (ZU "continuity of patient care ethical issues") or (ZU "continuity of patient care evaluation") or (ZU "continuity of patient care evaluation united kingdom") or (ZU "continuity of patient care history") or (ZU "continuity of patient care in adulthood") or (ZU "continuity of patient care in adulthood united kingdom") or (ZU "continuity of patient care in old age") or (ZU "continuity of patient care in old age great britain") or (ZU "continuity of patient care legislation and jurisprudence") or (ZU "continuity of patient care methods") or (ZU "continuity of patient care methods in old age") or (ZU "continuity of patient care methods united kingdom") or (ZU "continuity of patient care standards") or (ZU "continuity of patient care standards england") or (ZU "continuity of patient care statistics and numerical data") or (ZU "continuity of patient care trends") or (ZU "continuity of patient care united kingdom") or (ZU "continuity of patient care utilization")	7,617
S12	(ZU "community nursing") or (ZU "community practice")	4

S11	TI ((Community N2 (service* or nurs*)).) OR AB ((Community N2 (service* or nurs*)))	13,426
S10	(ZU "community health services") or (ZU "community health services administration") or (ZU "community health services administration england") or (ZU "community health services administration great britain") or (ZU "community health services administration in old age") or (ZU "community health services administration united kingdom") or (ZU "community health services education") or (ZU "community health services england") or (ZU "community health services ethical issues") or (ZU "community health services evaluation") or (ZU "community health services evaluation in old age") or (ZU "community health services evaluation united kingdom") or (ZU "community health services history united kingdom") or (ZU "community health services in old age") or (ZU "community health services in old age united kingdom") or (ZU "community health services manpower") or (ZU "community health services methods") or (ZU "community health services organizations united kingdom") or (ZU "community health services psychosocial factors united kingdom") or (ZU "community health services standards") or (ZU "community health services standards united kingdom") or (ZU "community health services statistics and numerical data") or (ZU "community health services trends") or (ZU "community health services trends england") or (ZU "community health services trends in old age") or (ZU "community health services trends united kingdom") or (ZU "community health services united kingdom") or (ZU "community health services utilization england") or (ZU "community health services utilization in old age") or (ZU "community health workers")	12,988
S9	TI (Occupational N3 care) OR AB (Occupational N3 care)	761

S8	<p>(ZU "occupational therapy") or (ZU "occupational therapy assessment") or (ZU "occupational therapy assessment evaluation") or (ZU "occupational therapy assessment evaluation in old age") or (ZU "occupational therapy assessment in old age") or (ZU "occupational therapy assessment methods") or (ZU "occupational therapy assessment methods in adulthood") or (ZU "occupational therapy assessment methods in old age") or (ZU "occupational therapy assessment standards") or (ZU "occupational therapy assessment trends") or (ZU "occupational therapy assessment trends united kingdom") or (ZU "occupational therapy assessment united kingdom") or (ZU "occupational therapy assistants") or (ZU "occupational therapy assistants education") or (ZU "occupational therapy assistants education united kingdom") or (ZU "occupational therapy assistants history") or (ZU "occupational therapy assistants in middle age") or (ZU "occupational therapy assistants organizations") or (ZU "occupational therapy equipment and supplies") or (ZU "occupational therapy equipment and supplies united kingdom") or (ZU "occupational therapy ethical issues") or (ZU "occupational therapy ethical issues united kingdom") or (ZU "occupational therapy evaluation") or (ZU "occupational therapy evaluation england") or (ZU "occupational therapy evaluation in old age") or (ZU "occupational therapy evaluation united kingdom") or (ZU "occupational therapy great britain") or (ZU "occupational therapy history") or (ZU "occupational therapy history england") or (ZU "occupational therapy history great britain") or (ZU "occupational therapy history in old age") or (ZU "occupational therapy history united kingdom") or (ZU "occupational therapy in old age") or (ZU "occupational therapy in old age united kingdom") or (ZU "occupational therapy legislation and jurisprudence") or (ZU "occupational therapy legislation and jurisprudence united kingdom") or (ZU "occupational therapy manpower united kingdom") or (ZU "occupational therapy methods") or (ZU</p>	16,739
----	--	--------

"occupational therapy methods united kingdom") or (ZU "occupational therapy organizations") or (ZU "occupational therapy organizations england") or (ZU "occupational therapy organizations united kingdom") or (ZU "occupational therapy practice") or (ZU "occupational therapy practice administration") or (ZU "occupational therapy practice england") or (ZU "occupational therapy practice ethical issues") or (ZU "occupational therapy practice evaluation") or (ZU "occupational therapy practice methods") or (ZU "occupational therapy practice standards") or (ZU "occupational therapy practice trends") or (ZU "occupational therapy practice trends united kingdom") or (ZU "occupational therapy practice united kingdom") or (ZU "occupational therapy practice, evidence-based") or (ZU "occupational therapy practice, evidence-based methods") or (ZU "occupational therapy practice, evidence-based utilization") or (ZU "occupational therapy practice, research-based") or (ZU "occupational therapy psychosocial factors") or (ZU "occupational therapy service") or (ZU "occupational therapy service administration united kingdom") or (ZU "occupational therapy service england") or (ZU "occupational therapy service evaluation united kingdom") or (ZU "occupational therapy service manpower england") or (ZU "occupational therapy service trends united kingdom") or (ZU "occupational therapy service united kingdom") or (ZU "occupational therapy service utilization") or (ZU "occupational therapy service utilization in old age") or (ZU "occupational therapy standards") or (ZU "occupational therapy standards united kingdom") or (ZU "occupational therapy systematic evaluation of evidence") or (ZU "occupational therapy trends") or (ZU "occupational therapy trends united kingdom") or (ZU "occupational therapy united kingdom") or (ZU "occupational therapy utilization") or (ZU "occupational therapy utilization united kingdom")

S7	TI Physiotherapy OR AB Physiotherapy	7,777
S6	(ZU "physiotherapy") or (ZU "physiotherapy evidence database")	866
S5	TI ((Intermediate N3 (care or team* or provider* or provision or programme* or service*))) OR AB ((Intermediate N3 (care or team* or provider* or provision or programme* or service*)))	750
S4	(ZU "intermediate care")	3
S3	TI Rehabilitat* OR AB Rehabilitat*	50,661
S2	(ZU "rehabilitation") or (ZU "rehabilitation administration")	11,079
S1	((ZU "rehabilitation education")) or ((ZU "rehabilitation england") or (ZU "rehabilitation equipment and supplies") or (ZU "rehabilitation equipment and supplies united kingdom") or (ZU "rehabilitation ethical issues") or (ZU "rehabilitation europe") or (ZU "rehabilitation evaluation") or (ZU "rehabilitation evaluation united kingdom") or (ZU "rehabilitation history united kingdom") or (ZU "rehabilitation in adulthood") or (ZU "rehabilitation in adulthood united kingdom") or (ZU "rehabilitation in middle age") or (ZU "rehabilitation interventions") or (ZU "rehabilitation legislation and jurisprudence") or (ZU "rehabilitation legislation and jurisprudence united kingdom") or (ZU "rehabilitation manpower united kingdom") or (ZU "rehabilitation medicine") or (ZU "rehabilitation method") or (ZU "rehabilitation methods") or (ZU "rehabilitation methods european union") or (ZU "rehabilitation nursing") or (ZU "rehabilitation nursing classification") or (ZU "rehabilitation nursing education") or (ZU "rehabilitation nursing education united kingdom") or (ZU "rehabilitation nursing england") or (ZU "rehabilitation nursing equipment and supplies") or (ZU "rehabilitation nursing ethical issues") or (ZU "rehabilitation	26,289

nursing evaluation") or (ZU "rehabilitation nursing history") or (ZU "rehabilitation nursing in old age") or (ZU "rehabilitation nursing intervention") or (ZU "rehabilitation nursing legislation and jurisprudence") or (ZU "rehabilitation nursing manpower") or (ZU "rehabilitation nursing methods") or (ZU "rehabilitation nursing organizations") or (ZU "rehabilitation nursing psychosocial factors") or (ZU "rehabilitation nursing standards") or (ZU "rehabilitation nursing trends") or (ZU "rehabilitation nursing trends united kingdom") or (ZU "rehabilitation nursing united kingdom") or (ZU "rehabilitation of hearing impaired evaluation") or (ZU "rehabilitation of hearing impaired in adulthood") or (ZU "rehabilitation of hearing impaired in old age") or (ZU "rehabilitation of hearing impaired methods") or (ZU "rehabilitation of hearing impaired methods in adulthood") or (ZU "rehabilitation of hearing impaired organizations") or (ZU "rehabilitation of hearing impaired trends") or (ZU "rehabilitation of vision impaired") or (ZU "rehabilitation of vision impaired education") or (ZU "rehabilitation of vision impaired education united kingdom") or (ZU "rehabilitation of vision impaired equipment and supplies") or (ZU "rehabilitation of vision impaired evaluation") or (ZU "rehabilitation of vision impaired history") or (ZU "rehabilitation of vision impaired in adulthood") or (ZU "rehabilitation of vision impaired in old age") or (ZU "rehabilitation of vision impaired methods") or (ZU "rehabilitation of vision impaired psychosocial factors") or (ZU "rehabilitation organizations") or (ZU "rehabilitation outcome") or (ZU "rehabilitation outcomes") or (ZU "rehabilitation patients") or (ZU "rehabilitation patients education in old age") or (ZU "rehabilitation patients ethical issues") or (ZU "rehabilitation patients evaluation") or (ZU "rehabilitation patients in old age") or (ZU "rehabilitation patients psychosocial factors") or (ZU "rehabilitation programme") or (ZU "rehabilitation psychosocial factors") or (ZU "rehabilitation science") or (ZU "rehabilitation standards") or (ZU "rehabilitation statistics and numerical data") or

(ZU "rehabilitation trends") or (ZU "rehabilitation trends united kingdom") or (ZU "rehabilitation united kingdom") or (ZU "rehabilitation, cancer") or (ZU "rehabilitation, cancer administration") or (ZU "rehabilitation, cancer methods") or (ZU "rehabilitation, cancer nursing") or (ZU "rehabilitation, cancer psychosocial factors") or (ZU "rehabilitation, cancer standards") or (ZU "rehabilitation, cancer utilization") or (ZU "rehabilitation, cardiac") or (ZU "rehabilitation, cardiac evaluation") or (ZU "rehabilitation, cardiac in old age") or (ZU "rehabilitation, cardiac methods") or (ZU "rehabilitation, cardiac nursing") or (ZU "rehabilitation, cardiac organizations") or (ZU "rehabilitation, cardiac psychosocial factors") or (ZU "rehabilitation, cardiac standards") or (ZU "rehabilitation, cardiac trends") or (ZU "rehabilitation, cardiac trends united kingdom") or (ZU "rehabilitation, cardiac united kingdom") or (ZU "rehabilitation, cardiac utilization") or (ZU "rehabilitation, cognitive") or (ZU "rehabilitation, cognitive classification") or (ZU "rehabilitation, cognitive evaluation") or (ZU "rehabilitation, cognitive in old age") or (ZU "rehabilitation, cognitive methods") or (ZU "rehabilitation, cognitive trends") or (ZU "rehabilitation, community-based") or (ZU "rehabilitation, community-based administration") or (ZU "rehabilitation, community-based ethical issues") or (ZU "rehabilitation, community-based evaluation") or (ZU "rehabilitation, community-based in old age") or (ZU "rehabilitation, community-based manpower") or (ZU "rehabilitation, community-based methods") or (ZU "rehabilitation, community-based methods united kingdom") or (ZU "rehabilitation, community-based standards united kingdom") or (ZU "rehabilitation, community-based trends united kingdom") or (ZU "rehabilitation, community-based united kingdom") or (ZU "rehabilitation, community-based utilization") or (ZU "rehabilitation, geriatric") or (ZU "rehabilitation, geriatric england") or (ZU "rehabilitation, geriatric equipment and supplies") or (ZU "rehabilitation, geriatric ethical issues") or (ZU

"rehabilitation, geriatric great britain") or (ZU "rehabilitation, geriatric methods") or (ZU "rehabilitation, geriatric methods united kingdom") or (ZU "rehabilitation, geriatric nursing") or (ZU "rehabilitation, geriatric standards") or (ZU "rehabilitation, geriatric trends") or (ZU "rehabilitation, geriatric trends united kingdom") or (ZU "rehabilitation, geriatric united kingdom") or (ZU "rehabilitation, geriatric utilization") or (ZU "rehabilitation, psychosocial") or (ZU "rehabilitation, psychosocial england") or (ZU "rehabilitation, psychosocial in adulthood") or (ZU "rehabilitation, psychosocial in middle age") or (ZU "rehabilitation, psychosocial in old age") or (ZU "rehabilitation, psychosocial methods") or (ZU "rehabilitation, psychosocial methods united kingdom") or (ZU "rehabilitation, psychosocial standards") or (ZU "rehabilitation, psychosocial trends") or (ZU "rehabilitation, pulmonary") or (ZU "rehabilitation, pulmonary education") or (ZU "rehabilitation, pulmonary education united kingdom") or (ZU "rehabilitation, pulmonary england") or (ZU "rehabilitation, pulmonary equipment and supplies") or (ZU "rehabilitation, pulmonary equipment and supplies in old age") or (ZU "rehabilitation, pulmonary evaluation") or (ZU "rehabilitation, pulmonary evaluation in old age") or (ZU "rehabilitation, pulmonary in old age") or (ZU "rehabilitation, pulmonary legislation and jurisprudence") or (ZU "rehabilitation, pulmonary methods") or (ZU "rehabilitation, pulmonary nursing") or (ZU "rehabilitation, pulmonary psychosocial factors") or (ZU "rehabilitation, pulmonary standards united kingdom") or (ZU "rehabilitation, pulmonary trends") or (ZU "rehabilitation, pulmonary trends united kingdom") or (ZU "rehabilitation, speech and language") or (ZU "rehabilitation, speech and language education") or (ZU "rehabilitation, speech and language evaluation") or (ZU "rehabilitation, speech and language in adulthood") or (ZU "rehabilitation, speech and language in infancy and childhood united kingdom") or (ZU "rehabilitation, speech and language in

old age") or (ZU "rehabilitation, speech and language methods") or (ZU "rehabilitation, speech and language nursing") or (ZU "rehabilitation, speech and language organizations") or (ZU "rehabilitation, speech and language standards united kingdom") or (ZU "rehabilitation, speech and language trends") or (ZU "rehabilitation, speech and language trends united kingdom") or (ZU "rehabilitation, speech and language united kingdom") or (ZU "rehabilitation, vocational") or (ZU "rehabilitation, vocational education") or (ZU "rehabilitation, vocational equipment and supplies") or (ZU "rehabilitation, vocational evaluation") or (ZU "rehabilitation, vocational evaluation in old age") or (ZU "rehabilitation, vocational great britain") or (ZU "rehabilitation, vocational in middle age") or (ZU "rehabilitation, vocational in old age") or (ZU "rehabilitation, vocational legislation and jurisprudence united kingdom") or (ZU "rehabilitation, vocational manpower") or (ZU "rehabilitation, vocational methods") or (ZU "rehabilitation, vocational methods united kingdom") or (ZU "rehabilitation, vocational nursing") or (ZU "rehabilitation, vocational organizations") or (ZU "rehabilitation, vocational organizations united kingdom") or (ZU "rehabilitation, vocational psychosocial factors") or (ZU "rehabilitation, vocational standards") or (ZU "rehabilitation, vocational standards united kingdom") or (ZU "rehabilitation, vocational statistics and numerical data") or (ZU "rehabilitation, vocational trends") or (ZU "rehabilitation, vocational trends united kingdom") or (ZU "rehabilitation, vocational united kingdom") or (ZU "rehabilitation, vocational utilization in old age"))

Health Management Information Consortium (HMIC) - OVID

Date searched: 02/11/2015

No. of records: 186

Limits: study type, date (2005 – 2015)

Q2 A: Bed-based Intermediate Care - effectiveness

Results	Search Type	Actions
1	exp Psychosocial rehabilitation/ or exp Intensive rehabilitation services/ or exp Rehabilitation/ or exp Stroke rehabilitation/ or exp Medical rehabilitation/	2012
2	Rehabilitat\$.ti,ab.	3451
3	(Intermediate adj3 (care or team\$ or provider\$ or provision or programme\$ or service\$)).ti,ab.	567
4	Intermediate care.mp. or exp Intermediate care/	604
5	exp Physiotherapy/ or exp Physiotherapy services/	1011
6	Physiotherap\$.ti,ab.	1260
7	exp Occupational therapy/	1081
8	(Occupational adj3 care).ti,ab.	124
9	exp Occupational rehabilitation/	72
10	exp community health services/	5756
11	exp Community nursing/	2334
12	(Community adj2 (service\$ or nurs\$)).ti,ab.	6061
13	exp "Continuity of patient care"/	401
14	exp Integrated care/	1603

15	Integrated care.ti,ab.	896
16	exp Progressive patient care/	6
17	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat\$ or co-operat\$ or collaborat\$).ti,ab.	14367
18	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17	34147
19	((Recover\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximis\$ or prolong\$ or earl\$) adj (function or mobilit\$ or abilit\$ or confidence or skill\$ or independen\$ or support or ill\$)).ti,ab.	407
20	"Recovery of Function"/	0
21	exp Patient recovery/	386
22	exp "Activities of daily living"/	60
23	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	1956
24	(Goal adj3 sett\$).ti,ab.	136
25	exp Patient admission/	3009
26	exp Patient readmission/	329

27	exp Patient discharge/	1845
28	((Support\$ or assist\$ or plan\$ or facilitat\$ or barrier\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$ or acute or timely or premature or inappropriate or unnecessary) adj (admission\$ or discharge or transfer\$)).ti,ab.	962
29	exp hospital stay duration/	719
30	exp Bed occupancy/	292
31	19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30	8584
32	((Short or medium or long) adj term).ti,ab.	10636
33	(Month\$ or week\$ or hour\$ or day\$).ti,ab.	34326
34	(Time or period\$ or length or brief or fast\$ or limit\$).ti,ab.	54874
35	exp Time/	644
36	exp Duration/ or exp Short term duration/	978
37	exp "Average length of stay"/ or exp Length/	33
38	exp Weeks/	1
39	exp Months/	6
40	exp Day/	7
41	exp Hours/	21
42	short term.mp.	2080

43	32 or 33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42	82320
44	18 and 31 and 43	832
45	exp Blocked beds/ or exp Long stay beds/ or exp Beds/ or exp Hospital beds/ or exp Trolley beds/	596
46	((Bed\$1 or bedside\$1 or bed?side\$1 or "bed?based" or "bed-based") adj3 (acute or care or setting\$ or rehab\$ or service\$ or facilit\$ or intermediate)).ti,ab.	849
47	exp Womens hospitals/ or exp Government owned hospitals/ or exp Terminal care hospitals/ or exp Community hospitals/ or exp Isolation hospitals/ or exp Emergency hospitals/ or exp Acute hospitals/ or exp General hospitals/ or exp Long stay hospitals/ or exp Early hospitals/ or exp Nuffield Provincial Hospitals Trust/ or exp Short stay hospitals/ or exp Large hospitals/ or exp Independent hospitals/ or exp Learning disability hospitals/ or exp Special health authorities for London postgraduate teaching hospitals/ or exp NHS hospitals/ or exp Teaching hospitals/ or exp District general hospitals/ or exp Geriatric hospitals/ or exp Specialist hospitals/ or exp Profit making hospitals/ or exp hospitals/ or exp Mobile hospitals/ or exp Rural hospitals/ or exp Private hospitals/ or exp Non teaching hospitals/ or exp Orthopaedic hospitals/ or exp Diabetes hospitals/ or exp Weekend hospitals/ or exp Local authority hospitals/ or exp Psychogeriatric hospitals/ or exp New hospitals/ or exp Cancer hospitals/ or exp Neurological hospitals/ or exp Voluntary hospitals/ or exp Day hospitals/ or exp Regional hospitals/ or exp Dermatology hospitals/ or exp Night hospitals/ or exp Special hospitals/ or exp Ear nose & throat hospitals/ or exp patient focussed hospitals/ or exp Cottage hospitals/ or exp Neurosurgical hospitals/ or exp Religious hospitals/ or exp Cardiac surgery hospitals/ or exp Surgical hospitals/ or exp	14782

	Mobile day hospitals/ or exp Small hospitals/ or exp Neuropsychiatric hospitals/ or exp Ophthalmology hospitals/ or exp Whole hospitals/ or exp General practitioner hospitals/ or exp Nucleus hospitals/ or exp Temporary hospitals/ or exp Cardiology hospitals/ or exp Satellite hospitals/	
48	(Hospital\$ adj3 (ward\$ or acute or general or community or care or based or nursing or home or setting)).ti,ab.	13681
49	Rehabilitation Centers.mp.	1
50	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	1181
51	Intermediate Care Facilities.mp.	8
52	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or facilit\$ or residen\$)).ti,ab.	150
53	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	11195
54	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2002
55	exp Rural communities/ or exp Communities/ or exp Retirement communities/ or exp Local communities/	1186
56	exp Residential care/ or exp Community care/	19017
57	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	3087

58	exp NHS hospitals/ or exp NHS nursing homes/ or exp NHS/ or exp NHS Tayside/ or exp NHS Wales/ or exp NHS Scotland/ or exp NHS Forth Valley/ or exp NHS acute trusts/ or exp NHS foundation trusts/	39694
59	exp Local authorities/	4297
60	exp Integrated providers/ or exp Health service providers/ or providers.mp.	18189
61	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	265
62	exp Nursing homes/	1637
63	(Nursing adj3 (facilit\$ or home\$ or setting\$)).ti,ab.	2528
64	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	6912
65	exp Old peoples homes/	492
66	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	156
67	exp Subacute care/ or exp Hospices/	528
68	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	60
69	((Secondary or tertiary) adj setting\$).ti,ab.	5
70	exp Minimum security prisons/ or exp Womens prisons/ or exp Maximum security prisons/ or exp Psychiatric prisons/ or exp	1482

	Prisons/	
71	(Prison adj3 hospital).ti,ab.	37
72	exp Rehabilitation areas/ or exp Rehabilitation equipment/ or exp Convalescent rehabilitation units/ or exp Rehabilitation centres/ or exp Rehabilitation departments/	133
73	exp Rehabilitation services/	370
74	45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60 or 61 or 62 or 63 or 64 or 65 or 66 or 67 or 68 or 69 or 70 or 71 or 72 or 73	105102
75	44 and 74	539
76	(Systematic adj2 (review\$ or overview or search\$)).ti,ab.	4076
77	exp Systematic analysis/ or exp Systematic reviews/	2726
78	exp Literature reviews/ or exp Literature/	5564
79	exp Longitudinal studies/ or exp "Cost of illness studies"/ or exp Retrospective studies/ or exp Behavioural studies/ or exp Multi generation studies/ or exp Follow up studies/ or exp Feasibility studies/ or exp Studies/ or exp Comparative studies/ or exp Case control studies/ or exp Cross cultural studies/ or exp Long term studies/ or exp Critical studies/ or exp Case studies/ or exp Prospective studies/ or exp Demographic studies/ or exp Cohort studies/	9208
80	exp Evaluation/ or exp Service evaluation/ or exp Health service evaluation/	21812

81	((Published or search\$ or handsearch\$ or relevant or selected) adj3 (journals or database\$ or stud\$)).ti,ab.	2826
82	((Pool\$ or synthes\$ or extract\$) adj2 (data or evidence)).ti,ab.	1296
83	exp Meta analysis/	725
84	("Meta analy\$" or "metaanaly\$" or "meta regression" or metaregression).ti,ab.	1637
85	exp Preventive measures/ or exp Randomised controlled trials/ or exp Statistical data/	53898
86	exp Clinical trials/ or exp Quality/ or exp Research methods/	18703
87	Randomi#ed.ti,ab.	6245
88	Random\$.ti,ab.	10910
89	Clinical trial.ti,ab.	683
90	Cross-Sectional Studies.ti,ab.	155
91	Stud\$.ti,ab.	79646
92	76 or 77 or 78 or 79 or 80 or 81 or 82 or 83 or 84 or 85 or 86 or 87 or 88 or 89 or 90 or 91	143666
93	75 and 92	402
94	93 and 2005:2015.(sa_year).	186

Health Management Information Consortium (HMIC) - OVID

Date searched: 02/11/2015

No. of records: 80

Limits: study type, date (2005 – 2015)

Q2 B: Bed-based Intermediate Care – cost effectiveness

Results	Search Type	Actions
1	exp Psychosocial rehabilitation/ or exp Intensive rehabilitation services/ or exp Rehabilitation/ or exp Stroke rehabilitation/ or exp Medical rehabilitation/	2012
2	Rehabilitat\$.ti,ab.	3451
3	(Intermediate adj3 (care or team\$ or provider\$ or provision or programme\$ or service\$)).ti,ab.	567
4	intermediate care.mp. or exp Intermediate care/	604
5	exp Physiotherapy/ or exp Physiotherapy services/	1011
6	Physiotherap\$.ti,ab.	1260
7	exp Occupational therapy/	1081
8	(Occupational adj3 care).ti,ab.	124
9	exp Occupational rehabilitation/	72
10	exp community health services/	5756
11	exp Community nursing/	2334
12	(Community adj2 (service\$ or nurs\$)).ti,ab.	6061
13	exp "Continuity of patient care"/	401

14	exp Integrated care/	1603
15	Integrated care.ti,ab.	896
16	exp Progressive patient care/	6
17	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat\$ or co-operat\$ or collaborat\$).ti,ab.	14367
18	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17	34147
19	((Recover\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximis\$ or prolong\$ or earl\$) adj (function or mobilit\$ or abilit\$ or confidence or skill\$ or independen\$ or support or ill\$)).ti,ab.	407
20	"Recovery of Function"/	0
21	exp Patient recovery/	386
22	exp "Activities of daily living"/	60
23	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	1956
24	(Goal adj3 sett\$).ti,ab.	136
25	exp Patient admission/	3009

26	exp Patient readmission/	329
27	exp Patient discharge/	1845
28	((Support\$ or assist\$ or plan\$ or facilitat\$ or barrier\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$ or acute or timely or premature or inappropriate or unnecessary) adj (admission\$ or discharge or transfer\$)).ti,ab.	962
29	exp hospital stay duration/	719
30	exp Bed occupancy/	292
31	19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30	8584
32	((Short or medium or long) adj term).ti,ab.	10636
33	(Month\$ or week\$ or hour\$ or day\$).ti,ab.	34326
34	(Time or period\$ or length or brief or fast\$ or limit\$).ti,ab.	54874
35	exp Time/	644
36	exp Duration/ or exp Short term duration/	978
37	exp "Average length of stay"/ or exp Length/	33
38	exp Weeks/	1
39	exp Months/	6
40	exp Day/	7
41	exp Hours/	21

42	short term.mp.	2080
43	32 or 33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42	82320
44	18 and 31 and 43	832
45	exp Blocked beds/ or exp Long stay beds/ or exp Beds/ or exp Hospital beds/ or exp Trolley beds/	596
46	((Bed\$1 or bedside\$1 or bed?side\$1 or "bed?based" or "bed-based") adj3 (acute or care or setting\$ or rehab\$ or service\$ or facilit\$ or intermediate)).ti,ab.	849
47	exp Womens hospitals/ or exp Government owned hospitals/ or exp Terminal care hospitals/ or exp Community hospitals/ or exp Isolation hospitals/ or exp Emergency hospitals/ or exp Acute hospitals/ or exp General hospitals/ or exp Long stay hospitals/ or exp Early hospitals/ or exp Nuffield Provincial Hospitals Trust/ or exp Short stay hospitals/ or exp Large hospitals/ or exp Independent hospitals/ or exp Learning disability hospitals/ or exp Special health authorities for London postgraduate teaching hospitals/ or exp NHS hospitals/ or exp Teaching hospitals/ or exp District general hospitals/ or exp Geriatric hospitals/ or exp Specialist hospitals/ or exp Profit making hospitals/ or exp hospitals/ or exp Mobile hospitals/ or exp Rural hospitals/ or exp Private hospitals/ or exp Non teaching hospitals/ or exp Orthopaedic hospitals/ or exp Diabetes hospitals/ or exp Weekend hospitals/ or exp Local authority hospitals/ or exp Psychogeriatric hospitals/ or exp New hospitals/ or exp Cancer hospitals/ or exp Neurological hospitals/ or exp Voluntary hospitals/ or exp Day hospitals/ or exp Regional hospitals/ or exp Dermatology hospitals/ or exp Night hospitals/ or exp Special hospitals/ or exp Ear nose & throat hospitals/ or exp patient focussed hospitals/ or exp Cottage hospitals/ or exp	14782

	Neurosurgical hospitals/ or exp Religious hospitals/ or exp Cardiac surgery hospitals/ or exp Surgical hospitals/ or exp Mobile day hospitals/ or exp Small hospitals/ or exp Neuropsychiatric hospitals/ or exp Ophthalmology hospitals/ or exp Whole hospitals/ or exp General practitioner hospitals/ or exp Nucleus hospitals/ or exp Temporary hospitals/ or exp Cardiology hospitals/ or exp Satellite hospitals/	
48	(Hospital\$ adj3 (ward\$ or acute or general or community or care or based or nursing or home or setting)).ti,ab.	13681
49	Rehabilitation Centers.mp.	1
50	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	1181
51	Intermediate Care Facilities.mp.	8
52	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or facilit\$ or residen\$)).ti,ab.	150
53	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	11195
54	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2002
55	exp Rural communities/ or exp Communities/ or exp Retirement communities/ or exp Local communities/	1186
56	exp Residential care/ or exp Community care/	19017
57	(Residential adj3 (facilit\$ or setting\$ or environment or health or	3087

	care)).ti,ab.	
58	exp NHS hospitals/ or exp NHS nursing homes/ or exp NHS/ or exp NHS Tayside/ or exp NHS Wales/ or exp NHS Scotland/ or exp NHS Forth Valley/ or exp NHS acute trusts/ or exp NHS foundation trusts/	39694
59	exp Local authorities/	4297
60	exp Integrated providers/ or exp Health service providers/ or providers.mp.	18189
61	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	265
62	exp Nursing homes/	1637
63	(Nursing adj3 (facilit\$ or home\$ or setting\$)).ti,ab.	2528
64	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	6912
65	exp Old peoples homes/	492
66	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	156
67	exp Subacute care/ or exp Hospices/	528
68	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	60
69	((Secondary or tertiary) adj setting\$).ti,ab.	5
70	exp Minimum security prisons/ or exp Womens prisons/ or exp	1482

	Maximum security prisons/ or exp Psychiatric prisons/ or exp Prisons/	
71	(Prison adj3 hospital).ti,ab.	37
72	exp Rehabilitation areas/ or exp Rehabilitation equipment/ or exp Convalescent rehabilitation units/ or exp Rehabilitation centres/ or exp Rehabilitation departments/	133
73	exp Rehabilitation services/	370
74	45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60 or 61 or 62 or 63 or 64 or 65 or 66 or 67 or 68 or 69 or 70 or 71 or 72 or 73	105102
75	44 and 74	539
76	exp Hospital economics/ or exp Economics/ or exp Nursing economics/ or exp Social economics/ or exp Social welfare economics/ or exp Housing economics/ or exp Applied economics/ or exp Welfare economics/ or exp "Sociology of economics"/ or exp Health economics/	5748
77	exp "Cost effectiveness"/	5215
78	exp Labour costs/ or exp Unit costs/ or exp Fixed costs/ or exp Running costs/ or exp Variable costs/ or exp Base functional unit costs/ or exp Social costs/ or exp Accident costs/ or exp Reference costs/ or exp Monetary costs/ or exp Capital costs/ or exp Hotel costs/ or exp Legal costs/ or exp Treatment costs/ or exp Prescribing costs/ or exp Opportunity costs/ or exp Hospital costs/ or exp Comparative costs/ or exp Housing costs/ or exp Total costs/ or exp Costs/	6519

79	exp National expenditure/ or exp Public expenditure plans/ or exp Expenditure/ or exp Programmed expenditure/ or exp Public expenditure cuts/ or exp Drug expenditure/ or exp Ring fenced expenditure/ or exp Public expenditure/ or exp Current expenditure/ or exp Family expenditure/ or exp Capital expenditure/ or exp Public expenditure increases/ or exp Social expenditure/ or exp health expenditure/	7838
80	exp fees/	607
81	exp Capital charges/ or exp Accommodation charges/ or exp Charges/ or exp patient charges/ or exp Health service charges/	1792
82	exp Pooled budgets/ or exp Family budgets/ or exp Management budgets/ or exp Budgets/ or exp individual budgets/ or exp General practice budgets/ or exp personal health budgets/	1257
83	((Low or high) adj cost\$.ti,ab.	829
84	(Care adj cost\$.ti,ab.	887
85	(Fiscal or funding or financial or finance).ti,ab.	17331
86	(Economic\$ or price\$ or commission\$ or pricing).ti,ab.	26941
87	Socioeconomic\$.ti,ab.	3037
88	((Cost\$ or compar\$ or net\$) adj3 (service\$ or offset\$ or effect\$ or utility\$ or consequence\$ or benefit\$ or model\$ or estimate\$ or unit\$ or variable)).ti,ab.	11970
89	exp Inventory models/ or exp Computer models/ or exp Mathematical models/ or exp Nursing models/ or exp Causal models/ or exp Statistical models/ or exp Models/ or exp Decision models/ or exp Behaviour models/ or exp Architectural models/ or	3067

	exp Physical models/ or exp Economic models/	
90	((Personal or pool\$) adj3 budget\$).ti,ab.	311
91	(Personal health adj3 budget\$).ti,ab.	99
92	((("Social care" or "social work\$" or "social service\$") adj3 cost\$).ti,ab.	134
93	76 or 77 or 78 or 79 or 80 or 81 or 82 or 83 or 84 or 85 or 86 or 87 or 88 or 89 or 90 or 91 or 92	69990
94	75 and 93	157
95	94 and 2005:2015.(sa_year).	80

Health Management Information Consortium (HMIC)

Date searched: 02/11/2015

No. of records: 187

Limits: study type, date (2005 – 2015)

Q2 C: Bed-based Intermediate Care – views and experiences

Results	Search Type	Actions
1	exp Psychosocial rehabilitation/ or exp Intensive rehabilitation services/ or exp Rehabilitation/ or exp Stroke rehabilitation/ or exp Medical rehabilitation/	2012
2	Rehabilitat\$.ti,ab.	3451
3	(Intermediate adj3 (care or team\$ or provider\$ or provision or programme\$ or service\$)).ti,ab.	567

4	intermediate care.mp. or exp Intermediate care/	604
5	exp Physiotherapy/ or exp Physiotherapy services/	1011
6	Physiotherap\$.ti,ab.	1260
7	exp Occupational therapy/	1081
8	(Occupational adj3 care).ti,ab.	124
9	exp Occupational rehabilitation/	72
10	exp community health services/	5756
11	exp Community nursing/	2334
12	(Community adj2 (service\$ or nurs\$)).ti,ab.	6061
13	exp "Continuity of patient care"/	401
14	exp Integrated care/	1603
15	Integrated care.ti,ab.	896
16	exp Progressive patient care/	6
17	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat\$ or co-operat\$ or collaborat\$).ti,ab.	14367
18	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17	34147

19	((Recover\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximis\$ or prolong\$ or earl\$) adj (function or mobilite\$ or abilit\$ or confidence or skill\$ or independen\$ or support or ill\$)).ti,ab.	407
20	"Recovery of Function"/	0
21	exp Patient recovery/	386
22	exp "Activities of daily living"/	60
23	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	1956
24	(Goal adj3 sett\$).ti,ab.	136
25	exp Patient admission/	3009
26	exp Patient readmission/	329
27	exp Patient discharge/	1845
28	((Support\$ or assist\$ or plan\$ or facilitat\$ or barrier\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$ or acute or timely or premature or inappropriate or unnecessary) adj (admission\$ or discharge or transfer\$)).ti,ab.	962
29	exp hospital stay duration/	719
30	exp Bed occupancy/	292
31	19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30	8584
32	((Short or medium or long) adj term).ti,ab.	10636

33	(Month\$ or week\$ or hour\$ or day\$).ti,ab.	34326
34	(Time or period\$ or length or brief or fast\$ or limit\$).ti,ab.	54874
35	exp Time/	644
36	exp Duration/ or exp Short term duration/	978
37	exp "Average length of stay"/ or exp Length/	33
38	exp Weeks/	1
39	exp Months/	6
40	exp Day/	7
41	exp Hours/	21
42	short term.mp.	2080
43	32 or 33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42	82320
44	18 and 31 and 43	832
45	exp Blocked beds/ or exp Long stay beds/ or exp Beds/ or exp Hospital beds/ or exp Trolley beds/	596
46	((Bed\$1 or bedside\$1 or bed?side\$1 or "bed?based" or "bed-based") adj3 (acute or care or setting\$ or rehab\$ or service\$ or facilit\$ or intermediate)).ti,ab.	849
47	exp Womens hospitals/ or exp Government owned hospitals/ or exp Terminal care hospitals/ or exp Community hospitals/ or exp Isolation hospitals/ or exp Emergency hospitals/ or exp Acute hospitals/ or exp General hospitals/ or exp Long stay hospitals/ or	14782

	<p>exp Early hospitals/ or exp Nuffield Provincial Hospitals Trust/ or exp Short stay hospitals/ or exp Large hospitals/ or exp Independent hospitals/ or exp Learning disability hospitals/ or exp Special health authorities for London postgraduate teaching hospitals/ or exp NHS hospitals/ or exp Teaching hospitals/ or exp District general hospitals/ or exp Geriatric hospitals/ or exp Specialist hospitals/ or exp Profit making hospitals/ or exp hospitals/ or exp Mobile hospitals/ or exp Rural hospitals/ or exp Private hospitals/ or exp Non teaching hospitals/ or exp Orthopaedic hospitals/ or exp Diabetes hospitals/ or exp Weekend hospitals/ or exp Local authority hospitals/ or exp Psychogeriatric hospitals/ or exp New hospitals/ or exp Cancer hospitals/ or exp Neurological hospitals/ or exp Voluntary hospitals/ or exp Day hospitals/ or exp Regional hospitals/ or exp Dermatology hospitals/ or exp Night hospitals/ or exp Special hospitals/ or exp Ear nose & throat hospitals/ or exp patient focussed hospitals/ or exp Cottage hospitals/ or exp Neurosurgical hospitals/ or exp Religious hospitals/ or exp Cardiac surgery hospitals/ or exp Surgical hospitals/ or exp Mobile day hospitals/ or exp Small hospitals/ or exp Neuropsychiatric hospitals/ or exp Ophthalmology hospitals/ or exp Whole hospitals/ or exp General practitioner hospitals/ or exp Nucleus hospitals/ or exp Temporary hospitals/ or exp Cardiology hospitals/ or exp Satellite hospitals/</p>	
48	(Hospital\$ adj3 (ward\$ or acute or general or community or care or based or nursing or home or setting)).ti,ab.	13681
49	Rehabilitation Centers.mp.	1
50	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	1181

51	Intermediate Care Facilities.mp.	8
52	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or facilit\$ or residen\$)).ti,ab.	150
53	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	11195
54	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2002
55	exp Rural communities/ or exp Communities/ or exp Retirement communities/ or exp Local communities/	1186
56	exp Residential care/ or exp Community care/	19017
57	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	3087
58	exp NHS hospitals/ or exp NHS nursing homes/ or exp NHS/ or exp NHS Tayside/ or exp NHS Wales/ or exp NHS Scotland/ or exp NHS Forth Valley/ or exp NHS acute trusts/ or exp NHS foundation trusts/	39694
59	exp Local authorities/	4297
60	exp Integrated providers/ or exp Health service providers/ or providers.mp.	18189
61	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	265
62	exp Nursing homes/	1637

63	(Nursing adj3 (facilit\$ or home\$ or setting\$)).ti,ab.	2528
64	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	6912
65	exp Old peoples homes/	492
66	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	156
67	exp Subacute care/ or exp Hospices/	528
68	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	60
69	((Secondary or tertiary) adj setting\$).ti,ab.	5
70	exp Minimum security prisons/ or exp Womens prisons/ or exp Maximum security prisons/ or exp Psychiatric prisons/ or exp Prisons/	1482
71	(Prison adj3 hospital).ti,ab.	37
72	exp Rehabilitation areas/ or exp Rehabilitation equipment/ or exp Convalescent rehabilitation units/ or exp Rehabilitation centres/ or exp Rehabilitation departments/	133
73	exp Rehabilitation services/	370
74	45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60 or 61 or 62 or 63 or 64 or 65 or 66 or 67 or 68 or 69 or 70 or 71 or 72 or 73	105102
75	44 and 74	539

76	exp qualitative research/	1138
77	exp Qualitative analysis/ or exp Qualitative techniques/	389
78	Qualitative\$.ti,ab.	8163
79	(Meta-synthesis\$ or meta synthesis\$ or metasynthesis).ti,ab.	43
80	(Meta-ethnograph* or metaethnograph* or meta ethnograph*).ti,ab.	32
81	(Evidence synthesis or realist synthesis).ti,ab.	94
82	exp Diagnostic interviews/ or exp Appraisal interviews/ or exp Interviews/	1023
83	Interview\$.ti,ab.	17563
84	"In depth".ti,ab.	2425
85	exp Case studies/	3111
86	exp Questionnaires/	1395
87	exp Data collection/ or exp Self reporting/ or exp Reporting/	5267
88	Questionnaire\$.ti,ab.	16117
89	Behavio?ral research.ti,ab.	20
90	Narrative*.ti,ab.	1051
91	exp Cohort studies/	1139
92	(Cohort adj (study or studies or analysis)).ti,ab.	3288

93	exp Observation/	160
94	(Observation\$ adj (study or studies)).ti,ab.	1372
95	exp Focus groups/	426
96	exp Community participation/	415
97	"Focus Group?".ti,ab.	2744
98	exp Stereotyped attitudes/ or exp Parental attitudes/ or exp Social attitudes/ or exp Attitudes/ or exp Work attitudes/ or exp Patient attitudes/ or exp Staff attitudes/	19453
99	exp Perception/	504
100	exp Patient satisfaction/	2765
101	Patient Participation/	1515
102	exp Consumer views/ or exp views/ or exp Client views/ or exp Staff views/ or exp Patient views/ or views.mp.	16723
103	exp Sick people/ or exp older people/ or exp carers/ or exp Families/ or exp Informal care/ or exp Family care/ or exp Dementia/	26564
104	exp People/	94062
105	((Professional\$ or people\$ or client\$ or carer\$ or famil\$ or friend\$ or partner\$ of staff\$ or relative\$) adj3 (view\$ or experience\$ or opinion\$ or satisfaction or outcome\$)).ti,ab.	4562
106	Experience\$.ti,ab.	25657

107	Attitude\$.ti,ab.	8768
108	Perspective\$.ti,ab.	9390
109	(Satisf\$ or dissatisf\$).ti,ab.	9097
110	(Choice\$ or choos\$ or control or centred or centered).ti,ab.	29593
111	exp Patients/ or exp Patient medical staff relations/ or exp Patient cooperation/ or exp Decision making/ or exp Patient views/	21851
112	Preference\$.ti,ab.	2694
113	Complaint\$.ti,ab.	2412
114	Expectation\$.ti,ab.	3605
115	Feedback.ti,ab.	2453
116	exp Patient advocacy/	125
117	exp Consumer satisfaction/ or exp Patient satisfaction surveys/ or exp Client satisfaction/ or exp Job satisfaction/ or exp Satisfaction/	4595
118	exp Participation/	8260
119	exp medical staff/	20950
120	exp Social workers/	3822
121	exp Nurses/	20153
122	exp Isolation patients/ or exp Private patients/ or exp Hospital patients/ or exp Unregistered patients/ or exp Day patients/ or exp	13668

	Overseas patients/ or exp Ambulatory patients/ or exp Patients/ or exp Medicaid patients/ or exp Out patients/ or exp Temporary patients/ or exp Home care patients/ or exp Expert patients/ or exp Immobilised patients/ or exp Long stay patients/ or exp Post operative patients/ or exp Non hospital patients/ or exp Housebound patients/ or exp Short stay patients/ or exp In patients/ or exp Patients Charter/ or exp General practice patients/	
123	exp Extended families/ or exp Families/	3317
124	exp Occupational therapists/	520
125	exp Physiotherapists/	343
126	((Rehabilitat\$ or intermediate) adj3 (staff\$ or work\$ or professional\$ or assistant\$)).tw.	290
127	76 or 77 or 78 or 79 or 80 or 81 or 82 or 83 or 84 or 85 or 86 or 87 or 88 or 89 or 90 or 91 or 92 or 93 or 94 or 95 or 96 or 97 or 98 or 99 or 100 or 101 or 102 or 103 or 104 or 105 or 106 or 107 or 108 or 109 or 110 or 111 or 112 or 113 or 114 or 115 or 116 or 117 or 118 or 119 or 120 or 121 or 122 or 123 or 124 or 125 or 126	200101
128	75 and 127	413
129	128 and 2005:2015.(sa_year).	187

Social Policy & Practice (SPP) - OVID

Date searched: 02/11/2015

No. of records: 122

Limits: study type, date (2005 – 2015)

Q2 A: Bed-based Intermediate Care - effectiveness

Results	Search Type	Actions
1	rehabilitation.ab. or rehabilitation.ar. or rehabilitation.ca. or rehabilitation.de. or rehabilitation.ea. or rehabilitation.jn. or rehabilitation.nt. or rehabilitation.pb. or rehabilitation.sd. or rehabilitation.se. or rehabilitation.st. or rehabilitation.ti. or rehabilitation.ur.	4770
2	Rehabilitat\$.ti,ab.	3428
3	(Intermediate adj3 (care or team\$ or provider\$ or provision or programme\$ or service\$)).ti,ab.	544
4	intermediate.ab. or intermediate.ar. or intermediate.de. or intermediate.ea. or intermediate.nt. or intermediate.pb. or intermediate.st. or intermediate.ti. or intermediate.ur. or intermediate care.de.	1100
5	physiotherapy.ab. or physiotherapy.ca. or physiotherapy.de. or physiotherapy.ea. or physiotherapy.jn. or physiotherapy.nt. or physiotherapy.pb. or physiotherapy.ri. or physiotherapy.sd. or physiotherapy.st. or physiotherapy.ti. or physiotherapy.ur.	347
6	occupational therapy.de. or occupational therapy.jn. or occupational therapy domiciliary.de.	1025
7	(Occupational adj3 care).ti,ab.	67
8	community health services.de.	19
9	(Community adj2 (service\$ or nurs\$)).ti,ab.	4569

10	(Continuity adj3 care).ti,ab.	324
11	(Delivery adj3 care).ti,ab.	935
12	(integrated adj3 care).ti,ab.	1025
13	(progressive adj3 care).ti,ab.	16
14	interagency.ab. or interagency.ca. or interagency.de. or interagency.ea. or interagency.pb. or interagency.se. or interagency.ti. or interagency.ur. or interagency approach.de. or interagency co operation.de. or interagency collaboration.de. or interagency cooperation.de. or interagency coordination.de. or interagency relations.de. or interagency working.de.	6675
15	multiagency.ab. or multiagency.de. or multiagency.ea. or multiagency.ti. or multiagency.ur. or multiagency approach.de. or multiagency centres.de. or multiagency drug service.de. or multiagency partnerships.de. or multiagency plan.de. or multiagency response.de. or multiagency strategic plan.de. or multiagency support.de. or multiagency team.de. or multiagency working.de.	1633
16	cooperation.ab. or cooperation.ca. or cooperation.de. or cooperation.ea. or cooperation.pb. or cooperation.sd. or cooperation.st. or cooperation.ti. or cooperation.ur. or cooperations.ab. or cooperative.ab. or cooperative.de.	3941
17	interprofessional.ab. or interprofessional.ar. or interprofessional.ca. or interprofessional.de. or interprofessional.ea. or interprofessional.pb. or interprofessional.sd. or interprofessional.ti. or interprofessional.ur. or interprofessional relations.de. or interprofessionalism.ab. or interprofessionalism.ti. or interprofessionalism.ur. or	1850

	interprofessionality.ab. or interprofessionality.ti. or interprofessionality.ur. or interprofessionally.ab. or interprofessonal.ab.	
18	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat\$ or co-operat\$ or collaborat\$).ti,ab.	16441
19	information sharing.ti,ab.	879
20	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19	34430
21	recovery.ti.	895
22	((Recover\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximis\$ or prolong\$ or earl\$) adj (Function or mobilit\$ or abilit\$ or confidence or skill\$ or independen\$ or support or ill\$)).ti,ab.	1189
23	recovery.ab. or recovery.ar. or recovery.de. or recovery.ea. or recovery.pb. or recovery.ri. or recovery.sd. or recovery.se. or recovery.st. or recovery.ti. or recovery.ur. or recovery approach.de.	3017
24	"activities of daily living".de.	672
25	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	5162
26	(Goal adj3 sett\$).ti,ab.	150

27	admission.ab. or admission.de. or admission.ea. or admission.st. or admission.ti. or admission.ur. or admission care homes.de. or admission hospitals.de. or admission nursing homes.de. or admission to care.de. or admissions.ab. or admissions.ti.	4059
28	readmission.ab. or readmission.ea. or readmission.st. or readmission.ti. or readmission.ur.	144
29	discharge.ab. or discharge.ar. or discharge.de. or discharge.ea. or discharge.ri. or discharge.se. or discharge.st. or discharge.ti. or discharge.ur. or discharge care homes.de. or discharge hospitals.de. or discharge nursing homes.de. or discharge planning.de. or discharged.ti. or discharged hospital patient.de. or discharged patients.de.	2693
30	(hospital readmission or hospital readmission rate).de. or hospital.ab. or hospital.ar. or hospital.ca. or hospital.de. or hospital.ea. or hospital.jn. or hospital.nt. or hospital.pb. or hospital.pp. or hospital.ri. or hospital.sd. or hospital.se. or hospital.st. or hospital.ti. or hospital.ur. or hospital admission.de. or hospital admission figures.de. or hospital admissions.de. or hospital discharge.de. or hospital discharge planning.de. or hospital discharge process.de.	10424
31	((Support\$ or assist\$ or plan\$ or facilitat\$ or barrier\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$ or acute or timely or premature or inappropriate or unnecessary) adj (admission\$ or discharge or transfer\$)).ti,ab.	528
32	21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31	22657
33	("length of stay" or "length of time").de. or lengthy.ab. or length.ab.	2050

34	((Short or medium or long) adj term).ti,ab.	13644
35	(Month\$ or week\$ or hour\$ or day\$).ti,ab.	24931
36	(Time or period\$ or length or brief or fast\$ or limit\$).ti,ab.	50069
37	33 or 34 or 35 or 36	78158
38	20 and 32 and 37	1509
39	bed occupancy.de.	6
40	bed.ab. or bed.ar. or bed.de. or bed.ea. or bed.sd. or bed.st. or bed.ti. or bed.ur. or bed availability.de. or bed availability hospitals.de. or bed blocker.de. or bed blocking.de. or bed census.de. or bed closures.de. or bed covering.de. or bed losses.de. or bed management.de. or bed number.de. or bed numbers.de. or bed occupancy.de. or bed provision.de.	1039
41	((Bed\$1 or bedside\$1 or bed?side\$1 or "bed?based" or "bed-based") adj3 (acute or care or setting\$ or rehab\$ or service\$ or facilit\$ or intermediate)).ti,ab.	214
42	hospitals.ab. or hospitals.ar. or hospitals.ca. or hospitals.de. or hospitals.ea. or hospitals.nt. or hospitals.pb. or hospitals.ri. or hospitals.sd. or hospitals.st. or hospitals.ti. or hospitals.ur.	5898
43	(Hospital\$ adj3 (ward\$ or acute or general or community or care or based or nursing or home or setting)).ti,ab.	3815
44	(Rehabilitation adj3 center\$).ti,ab.	7
45	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation	4084

	or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	
46	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or facilit\$ or residen\$)).ti,ab.	101
47	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	11362
48	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2426
49	residential care.de.	7555
50	(residential home or residential homes or residential hospital care or residential housing).de.	132
51	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	7684
52	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	2502
53	nursing homes.de.	4099
54	(Nursing adj3 (facilit\$ or home\$ or setting\$)).ti,ab.	4451
55	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	13129
56	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	285
57	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	32

58	((Secondary or tertiary) adj setting\$).ti,ab.	12
59	prisons.ab. or prisons.ar. or prisons.ca. or prisons.de. or prisons.ea. or prisons.nt. or prisons.pb. or prisons.st. or prisons.ti. or prisons.ur.	2392
60	(Prison adj3 hospital).ti,ab.	34
61	39 or 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60	49363
62	38 and 61	847
63	(Systematic adj2 (review\$ or overview or search\$)).ti,ab.	2346
64	"systematic review".at. or "systematic review".de. or systematic reviews.de. or systematically.ab.	2449
65	((Evidence or literature) adj2 review).ti,ab.	3549
66	("literature review" or literature reviews).de.	5841
67	"review".ab. or "review".ar. or "review".bt. or "review".ca. or "review".de. or "review".ea. or "review".jh. or "review".jn. or "review".nt. or "review".oj. or "review".pb. or "review".ri. or "review".sd. or "review".se. or "review".st. or "review".ti. or "review".ur.	35543
68	((Published or search\$ or handsearch\$ or relevant or selected) adj3 (journals or database\$ or stud\$)).ti,ab.	1456
69	((Pool\$ or synthes\$ or extract\$) adj2 (data or evidence)).ti,ab.	297
70	meta analysis.de.	101

71	("Meta analy\$" or "metaanaly\$" or "meta regression" or metaregression).ti,ab.	831
72	randomized.ur. or randomly.ab. or randomised.ab. or randomised.de. or randomised.ea. or randomised.st. or randomised.ti. or randomised.ur. or randomised clinical trial.de. or randomised controlled trial.de. or randomised controlled trial rct.de. or randomised controlled trials.de. or randomising.ab. or randomization.ab. or randomization.ea. or randomize.ti. or randomized.ab. or randomized.ea. or randomized.st. or randomized.ti.	3648
73	trial.ab. or trial.ar. or trial.de. or trial.ea. or trial.jh. or trial.st. or trial.ti. or trial.ur.	2870
74	case control study.de.	14
75	(cohort analysis or cohort study).de.	26
76	63 or 64 or 65 or 66 or 67 or 68 or 69 or 70 or 71 or 72 or 73 or 74 or 75	43376
77	62 and 76	196
78	77 and 2005:2015.(sa_year).	122

Social Policy and Practice (SPP) - OVID

Date searched: 02/11/2015

No. of records: 145

Limits: study type, date (2005 – 2015)

Q2 B: Bed-based Intermediate Care – cost effectiveness

Searches	Results	Search Type
1	rehabilitation.ab. or rehabilitation.ar. or rehabilitation.ca. or rehabilitation.de. or rehabilitation.ea. or rehabilitation.jn. or rehabilitation.nt. or rehabilitation.pb. or rehabilitation.sd. or rehabilitation.se. or rehabilitation.st. or rehabilitation.ti. or rehabilitation.ur.	4770
2	Rehabilitat\$.ti,ab.	3428
3	(Intermediate adj3 (care or team\$ or provider\$ or provision or programme\$ or service\$)).ti,ab.	544
4	intermediate.ab. or intermediate.ar. or intermediate.de. or intermediate.ea. or intermediate.nt. or intermediate.pb. or intermediate.st. or intermediate.ti. or intermediate.ur. or intermediate care.de.	1100
5	physiotherapy.ab. or physiotherapy.ca. or physiotherapy.de. or physiotherapy.ea. or physiotherapy.jn. or physiotherapy.nt. or physiotherapy.pb. or physiotherapy.ri. or physiotherapy.sd. or physiotherapy.st. or physiotherapy.ti. or physiotherapy.ur.	347
6	occupational therapy.de. or occupational therapy.jn. or occupational therapy domiciliary.de.	1025
7	(Occupational adj3 care).ti,ab.	67
8	community health services.de.	19
9	(Community adj2 (service\$ or nurs\$)).ti,ab.	4569
10	(Continuity adj3 care).ti,ab.	324

11	(Delivery adj3 care).ti,ab.	935
12	(integrated adj3 care).ti,ab.	1025
13	(progressive adj3 care).ti,ab.	16
14	interagency.ab. or interagency.ca. or interagency.de. or interagency.ea. or interagency.pb. or interagency.se. or interagency.ti. or interagency.ur. or interagency approach.de. or interagency co operation.de. or interagency collaboration.de. or interagency cooperation.de. or interagency coordination.de. or interagency relations.de. or interagency working.de.	6675
15	multiagency.ab. or multiagency.de. or multiagency.ea. or multiagency.ti. or multiagency.ur. or multiagency approach.de. or multiagency centres.de. or multiagency drug service.de. or multiagency partnerships.de. or multiagency plan.de. or multiagency response.de. or multiagency strategic plan.de. or multiagency support.de. or multiagency team.de. or multiagency working.de.	1633
16	cooperation.ab. or cooperation.ca. or cooperation.de. or cooperation.ea. or cooperation.pb. or cooperation.sd. or cooperation.st. or cooperation.ti. or cooperation.ur. or cooperations.ab. or cooperative.ab. or cooperative.de.	3941
17	interprofessional.ab. or interprofessional.ar. or interprofessional.ca. or interprofessional.de. or interprofessional.ea. or interprofessional.pb. or interprofessional.sd. or interprofessional.ti. or interprofessional.ur. or interprofessional relations.de. or interprofessionalism.ab. or interprofessionalism.ti. or interprofessionalism.ur. or interprofessionality.ab. or interprofessionality.ti. or interprofessionality.ur. or	1850

	interprofessionally.ab. or interprofessional.ab.	
18	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat\$ or co-operat\$ or collaborat\$).ti,ab.	16441
19	information sharing.ti,ab.	879
20	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19	34430
21	recovery.ti.	895
22	((Recover\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximis\$ or prolong\$ or earl\$) adj (Function or mobilite\$ or abilit\$ or confidence or skill\$ or independen\$ or support or ill\$)).ti,ab.	1189
23	recovery.ab. or recovery.ar. or recovery.de. or recovery.ea. or recovery.pb. or recovery.ri. or recovery.sd. or recovery.se. or recovery.st. or recovery.ti. or recovery.ur. or recovery approach.de.	3017
24	"activities of daily living".de.	672
25	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	5162
26	(Goal adj3 sett\$).ti,ab.	150
27	admission.ab. or admission.de. or admission.ea. or admission.st. or admission.ti. or admission.ur. or admission care	4059

	homes.de. or admission hospitals.de. or admission nursing homes.de. or admission to care.de. or admissions.ab. or admissions.ti.	
28	readmission.ab. or readmission.ea. or readmission.st. or readmission.ti. or readmission.ur.	144
29	discharge.ab. or discharge.ar. or discharge.de. or discharge.ea. or discharge.ri. or discharge.se. or discharge.st. or discharge.ti. or discharge.ur. or discharge care homes.de. or discharge hospitals.de. or discharge nursing homes.de. or discharge planning.de. or discharged.ti. or discharged hospital patient.de. or discharged patients.de.	2693
30	(hospital readmission or hospital readmission rate).de. or hospital.ab. or hospital.ar. or hospital.ca. or hospital.de. or hospital.ea. or hospital.jn. or hospital.nt. or hospital.pb. or hospital.pp. or hospital.ri. or hospital.sd. or hospital.se. or hospital.st. or hospital.ti. or hospital.ur. or hospital admission.de. or hospital admission figures.de. or hospital admissions.de. or hospital discharge.de. or hospital discharge planning.de. or hospital discharge process.de.	10424
31	((Support\$ or assist\$ or plan\$ or facilitat\$ or barrier\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$ or acute or timely or premature or inappropriate or unnecessary) adj (admission\$ or discharge or transfer\$)).ti,ab.	528
32	21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31	22657
33	("length of stay" or "length of time").de. or lengthy.ab. or length.ab.	2050
34	((Short or medium or long) adj term).ti,ab.	13644

35	(Month\$ or week\$ or hour\$ or day\$).ti,ab.	24931
36	(Time or period\$ or length or brief or fast\$ or limit\$).ti,ab.	50069
37	33 or 34 or 35 or 36	78158
38	20 and 32 and 37	1509
39	bed occupancy.de.	6
40	bed.ab. or bed.ar. or bed.de. or bed.ea. or bed.sd. or bed.st. or bed.ti. or bed.ur. or bed availability.de. or bed availability hospitals.de. or bed blocker.de. or bed blocking.de. or bed census.de. or bed closures.de. or bed covering.de. or bed losses.de. or bed management.de. or bed number.de. or bed numbers.de. or bed occupancy.de. or bed provision.de.	1039
41	((Bed\$1 or bedside\$1 or bed?side\$1 or "bed?based" or "bed-based") adj3 (acute or care or setting\$ or rehab\$ or service\$ or facilit\$ or intermediate)).ti,ab.	214
42	hospitals.ab. or hospitals.ar. or hospitals.ca. or hospitals.de. or hospitals.ea. or hospitals.nt. or hospitals.pb. or hospitals.ri. or hospitals.sd. or hospitals.st. or hospitals.ti. or hospitals.ur.	5898
43	(Hospital\$ adj3 (ward\$ or acute or general or community or care or based or nursing or home or setting)).ti,ab.	3815
44	(Rehabilitation adj3 center\$).ti,ab.	7
45	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	4084

46	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or facilit\$ or residen\$)).ti,ab.	101
47	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	11362
48	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2426
49	residential care.de.	7555
50	(residential home or residential homes or residential hospital care or residential housing).de.	132
51	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	7684
52	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	2502
53	nursing homes.de.	4099
54	(Nursing adj3 (facilit\$ or home\$ or setting\$)).ti,ab.	4451
55	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	13129
56	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	285
57	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	32
58	((Secondary or tertiary) adj setting\$).ti,ab.	12

59	prisons.ab. or prisons.ar. or prisons.ca. or prisons.de. or prisons.ea. or prisons.nt. or prisons.pb. or prisons.st. or prisons.ti. or prisons.ur.	2392
60	(Prison adj3 hospital).ti,ab.	34
61	39 or 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60	49363
62	38 and 61	847
63	economics.ab. or economics.ar. or economics.ca. or economics.de. or economics.ea. or economics.nt. or economics.pb. or economics.pp. or economics.sd. or economics.se. or economics.st. or economics.ti. or economics.ur.	4929
64	"cost".ab. or "cost".ar. or "cost".ca. or "cost".de. or "cost".ea. or "cost".st. or "cost".ti. or "cost".ur. or "cost advantage".de. or "cost analysis".de. or "cost assessment".de. or "cost benefit".de. or "cost benefit analysis".de. or "cost benefit assessment".de. or "cost benefit estimate".de. or "cost benefit evaluation".de. or "cost benefit ratio".de. or "cost benefitanalysis".de. or "cost burden".de. or "cost capping".de. or "cost ceiling".de. or "cost consideration".de. or "cost containment".de. or "cost contribution".de. or "cost control".de. or "cost driver".de. or "cost drivers".de. or "cost effect".de. or "cost effective".de. or "cost effective purchasing".de. or "cost effectiveness".de. or "cost effectiveness in housing investment research programme".de. or "cost effectiveness strategy".de. or "cost efficiency".de. or "cost escalation".de. or "cost estimate".de. or "cost estimation".de. or "cost forecast".de. or "cost framework".de. or "cost impact".de. or "cost implication".de. or "cost increase".de. or "cost justification".de. or "cost measurement".de. or "cost	10263

	model".de. or "cost of care".de. or "cost of service".de. or "cost recovery".de. or "cost reduction".de. or "cost reduction scheme".de. or "cost saving".de. or "cost saving measure".de. or "cost savings".de.	
65	budgets.ab. or budgets.ar. or budgets.ca. or budgets.de. or budgets.ea. or budgets.jh. or budgets.pb. or budgets.ri. or budgets.st. or budgets.ti. or budgets.ur.	2775
66	expenditure.ab. or expenditure.ar. or expenditure.de. or expenditure.ea. or expenditure.jh. or expenditure.nt. or expenditure.pb. or expenditure.ri. or expenditure.st. or expenditure.ti. or expenditure.ur.	4507
67	((Low or high) adj cost\$.ti,ab.	1024
68	(Care adj cost\$.ti,ab.	466
69	(Fiscal or funding or financial or finance).ti,ab.	23962
70	(Economic\$ or price\$ or commission\$ or pricing).ti,ab.	35755
71	Socioeconomic\$.ti,ab.	1745
72	((Cost\$ or compar\$ or net\$) adj3 (service\$ or offset\$ or effect\$ or utility\$ or consequence\$ or benefit\$ or model\$ or estimate\$ or unit\$ or variable)).ti,ab.	7149
73	(economic model or economic modelling).de.	17
74	((Personal or pool\$) adj3 budget\$.ti,ab.	772
75	(Personal health adj3 budget\$.ti,ab.	66

76	(("Social care" or "social work\$" or "social service\$") adj3 cost\$.ti,ab.	232
77	price.ab. or price.ar. or price.ca. or price.de. or price.ea. or price.nt. or price.pa. or price.pb. or price.sd. or price.st. or price.ti. or price.ur.	1638
78	finance.ab. or finance.ar. or finance.ca. or finance.de. or finance.ea. or finance.nt. or finance.pb. or finance.ri. or finance.sd. or finance.st. or finance.ti. or finance.ur.	11774
79	money.ab. or money.ar. or money.ca. or money.de. or money.ea. or money.jh. or money.jn. or money.nt. or money.pb. or money.ri. or money.sd. or money.se. or money.st. or money.ti. or money.ur.	4995
80	63 or 64 or 65 or 66 or 67 or 68 or 69 or 70 or 71 or 72 or 73 or 74 or 75 or 76 or 77 or 78 or 79	76502
81	62 and 80	246
82	81 and 2005:2015.(sa_year).	145

Social Policy and Practice (SPP) - OVID

Date searched: 02/11/2015

No. of records: 383

Limits: study type, date (2005 – 2015)

Q2 C: Bed-based Intermediate Care – views and experiences

Searches	Results	Search Type
----------	---------	-------------

1	rehabilitation.ab. or rehabilitation.ar. or rehabilitation.ca. or rehabilitation.de. or rehabilitation.ea. or rehabilitation.jn. or rehabilitation.nt. or rehabilitation.pb. or rehabilitation.sd. or rehabilitation.se. or rehabilitation.st. or rehabilitation.ti. or rehabilitation.ur.	4770
2	Rehabilitat\$.ti,ab.	3428
3	(Intermediate adj3 (care or team\$ or provider\$ or provision or programme\$ or service\$)).ti,ab.	544
4	intermediate.ab. or intermediate.ar. or intermediate.de. or intermediate.ea. or intermediate.nt. or intermediate.pb. or intermediate.st. or intermediate.ti. or intermediate.ur. or intermediate care.de.	1100
5	physiotherapy.ab. or physiotherapy.ca. or physiotherapy.de. or physiotherapy.ea. or physiotherapy.jn. or physiotherapy.nt. or physiotherapy.pb. or physiotherapy.ri. or physiotherapy.sd. or physiotherapy.st. or physiotherapy.ti. or physiotherapy.ur.	347
6	occupational therapy.de. or occupational therapy.jn. or occupational therapy domiciliary.de.	1025
7	(Occupational adj3 care).ti,ab.	67
8	community health services.de.	19
9	(Community adj2 (service\$ or nurs\$)).ti,ab.	4569
10	(Continuity adj3 care).ti,ab.	324
11	(Delivery adj3 care).ti,ab.	935

12	(integrated adj3 care).ti,ab.	1025
13	(progressive adj3 care).ti,ab.	16
14	interagency.ab. or interagency.ca. or interagency.de. or interagency.ea. or interagency.pb. or interagency.se. or interagency.ti. or interagency.ur. or interagency approach.de. or interagency co operation.de. or interagency collaboration.de. or interagency cooperation.de. or interagency coordination.de. or interagency relations.de. or interagency working.de.	6675
15	multiagency.ab. or multiagency.de. or multiagency.ea. or multiagency.ti. or multiagency.ur. or multiagency approach.de. or multiagency centres.de. or multiagency drug service.de. or multiagency partnerships.de. or multiagency plan.de. or multiagency response.de. or multiagency strategic plan.de. or multiagency support.de. or multiagency team.de. or multiagency working.de.	1633
16	cooperation.ab. or cooperation.ca. or cooperation.de. or cooperation.ea. or cooperation.pb. or cooperation.sd. or cooperation.st. or cooperation.ti. or cooperation.ur. or cooperations.ab. or cooperative.ab. or cooperative.de.	3941
17	interprofessional.ab. or interprofessional.ar. or interprofessional.ca. or interprofessional.de. or interprofessional.ea. or interprofessional.pb. or interprofessional.sd. or interprofessional.ti. or interprofessional.ur. or interprofessional relations.de. or interprofessionalism.ab. or interprofessionalism.ti. or interprofessionalism.ur. or interprofessionality.ab. or interprofessionality.ti. or interprofessionality.ur. or interprofessionally.ab. or interprofessonal.ab.	1850

18	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat\$ or co-operat\$ or collaborat\$).ti,ab.	16441
19	information sharing.ti,ab.	879
20	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19	34430
21	recovery.ti.	895
22	((Recover\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximis\$ or prolong\$ or earl\$) adj (Function or mobilit\$ or abilit\$ or confidence or skill\$ or independen\$ or support or ill\$)).ti,ab.	1189
23	recovery.ab. or recovery.ar. or recovery.de. or recovery.ea. or recovery.pb. or recovery.ri. or recovery.sd. or recovery.se. or recovery.st. or recovery.ti. or recovery.ur. or recovery approach.de.	3017
24	"activities of daily living".de.	672
25	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	5162
26	(Goal adj3 sett\$).ti,ab.	150
27	admission.ab. or admission.de. or admission.ea. or admission.st. or admission.ti. or admission.ur. or admission care homes.de. or admission hospitals.de. or admission nursing	4059

	homes.de. or admission to care.de. or admissions.ab. or admissions.ti.	
28	readmission.ab. or readmission.ea. or readmission.st. or readmission.ti. or readmission.ur.	144
29	discharge.ab. or discharge.ar. or discharge.de. or discharge.ea. or discharge.ri. or discharge.se. or discharge.st. or discharge.ti. or discharge.ur. or discharge care homes.de. or discharge hospitals.de. or discharge nursing homes.de. or discharge planning.de. or discharged.ti. or discharged hospital patient.de. or discharged patients.de.	2693
30	(hospital readmission or hospital readmission rate).de. or hospital.ab. or hospital.ar. or hospital.ca. or hospital.de. or hospital.ea. or hospital.jn. or hospital.nt. or hospital.pb. or hospital.pp. or hospital.ri. or hospital.sd. or hospital.se. or hospital.st. or hospital.ti. or hospital.ur. or hospital admission.de. or hospital admission figures.de. or hospital admissions.de. or hospital discharge.de. or hospital discharge planning.de. or hospital discharge process.de.	10424
31	((Support\$ or assist\$ or plan\$ or facilitat\$ or barrier\$ or delay\$ or early or pre or prevent\$ or avoid\$ or scheme\$ or acute or timely or premature or inappropriate or unnecessary) adj (admission\$ or discharge or transfer\$)).ti,ab.	528
32	21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31	22657
33	("length of stay" or "length of time").de. or lengthy.ab. or length.ab.	2050
34	((Short or medium or long) adj term).ti,ab.	13644

35	(Month\$ or week\$ or hour\$ or day\$).ti,ab.	24931
36	(Time or period\$ or length or brief or fast\$ or limit\$).ti,ab.	50069
37	33 or 34 or 35 or 36	78158
38	20 and 32 and 37	1509
39	bed occupancy.de.	6
40	bed.ab. or bed.ar. or bed.de. or bed.ea. or bed.sd. or bed.st. or bed.ti. or bed.ur. or bed availability.de. or bed availability hospitals.de. or bed blocker.de. or bed blocking.de. or bed census.de. or bed closures.de. or bed covering.de. or bed losses.de. or bed management.de. or bed number.de. or bed numbers.de. or bed occupancy.de. or bed provision.de.	1039
41	((Bed\$1 or bedside\$1 or bed?side\$1 or "bed?based" or "bed-based") adj3 (acute or care or setting\$ or rehab\$ or service\$ or facilit\$ or intermediate)).ti,ab.	214
42	hospitals.ab. or hospitals.ar. or hospitals.ca. or hospitals.de. or hospitals.ea. or hospitals.nt. or hospitals.pb. or hospitals.ri. or hospitals.sd. or hospitals.st. or hospitals.ti. or hospitals.ur.	5898
43	(Hospital\$ adj3 (ward\$ or acute or general or community or care or based or nursing or home or setting)).ti,ab.	3815
44	(Rehabilitation adj3 center\$).ti,ab.	7
45	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	4084

46	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or facilit\$ or residen\$)).ti,ab.	101
47	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	11362
48	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2426
49	residential care.de.	7555
50	(residential home or residential homes or residential hospital care or residential housing).de.	132
51	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	7684
52	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	2502
53	nursing homes.de.	4099
54	(Nursing adj3 (facilit\$ or home\$ or setting\$)).ti,ab.	4451
55	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	13129
56	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	285
57	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	32
58	((Secondary or tertiary) adj setting\$).ti,ab.	12

59	prisons.ab. or prisons.ar. or prisons.ca. or prisons.de. or prisons.ea. or prisons.nt. or prisons.pb. or prisons.st. or prisons.ti. or prisons.ur.	2392
60	(Prison adj3 hospital).ti,ab.	34
61	39 or 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60	49363
62	38 and 61	847
63	qualitative research.de. or qualitative research.jn. or qualitative reserach.de. or qualitative social work.jn. or qualitative studies.de. or qualitative study.de. or qualitative survey.de. or qualitative survey findings.de. or qualitatively.ab. or qualitatively.ea. or qualitatively.ti. or qualitiative.ab.	2158
64	Qualitative\$.ti,ab.	10028
65	(Meta-synthesis\$ or meta synthesis\$ or metasynthesis).ti,ab.	36
66	(Meta-ethnograph\$ or metaethnograph\$ or meta ethnograph\$.ti,ab.	16
67	(Evidence synthesis or realist synthesis).ti,ab.	34
68	interview.ab. or interview.ar. or interview.de. or interview.ea. or interview.jh. or interview.nt. or interview.st. or interview.ti. or interview.ur. or interviewed.ab. or interviewing research.de. or interviews.ab.	22032
69	Interview\$.ti,ab.	22950
70	survey.ab. or survey.ar. or survey.ca. or survey.de. or survey.ea. or survey.jh. or survey.nt. or survey.pb. or survey.pp.	24458

	or survey.ri. or survey.sd. or survey.se. or survey.st. or survey.ti. or survey.ur. or survey data.de. or survey design.de. or survey evidence.de. or survey findings.de.	
71	(cross sectional or cross sectional model or cross sectional study or cross sectional survey or cross sectional surveys or cross sector or cross sector alliance or cross sector benefit).de.	517
72	(case studies or case study or case work).de.	10542
73	longitudinal.ab. or longitudinal.bt. or longitudinal.ca. or longitudinal.de. or longitudinal.ea. or longitudinal.pb. or longitudinal.ri. or longitudinal.sd. or longitudinal.st. or longitudinal.ti. or longitudinal.ur. or longitudinal surveys.de.	6550
74	(Case adj (study or studies)).ti,ab.	15636
75	questionnaires.ab. or questionnaires.de. or questionnaires.ea. or questionnaires.st. or questionnaires.ti. or questionnaires.ur.	4095
76	Questionnaire\$.ti,ab.	8683
77	Behavioral research.ti,ab.	34
78	narrative.ab. or narrative.ar. or narrative.de. or narrative.ea. or narrative.st. or narrative.ti. or narrative.ur. or narratively.ab. or narratively.ea. or narratives.ab. or narratives.de. or narratives.st. or narratives.ti. or narratives.ur. or narrativise.ab.	2790
79	(cohort analysis or cohort study).de.	26
80	(Cohort adj (study or studies or analysis)).ti,ab.	1101
81	observational study.de. or observations.ab. or observations.ti. or observed.ur. or observers.ab. or observes.ab. or observing.ab.	2373

	or observing.ti.	
82	(Observation\$ adj (study or studies)).ti,ab.	286
83	focus groups.de. or focused.ab. or focused.ti. or focuses.ab. or focusing.ab.	28861
84	"Focus Group?".ti,ab.	4151
85	attitude.ab. or attitude.ca. or attitude.de. or attitude.ea. or attitude.pb. or attitude.st. or attitude.ti. or attitude.ur. or attitude indicator.de. or attitude research.de. or attitude survey.de. or attitudes.ab. or attitudes.ar. or attitudes.de. or attitudes.ea. or attitudes.ti. or attitudes.ur. or attitudes survey.de. or attitudes to retirement.de. or "attitudes to the old of general public".de. or attitudinal.ab. or attitudinal.ti. or attitudinal survey.de. or attitudinally.ab.	28392
86	perception.ab. or perception.ar. or perception.de. or perception.ea. or perception.jn. or perception.sd. or perception.st. or perception.ti. or perception.ur. or perception attitudes.de. or perceptions.ab. or perceptions.de. or perceptions.ti. or perceptions.ur. or perceptual.ab.	11837
87	satisfaction.ab. or satisfaction.ar. or satisfaction.ca. or satisfaction.de. or satisfaction.ea. or satisfaction.st. or satisfaction.ti. or satisfaction.ur. or satisfaction survey.de. or satisfaction surveys.de. or satisfactions.ti. or satisfactorily.ab. or satisfactory.ab. or satisfied.ab. or satisfy.ab.	6321
88	participation.ab. or participation.ar. or participation.bt. or participation.ca. or participation.de. or participation.ea. or participation.jh. or participation.nt. or participation.pb. or participation.ri. or participation.sd. or participation.se. or	20873

	participation.st. or participation.ti. or participation.ur.	
89	involvement.ab. or involvement.ar. or involvement.bt. or involvement.ca. or involvement.de. or involvement.ea. or involvement.nt. or involvement.pb. or involvement.ri. or involvement.sd. or involvement.st. or involvement.ti. or involvement.ur. or involves.ab. or involving.ab. or involving.ti.	19576
90	View\$.ti,ab.	24595
91	Experience\$.ti,ab.	47303
92	Attitude\$.ti,ab.	12751
93	Perspective\$.ti,ab.	16697
94	(Satisf\$ or dissatisf\$).ti,ab.	6946
95	(Choice\$ or choos\$ or control or centred or centered).ti,ab.	25482
96	Preference\$.ti,ab.	2439
97	Complaint\$.ti,ab.	2142
98	Expectation\$.ti,ab.	4343
99	Feedback\$.ti,ab.	2049
100	opinion\$.ti,ab.	2995
101	advocacy.ab. or advocacy.ar. or advocacy.bt. or advocacy.ca. or advocacy.de. or advocacy.ea. or advocacy.jh. or advocacy.jn. or advocacy.nt. or advocacy.pb. or advocacy.ri. or advocacy.sd. or advocacy.st. or advocacy.ti. or advocacy.ur.	4490

102	carers.af.	19665
103	carers.ab. or carers.ar. or carers.bt. or carers.ca. or carers.de. or carers.ea. or carers.jh. or carers.nt. or carers.pb. or carers.ri. or carers.sd. or carers.se. or carers.st. or carers.ti. or carers.ur. or carers assessment.de.	19666
104	families.ab. or families.ar. or families.bt. or families.ca. or families.de. or families.ea. or families.jh. or families.nt. or families.pb. or families.ri. or families.sd. or families.se. or families.st. or families.ti. or families.ur.	41633
105	relatives.ab. or relatives.ar. or relatives.ca. or relatives.de. or relatives.ea. or relatives.jh. or relatives.nt. or relatives.pb. or relatives.ri. or relatives.sd. or relatives.st. or relatives.ti. or relatives.ur.	3269
106	professionals.ab. or professionals.ar. or professionals.bt. or professionals.ca. or professionals.de. or professionals.ea. or professionals.jh. or professionals.nt. or professionals.pb. or professionals.ri. or professionals.se. or professionals.st. or professionals.ti. or professionals.ur.	16129
107	staff.ab. or staff.ar. or staff.ca. or staff.de. or staff.ea. or staff.jh. or staff.nt. or staff.pa. or staff.pb. or staff.ri. or staff.sd. or staff.se. or staff.st. or staff.ti. or staff.ur.	24487
108	employees.ab. or employees.ar. or employees.ca. or employees.de. or employees.ea. or employees.pb. or employees.ri. or employees.sd. or employees.se. or employees.st. or employees.ti. or employees.ur. or employer.ab.	4966
109	63 or 64 or 65 or 66 or 67 or 68 or 69 or 70 or 71 or 72 or 73 or	238289

	74 or 75 or 76 or 77 or 78 or 79 or 80 or 81 or 82 or 83 or 84 or 85 or 86 or 87 or 88 or 89 or 90 or 91 or 92 or 93 or 94 or 95 or 96 or 97 or 98 or 99 or 100 or 101 or 102 or 103 or 104 or 105 or 106 or 107 or 108	
110	62 and 109	599
111	110 and 2005:2015.(sa_year).	383

Abstracts in Social Gerontology - EBSCO

Date searched: 30/11/2015

No. of records: 215

Limits: study type, scholarly journals, language (English), date (2005/01/01/ - 2015/12/31)

Q2 A: Bed-based Intermediate Care - effectiveness

#	Query	Results
S78	S63 AND S74 Limiters - Scholarly (Peer Reviewed) Journals; Publication Date: 20050101-20151231 Narrow by Language: - English	215
S77	S63 AND S74 Limiters - Scholarly (Peer Reviewed) Journals; Publication Date:	215

	20050101-20151231	
S76	S63 AND S74 Limiters - Publication Date: 20050101-20151231	215
S75	S63 AND S74	253
S74	S64 OR S65 OR S66 OR S67 OR S68 OR S69 OR S70 OR S71 OR S72 OR S73	6,846
S73	(ZU "clinical trials") or (ZU "clinical trials -- evaluation") or (ZU "clinical trials -- reporting") or (ZU "clinical trials -- research")	948
S72	TX (Randomized control* trial*)	2,333
S71	(ZU "randomized controlled trials") or (ZU "randomized controlled trials -- research")	965
S70	TX ("Meta analy*" or "metaanaly*" or "meta regression" or metaregression)	1,012
S69	(ZU "meta-analysis")	506
S68	TX ((Pool* or synthes* or extract*) N2 (data or evidence))	297
S67	TX ((Published or search* or handsearch* or relevant or selected) N3 (journal* or database* or stud*))	1,620

S66	TX ((Evidence or literature) N2 review*)	1,527
S65	TX (Systematic N2 (review* or overview or search*))	1,578
S64	(ZU "systematic reviews (medical research)")	602
S63	S39 AND S62	2,123
S62	S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60 OR S61	22,518
S61	TX (Prison N3 hospital)	3
S60	(ZU "prisons") or (ZU "prisoners") or (ZU "prisoners -- health") or (ZU "prisoners -- medical care") or (ZU "prison nurses") or (ZU "prisons -- england")	100
S59	TX ((Secondary or tertiary) N2 setting*)	94
S58	TX ((Subacute or sub-acute or "sub acute" or postacute or post- acute or "post acute") N0 care)	99
S57	TX ((Old* or elder* or geriatric*) N3 (people* or age*) N0 home*)	354
S56	(ZU "older people -- long-term care") or (ZU "older people -- home care") or (ZU "older people -- home care -- research") or (ZU "older people -- hospital care") or (ZU "older people -- institutional care") or (ZU "older people -- dwellings") or (ZU "older people -- care")	3,683
S55	TX ((Care or rest or group or senior or elder or retire*) N3 (home* or	11,118

	hous* or facilit*)	
S54	TX (Nursing N3 (facilit* or home* or setting*))	6,959
S53	(ZU "nursing home care") or (ZU "nursing home care -- economic aspects") or (ZU "nursing home care -- evaluation") or (ZU "nursing care facilities -- evaluation") or (ZU "nursing care facilities") or (ZU "nursing care facilities -- economic aspects")	2,540
S52	TX ((Local authorit* or independent) N3 (facilit* or setting* or environment or hous*))	111
S51	TX (Residential N3 (facilit* or setting* or environment or health or care))	2,661
S50	(ZU "residential care")	289
S49	TX (Community N3 (rehab or scheme* or model* or setting* or environment or provision))	1,119
S48	TX ((Community or "step up" or "step down" or transition*) N3 (hospital* or ward* or facilit* or care or bed or hospice))	8,522
S47	TX ((Intermediate or skilled nursing or rehabilitation) N3 (unit* or centre* or center* or scheme* or setting* or facilit* or residen*))	4,356
S46	TX (Intermediate N3 facilit*)	29
S45	TX ((Temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))	330

S44	(ZU "rehabilitation centers")	35
S43	TX (Hospital* N3 (ward* or acute or general or community or care or based or nursing or home or setting))	5,951
S42	(ZU "hospital & community") or (ZU "hospital beds") or (ZU "hospital beds -- safety measures") or (ZU "hospital care") or (ZU "hospital care -- economic aspects") or (ZU "hospital care -- evaluation") or (ZU "hospital care -- research") or (ZU "hospital costs") or (ZU "hospital costs -- research") or (ZU "hospital emergency services") or (ZU "hospital emergency services -- abstracts") or (ZU "hospital emergency services -- economic aspects") or (ZU "hospital emergency services -- evaluation") or (ZU "hospital emergency services -- methodology") or (ZU "hospital emergency services -- research") or (ZU "hospital medical staff") or (ZU "hospital night care") or (ZU "hospital nursing staff") or (ZU "hospital patients") or (ZU "hospital utilization") or (ZU "hospital wards") or (ZU "hospitals - - case management services") or (ZU "hospitals -- economic aspects") or (ZU "hospitals -- evaluation") or (ZU "hospitals -- home care programs") or (ZU "hospitals -- rehabilitation services") or (ZU "hospitals -- research")	1,598
S41	TX ((Bed* or bedside* or bed?side* or "bed?based" or "bed-based") N3 (acute or care or setting* or rehab* or service* or facilit* or intermediate))	238
S40	(ZU "beds")	3
S39	S19 AND S32 AND S38	2,739
S38	S33 OR S34 OR S35 OR S36 OR S37	36,797

S37	(ZU "length of stay in hospitals") or (ZU "length of stay in hospitals -- research")	206
S36	(ZU "time")	467
S35	TX (Time or period* or length or brief or fast* or limit*)	25,546
S34	TX (Month* or week* or hour* or day*)	12,450
S33	TX ((Short or medium or long) N3 term)	8,623
S32	S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31	11,917
S31	TX ((Support* or assist* or plan* or facilitat* or barrier* or delay* or early or pre* or prevent* or avoid* or scheme* or acute or timely or premature or inappropriate or unnecessary) N3 (admission* or discharge or transfer*))	923
S30	TX readmission*	257
S29	TX discharge*	1,888
S28	TX admission*	2,334
S27	(ZU "discharge planning")	104
S26	TX Independence N3 outcomes	9
S25	TX Recover* N3 outcome*	21

S24	TX (Goal N3 sett*)	198
S23	TX ((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")	5,946
S22	((ZU "activities of daily living")) or ((ZU "activities of daily living -- economic aspects") or (ZU "activities of daily living -- evaluation") or (ZU "activities of daily living -- psychological aspects") or (ZU "activities of daily living -- research"))	1,511
S21	(ZU "independent living")	763
S20	TX ((Recover* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximis* or prolong* or earl*) N3 (Function or mobilite* or abilit* or confidence or skill* or independen* or support or ill*))	3,451
S19	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18	19,134
S18	TX (Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat* or co-operat* or collaborat* or co-produce*)	4,547
S17	TX Communit* N3 care	7,939
S16	(ZU "progressive patient care")	1

S15	(ZU "integrated delivery of health care") or (ZU "integrated delivery of health care -- evaluation")	137
S14	TX Deliver* N3 care	3,748
S13	(ZU "continuum of care")	126
S12	TX (Community N2 (service* or nurs*))	2,831
S11	(ZU "community health nursing")	84
S10	(ZU "community health services")	423
S9	TX (Occupational N3 care)	41
S8	(ZU "occupational therapy") or (ZU "occupational therapy -- needs assessment") or (ZU "occupational therapy -- research") or (ZU "occupational therapy for older people") or (ZU "occupational therapy services")	113
S7	TX Occupational Therapy	538
S6	TX Physiotherapy	226
S5	(ZU "intermediate care (nursing care)")	12
S4	TX Intermediate	433
S3	TX (Intermediate N3 (care or team\$ or provider\$ or provision or programme\$ or service\$))	115

S2	TX Rehabilitation	3,137
S1	(ZU "rehabilitation") or (ZU "rehabilitation -- evaluation") or (ZU "rehabilitation -- law & legislation") or (ZU "rehabilitation -- methodology") or (ZU "rehabilitation -- study & teaching") or (ZU "rehabilitation nursing")	232

Abstracts in Social Gerontology - EBSCO

Date searched: 30/11/2015

No. of records: 592

Limits: study type, publication type, scholarly journal, language (English), date (2005/01/01 – 2015/12/31)

Q2 B: Bed-based Intermediate Care – cost effectiveness

#	Query	Results
S83	S63 AND S79 Limiters - Scholarly (Peer Reviewed) Journals; Publication Date: 20050101-20151231 Narrow by Language: - English	592
S82	S63 AND S79 Limiters - Scholarly (Peer Reviewed) Journals; Publication Date: 20050101-20151231	593
S81	S63 AND S79 Limiters - Publication Date: 20050101-20151231	593

S80	S63 AND S79	724
S79	S64 OR S65 OR S66 OR S67 OR S68 OR S69 OR S70 OR S71 OR S72 OR S73 OR S74 OR S75 OR S76 OR S77 OR S78	17,149
S78	TX (("Social care" or "social work*" or "social service*") N3 cost*)	30
S77	TX (Personal health N3 budget*)	12
S76	TX ((Personal or pool*) N3 budget*)	33
S75	TX (Economic N3 model*)	54
S74	(ZU "economic models")	6
S73	TX ((Cost* or compar* or net*) N3 (service* or offset* or effect* or utilit* or consequence* or benefit* or model* or estimate* or unit* or variable))	3,645
S72	TX Socioeconomic*	1,730
S71	TX (Economic* or price* or commission* or pricing)	6,734
S70	TX (Fiscal or funding or financial or finance)	8,545
S69	TX (Care N0 cost*)	1,123
S68	TX ((Low or high) N0 cost*)	194
S67	(ZU "budget")	71
S66	(ZU "hospital costs") or (ZU "hospital emergency services -- economic	90

	aspects") or (ZU "hospital care -- economic aspects") or (ZU "hospice care -- economic aspects") or (ZU "hospital costs -- research") or (ZU "hospital health promotion programs -- economic aspects") or (ZU "hospital mergers -- economic aspects") or (ZU "hospitals -- admission & discharge -- economic aspects") or (ZU "hospitals -- economic aspects")	
S65	(ZU "cost") or (ZU "cost accounting") or (ZU "cost analysis") or (ZU "cost control") or (ZU "cost control -- methodology") or (ZU "cost effectiveness") or (ZU "cost effectiveness -- research")	423
S64	(ZU "economics") or (ZU "economics -- evaluation") or (ZU "economics -- research") or (ZU "economic efficiency") or (ZU "economic indicators")	353
S63	S39 AND S62	2,123
S62	S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60 OR S61	22,518
S61	TX (Prison N3 hospital)	3
S60	(ZU "prisons") or (ZU "prisoners") or (ZU "prisoners -- health") or (ZU "prisoners -- medical care") or (ZU "prison nurses") or (ZU "prisons -- england")	100
S59	TX ((Secondary or tertiary) N2 setting*)	94
S58	TX ((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") N0 care)	99
S57	TX ((Old* or elder* or geriatric*) N3 (people* or age*) N0 home*)	354

S56	(ZU "older people -- long-term care") or (ZU "older people -- home care") or (ZU "older people -- home care -- research") or (ZU "older people -- hospital care") or (ZU "older people -- institutional care") or (ZU "older people -- dwellings") or (ZU "older people -- care")	3,683
S55	TX ((Care or rest or group or senior or elder or retire*) N3 (home* or hous* or facilit*))	11,118
S54	TX (Nursing N3 (facilit* or home* or setting*))	6,959
S53	(ZU "nursing home care") or (ZU "nursing home care -- economic aspects") or (ZU "nursing home care -- evaluation") or (ZU "nursing care facilities -- evaluation") or (ZU "nursing care facilities") or (ZU "nursing care facilities -- economic aspects")	2,540
S52	TX ((Local authorit* or independent) N3 (facilit* or setting* or environment or hous*))	111
S51	TX (Residential N3 (facilit* or setting* or environment or health or care))	2,661
S50	(ZU "residential care")	289
S49	TX (Community N3 (rehab or scheme* or model* or setting* or environment or provision))	1,119
S48	TX ((Community or "step up" or "step down" or transition*) N3 (hospital* or ward* or facilit* or care or bed or hospice))	8,522
S47	TX ((Intermediate or skilled nursing or rehabilitation) N3 (unit* or centre* or center* or scheme* or setting* or facilit* or residen*))	4,356

S46	TX (Intermediate N3 facilit*)	29
S45	TX ((Temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))	330
S44	(ZU "rehabilitation centers")	35
S43	TX (Hospital* N3 (ward* or acute or general or community or care or based or nursing or home or setting))	5,951
S42	(ZU "hospital & community") or (ZU "hospital beds") or (ZU "hospital beds -- safety measures") or (ZU "hospital care") or (ZU "hospital care -- economic aspects") or (ZU "hospital care -- evaluation") or (ZU "hospital care -- research") or (ZU "hospital costs") or (ZU "hospital costs -- research") or (ZU "hospital emergency services") or (ZU "hospital emergency services -- abstracts") or (ZU "hospital emergency services -- economic aspects") or (ZU "hospital emergency services -- evaluation") or (ZU "hospital emergency services -- methodology") or (ZU "hospital emergency services -- research") or (ZU "hospital medical staff") or (ZU "hospital night care") or (ZU "hospital nursing staff") or (ZU "hospital patients") or (ZU "hospital utilization") or (ZU "hospital wards") or (ZU "hospitals -- case management services") or (ZU "hospitals -- economic aspects") or (ZU "hospitals -- evaluation") or (ZU "hospitals -- home care programs") or (ZU "hospitals -- rehabilitation services") or (ZU "hospitals - - research")	1,598
S41	TX ((Bed* or bedside* or bed?side* or "bed?based" or "bed-based") N3 (acute or care or setting* or rehab* or service* or facilit* or intermediate))	238
S40	(ZU "beds")	3

S39	S19 AND S32 AND S38	2,739
S38	S33 OR S34 OR S35 OR S36 OR S37	36,797
S37	(ZU "length of stay in hospitals") or (ZU "length of stay in hospitals -- research")	206
S36	(ZU "time")	467
S35	TX (Time or period* or length or brief or fast* or limit*)	25,546
S34	TX (Month* or week* or hour* or day*)	12,450
S33	TX ((Short or medium or long) N3 term)	8,623
S32	S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31	11,917
S31	TX ((Support* or assist* or plan* or facilitat* or barrier* or delay* or early or pre* or prevent* or avoid* or scheme* or acute or timely or premature or inappropriate or unnecessary) N3 (admission* or discharge or transfer*))	923
S30	TX readmission*	257
S29	TX discharge*	1,888
S28	TX admission*	2,334
S27	(ZU "discharge planning")	104

S26	TX Independence N3 outcomes	9
S25	TX Recover* N3 outcome*	21
S24	TX (Goal N3 sett*)	198
S23	TX ((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")	5,946
S22	((ZU "activities of daily living")) or ((ZU "activities of daily living -- economic aspects") or (ZU "activities of daily living -- evaluation") or (ZU "activities of daily living -- psychological aspects") or (ZU "activities of daily living -- research"))	1,511
S21	(ZU "independent living")	763
S20	TX ((Recover* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximis* or prolong* or earl*) N3 (Function or mobilit* or abilit* or confidence or skill* or independen* or support or ill*))	3,451
S19	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18	19,134
S18	TX (Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat* or co-operat* or collaborat* or co-produce*)	4,547
S17	TX Communit* N3 care	7,939

S16	(ZU "progressive patient care")	1
S15	(ZU "integrated delivery of health care") or (ZU "integrated delivery of health care -- evaluation")	137
S14	TX Deliver* N3 care	3,748
S13	(ZU "continuum of care")	126
S12	TX (Community N2 (service* or nurs*))	2,831
S11	(ZU "community health nursing")	84
S10	(ZU "community health services")	423
S9	TX (Occupational N3 care)	41
S8	(ZU "occupational therapy") or (ZU "occupational therapy -- needs assessment") or (ZU "occupational therapy -- research") or (ZU "occupational therapy for older people") or (ZU "occupational therapy services")	113
S7	TX Occupational Therapy	538
S6	TX Physiotherapy	226
S5	(ZU "intermediate care (nursing care)")	12
S4	TX Intermediate	433
S3	TX (Intermediate N3 (care or team\$ or provider\$ or provision or	115

	programme\$ or service\$))	
S2	TX Rehabilitation	3,137
S1	(ZU "rehabilitation") or (ZU "rehabilitation -- evaluation") or (ZU "rehabilitation -- law & legislation") or (ZU "rehabilitation -- methodology") or (ZU "rehabilitation -- study & teaching") or (ZU "rehabilitation nursing")	232

Abstracts in Social Gerontology - EBSCO

Date searched: 30/11/2015

No. of records: 1103

Limits: study type, publication type, scholarly journal, language (English), date (2005/01/01 – 2015/12/31)

Q2 C: Bed-based Intermediate Care – views and experiences

#	Query	Results
S110	S63 AND S106 Limiters - Scholarly (Peer Reviewed) Journals; Publication Date: 20050101-20151231 Narrow by Language: - English	1,103
S109	S63 AND S106 Limiters - Scholarly (Peer Reviewed) Journals; Publication Date: 20050101-20151231	1,104
S108	S63 AND S106	1,104

	Limiters - Publication Date: 20050101-20151231	
S107	S63 AND S106	1,473
S106	S64 OR S65 OR S66 OR S67 OR S68 OR S69 OR S70 OR S71 OR S72 OR S73 OR S74 OR S75 OR S76 OR S77 OR S78 OR S79 OR S80 OR S81 OR S82 OR S83 OR S84 OR S85 OR S86 OR S87 OR S88 OR S89 OR S90 OR S91 OR S92 OR S93 OR S94 OR S95 OR S96 OR S97 OR S98 OR S99 OR S100 OR S101 OR S102 OR S103 OR S104 OR S105	43,585
S105	(ZU "caregivers -- research") or (ZU "caregivers -- attitudes -- research") or (ZU "caregivers -- cross-cultural studies") or (ZU "caregivers -- economic conditions") or (ZU "caregivers -- family relationships") or (ZU "caregivers -- health -- research") or (ZU "caregivers -- interviews") or (ZU "caregivers -- psychology -- research") or (ZU "caregivers")	3,099
S104	TX Advoca*	1,078
S103	TX Feedback*	408
S102	TX Expectation*	1,407
S101	TX Complaint*	777
S100	TX Preference*	1,197
S99	(ZU "preferences (philosophy)")	7
S98	TX (Choice* or choos* or control or centred or centered)	12,266

S97	TX (Satisf* or dissatisf*)	3,051
S96	TX Perspective*	3,528
S95	TX Attitude*	4,163
S94	TX Experience*	8,756
S93	(ZU "experience") or (ZU "experience -- research")	397
S92	TX View*	3,491
S91	(ZU "views")	2
S90	TX Participation	2,611
S89	(ZU "participation")	23
S88	(ZU "satisfaction")	437
S87	((ZU "perception")) or ((ZU "perception -- research"))	328
S86	(ZU "attitude (psychology)") or (ZU "attitude (psychology) -- research") or (ZU "attitude (psychology) -- testing") or (ZU "attitude change (psychology)") or (ZU "attitudes toward aging") or (ZU "attitudes toward disabilities") or (ZU "attitudes toward entitlement") or (ZU "attitudes toward health") or (ZU "attitudes toward technology") or (ZU "attitudes toward the environment")	1,402
S85	TX "Focus Group?"	690

S84	(ZU "focus groups")	379
S83	TX (Observation* N3 (study or studies))	1,192
S82	(ZU "observation (scientific method)")	393
S81	TX (Cohort N3 (study or studies or analysis))	2,849
S80	(ZU "narratives")	128
S79	TX Behavioral research	181
S78	(ZU "surveys")	1,177
S77	(ZU "longitudinal method")	2,474
S76	TX Questionnaire*	5,488
S75	(ZU "questionnaires")	2,257
S74	TX (Case N0 (study or studies))	1,528
S73	(ZU "case study (research)") or (ZU "case-control method") or (ZU "case studies")	438
S72	TX "In depth"	887
S71	TX Interview*	7,620
S70	(ZU "interviewing") or (ZU "interviews")	2,079

S69	TX (Evidence synthesis or realist synthesis)	19
S68	TX (Meta-ethnograph* or metaethnograph* or meta ethnograph*)	5
S67	(ZU "meta-synthesis (qualitation research)")	9
S66	TX (Meta-synthesis* or meta synthesis* or metasynthesis)	21
S65	TX Qualitative*	2,567
S64	(ZU "qualitative research") or (ZU "qualitative research -- evaluation")	831
S63	S39 AND S62	2,123
S62	S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60 OR S61	22,518
S61	TX (Prison N3 hospital)	3
S60	(ZU "prisons") or (ZU "prisoners") or (ZU "prisoners -- health") or (ZU "prisoners -- medical care") or (ZU "prison nurses") or (ZU "prisons -- england")	100
S59	TX ((Secondary or tertiary) N2 setting*)	94
S58	TX ((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") N0 care)	99
S57	TX ((Old* or elder* or geriatric*) N3 (people* or age*) N0 home*)	354

S56	(ZU "older people -- long-term care") or (ZU "older people -- home care") or (ZU "older people -- home care -- research") or (ZU "older people -- hospital care") or (ZU "older people -- institutional care") or (ZU "older people -- dwellings") or (ZU "older people -- care")	3,683
S55	TX ((Care or rest or group or senior or elder or retire*) N3 (home* or hous* or facilit*))	11,118
S54	TX (Nursing N3 (facilit* or home* or setting*))	6,959
S53	(ZU "nursing home care") or (ZU "nursing home care -- economic aspects") or (ZU "nursing home care -- evaluation") or (ZU "nursing care facilities -- evaluation") or (ZU "nursing care facilities") or (ZU "nursing care facilities -- economic aspects")	2,540
S52	TX ((Local authorit* or independent) N3 (facilit* or setting* or environment or hous*))	111
S51	TX (Residential N3 (facilit* or setting* or environment or health or care))	2,661
S50	(ZU "residential care")	289
S49	TX (Community N3 (rehab or scheme* or model* or setting* or environment or provision))	1,119
S48	TX ((Community or "step up" or "step down" or transition*) N3 (hospital* or ward* or facilit* or care or bed or hospice))	8,522
S47	TX ((Intermediate or skilled nursing or rehabilitation) N3 (unit* or centre* or center* or scheme* or setting* or facilit* or residen*))	4,356

S46	TX (Intermediate N3 facilit*)	29
S45	TX ((Temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))	330
S44	(ZU "rehabilitation centers")	35
S43	TX (Hospital* N3 (ward* or acute or general or community or care or based or nursing or home or setting))	5,951
S42	(ZU "hospital & community") or (ZU "hospital beds") or (ZU "hospital beds -- safety measures") or (ZU "hospital care") or (ZU "hospital care -- economic aspects") or (ZU "hospital care -- evaluation") or (ZU "hospital care -- research") or (ZU "hospital costs") or (ZU "hospital costs -- research") or (ZU "hospital emergency services") or (ZU "hospital emergency services -- abstracts") or (ZU "hospital emergency services -- economic aspects") or (ZU "hospital emergency services -- evaluation") or (ZU "hospital emergency services -- methodology") or (ZU "hospital emergency services -- research") or (ZU "hospital medical staff") or (ZU "hospital night care") or (ZU "hospital nursing staff") or (ZU "hospital patients") or (ZU "hospital utilization") or (ZU "hospital wards") or (ZU "hospitals -- case management services") or (ZU "hospitals -- economic aspects") or (ZU "hospitals -- evaluation") or (ZU "hospitals -- home care programs") or (ZU "hospitals -- rehabilitation services") or (ZU "hospitals -- research")	1,598
S41	TX ((Bed* or bedside* or bed?side* or "bed?based" or "bed-based") N3 (acute or care or setting* or rehab* or service* or facilit* or intermediate))	238
S40	(ZU "beds")	3

S39	S19 AND S32 AND S38	2,739
S38	S33 OR S34 OR S35 OR S36 OR S37	36,797
S37	(ZU "length of stay in hospitals") or (ZU "length of stay in hospitals -- research")	206
S36	(ZU "time")	467
S35	TX (Time or period* or length or brief or fast* or limit*)	25,546
S34	TX (Month* or week* or hour* or day*)	12,450
S33	TX ((Short or medium or long) N3 term)	8,623
S32	S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31	11,917
S31	TX ((Support* or assist* or plan* or facilitat* or barrier* or delay* or early or pre* or prevent* or avoid* or scheme* or acute or timely or premature or inappropriate or unnecessary) N3 (admission* or discharge or transfer*))	923
S30	TX readmission*	257
S29	TX discharge*	1,888
S28	TX admission*	2,334
S27	(ZU "discharge planning")	104

S26	TX Independence N3 outcomes	9
S25	TX Recover* N3 outcome*	21
S24	TX (Goal N3 sett*)	198
S23	TX ((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")	5,946
S22	((ZU "activities of daily living")) or ((ZU "activities of daily living -- economic aspects") or (ZU "activities of daily living -- evaluation") or (ZU "activities of daily living -- psychological aspects") or (ZU "activities of daily living -- research"))	1,511
S21	(ZU "independent living")	763
S20	TX ((Recover* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximis* or prolong* or earl*) N3 (Function or mobilit* or abilit* or confidence or skill* or independen* or support or ill*))	3,451
S19	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18	19,134
S18	TX (Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat* or co-operat* or collaborat* or co-produce*)	4,547
S17	TX Communit* N3 care	7,939

S16	(ZU "progressive patient care")	1
S15	(ZU "integrated delivery of health care") or (ZU "integrated delivery of health care -- evaluation")	137
S14	TX Deliver* N3 care	3,748
S13	(ZU "continuum of care")	126
S12	TX (Community N2 (service* or nurs*))	2,831
S11	(ZU "community health nursing")	84
S10	(ZU "community health services")	423
S9	TX (Occupational N3 care)	41
S8	(ZU "occupational therapy") or (ZU "occupational therapy -- needs assessment") or (ZU "occupational therapy -- research") or (ZU "occupational therapy for older people") or (ZU "occupational therapy services")	113
S7	TX Occupational Therapy	538
S6	TX Physiotherapy	226
S5	(ZU "intermediate care (nursing care)")	12
S4	TX Intermediate	433
S3	TX (Intermediate N3 (care or team\$ or provider\$ or provision or	115

	programme\$ or service\$))	
S2	TX Rehabilitation	3,137
S1	(ZU "rehabilitation") or (ZU "rehabilitation -- evaluation") or (ZU "rehabilitation -- law & legislation") or (ZU "rehabilitation -- methodology") or (ZU "rehabilitation -- study & teaching") or (ZU "rehabilitation nursing")	232

SocINDEX - EBSCO

Date searched: 30/11/2015

No. of records: 52

Limits: study type, date (2005/01/01 – 2015/12/31)

Q2 A: Bed-based Intermediate Care - effectiveness

#	Query	Results
S65	S10 AND S62 Limiters - Date of Publication: 20050101-20151231	52
S64	S10 AND S62 Limiters - Date of Publication: 20050101-20151231	52
S63	S10 AND S62	77
S62	S39 AND S61	1,028
S61	S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR	101,685

	S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60	
S60	TX (Prison N3 hospital)	343
S59	(ZU "prisons")	5,129
S58	TX ((Secondary or tertiary) N0 setting*)	80
S57	TX ((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") N0 care)	80
S56	((Old* or elder* or geriatric*) N0 (people* or age*) N0 home*)	556
S55	TX ((Care or rest or group or senior or elder or retire*) N3 (home* or hous* or facilit*))	30,925
S54	TX (Nursing N3 (facilit* or home* or setting*))	6,873
S53	(ZU "nursing homes")	429
S52	TX ((Local authorit* or independent) N3 (facilit* or setting* or environment or hous*))	909
S51	TX (Residential N3 (facilit* or setting* or environment or health or care))	25,877
S50	(ZU "residential care")	1,042
S49	TX (Community N3 (rehab or scheme* or model* or setting* or environment or provision))	6,942

S48	TX ((Community or "step up" or "step down" or transition*) N3 (hospital* or ward* or facilit* or care or bed or hospice))	38,439
S47	TX ((Intermediate or skilled nursing) N3 (unit* or centre* or center* or scheme* or setting* or facilit* or residen*))	3,576
S46	TX "Intermediate Care Facilities"	23
S45	TX ((temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))	2,549
S44	(ZU "rehabilitation centers")	485
S43	TX (Hospital* N3 (ward* or acute or general or community or care or based or nursing or home or setting))	16,176
S42	(ZU "hospitals")	4,384
S41	TX ((Bed* or bedside* or bed?side* or "bed?based" or "bed-based") N3 (acute or care or setting* or rehab* or service* or facilit* or intermediate))	664
S40	(ZU "beds")	19
S39	S26 AND S34 AND S38	2,602
S38	S35 OR S36 OR S37	1,011,484
S37	TX (Time or period* or length or brief or fast* or limit*)	931,759

S36	TX (Month* or week* or hour* or day*)	170,144
S35	TX ((Short or medium or long) N0 term)	40,022
S34	S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33	29,807
S33	(ZU "length of stay") or (ZU "length of stay in hospitals") or (ZU "length of stay in hospitals -- economic aspects") or (ZU "length of stay in hospitals -- law & legislation") or (ZU "length of stay in hospitals -- research")	232
S32	TX ((Support* or assist* or plan* or facilitat* or barrier* or delay* or early or pre* or prevent* or avoid* or scheme* or acute or timely or premature or inappropriate or unnecessary) N0 (admission* or discharge or transfer*))	1,408
S31	(ZU "admission & discharge")	687
S30	TX (Goal N3 sett*)	3,116
S29	TX ((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")	19,417
S28	(ZU "activities of daily living")	1,152
S27	TX ((Recover* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximis* or prolong* or earl*) N0 (function or mobilit* or abilit* or confidence or skill* or independen* or support or ill*))	5,875
S26	S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25	155,725

S25	TX (Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat* or co-operat* or collaborat*)	94,350
S24	(ZU "progressive patient care")	2
S23	TX "Integrated care"	228
S22	(ZU "integrated delivery of health care")	318
S21	TX (Community N2 (service* or nurs*))	26,758
S20	(ZU "community health nursing")	264
S19	(ZU "community health services")	3,411
S18	TX (Occupational N3 care)	234
S17	(ZU "occupational therapy") or (ZU "occupational therapy for older people") or (ZU "occupational therapy services")	350
S16	TX Physiotherap*	426
S15	TX (Intermediate N3 (care or team* or provider* or provision or programme* or service*))	277
S14	(ZU "intermediate care (nursing care)")	25
S13	(ZU "rehabilitation nursing")	26

S12	TX Rehabilitat*	40,377
S11	(ZU "rehabilitation") or (ZU "rehabilitation -- research") or (ZU "rehabilitation research") or (ZU "rehabilitation services")	4,810
S10	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9	36,758
S9	(ZU "clinical trials")	2,891
S8	(ZU "randomized controlled trials")	1,221
S7	TX ("Meta analy*" or "metaanaly*" or "meta regression" or metaregression)	3,763
S6	(ZU "meta-analysis")	1,857
S5	TX ((Pool* or synthes* or extract*) N2 (data or evidence))	1,453
S4	TX ((Published or search* or handsearch* or relevant or selected) N3 (journals or database* or stud*))	13,483
S3	(ZU "systematic reviews (medical research)") or (ZU "systematic reviews (medical research) -- research")	1,046
S2	TX ((Evidence or literature) N2 review)	14,642
S1	TX (Systematic N2 (review* or overview or search*))	3,917

SocINDEX - EBSCO

Date searched: 30/11/2015

No. of records: 233

Limits: Study type, language (English), date (2005/01/01 – 2015/12/31)

Q2 B: Bed-based Intermediate Care – cost effectiveness

#	Query	Results
S75	S20 AND S72 Limiters - Date of Publication: 20050101-20151231 Narrow by Language: - English	233
S74	S20 AND S72 Limiters - Date of Publication: 20050101-20151231	238
S73	S20 AND S72	416
S72	S49 AND S71	1,028
S71	S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60 OR S61 OR S62 OR S63 OR S64 OR S65 OR S66 OR S67 OR S68 OR S69 OR S70	101,685
S70	TX (Prison N3 hospital)	343
S69	(ZU "prisons")	5,129
S68	TX ((Secondary or tertiary) N0 setting*)	80
S67	TX ((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") N0 care)	80
S66	((Old* or elder* or geriatric*) N0 (people* or age*) N0 home*)	556

S65	TX ((Care or rest or group or senior or elder or retire*) N3 (home* or hous* or facilit*))	30,925
S64	TX (Nursing N3 (facilit* or home* or setting*))	6,873
S63	(ZU "nursing homes")	429
S62	TX ((Local authorit* or independent) N3 (facilit* or setting* or environment or hous*))	909
S61	TX (Residential N3 (facilit* or setting* or environment or health or care))	25,877
S60	(ZU "residential care")	1,042
S59	TX (Community N3 (rehab or scheme* or model* or setting* or environment or provision))	6,942
S58	TX ((Community or "step up" or "step down" or transition*) N3 (hospital* or ward* or facilit* or care or bed or hospice))	38,439
S57	TX ((Intermediate or skilled nursing) N3 (unit* or centre* or center* or scheme* or setting* or facilit* or residen*))	3,576
S56	TX "Intermediate Care Facilities"	23
S55	TX ((temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))	2,549
S54	(ZU "rehabilitation centers")	485

S53	TX (Hospital* N3 (ward* or acute or general or community or care or based or nursing or home or setting))	16,176
S52	(ZU "hospitals")	4,384
S51	TX ((Bed* or bedside* or bed?side* or "bed?based" or "bed-based") N3 (acute or care or setting* or rehab* or service* or facilit* or intermediate))	664
S50	(ZU "beds")	19
S49	S36 AND S44 AND S48	2,602
S48	S45 OR S46 OR S47	1,011,484
S47	TX (Time or period* or length or brief or fast* or limit*)	931,759
S46	TX (Month* or week* or hour* or day*)	170,144
S45	TX ((Short or medium or long) N0 term)	40,022
S44	S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43	29,807
S43	(ZU "length of stay") or (ZU "length of stay in hospitals") or (ZU "length of stay in hospitals -- economic aspects") or (ZU "length of stay in hospitals -- law & legislation") or (ZU "length of stay in hospitals -- research")	232
S42	TX ((Support* or assist* or plan* or facilitat* or barrier* or delay* or early or pre* or prevent* or avoid* or scheme* or acute or timely or premature or inappropriate or unnecessary) N0 (admission* or	1,408

	discharge or transfer*))	
S41	(ZU "admission & discharge")	687
S40	TX (Goal N3 sett*)	3,116
S39	TX ((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")	19,417
S38	(ZU "activities of daily living")	1,152
S37	TX ((Recover* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximis* or prolong* or earl*) N0 (function or mobilit* or abilit* or confidence or skill* or independen* or support or ill*))	5,875
S36	S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35	155,725
S35	TX (Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat* or co-operat* or collaborat*)	94,350
S34	(ZU "progressive patient care")	2
S33	TX "Integrated care"	228
S32	(ZU "integrated delivery of health care")	318
S31	TX (Community N2 (service* or nurs*))	26,758

S30	(ZU "community health nursing")	264
S29	(ZU "community health services")	3,411
S28	TX (Occupational N3 care)	234
S27	(ZU "occupational therapy") or (ZU "occupational therapy for older people") or (ZU "occupational therapy services")	350
S26	TX Physiotherap*	426
S25	TX (Intermediate N3 (care or team* or provider* or provision or programme* or service*))	277
S24	(ZU "intermediate care (nursing care)")	25
S23	(ZU "rehabilitation nursing")	26
S22	TX Rehabilitat*	40,377
S21	(ZU "rehabilitation") or (ZU "rehabilitation -- research") or (ZU "rehabilitation research") or (ZU "rehabilitation services")	4,810
S20	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19	528,679
S19	TX (("Social care" or "social work*" or "social service*") N3 cost*)	211
S18	TX (Personal health N3 budget*)	11

S17	TX ((Personal or pool*) N3 budget*)	289
S16	(ZU "economic models")	1,657
S15	TX ((Cost* or compar* or net*) N3 (service* or offset* or effect* or utility* or consequence* or benefit* or model* or estimate* or unit* or variable))	38,635
S14	TX Socioeconomic*	42,304
S13	TX (Economic* or price* or commission* or pricing)	397,462
S12	TX (Fiscal or funding or financial or finance)	137,686
S11	TX (Care N0 cost*)	5,263
S10	TX ((Low or high) N0 cost*)	3,031
S9	(ZU "budget")	3,453
S8	(ZU "economics")	25,446
S7	(ZU "expenditures, public")	3,082
S6	(ZU "hospital costs")	91
S5	(ZU "cost control")	819
S4	(ZU "cost analysis")	727
S3	(ZU "medical care costs")	2,288

S2	((ZU "cost effectiveness")) or ((ZU "cost estimates"))	2,880
S1	(ZU "economics")	25,446

SocINDEX - EBSCO

Date searched: 30/11/2015

No. of records: 397

Limits: Study type, scholarly journals, date (2005/01/01-2015/12/31)

Q2 C: Bed-based Intermediate Care – views and experiences

#	Query	Results
S93	S37 AND S89 Limiters - Scholarly (Peer Reviewed) Journals; Date of Publication: 20050101-20151231	397
S92	S37 AND S89 Limiters - Date of Publication: 20050101-20151231	411
S91	S37 AND S89 Limiters - Date of Publication: 20050101-20151231	411
S90	S37 AND S89	708
S89	S66 AND S88	1,028
S88	S67 OR S68 OR S69 OR S70 OR S71 OR S72 OR S73 OR S74 OR S75 OR S76 OR S77 OR S78 OR S79 OR S80 OR S81 OR	101,685

	S82 OR S83 OR S84 OR S85 OR S86 OR S87	
S87	TX (Prison N3 hospital)	343
S86	(ZU "prisons")	5,129
S85	TX ((Secondary or tertiary) N0 setting*)	80
S84	TX ((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") N0 care)	80
S83	((Old* or elder* or geriatric*) N0 (people* or age*) N0 home*)	556
S82	TX ((Care or rest or group or senior or elder or retire*) N3 (home* or hous* or facilit*))	30,925
S81	TX (Nursing N3 (facilit* or home* or setting*))	6,873
S80	(ZU "nursing homes")	429
S79	TX ((Local authorit* or independent) N3 (facilit* or setting* or environment or hous*))	909
S78	TX (Residential N3 (facilit* or setting* or environment or health or care))	25,877
S77	(ZU "residential care")	1,042
S76	TX (Community N3 (rehab or scheme* or model* or setting* or environment or provision))	6,942

S75	TX ((Community or "step up" or "step down" or transition*) N3 (hospital* or ward* or facilit* or care or bed or hospice))	38,439
S74	TX ((Intermediate or skilled nursing) N3 (unit* or centre* or center* or scheme* or setting* or facilit* or residen*))	3,576
S73	TX "Intermediate Care Facilities"	23
S72	TX ((temporary or "extra care" or "close care" or specialist or sheltered or supported) N3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))	2,549
S71	(ZU "rehabilitation centers")	485
S70	TX (Hospital* N3 (ward* or acute or general or community or care or based or nursing or home or setting))	16,176
S69	(ZU "hospitals")	4,384
S68	TX ((Bed* or bedside* or bed?side* or "bed?based" or "bed-based") N3 (acute or care or setting* or rehab* or service* or facilit* or intermediate))	664
S67	(ZU "beds")	19
S66	S53 AND S61 AND S65	2,602
S65	S62 OR S63 OR S64	1,011,484
S64	TX (Time or period* or length or brief or fast* or limit*)	931,759

S63	TX (Month* or week* or hour* or day*)	170,144
S62	TX ((Short or medium or long) N0 term)	40,022
S61	S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60	29,807
S60	(ZU "length of stay") or (ZU "length of stay in hospitals") or (ZU "length of stay in hospitals -- economic aspects") or (ZU "length of stay in hospitals -- law & legislation") or (ZU "length of stay in hospitals -- research")	232
S59	TX ((Support* or assist* or plan* or facilitat* or barrier* or delay* or early or pre* or prevent* or avoid* or scheme* or acute or timely or premature or inappropriate or unnecessary) N0 (admission* or discharge or transfer*))	1,408
S58	(ZU "admission & discharge")	687
S57	TX (Goal N3 sett*)	3,116
S56	TX ((Activities N3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")	19,417
S55	(ZU "activities of daily living")	1,152
S54	TX ((Recover* or maintain* or relearn* or learn* or regain* or remain* or live or loss or maximis* or prolong* or earl*) N0 (function or mobilit* or abilit* or confidence or skill* or independen* or support or ill*))	5,875
S53	S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45	155,725

	OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52	
S52	TX (Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or cooperat* or co-operat* or collaborat*)	94,350
S51	(ZU "progressive patient care")	2
S50	TX "Integrated care"	228
S49	(ZU "integrated delivery of health care")	318
S48	TX (Community N2 (service* or nurs*))	26,758
S47	(ZU "community health nursing")	264
S46	(ZU "community health services")	3,411
S45	TX (Occupational N3 care)	234
S44	(ZU "occupational therapy") or (ZU "occupational therapy for older people") or (ZU "occupational therapy services")	350
S43	TX Physiotherap*	426
S42	TX (Intermediate N3 (care or team* or provider* or provision or programme* or service*))	277

S41	(ZU "intermediate care (nursing care)")	25
S40	(ZU "rehabilitation nursing")	26
S39	TX Rehabilitat*	40,377
S38	(ZU "rehabilitation") or (ZU "rehabilitation -- research") or (ZU "rehabilitation research") or (ZU "rehabilitation services")	4,810
S37	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36	781,113
S36	(ZU "patient advocacy")	388
S35	TX Feedback	7,302
S34	TX Expectation*	28,300
S33	TX Complaint*	10,355
S32	TX Preference*	25,719
S31	(ZU "patient satisfaction") or (ZU "patient-centered care")	1,122
S30	TX (Choice* or choos* or control or centred or centered)	218,056
S29	TX (Satisf* or dissatisf*)	42,984

S28	TX Perspective*	111,964
S27	TX Attitude*	120,803
S26	TX Experience*	168,962
S25	(ZU "caregivers")	6,369
S24	TX View*	130,093
S23	(ZU "patient participation")	491
S22	(ZU "patient satisfaction")	726
S21	(ZU "perception")	6,878
S20	(ZU "attitude (psychology)")	18,523
S19	TX "Focus Group?"	5,799
S18	(ZU "focus groups")	2,410
S17	TX (Observation* N0 (study or studies))	1,979
S16	(ZU "observation (scientific method)")	690
S15	TX (Cohort N0 (study or studies or analysis))	4,823
S14	(ZU "cohort analysis")	1,323
S13	(ZU "personal narratives")	163

S12	TX "Behavioral research"	1,486
S11	TX Questionnaire*	45,583
S10	(ZU "questionnaires")	13,473
S9	TX (Case N0 (study or studies))	39,952
S8	TX "In depth"	16,082
S7	TX Interview*	93,142
S6	(ZU "interviewing")	9,437
S5	TX Evidence synthesis or realist synthesis	138
S4	TX (Meta-ethnograph* or metaethnograph* or meta ethnograph*)	50
S3	TX (Meta-synthesis* or meta synthesis* or metasynthesis)	151
S2	TX Qualitative*	42,005
S1	(ZU "qualitative research")	9,495

RQ3. Crisis response (Intermediate Care)

Conducted in November 2015, the crisis response search strategy was formulated to answer questions about short term, emergency Intermediate Care in the home, or community setting.

Questions:

- What is the effectiveness and cost effectiveness of crisis response intermediate care?
- What are the views and experiences of people using services, their families and carers in relation to crisis response intermediate care?
- What are the views and experiences of health, social care and other practitioners about crisis response intermediate care?

Databases:

- Allied and Complementary Medicine Database (AMED)
- Applied Social Sciences Index and Abstracts (ASSIA)
- Cochrane Database of Systematic Reviews, Trials, Economic reviews
- Cumulative Index to Nursing and Allied Health Literature (CINAHL)
- Health Management Information Consortium (HMIC)
- EconLIT
- Excerpta Medica database (Embase)
- Medical Literature Analysis and Retrieval System Online (MEDLINE)
- Social Policy and Practice (SPP)
- Social Work Abstracts (SWA)

Organisational Websites:

- Association of Directors of Adult Social Services (ADASS)
- AgeUK
- Kings Fund
- Local Government Association (LGA)
- NHS England
- NIHR

A range of electronic databases in the fields of social care, health, rehabilitation and social science were searched, using a combination of controlled and free text terms around the requirements of the Scope, Appendix 3: Service category definitions of the 'National Audit of Intermediate Care 2014' and the Review Protocol.

Due to the quantity of data on crisis response and the limited quantity of data on rapid response, three individual 'study type' filters were adapted to the questions to collect the following study types: systematic reviews and randomised controlled trials, with qualitative information surrounding service users', carers and professionals' views and experiences.

Study Filters:

1. Study Filter (SF1) Systematic reviews, meta-analysis, non-randomised or randomised controlled trials, trials, case control or cohort or cross-sectional studies
2. Study Filter (SF2) Cost effectiveness, economics
3. Study Filter (SF3) Qualitative studies or views and experiences (users, carers, professionals)

The individual study filters were combined with the following core search approach:

- A: Intervention (crisis response or intervention, rapid response or intervention etc.)
- B: Setting (home, community facilities, residential or nursing care etc.)
- C: Professionals (multi-disciplinary, multi-agency teams etc.)
- D: Assessment and referral (assessment, referral etc.)
- E: Time (short-term, time, quick, brief, emergency etc.)
- F: Activity and outcome (ADL, effectiveness, outcomes etc.)
- G: Language and date limits (English, 2005-2015)

Some database searches were limited to the core search approach, these were adapted to the design of each individual database and provider platform.

Organisation and additional searches:

Terms frequently used within the organisation searches for crisis response, rapid response (intermediate care) consisted of: crisis response / intervention, rapid response / intervention or rehabilitation combined with time limited terms in community or home settings. Relevant PDF's were then searched within, to clarify the relevance and inclusion to the specific question.

Additional Google and Google Scholar searches were undertaken due to the decision to change the standard NCCSC search approach, to a question by question approach, after the scope searches had been conducted and the 'National Audit of Intermediate Care' service categories were identified. These searches included the key terms above associated with systematic review, outcomes, cost and effectiveness, views or experiences, literature reviews or qualitative data.

Reference harvesting:

National Audit of Intermediate Care. Summary Report. 2015.

All searches RQ3 - Crisis Response (Intermediate Care)

Allied and Complementary Medicine Database (AMED) - OVID

Date searched: 30/11/15

No. of records: 1194

Limits: study type, publication type, human, language (English), date (2005 – 2015)

Q3 A: Crisis Response Intermediate Care – effectiveness

Searches	Results	Search Type
1	(Systematic adj2 (review\$ or overview or search\$)).ti,ab.	2997
2	((Evidence or literature) adj2 review).ti,ab.	4206
3	"review".pt.	7550
4	("review academic" or "review literature").pt.	238
5	((Pool\$ or synthes\$ or extract\$) adj2 (data or evidence)).ti,ab.	1178
6	("Meta analy\$" or "metaanaly\$" or "meta regression" or metaregression).ti,ab.	1154

7	(clinical trial or controlled clinical trial or controlled trial or meta analysis or multicenter study or multicentre study or randomised controlled trial or randomized controlled trial).pt.	4353
8	Randomi#ed.ti,ab.	9924
9	Random\$.ti,ab.	15019
10	Trial.ti,ab.	8784
11	Stud\$.ti,ab.	91226
12	or/1-11	104087
13	crisis.ab. or crisis.hw. or crisis.ja. or crisis.ti. or crisis intervention.et. or crises.ab. or crises.ti.	492
14	((Cris?s or rapid\$) adj3 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	634
15	rehabilitation modalities/	3705
16	Rehabilitation/	48590
17	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or injur\$ or minor)).ti,ab.	33
18	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	244
19	rapid.ab. or rapid.ti. or rapidity.ab. or rapidity.ti. or rapidly.ab. or	2645

	rapidly.ti.	
20	(Cris?s adj3 (residen\$ or patient\$ or access\$)).ti,ab.	28
21	(Early adj3 intervention\$).ti,ab.	735
22	(Cris?s adj3 (health or social)).ti,ab.	53
23	"Urgent care".ti,ab.	6
24	(Urgent adj respon\$).ti,ab.	1
25	urgent.ab. or urgent.ti. or urgently.ab. or urgencies.ab. or urgencies.ti. or urgency.ab. or urgency.ti.	518
26	((Episode or emergenc\$ or temporary or unscheduled) adj3 (cris?s or care)).ti,ab.	211
27	ambulatory.ab. or ambulatory.hw. or ambulatory.ti. or ambulatory care.et. or ambulatory care.sh.	1513
28	(Ambulatory adj (respon\$ or cris?s)).ti,ab.	0
29	(Unexpected adj3 (event\$ or need\$ or ill\$ or occurrence\$)).ti,ab.	35
30	(Deterioration adj3 (abilit\$ or health or condition\$ or sudden\$)).ti,ab.	67
31	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	617
32	or/13-31	54050
33	housing.ab. or housing.et. or housing.hw. or housing.sh. or housing.ti. or houses.ab. or houses.hw. or houses.ti. or	802

	housework.ab. or housework.ti.	
34	Home.ti,ab.	7479
35	Hous\$.ti,ab.	1665
36	rehabilitation centers.et. or rehabilitation centers.sh.	379
37	((Rehabilitat\$ or reablement or restorative or enablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	2682
38	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	496
39	assisted living facilities.et.	7
40	((Assist\$ or independent\$) adj3 liv\$).ti,ab.	962
41	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	197
42	skilled nursing facilities.et.	10
43	((Community or "step up" or "step down" or transition\$) adj3 (facilit\$ or care or hospice)).ti,ab.	1539
44	community.ab. or community.bd. or community.hw. or community.ti. or community care.ja. or community health aides.et. or community health centers.et. or community health nursing.et. or community health nursing.sh. or community health services.et. or community health services.sh. or community living.ja. or community ment health j.ja. or community mental	11951

	health centers.et. or community mental health centers.sh. or community mental health services.et. or community mental health services.sh. or community nurse.ja. or community pharmaceutical services.et. or community pharmacy services.et. or community pharmacy services.sh. or community pract.ja. or communitybased.ab. or communitys.ab. or communitys.ti. or communties.ab. or communities.ab. or communities.ti. or communitites.ab. or community.ab.	
45	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	1262
46	residential.ab. or residential.hw. or residential.ti. or residential facilities.et. or residential facilities.sh. or residential treatment.et. or residential treatment.sh. or residents.ab. or residents.ti. or resident.ab. or resident.ti.	2994
47	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	500
48	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	96
49	nursing homes.et. or nursing homes.sh.	870
50	(Nursing adj3 (unit or facilit\$ or home\$ or setting\$)).ti,ab.	1613
51	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	3574
52	((Old\$ or elder\$ or geriatric\$ or retirement) adj3 (people\$ or age\$ or home\$ or hous\$ or care)).ti,ab.	5697
53	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	852

54	(Hous\$ adj3 (association\$ or social\$)).ti,ab.	72
55	(Hous\$ adj3 provi\$).ti,ab.	63
56	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	118
57	((Secondary or tertiary) adj setting\$).ti,ab.	8
58	(Home adj3 care\$).ti,ab.	2017
59	(Reablement or enablement).ti,ab.	50
60	(Home adj2 accident\$).ti,ab.	14
61	reablement.ab. or reablement.ti.	3
62	home care.et. or home care manag.ja. or home care provid.ja. or home care services.et. or home care services.sh. or homecare.ab. or homecare.ti.	1833
63	prison.ab. or prison.ti. or prisons.ab. or prisons.et. or prisons.hw. or prisons.sh.	131
64	(Virtual adj3 ward\$).ti,ab.	1
65	or/33-64	28754
66	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.	3640

67	((Joint or collaborative) adj work\$).ti,ab.	98
68	interdisciplinary.ab. or interdisciplinary.ti. or interdisiplinary.ab.	1296
69	multi.ab. or multi.hw. or multi.ti. or multidisciplinary.ab. or multidisciplinary.ti. or multidisciplinary.ab. or multidisciplinary.ab. or multidisciplinary.ab. or multidisciplinary.ab. or multidisciplinary.ti.	3590
70	collaborative.ab. or collaborative.ti. or collaboratively.ab.	1026
71	team.ab. or team.hw. or team.ti. or teammates.ab. or teammates.ti. or teams.ab. or teams.ti. or teamwork.ab. or teamwork.ti. or teamworking.ab. or teamworking.ti.	5046
72	communication.ab. or communication.bd. or communication.et. or communication.hw. or communication.sh. or communication.ti.	6011
73	Communication/	2582
74	Interpersonal relations/	1724
75	Cooperation.ti,ab.	469
76	Leadership/	155
77	Professional practice/	6810
78	Role/	1180
79	"Delivery of health care"/ or "Quality of health care"/	10954
80	"Continuity of patient care"/	168

81	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	203
82	Interprofessional relations/	1376
83	Occupational therapy speciality/	1409
84	(Occupational adj3 therap\$).ti,ab.	7131
85	physical therapy modalities/	4509
86	Therapy/	35288
87	Dementia/	1537
88	Speech/	411
89	Comorbidity/	311
90	Accidents/	241
91	"Attitude of health personnel"/ or Allied health personnel/ or Allied health/	3630
92	Consumer satisfaction/	213
93	Emergency medical services/	238
94	Nursing care/ or Nurses/	4491
95	Nurs\$.ti,ab.	8339
96	Decision making/	2171
97	Patient care/	1761

98	Family practice/	931
99	General Practi\$.ti,ab.	1241
100	Doctor\$.ti,ab.	2457
101	Physiotherap\$.ti,ab.	6247
102	exp Community health nursing/	198
103	Home nursing/	495
104	Rehabilitation nursing/	65
105	palliative care/	5687
106	Hospice care/	2015
107	Terminal care/	3128
108	("End of life" adj3 care).ti,ab.	2194
109	Social work/	285
110	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	3197
111	Social support/	1789
112	Health services/	1064
113	Care coordinator\$.ti,ab.	18
114	(First adj3 response).ti,ab.	53
115	Caregivers/	2377

116	(carer or carers or caregiver or caregiving).ab.	2463
117	Keyword\$.ti,ab.	10
118	Family/	2417
119	Neighbour\$.ti,ab.	147
120	Famil\$.ti,ab.	10706
121	Friend\$.ti,ab.	1219
122	Relatives.ti,ab.	774
123	Professional\$.ti,ab.	9600
124	or/66-123	102340
125	Risk/	2574
126	(Access adj specialist\$.ti,ab.	50
127	Health services accessibility/	934
128	Patient care management/	548
129	((Case or care) adj3 (manage\$ or work\$)).ti,ab.	3282
130	((Care or case) adj3 plan\$.ti,ab.	1069
131	Medical Records/	303
132	(Shar\$ adj3 (record\$ or information or plan\$ or communicat\$)).ti,ab.	182

133	(Contingen\$ adj3 plan\$).ti,ab.	4
134	Records/	47
135	(Problem adj3 solv\$).ti,ab.	702
136	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	97
137	Prevention/	12108
138	Patient discharge/	590
139	Recurrence/	396
140	Hospitalization/	1654
141	Patient discharge/	590
142	Readmission.ti,ab.	96
143	Assessment\$.ti,ab.	18261
144	Patient assessment/	5292
145	Referral\$.ti,ab.	1877
146	"Referral and consultation"/	657
147	or/125-146	43495
148	Time/	1665
149	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	52039

150	(("Short-term" or "short term") adj3 (care or intervention\$ or respon\$ or assess\$)).ti,ab.	210
151	(Week\$ or hour\$ or day\$).ti,ab.	26258
152	Short.ti,ab.	6457
153	or/148-152	69367
154	"Activities of daily living"/	4890
155	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	3882
156	Bathing/	140
157	Treatment outcome/	15442
158	(Effective\$ or outcome\$ or resolve).ti,ab.	42257
159	"quality of life"/	7680
160	or/154-159	60486
161	32 and 65 and 153	4407
162	32 and 147 and 153	5415
163	32 and 65 and 124	5173
164	32 and 65 and 160	4832
165	161 or 162 or 163 or 164	12110
166	12 and 165	7858

167	Historical Article/	0
168	Editorial/	0
169	Comment/	0
170	Letter/	0
171	News/	0
172	Animals/	5890
173	Humans/	100581
174	172 not (172 and 173)	5336
175	or/167-171,174	5336
176	166 not 175	7840
177	limit 176 to english language	7527
178	limit 177 to yr="2005 -Current"	5048
179	adult/ or aged/ or aged 80/ or frail elderly/ or middle aged/	23029
180	178 and 179	1194

Allied and Complementary Medicine Database (AMED) - OVID

Date searched: 30/11/2015

No. of records: 223

Limits: study type, publication type, human, language (English), date (2005 – 2015)

Q3 B: Crisis Response (Intermediate Care) – cost effectiveness

Searches	Results	Search Type
1	Economics/	3136
2	"Costs and cost analysis"/	720
3	"cost".ab. or "cost".hw. or "cost".ti. or "cost of illness".sh.	4556
4	"Health services needs and demand"/ or Health resources/	1253
5	"Fees and charges"/	64
6	financing organized/ or financing government/ or medicare/ or social security/ or insurance/ or insurance health/ or managed care programs/ or insurance health reimbursement/ or reimbursement mechanisms/ or prospective payment system/ or financing personal/ or "cost of illness"/	1786
7	((Low or high) adj cost\$.ti,ab.	389
8	(Care adj cost\$.ti,ab.	263
9	(Fiscal or funding or financial or finance).ti,ab.	1956
10	(Economic\$ or price\$ or commission\$ or pricing).ti,ab.	2586
11	Socioeconomic\$.ti,ab.	532
12	((Cost\$ or compar\$ or net\$) adj3 (intervention\$ or service\$ or offset\$ or effect\$ or utility\$ or consequence\$ or benefit\$ or model\$ or estimate\$ or unit\$ or variable)).ti,ab.	6522
13	((Personal or pool\$) adj3 budget\$.ti,ab.	14

14	(Personal health adj3 budget\$.ti,ab.	2
15	((("Social care" or "social work\$" or "social service\$") adj3 cost\$.ti,ab.	20
16	or/1-15	16814
17	crisis.ab. or crisis.hw. or crisis.ja. or crisis.ti. or crisis intervention.et. or crises.ab. or crises.ti.	492
18	((Cris?s or rapid\$) adj3 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	634
19	rehabilitation modalities/	3705
20	Rehabilitation/	48590
21	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or injur\$ or minor)).ti,ab.	33
22	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	244
23	rapid.ab. or rapid.ti. or rapidity.ab. or rapidity.ti. or rapidly.ab. or rapidly.ti.	2645
24	(Cris?s adj3 (residen\$ or patient\$)).ti,ab.	23
25	(Cris?s adj3 access\$).ti,ab.	5

26	(Cris?s adj3 (health or social)).ti,ab.	53
27	"Urgent care".ti,ab.	6
28	(Urgent adj respon\$).ti,ab.	1
29	urgent.ab. or urgent.ti. or urgently.ab. or urgencies.ab. or urgencies.ti. or urgency.ab. or urgency.ti.	518
30	((Episode or emergenc\$) adj3 (cris?s or care)).ti,ab.	200
31	ambulatory.ab. or ambulatory.hw. or ambulatory.ti. or ambulatory care.et. or ambulatory care.sh.	1513
32	(Ambulatory adj (respon\$ or cris?s)).ti,ab.	0
33	(Unexpected adj3 (event\$ or need\$ or ill\$ or occurrence\$)).ti,ab.	35
34	(Deterioration adj3 (abilit\$ or health or condition\$ or sudden\$)).ti,ab.	67
35	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	617
36	or/17-35	53573
37	housing.ab. or housing.et. or housing.hw. or housing.sh. or housing.ti. or houses.ab. or houses.hw. or houses.ti. or housework.ab. or housework.ti.	802
38	Home.ti,ab.	7479
39	Hous\$.ti,ab.	1665

40	rehabilitation centers.et. or rehabilitation centers.sh.	379
41	((Rehabilitat\$ or reablement or restorative or enablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	2682
42	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	496
43	assisted living facilities.et.	7
44	((Assist\$ or independent\$) adj3 liv\$).ti,ab.	962
45	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	197
46	skilled nursing facilities.et.	10
47	((Community or "step up" or "step down" or transition\$) adj3 (facilit\$ or care or hospice)).ti,ab.	1539
48	community.ab. or community.bd. or community.hw. or community.ti. or community care.ja. or community health aides.et. or community health centers.et. or community health nursing.et. or community health nursing.sh. or community health services.et. or community health services.sh. or community living.ja. or community ment health j.ja. or community mental health centers.et. or community mental health centers.sh. or community mental health services.et. or community mental health services.sh. or community nurse.ja. or community pharmaceutical services.et. or community pharmacy services.et. or community pharmacy services.sh. or	11951

	community pract.ja. or communitybased.ab. or communitys.ab. or communitys.ti. or communitys.ab. or communities.ab. or communities.ti. or communitites.ab. or communitiy.ab.	
49	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	1262
50	residential.ab. or residential.hw. or residential.ti. or residential facilities.et. or residential facilities.sh. or residential treatment.et. or residential treatment.sh. or residents.ab. or residents.ti. or resident.ab. or resident.ti.	2994
51	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	500
52	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	96
53	nursing homes.et. or nursing homes.sh.	870
54	(Nursing adj3 (facilit\$ or home\$ or setting\$)).ti,ab.	1595
55	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	3574
56	((Old\$ or elder\$ or geriatric\$ or retirement) adj3 (people\$ or age\$ or home\$ or hous\$ or care)).ti,ab.	5697
57	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	852
58	(Hous\$ adj3 (association\$ or social\$)).ti,ab.	72
59	(Hous\$ adj3 provi\$).ti,ab.	63

60	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	118
61	((Secondary or tertiary) adj setting\$).ti,ab.	8
62	(Home adj3 care\$).ti,ab.	2017
63	(Reablement or enablement).ti,ab.	50
64	(Home adj2 accident\$).ti,ab.	14
65	reablement.ab. or reablement.ti.	3
66	home care.et. or home care manag.ja. or home care provid.ja. or home care services.et. or home care services.sh. or homecare.ab. or homecare.ti.	1833
67	prison.ab. or prison.ti. or prisons.ab. or prisons.et. or prisons.hw. or prisons.sh.	131
68	(Virtual adj3 ward\$).ti,ab.	1
69	or/37-68	28741
70	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.	3640
71	((Joint or collaborative) adj work\$).ti,ab.	98
72	interdisciplinary.ab. or interdisciplinary.ti. or interdisiplinary.ab.	1296

73	multi.ab. or multi.hw. or multi.ti. or multidisciplinary.ab. or multidisciplinary.ti. or multidisciplinary.ab. or multidisciplinary.ab. or multidisciplinary.ab. or multidisciplinary.ab. or multidisciplinary.ti.	3590
74	collaborative.ab. or collaborative.ti. or collaboratively.ab.	1026
75	team.ab. or team.hw. or team.ti. or teammates.ab. or teammates.ti. or teams.ab. or teams.ti. or teamwork.ab. or teamwork.ti. or teamworking.ab. or teamworking.ti.	5046
76	communication.ab. or communication.bd. or communication.et. or communication.hw. or communication.sh. or communication.ti.	6011
77	Communication/	2582
78	Interpersonal relations/	1724
79	Cooperation.ti,ab.	469
80	Leadership/	155
81	Professional practice/	6810
82	Role/	1180
83	"Delivery of health care"/ or "Quality of health care"/	10954
84	"Continuity of patient care"/	168
85	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	203
86	Interprofessional relations/	1376

87	Occupational therapy speciality/	1409
88	(Occupational adj3 therap\$.ti,ab.	7131
89	physical therapy modalities/	4509
90	Therapy/	35288
91	Dementia/	1537
92	Speech/	411
93	Comorbidity/	311
94	Accidents/	241
95	"Attitude of health personnel"/ or Allied health personnel/ or Allied health/	3630
96	Consumer satisfaction/	213
97	Emergency medical services/	238
98	Nursing care/ or Nurses/	4491
99	Nurs\$.ti,ab.	8339
100	Decision making/	2171
101	Patient care/	1761
102	Family practice/	931
103	General Practi\$.ti,ab.	1241

104	Doctor\$.ti,ab.	2457
105	Physiotherap\$.ti,ab.	6247
106	exp Community health nursing/	198
107	Home nursing/	495
108	Rehabilitation nursing/	65
109	palliative care/	5687
110	Hospice care/	2015
111	Terminal care/	3128
112	("End of life" adj3 care).ti,ab.	2194
113	Social work/	285
114	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	3197
115	Social support/	1789
116	Health services/	1064
117	Care coordinator\$.ti,ab.	18
118	(First adj3 response).ti,ab.	53
119	Caregivers/	2377
120	(carer or carers or caregiver or caregiving).ab.	2463
121	Keyword\$.ti,ab.	10

122	Family/	2417
123	Neighbour\$.ti,ab.	147
124	Famil\$.ti,ab.	10706
125	Friend\$.ti,ab.	1219
126	Relatives.ti,ab.	774
127	Professional\$.ti,ab.	9600
128	or/70-127	102340
129	Risk/	2574
130	(Access adj specialist\$.ti,ab.	50
131	Health services accessibility/	934
132	Patient care management/	548
133	((Case or care) adj3 (manage\$ or work\$)).ti,ab.	3282
134	((Care or case) adj3 plan\$).ti,ab.	1069
135	Medical Records/	303
136	(Shar\$ adj3 (record\$ or information or plan\$ or communicat\$)).ti,ab.	182
137	(Contingen\$ adj3 plan\$).ti,ab.	4
138	Records/	47

139	(Problem adj3 solv\$).ti,ab.	702
140	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	97
141	Prevention/	12108
142	Patient discharge/	590
143	Recurrence/	396
144	Hospitalization/	1654
145	Patient discharge/	590
146	Readmission.ti,ab.	96
147	Assessment\$.ti,ab.	18261
148	Patient assessment/	5292
149	Referral\$.ti,ab.	1877
150	"Referral and consultation"/	657
151	or/129-150	43495
152	Time/	1665
153	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	52039
154	((("Short-term" or "short term") adj3 (care or intervention\$ or respon\$ or assess\$)).ti,ab.	210

155	(Week\$ or hour\$ or day\$).ti,ab.	26258
156	Short.ti,ab.	6457
157	or/152-156	69367
158	"Activities of daily living"/	4890
159	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	3882
160	Bathing/	140
161	Treatment outcome/	15442
162	(Effective\$ or outcome\$ or resolve).ti,ab.	42257
163	"quality of life"/	7680
164	or/158-163	60486
165	36 and 69 and 157	4359
166	36 and 151 and 157	5346
167	36 and 69 and 128	5096
168	36 and 69 and 164	4784
169	165 or 166 or 167 or 168	11970
170	16 and 169	1830
171	Historical Article/	0

172	Editorial/	0
173	Comment/	0
174	Letter/	0
175	News/	0
176	Animals/	5890
177	Humans/	100581
178	176 not (176 and 177)	5336
179	or/171-175,178	5336
180	170 not 179	1829
181	limit 180 to english language	1693
182	limit 181 to yr="2005 -Current"	1040
183	adult/ or aged/ or aged 80/ or frail elderly/ or middle aged/	23029
184	182 and 183	223

Allied and Complementary Medicine Database (AMED) - OVID

Date searched: 30/11/2015

No. of records: 1229

Limits: study type, publication type, human, language (English), date (2005 – 2015)

Q3 C: Crisis Response (Intermediate Care) – views and experiences

Searches	Results	Search Type
1	Qualitative\$.ti,ab.	5336
2	(Meta-synthesis\$ or meta synthesis\$ or metasynthesis).ti,ab.	28
3	(Meta-ethnograph* or metaethnograph* or meta ethnograph*).ti,ab.	7
4	(Evidence synthesis or realist synthesis).ti,ab.	87
5	Interviews/	572
6	Interview\$.ti,ab.	9014
7	"In depth".ti,ab.	1686
8	(Case adj (study or studies)).ti,ab.	3486
9	Questionnaires/	3684
10	Health surveys/	592
11	Questionnaire\$.ti,ab.	12133
12	Behavio?ral research.ti,ab.	8
13	(Narrative\$ or narration\$ or survey\$).ti,ab.	10903
14	Data collection/	1914
15	Disability evaluation/	6782
16	cohort studies/	730

17	prospective studies/	858
18	(Cohort adj (study or studies or analysis)).ti,ab.	1812
19	(Observation\$ adj (study or studies)).ti,ab.	968
20	"Focus Group?".ti,ab.	1360
21	Attitude/	1898
22	Perception/	1897
23	Patient Participation/	873
24	View\$.ti,ab.	6004
25	Experience\$.ti,ab.	17923
26	Patient Satisfaction/	2326
27	Attitude\$.ti,ab.	3792
28	Perspective\$.ti,ab.	6326
29	(Satisf\$ or dissatisf\$).ti,ab.	6324
30	(Choice\$ or choos\$ or control or centred or centered).ti,ab.	25674
31	Preference\$.ti,ab.	1663
32	Complaint\$.ti,ab.	2013
33	Expectation\$.ti,ab.	1671
34	Feedback\$.ti,ab.	1845

35	Patient advocacy/	483
36	(Belief\$ or need\$ or stress\$ or emotion\$ or anx\$ or fear\$ or concern\$ or uncertain\$ or unsure or thought\$ or feeling\$ or felt\$ or opinion\$ or perception\$ or know\$ or understand\$ or aware\$).ti,ab.	69462
37	Stress psychological/	2281
38	Adaptation, psychological/	3691
39	Emotions/	1766
40	Anxiety/	949
41	Fear/	342
42	or/1-41	121883
43	crisis.ab. or crisis.hw. or crisis.ja. or crisis.ti. or crisis intervention.et. or crises.ab. or crises.ti.	492
44	((Cris?s or rapid\$) adj3 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	634
45	rehabilitation modalities/	3705
46	Rehabilitation/	48590
47	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or injur\$ or minor)).ti,ab.	33

48	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	244
49	rapid.ab. or rapid.ti. or rapidity.ab. or rapidity.ti. or rapidly.ab. or rapidly.ti.	2645
50	(Cris?s adj3 (residen\$ or patient\$ or access\$)).ti,ab.	28
51	(Early adj3 intervention\$).ti,ab.	735
52	(Cris?s adj3 (health or social)).ti,ab.	53
53	"Urgent care".ti,ab.	6
54	(Urgent adj respon\$).ti,ab.	1
55	urgent.ab. or urgent.ti. or urgently.ab. or urgencies.ab. or urgencies.ti. or urgency.ab. or urgency.ti.	518
56	((Episode or emergenc\$ or temporary\$ or unscheduled) adj3 (cris?s or care)).ti,ab.	211
57	ambulatory.ab. or ambulatory.hw. or ambulatory.ti. or ambulatory care.et. or ambulatory care.sh.	1513
58	(Ambulatory adj (respon\$ or cris?s)).ti,ab.	0
59	(Unexpected adj3 (event\$ or need\$ or ill\$ or occurrence\$)).ti,ab.	35
60	(Deterioration adj3 (abilit\$ or health or condition\$ or sudden\$)).ti,ab.	67
61	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	617

62	or/43-61	54050
63	housing.ab. or housing.et. or housing.hw. or housing.sh. or housing.ti. or houses.ab. or houses.hw. or houses.ti. or housework.ab. or housework.ti.	802
64	Home.ti,ab.	7479
65	Hous\$.ti,ab.	1665
66	rehabilitation centers.et. or rehabilitation centers.sh.	379
67	((Rehabilitat\$ or reablement or restorative or enablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	2682
68	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	496
69	assisted living facilities.et.	7
70	((Assist\$ or independent\$) adj3 liv\$).ti,ab.	962
71	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	197
72	skilled nursing facilities.et.	10
73	((Community or "step up" or "step down" or transition\$) adj3 (facilit\$ or care or hospice)).ti,ab.	1539
74	community.ab. or community.bd. or community.hw. or community.ti. or community care.ja. or community health	11951

	aides.et. or community health centers.et. or community health nursing.et. or community health nursing.sh. or community health services.et. or community health services.sh. or community living.ja. or community ment health j.ja. or community mental health centers.et. or community mental health centers.sh. or community mental health services.et. or community mental health services.sh. or community nurse.ja. or community pharmaceutical services.et. or community pharmacy services.et. or community pharmacy services.sh. or community pract.ja. or communitybased.ab. or communitys.ab. or communitys.ti. or communties.ab. or communities.ab. or communities.ti. or communitites.ab. or community.ab.	
75	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	1262
76	residential.ab. or residential.hw. or residential.ti. or residential facilities.et. or residential facilities.sh. or residential treatment.et. or residential treatment.sh. or residents.ab. or residents.ti. or resident.ab. or resident.ti.	2994
77	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	500
78	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	96
79	nursing homes.et. or nursing homes.sh.	870
80	(Nursing adj3 (unit\$ or facilit\$ or home\$ or setting\$)).ti,ab.	1632
81	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	3574

82	((Old\$ or elder\$ or geriatric\$ or retirement) adj3 (people\$ or age\$ or home\$ or hous\$ or care)).ti,ab.	5697
83	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	852
84	(Hous\$ adj3 (association\$ or social\$)).ti,ab.	72
85	(Hous\$ adj3 provi\$).ti,ab.	63
86	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	118
87	((Secondary or tertiary) adj setting\$).ti,ab.	8
88	(Home adj3 care\$).ti,ab.	2017
89	(Reablement or enablement).ti,ab.	50
90	(Home adj2 accident\$).ti,ab.	14
91	Reablement.ab. or reablement.ti.	3
92	Home care.et. or home care manag.ja. or home care provid.ja. or home care services.et. or home care services.sh. or homecare.ab. or homecare.ti.	1833
93	prison.ab. or prison.ti. or prisons.ab. or prisons.et. or prisons.hw. or prisons.sh.	131
94	(Virtual adj3 ward\$).ti,ab.	1
95	or/63-94	28764
96	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or	3640

	<p>multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.</p>	
97	<p>((Joint or collaborative) adj work\$).ti,ab.</p>	98
98	<p>interdisciplinary.ab. or interdisciplinary.ti. or interdisciplinary.ab.</p>	1296
99	<p>multi.ab. or multi.hw. or multi.ti. or multidisciplinary.ab. or multidisciplinary.ti. or multidisciplinary.ab. or multidisciplinary.ab. or multidisciplinary.ab. or multidisciplinary.ab. or multidisciplinary.ab. or multidisciplinary.ti.</p>	3590
100	<p>collaborative.ab. or collaborative.ti. or collaboratively.ab.</p>	1026
101	<p>team.ab. or team.hw. or team.ti. or teammates.ab. or teammates.ti. or teams.ab. or teams.ti. or teamwork.ab. or teamwork.ti. or teamworking.ab. or teamworking.ti.</p>	5046
102	<p>communication.ab. or communication.bd. or communication.et. or communication.hw. or communication.sh. or communication.ti.</p>	6011
103	<p>Communication/</p>	2582
104	<p>Interpersonal relations/</p>	1724
105	<p>Cooperation.ti,ab.</p>	469
106	<p>Leadership/</p>	155
107	<p>Professional practice/</p>	6810

108	Role/	1180
109	"Delivery of health care"/ or "Quality of health care"/	10954
110	"Continuity of patient care"/	168
111	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	203
112	Interprofessional relations/	1376
113	Occupational therapy speciality/	1409
114	(Occupational adj3 therap\$).ti,ab.	7131
115	physical therapy modalities/	4509
116	Therapy/	35288
117	Dementia/	1537
118	Speech/	411
119	Comorbidity/	311
120	Accidents/	241
121	"Attitude of health personnel"/ or Allied health personnel/ or Allied health/	3630
122	Consumer satisfaction/	213
123	Emergency medical services/	238
124	Nursing care/ or Nurses/	4491

125	Nurs\$.ti,ab.	8339
126	Decision making/	2171
127	Patient care/	1761
128	Family practice/	931
129	General Practi\$.ti,ab.	1241
130	Doctor\$.ti,ab.	2457
131	Physiotherap\$.ti,ab.	6247
132	exp Community health nursing/	198
133	Home nursing/	495
134	Rehabilitation nursing/	65
135	palliative care/	5687
136	Hospice care/	2015
137	Terminal care/	3128
138	("End of life" adj3 care).ti,ab.	2194
139	Social work/	285
140	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	3197
141	Social support/	1789
142	Health services/	1064

143	Care coordinator\$.ti,ab.	18
144	(First adj3 response).ti,ab.	53
145	Caregivers/	2377
146	(carer or carers or caregiver or caregiving).ab.	2463
147	Keyword\$.ti,ab.	10
148	Family/	2417
149	Neighbour\$.ti,ab.	147
150	Famil\$.ti,ab.	10706
151	Friend\$.ti,ab.	1219
152	Relatives.ti,ab.	774
153	Professional\$.ti,ab.	9600
154	or/96-153	102340
155	Risk/	2574
156	(Access adj specialist\$.ti,ab.	50
157	Health services accessibility/	934
158	Patient care management/	548
159	((Case or care) adj3 (manage\$ or work\$)).ti,ab.	3282
160	((Care or case) adj3 plan\$.ti,ab.	1069

161	Medical Records/	303
162	(Shar\$ adj3 (record\$ or information or plan\$ or communicat\$)).ti,ab.	182
163	(Contingen\$ adj3 plan\$).ti,ab.	4
164	Records/	47
165	(Problem adj3 solv\$).ti,ab.	702
166	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	97
167	Prevention/	12108
168	Patient discharge/	590
169	Recurrence/	396
170	Hospitalization/	1654
171	Patient discharge/	590
172	Readmission.ti,ab.	96
173	Assessment\$.ti,ab.	18261
174	Patient assessment/	5292
175	Referral\$.ti,ab.	1877
176	"Referral and consultation"/	657
177	or/155-176	43495

178	Time/	1665
179	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	52039
180	((("Short-term" or "short term") adj3 (care or intervention\$ or respon\$ or assess\$)).ti,ab.	210
181	(Week\$ or hour\$ or day\$).ti,ab.	26258
182	Short.ti,ab.	6457
183	or/178-182	69367
184	"Activities of daily living"/	4890
185	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	3882
186	Bathing/	140
187	Treatment outcome/	15442
188	(Effective\$ or outcome\$ or resolve).ti,ab.	42257
189	"quality of life"/	7680
190	or/184-189	60486
191	62 and 95 and 183	4409
192	62 and 177 and 183	5415
193	62 and 95 and 154	5176

194	62 and 95 and 190	4834
195	191 or 192 or 193 or 194	12113
196	42 and 195	8986
197	Historical Article/	0
198	Editorial/	0
199	Comment/	0
200	Letter/	0
201	News/	0
202	Animals/	5890
203	Humans/	100581
204	202 not (202 and 203)	5336
205	or/197-201,204	5336
206	196 not 205	8966
207	limit 206 to english language	8533
208	limit 207 to yr="2005 -Current"	5442
209	adult/ or aged/ or aged 80/ or frail elderly/ or middle aged/	23029
210	208 and 209	1229

Applied Social Sciences Index and Abstracts (ASSIA) - ProQuest

Date searched: 23/12/2015

No. of records: 115

Limits: study type, date (2005/01/01 - 2015/12/30)

Q3 A: Crisis Response (Intermediate Care) – effectiveness

((SU.EXACT("Crisis") OR SU.EXACT("Crisis assessment") OR SU.EXACT.EXPLODE("Crisis intervention") OR SU.EXACT.EXPLODE("Crisis management") OR ALL((Crisis OR crises) NEAR/3 (fall OR disability OR condition OR functional OR physical OR mental OR cognitive OR aged OR frail OR injury OR minor)) OR ALL((Crisis OR crises OR rapid OR recovery) NEAR/2 (outcome OR impairment OR independence OR goal OR problem OR need)) OR ALL((Crisis OR rapid OR respond) NEAR/3 (resident OR patient OR client OR consumer)) OR ALL(Crisis OR crises NEAR/3 access) OR ALL((Rapid OR emergency OR urgent) NEAR/0 (respond OR response)) OR ALL((Crisis OR crises) NEAR/3 access) OR ALL(Ambulatory NEAR/2 (response OR respond OR crisis)) OR ALL(Episode NEAR/3 (crisis OR care OR adapt)) OR ALL(Unexpected NEAR/3 (crisis OR event OR need OR illness OR occurrence OR deterioration OR injury OR fall OR condition OR adapt)) OR ALL((Crisis OR crises) NEAR/3 (adapt OR access)) OR ALL(Deterioration NEAR/3 (ability OR health OR condition OR sudden)) OR ALL((Dependency OR circumstance OR support) NEAR/3 (fluctuation OR change OR difference OR measure OR need) NEAR/3 (crisis OR reablement OR enablement OR intermediate OR rapid)) OR ALL((Crisis OR crises OR rapid) NEAR/3 (approach OR response OR resolution OR intervention OR team OR service OR manage OR support OR model OR home OR assessment OR nurse OR rehabilitate OR intermediate OR reablement OR domiciliary OR care OR social OR health OR scheme OR occurrence OR treatment OR therapy OR recovery)) OR SU.EXACT.EXPLODE("Emergency helpseeking") OR (SU.EXACT("Emergency placements") OR SU.EXACT("Emergency treatment") OR SU.EXACT("Emergency services") OR SU.EXACT("Emergency residence orders") OR SU.EXACT("Emergency programmes") OR SU.EXACT("Emergency admission") OR SU.EXACT("Emergency")))) AND ((early OR emergency OR intermediate OR initial OR begin OR first OR first-line OR first line OR first choice OR front-line OR primary

OR precede OR original) AND (crisis OR intervention OR treatment OR therapy OR care OR medicine OR technique OR strategy OR activity OR mobility))) AND (SU.EXACT.EXPLODE("Systematic reviews") OR (systematic NEAR/3 (review OR overview OR search)) OR SU.EXACT("Reviews") OR ALL((Published OR search* OR handsearch* OR relevant OR selected) NEAR/3 (journals OR database* OR stud*)) OR ALL((Pool* OR synthes* OR extract*) NEAR/2 (data OR evidence)) OR ALL((Pool* OR synthesis* OR extract*) NEAR/2 (data OR evidence)) OR SU.EXACT.EXPLODE("Meta-analysis" OR "Validity generalization") OR ALL("Meta analy*" OR "metaanaly*" OR "meta regression" OR metaregression) OR SU.EXACT.EXPLODE("Clinical randomized controlled trials" OR "Cluster randomized controlled trials" OR "Double blind randomized controlled trials" OR "Randomized consent design" OR "Randomized controlled trials" OR "Single blind randomized controlled trials" OR "Urn randomization") OR SU.EXACT("Randomization") OR SU.EXACT("Clinical trials") OR SU.EXACT.EXPLODE("Case controlled studies") OR SU.EXACT("Cohort analysis") OR SU.EXACT.EXPLODE("Cross-sectional studies")) AND pd(20050101-20151230)

Applied Social Sciences Index and Abstracts (ASSIA) – ProQuest

Date searched: 23/12/2015

No. of records: 479

Limits: study type, date (2005/01/01 - 2015/12/30)

Q3 B: Crisis Response (Intermediate Care) – cost effectiveness

((SU.EXACT("Crisis") OR SU.EXACT("Crisis assessment")) OR SU.EXACT.EXPLODE("Crisis intervention") OR SU.EXACT.EXPLODE("Crisis management") OR ALL((Crisis OR crises) NEAR/3 (fall OR disability OR condition OR functional OR physical OR mental OR cognitive OR aged OR frail OR injury OR minor)) OR ALL((Crisis OR crises OR rapid OR recovery) NEAR/2 (outcome OR impairment OR independence OR goal OR problem OR need)) OR ALL((Crisis OR rapid OR respond) NEAR/3 (resident OR patient OR client OR consumer)) OR ALL(Crisis OR crises NEAR/3 access) OR ALL((Rapid OR emergency OR urgent) NEAR/0 (respond OR response)) OR ALL((Crisis OR crises) NEAR/3 access) OR ALL(Ambulatory NEAR/2 (response OR respond OR crisis)) OR ALL(Episode

NEAR/3 (crisis OR care OR adapt)) OR ALL(Unexpected NEAR/3 (crisis OR event OR need OR illness OR occurrence OR deterioration OR injury OR fall OR condition OR adapt)) OR ALL((Crisis OR crises) NEAR/3 (adapt OR access)) OR ALL(Deterioration NEAR/3 (ability OR health OR condition OR sudden)) OR ALL((Dependency OR circumstance OR support) NEAR/3 (fluctuation OR change OR difference OR measure OR need) NEAR/3 (crisis OR reablement OR enablement OR intermediate OR rapid)) OR ALL((Crisis OR crises OR rapid) NEAR/3 (approach OR response OR resolution OR intervention OR team OR service OR manage OR support OR model OR home OR assessment OR nurse OR rehabilitate OR intermediate OR reablement OR domiciliary OR care OR social OR health OR scheme OR occurrence OR treatment OR therapy OR recovery)) OR SU.EXACT.EXPLODE("Emergency helpseeking") OR (SU.EXACT("Emergency placements") OR SU.EXACT("Emergency treatment") OR SU.EXACT("Emergency services") OR SU.EXACT("Emergency residence orders") OR SU.EXACT("Emergency programmes") OR SU.EXACT("Emergency admission") OR SU.EXACT("Emergency")) AND ((early OR emergency OR intermediate OR initial OR begin OR first OR first-line OR first line OR first choice OR front-line OR primary OR precede OR original) AND (crisis OR intervention OR treatment OR therapy OR care OR medicine OR technique OR strategy OR activity OR mobility))) AND ((SU.EXACT("Economics") OR SU.EXACT("Welfare economics")) OR SU.EXACT("Budgets") OR (SU.EXACT("Expenditure") OR SU.EXACT("Public expenditure")) OR (SU.EXACT("Indirect costs") OR SU.EXACT("Cost analysis") OR SU.EXACT("Cost effectiveness") OR SU.EXACT("Health costs") OR SU.EXACT("Cost benefit analysis") OR SU.EXACT("Costs") OR SU.EXACT("Housing costs") OR SU.EXACT("Cost effective analysis") OR SU.EXACT("Costing") OR SU.EXACT("Economic costs") OR SU.EXACT("Hidden costs") OR SU.EXACT("Costs-Benefits") OR SU.EXACT("Overhead costs")) OR ALL((Low OR high) NEAR/0 cost*) OR ALL(Care NEAR/0 cost*) OR ALL(fiscal OR funding OR financial OR finance) OR ALL(economic* OR price* OR commission* OR pricing) OR ALL((Cost* OR compar* OR net*) NEAR/3 (service* OR offset* OR effect* OR utility* OR consequence* OR benefit* OR model* OR estimate* OR unit* OR variable)) OR ALL((economic* OR cost*) NEAR/3 model*) OR ALL((Personal OR pool*) NEAR/3 budget*) OR ALL(Personal health NEAR/3 budget*) OR ALL(("Social

care" OR "social work*" OR "social service*" OR "local authorit*" OR "nhs") NEAR/3 cost*) OR ALL(package* NEAR/3 cost*) AND pd(20050101-20151230)

Applied Social Sciences Index and Abstracts (ASSIA) – ProQuest

Date searched: 23/12/2015

No. of records: 1,065

Limits: study type, publication type, human, language (English), date (2005/01/01-2015/12/30)

Q3 C: Crisis Response (Intermediate Care) – views and experiences

((SU.EXACT("Crisis") OR SU.EXACT("Crisis assessment") OR SU.EXACT.EXPLODE("Crisis intervention") OR SU.EXACT.EXPLODE("Crisis management") OR ALL((Crisis OR crises) NEAR/3 (fall OR disability OR condition OR functional OR physical OR mental OR cognitive OR aged OR frail OR injury OR minor)) OR ALL((Crisis OR crises OR rapid OR recovery) NEAR/2 (outcome OR impairment OR independence OR goal OR problem OR need)) OR ALL((Crisis OR rapid OR respond) NEAR/3 (resident OR patient OR client OR consumer)) OR ALL(Crisis OR crises NEAR/3 access) OR ALL((Rapid OR emergency OR urgent) NEAR/0 (respond OR response)) OR ALL((Crisis OR crises) NEAR/3 access) OR ALL(Ambulatory NEAR/2 (response OR respond OR crisis)) OR ALL(Episode NEAR/3 (crisis OR care OR adapt)) OR ALL(Unexpected NEAR/3 (crisis OR event OR need OR illness OR occurrence OR deterioration OR injury OR fall OR condition OR adapt)) OR ALL((Crisis OR crises) NEAR/3 (adapt OR access)) OR ALL(Deterioration NEAR/3 (ability OR health OR condition OR sudden)) OR ALL((Dependency OR circumstance OR support) NEAR/3 (fluctuation OR change OR difference OR measure OR need) NEAR/3 (crisis OR reablement OR enablement OR intermediate OR rapid)) OR ALL((Crisis OR crises OR rapid) NEAR/3 (approach OR response OR resolution OR intervention OR team OR service OR manage OR support OR model OR home OR assessment OR nurse OR rehabilitate OR intermediate OR reablement OR domiciliary OR care OR social OR health OR scheme OR occurrence OR treatment OR therapy OR recovery)) OR SU.EXACT.EXPLODE("Emergency helpseeking") OR (SU.EXACT("Emergency

placements") OR SU.EXACT("Emergency treatment") OR SU.EXACT("Emergency services") OR SU.EXACT("Emergency residence orders") OR SU.EXACT("Emergency programmes") OR SU.EXACT("Emergency admission") OR SU.EXACT("Emergency")) AND ((early OR emergency OR intermediate OR initial OR begin OR first OR first-line OR first line OR first choice OR front-line OR primary OR precede OR original) AND (crisis OR intervention OR treatment OR therapy OR care OR medicine OR technique OR strategy OR activity OR mobility)) AND ((SU.EXACT("Qualitative data") OR SU.EXACT("Qualitative analysis") OR SU.EXACT("Qualitative methods") OR SU.EXACT("Qualitative research")) OR ALL(Qualitative*) OR ALL(Meta-synthesis* OR meta synthesis* OR metasynthesis) OR ALL(Meta-ethnograph* OR metaethnograph* OR meta ethnograph*) OR ALL(Evidence synthesis OR realist synthesis) OR ALL(realist review) OR SU.EXACT("Interviews") OR AB(interview) OR AB(in dept) OR SU.EXACT("Case studies") OR ALL(Case NEAR/0 (study OR studies)) OR SU.EXACT("Questionnaires") OR (SU.EXACT("Selfrecording") OR SU.EXACT("Selfefficacy") OR SU.EXACT("Selfmanagement") OR SU.EXACT("Selfreport") OR SU.EXACT("Selfreferrals") OR SU.EXACT("Selfevaluation") OR SU.EXACT("Selfestimation") OR SU.EXACT("Selfdiscipline") OR SU.EXACT("Selfesteem") OR SU.EXACT("Selfimprovement") OR SU.EXACT("Selfreport measures")) OR ALL(Questionnaire*) OR ALL("Behavioral research") OR SU.EXACT("Personal narratives") OR SU.EXACT("Cohort analysis") OR ALL((Cohort OR personal) NEAR/0 (stud* OR analysis)) OR SU.EXACT("Observational research") OR ALL(Observation* NEAR/2 stud*) OR (SU.EXACT("Focus group interviews") OR SU.EXACT("Focus groups")) OR (SU.EXACT("Negative attitudes") OR SU.EXACT("Professional attitudes") OR SU.EXACT("Religious attitudes") OR SU.EXACT("Consumer attitudes") OR SU.EXACT("Attitudes") OR SU.EXACT("Prejudice") OR SU.EXACT("Sexual attitudes")) OR (SU.EXACT("Opinions") OR SU.EXACT("Beliefs")) OR (SU.EXACT("Patient satisfaction") OR SU.EXACT("Satisfaction")) OR (SU.EXACT("Patient participation") OR SU.EXACT("Client participation")) OR (SU.EXACT("Social worker-Client interactions") OR SU.EXACT("Clients") OR SU.EXACT("Therapist-Client relationships") OR SU.EXACT("Patients") OR SU.EXACT("Client centred practice") OR SU.EXACT("Client satisfaction") OR SU.EXACT("Client participation") OR

SU.EXACT("Users") OR SU.EXACT("Social worker-Client relationships")) OR
 (SU.EXACT("Carer-Patient communication") OR SU.EXACT("Carers") OR
 SU.EXACT("Helping professionals") OR SU.EXACT("Carer patient communication"))
 OR ALL((Carer* OR caregiver* OR famil* OR relative* OR consumer* OR client* OR
 patient* OR user* OR people*) NEAR/3 view*) OR ALL((Carer* OR caregiver* OR
 famil* OR relative* OR consumer* OR client* OR patient* OR user* OR people* OR
 point) NEAR/3 view*) OR ALL((Carer* OR caregiver* OR famil* OR relative* OR
 consumer* OR client* OR patient* OR user* OR people*) NEAR/3 experience*) OR
 ALL((Carer* OR caregiver* OR famil* OR relative* OR consumer* OR client* OR
 patient* OR user* OR people*) NEAR/3 attitud*) OR ALL((Carer* OR caregiver* OR
 famil* OR relative* OR consumer* OR client* OR patient* OR user* OR people*)
 NEAR/3 perspective*) OR ALL((Carer* OR caregiver* OR famil* OR relative* OR
 consumer* OR client* OR patient* OR user* OR people*) NEAR/0 (satisf* OR
 dissatisf*)) OR ALL((Carer* OR caregiver* OR famil* OR relative* OR consumer* OR
 client* OR patient* OR user* OR people*) NEAR/0 (choice* OR choos* OR control
 OR centered)) OR ALL((Carer* OR caregiver* OR famil* OR relative* OR consumer*
 OR client* OR patient* OR user* OR people*) NEAR/0 (preference* OR complain*
 OR expectation* OR feedback OR advocacy)) OR SU.EXACT("Patient care") OR
 ALL((Care OR support OR health OR healthcare OR housing OR key OR medic* OR
 general OR nurs* OR residential OR community OR volunt* OR prison OR
 rehabilitation OR therap*) NEAR/3 (staff OR team OR professional OR practitioner
 OR provider OR agenc OR worker OR assistant OR coordinator OR personnel)) OR
 (SU.EXACT("Community volunteers") OR SU.EXACT("Volunteers")) OR ALL((Inter-
 professional OR interdisciplinary OR multidisciplinary OR integrated) NEAR/3 (staff*
 OR team* OR professional* OR practitioner* OR provider* OR agenc* OR worker*
 OR assistant* OR coordinator* OR personnel OR package* OR model*)) OR
 SU.EXACT("Allied health professionals") OR (SU.EXACT("Health professionals") OR
 SU.EXACT("Health professional-Patient communication")) OR
 SU.EXACT("Community health workers") OR SU.EXACT("Home health aides") OR
 ALL("Physical Therapists" OR "Physical Therapist Assistants") OR
 (SU.EXACT("Hospital social workers") OR SU.EXACT("Approved social workers")
 OR SU.EXACT("Residential social workers") OR SU.EXACT("Geriatric social work")
 OR SU.EXACT("Clinical social workers") OR SU.EXACT("Social workers") OR
 SU.EXACT("Doctor-Social worker collaboration") OR SU.EXACT("Medical social

workers") OR SU.EXACT("Occupational social work")) OR ALL((nursing OR "continuing care" OR medical OR care) NEAR/3 (staff OR assistan*)) AND pd(20050101-20151230)

Cumulative Index to Nursing and Allied Health Literature (CINAHL) - EBSCO

Date searched: 23/12/2015

No. of records: 1053

Limits: age, language (English), date (2005 – 2015)

Q3 A, B, C: Crisis Response (Intermediate Care) – effectiveness, cost effectiveness, views and experiences

#	Query	Results
S1	(MH "Crisis Intervention") OR (MH "Early Intervention")	8,764
S2	TI (((Crisis or rapid or urgent) W2 (approach* or response* or resolution or intervention* or team* or service* or manage* or support or model* or home or assessment* or nurs* or rehabilitat* or care or scheme* or occurrence* or treatment* or therapy))) OR AB (((Crisis or rapid or urgent) W2 (approach* or response* or resolution or intervention* or team* or service* or manage* or support or model* or home or assessment* or nurs* or rehabilitat* or care or scheme* or occurrence* or treatment* or therapy)))	5,619
S3	TI (((Crisis or rapid or recover or temporary W2 (outcome* or impairment* or independen* or goal*))) OR AB (((Crisis or rapid or recover or temporary W2 (outcome* or impairment* or independen* or goal*)))	35,601
S4	TI ((Crisis W3 (fall* or disability* or condition* or function* or physical or mental or cognitive or aged or frail* or injur* or minor))) OR AB (165

	(Crisis W3 (fall* or disability* or condition* or function* or physical or mental or cognitive or aged or frail* or injur* or minor)))	
S5	TI ((Crisis W3 (residen* or patient*))) OR AB ((Crisis W3 (residen* or patient*))))	192
S6	TI ((Crisis or rapid) W3 access*)) OR AB ((Crisis or rapid) W3 access*))	301
S7	TI "Urgent care" OR AB "Urgent care"	587
S8	TI (Urgent* W1 respon*) OR AB (Urgent* W1 respon*)	22
S9	TI ((Episod* W3 (crisis or care))) OR AB ((Episod* W3 (crisis or care)))	633
S10	(MH "Ambulatory Care")	6,443
S11	TI ((Ambulatory W2 (respon* or crisis))) OR AB ((Ambulatory W2 (respon* or crisis)))	23
S12	TI ((Unexpected W3 (event* or need* or ill* or occurrence*))) OR AB ((Unexpected W3 (event* or need* or ill* or occurrence*)))	293
S13	TI ((Deterioration W3 (abilit* or health or condition* or sudden*))) OR AB ((Deterioration W3 (abilit* or health or condition* or sudden*)))	340
S14	TI (((Dependen* or circumstance*) W3 (fluctuat8 or change* or difference* or measure* or need*))) OR AB (((Dependen* or circumstance*) W3 (fluctuat8 or change* or difference* or measure* or need*)))	2,202

S15	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14	53,919
S16	(MH "Housing")	5,078
S17	(MH "Housing for the Elderly")	1,953
S18	(MH "Halfway Houses")	99
S19	TI (Independent W1 Living) OR AB (Independent W1 Living)	1,273
S20	(MH "Home Rehabilitation")	877
S21	TI (Home*) OR AB (Home*)	91,713
S22	(MH "Rehabilitation Centers")	5,544
S23	TI (((Rehabilitat* or reablement) W2 (centre* or center* or service*))) OR AB (((Rehabilitat* or reablement) W2 (centre* or center* or service*)))	4,661
S24	(MH "Ambulatory Care Facilities")	3,494
S25	(MH "Subacute Care")	1,109
S26	TI (((Temporary or "extra care" or "close care" or specialist or sheltered or supported) W3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*))) OR AB (((Temporary or "extra care" or "close care" or specialist or sheltered or supported) W3 (home* or hous* or accommodation or setting* or facilit* or model* or scheme*)))	1,608

S27	(MH "Assisted Living")	2,076
S28	(MH "Health Facilities")	3,627
S29	(MH "Shared Services, Health Care")	419
S30	TI (((Intermediate or skilled nursing) W3 (unit* or centre* or center* or scheme* or setting* or service* or facility* or residen* or care))) OR AB (((Intermediate or skilled nursing) W3 (unit* or centre* or center* or scheme* or setting* or service* or facility* or residen* or care)))	1,496
S31	(MH "Skilled Nursing Facilities")	2,205
S32	TI (((Community or "step up" or "step down" or transition*) W3 (facilit* or care or hospice))) OR AB (((Community or "step up" or "step down" or transition*) W3 (facilit* or care or hospice))	8,258
S33	(MH "Community Health Services") OR (MH "Community Mental Health Services") OR (MH "Community Health Centers") OR (MH "Home Health Care") OR (MH "Occupational Health Services") OR (MH "Health Services for the Aged")	43,534
S34	TI ((Community W3 (rehab or scheme* or model* or setting* or environment or provision))) OR AB ((Community W3 (rehab or scheme* or model* or setting* or environment or provision)))	5,851
S35	(MH "Residential Facilities")	2,850
S36	TI ((Residential W3 (facility* or setting* or environment or health or care))) OR AB ((Residential W3 (facility* or setting* or environment or health or care)))	2,906

S37	TI (((Local authorit* or independent) W3 (facility* or setting* or environment or hous*))) OR AB (((Local authorit* or independent) W3 (facility* or setting* or environment or hous*)))	298
S38	(MH "Nursing Homes") OR (MH "Home Health Agencies")	20,196
S39	(MH "Home Nursing")	2,592
S40	TI ((Nursing W3 (facility* or home* or setting*))) OR AB ((Nursing W3 (facility* or home* or setting*)))	15,837
S41	TI (((Care or rest or group or senior or elder or retire*) W3 (home* or hous* or facilit*))) OR AB (((Care or rest or group or senior or elder or retire*) W3 (home* or hous* or facilit*)))	19,196
S42	(MH "Home Care Equipment and Supplies")	375
S43	TI (((Old* or elder* or geriatric*) W2 (people* or age*) W2 home*)) OR AB (((Old* or elder* or geriatric*) W2 (people* or age*) W2 home*))	526
S44	TI ((Group W3 (home* or setting* or facilit*))) OR AB ((Group W3 (home* or setting* or facilit*)))	3,460
S45	TI (((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") W2 care)) OR AB (((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") W2 care))	866
S46	TI (((Secondary or tertiary) W2 setting*)) OR AB (((Secondary or tertiary) W2 setting*))	528
S47	(MH "Secondary Health Care")	31

S48	(MH "Tertiary Health Care")	135
S49	(MH "Psychiatric Home Care") OR (MH "Home Respiratory Care")	676
S50	TI (Home W3 care*) OR AB (Home W3 care*)	15,157
S51	(MH "Accidents, Home")	696
S52	(MH "Correctional Health Services") OR (MH "Correctional Facilities") OR (MH "Correctional Health Nursing")	4,511
S53	TI (Virtual W3 ward*) OR AB (Virtual W3 ward*)	19
S54	S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53	183,134
S55	(MH "Multidisciplinary Care Team")	24,385
S56	TI ((Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary)) OR AB ((Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary))	27,750

S57	TI (((Joint or collaborative) W3 work*)) OR AB (((Joint or collaborative) W3 work*))	1,158
S58	(MH "Communication") OR (MH "Communication Barriers") OR (MH "Communication Skills") OR (MH "Conversation") OR (MH "Negotiation") OR (MH "Remote Access to Information") OR (MH "Access to Information")	60,838
S59	(MH "Interprofessional Relations") OR (MH "Collaboration")	34,897
S60	(MH "Cooperative Behavior")	3,287
S61	(MH "Health Care Delivery, Integrated") OR (MH "Health Care Delivery")	30,050
S62	(MH "Progressive Patient Care")	184
S63	(MH "Continuity of Patient Care")	7,635
S64	TI ((Integrated W3 (care or model* or work* or response*))) OR AB ((Integrated W3 (care or model* or work* or response*)))	3,919
S65	(MH "Patient Centered Care") OR (MH "Age Specific Care")	15,396
S66	(MH "Occupational Therapy") OR (MH "Occupational Therapy Assistants") OR (MH "Occupational Therapy Service") OR (MH "Occupational Therapy Practice") OR (MH "Home Occupational Therapy") OR (MH "Occupational Therapy Systematic Evaluation of Evidence")	15,638
S67	(MH "Allied Health Personnel")	2,127

S68	TI (Ambulance W3 service*) OR AB (Ambulance W3 service*)	713
S69	(MH "Nurses") OR (MH "Emergency Nurse Practitioners") OR (MH "Gerontologic Nurse Practitioners") OR (MH "Registered Nurses") OR (MH "Nursing Assistants") OR (MH "Practical Nurses") OR (MH "Emergency Medical Technicians") OR (MH "Physical Therapists") OR (MH "Physical Therapist Assistants") OR (MH "Physician Assistants") OR (MH "Occupational Therapy Assistants") OR (MH "Occupational Therapists") OR (MH "Medical Assistants") OR (MH "Respiratory Therapists") OR (MH "Speech-Language Pathology Assistants") OR (MH "Speech-Language Pathologists") OR (MH "Recreational Therapists")	102,304
S70	TI Nurs* OR AB Nurs*	352,126
S71	(MH "Gerontologic Nurse Practitioners") OR (MH "Emergency Nurse Practitioners") OR (MH "Multiskilled Health Practitioners")	1,019
S72	(MH "Physicians, Family")	8,845
S73	TI Doctor* OR AB Doctor*	26,550
S74	TI Physiotherap* OR AB Physiotherap*	11,033
S75	(MH "Community Health Nursing") OR (MH "Community Mental Health Nursing")	22,707
S76	(MH "Palliative Care") OR (MH "Hospice and Palliative Nursing") OR (MH "Terminal Care") OR (MH "Hospice Care")	35,482
S77	(MH "Social Work") OR (MH "Social Work Practice") OR (MH "Social Work Service") OR (MH "Social Work, Psychiatric")	19,827

S78	TI ((Social W3 (care or work* or support* or service*))) OR AB ((Social W3 (care or work* or support* or service*)))	34,334
S79	TI (Support W3 worker*) OR AB (Support W3 worker*)	944
S80	(MH "Home Health Aides")	980
S81	TI (Care W2 coordinator) OR AB (Care W2 coordinator)	283
S82	TI (First W3 response) AND AB (First W3 response)	7
S83	(MH "Caregivers")	18,087
S84	TI (Carer*) OR AB (Carer*)	7,748
S85	TI team* OR AB team*	45,017
S86	TI Key work* OR AB Key work*	1,701
S87	(MH "Professional Role") OR (MH "Professional Competence")	28,516
S88	(MH "Family") OR (MH "Professional-Family Relations")	31,853
S89	(MH "Extended Family")	693
S90	TI Neighbour* OR AB Neighbour*	1,908
S91	TI friend* OR AB friend*	15,532
S92	(MH "Leadership")	22,980
S93	S55 OR S56 OR S57 OR S58 OR S59 OR S60 OR S61 OR S62 OR S63 OR S64 OR S65 OR S66 OR S67 OR S68 OR S69 OR S70 OR	744,445

	S71 OR S72 OR S73 OR S74 OR S75 OR S76 OR S77 OR S78 OR S79 OR S80 OR S81 OR S82 OR S83 OR S84 OR S85 OR S86 OR S87 OR S88 OR S89 OR S90 OR S91 OR S92	
S94	TI (Access W3 specialist*) OR AB (Access W3 specialist*)	369
S95	(MH "Case Management") OR (MH "Case Managers") OR (MH "Disability Management") OR (MH "Disease Management")	20,921
S96	(MH "Advance Care Planning") OR (MH "Nursing Care Plans, Computerized") OR (MH "Patient Care Plans") OR (MH "Nursing Care Plans") OR (MH "Home Health Care Information Systems") OR (MH "Ambulatory Care Information Systems") OR (MH "Nursing Assessment") OR (MH "Nursing Diagnosis") OR (MH "Nursing Interventions") OR (MH "Nursing Outcomes")	30,277
S97	TI (((Case or care) W3 (manage* or work*))) OR AB (((Case or care) W3 (manage* or work*)))	26,248
S98	TI (((Care or case) W3 plan*)) AND AB (((Care or case) W3 plan*))	740
S99	(MH "Medical Records") OR (MH "Computerized Patient Record") OR (MH "Medical Records, Personal") OR (MH "Patient Discharge Summaries")	22,628
S100	TI (Shar* W3 record*) OR AB (Shar* W3 record*)	141
S101	(MH "Emergency Service Information Systems") OR (MH "Home Health Care Information Systems") OR (MH "Clinical Information Systems") OR (MH "Clinical Pharmacy Information Systems") OR (MH "Management Information Systems") OR (MH "Health Information Networks")	6,114

S102	TI (((Avoid* or prevent* or unnecessary or unplanned or inappropriate) W3 (admission or admitted or hospital))) OR AB (((Avoid* or prevent* or unnecessary or unplanned or inappropriate) W3 (admission or admitted or hospital)))	1,642
S103	(MH "Readmission") OR (MH "Emergency Patients") OR (MH "Patient Record Systems") OR (MH "Hand Off (Patient Safety)")	15,343
S104	(MH "Patient Discharge") OR (MH "Transfer, Discharge") OR (MH "Early Patient Discharge") OR (MH "Discharge Planning")	15,509
S105	TI (Contingenc* W3 plan*) OR AB (Contingenc* W3 plan*)	151
S106	TI (problem W3 solv*) OR AB (problem W3 solv*)	5,151
S107	(MH "Risk Assessment")	38,631
S108	(MH "Risk Management")	8,977
S109	(MH "Outcome Assessment") OR (MH "Patient Assessment") OR (MH "Speech and Language Assessment") OR (MH "Geriatric Functional Assessment") OR (MH "Clinical Assessment Tools") OR (MH "Wound Assessment") OR (MH "Process Assessment (Health Care)") OR (MH "Physical Therapy Assessment") OR (MH "Occupational Therapy Assessment") OR (MH "Needs Assessment") OR (MH "Functional Assessment") OR (MH "Competency Assessment") OR (MH "Nutritional Assessment") OR (MH "Podiatric Assessment")	134,429
S110	(MH "Referral and Consultation") OR (MH "Gatekeeping")	18,048
S111	TI Referral* OR AB Referral*	18,064

S112	TI Assessment* OR TI Assessment*	41,511
S113	S94 OR S95 OR S96 OR S97 OR S98 OR S99 OR S100 OR S101 OR S102 OR S103 OR S104 OR S105 OR S106 OR S107 OR S108 OR S109 OR S110 OR S111 OR S112	339,110
S114	(MH "Time") OR (MH "Turnaround Time") OR (MH "Time Factors")	75,942
S115	TI (("Short-term" or "short term") W3 (care or intervention* or respon* or assess*))) OR AB (("Short-term" or "short term") W3 (care or intervention* or respon* or assess*)))	673
S116	TI ((Week* or hour* or day*)) OR AB ((Week* or hour* or day*))	225,440
S117	TI ((Time or period* or length or brief or fast* or limit* or quick* or target* or emergenc*)) OR AB ((Time or period* or length or brief or fast* or limit* or quick* or target* or emergenc*))	530,177
S118	AB (Extend* W3 hour*) OR TI (Extend* W3 hour*)	165
S119	TI (Out of hour*) OR AB (Out of hour*)	935
S120	24 hours	13,853
S121	S114 OR S115 OR S116 OR S117 OR S118 OR S119	678,501
S122	(MH "Activities of Daily Living")	17,828
S123	TI (((Activit* W3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care")) OR AB (((Activit* W3 "daily living") or ADL or ADLs or "domestic task*" or "social support" or "personal care"))	20,903

S124	(MH "Treatment Outcomes") OR (MH "Outcomes (Health Care)") OR (MH "Outcome Assessment") OR (MH "Fatal Outcome") OR (MH "Treatment Duration")	176,655
S125	(MH "Nursing Outcomes")	2,554
S126	(MH "Clinical Effectiveness")	697
S127	TI (Effective*) OR AB (Effective*)	173,985
S128	S122 OR S123 OR S124 OR S125 OR S126 OR S127	351,867
S129	S15 AND S54 AND S121	2,663
S130	S15 AND S113 AND S121	5,085
S131	S15 AND S54 AND S93	2,685
S132	S15 AND S54 AND S128	1,427
S133	S129 OR S130 OR S131 OR S132	8,403
S134	S129 OR S130 OR S131 OR S132 Limiters - Published Date: 20050101-20151231	5,757
S135	S129 OR S130 OR S131 OR S132 Limiters - Published Date: 20050101-20151231	5,757
S136	S129 OR S130 OR S131 OR S132 Limiters - Published Date: 20050101-20151231; English Language	5,602

S137	S129 OR S130 OR S131 OR S132 Limiters - Published Date: 20050101-20151231	5,757
S138	((ZE "adult") or (ZE "adult children")) or ((ZU "old adults") or (ZU "old age") or (ZU "old ages") or (ZU "old people") or (ZU "old-old") or (ZU "old-old elderly") or (ZU "older") or (ZU "older adult") or (ZU "older adulthood") or (ZU "older adults") or (ZU "older adults and stress") or (ZU "older age") or (ZU "older and frail older") or (ZU "older carers") or (ZU "older chinese immigrants") or (ZU "older couples") or (ZU "older family carers") or (ZU "older gay men") or (ZU "older householders") or (ZU "older korean immigrants") or (ZU "older lgb people") or (ZU "older men") or (ZU "older patient") or (ZU "older patients") or (ZU "older people") or (ZU "older people and attitudes") or (ZU "older people in emergency department") or (ZU "older people nursing") or (ZU "older people patient care bundles") or (ZU "older people's services") or (ZU "older person") or (ZU "older persons") or (ZU "older population") or (ZU "older runners") or (ZU "older volunteers") or (ZU "older women") or (ZU "older women, memory") or (ZU "older workers") or (ZU "oldest old"))	1,239
S139	(ZG "adult: 19-44 years") or (ZG "aged, 80 & over") or (ZG "aged: 65+ years") or (ZG "middle aged: 45-64 years")	777,590
S140	S138 OR S139	778,019
S141	S137 AND S140	2,517
S142	S137 AND S140 Narrow by Language: - English	2,324

S143	S137 AND S140 Narrow by Subject Age: - adult: 19-44 years Narrow by Language: - English	1,464
S144	S137 AND S140	1,053

**Cochrane Database of Systematic Reviews, Trials and Economic reviews –
Wiley**

Date searched: 23/12/2015

No. of records: 406

Limits: date (2005 – 2015)

Q3 A, B, C: Crisis Response (Intermediate Care) – effectiveness, cost effectiveness, views and experiences

- #1 MeSH descriptor: [Crisis Intervention] explode all trees (149)
- #2 MeSH descriptor: [Early Medical Intervention] explode all trees (102)
- #3 MeSH descriptor: [Hospital Rapid Response Team] explode all trees (8)
- #4 ((Crisis or rapid or early) near (approach* or response* or resolution or intervention* or team* or service* or manage* or support or model* or home or assessment* or nurs* or rehabilitat* or care or scheme* or occurrence* or treatment* or therap*)):ab (Word variations have been searched) (18325)
- #5 (Crisis near (fall* or disabilit or condition* or function* or physical or mental or cognitive or aged or frail* or injur* or minor)):ab (Word variations have been searched) (60)
- #6 ((Crisis or rapid* or recover*) near (outcome* or impairment* or independen* or goal*)):ab (Word variations have been searched) (1612)
- #7 MeSH descriptor: [Ambulatory Care] explode all trees (3524)

- #8 (Episode near (crisis or care)):ab (Word variations have been searched) (196)
- #9 ((Unexpected or temporary) near (event* or need* or ill* or occurrence*)):ab (Word variations have been searched) (533)
- #10 ((Dependen* or circumstance*) near (fluctuat* or change* or difference* or measure* or need*)):ab (Word variations have been searched) (3050)
- #11 MeSH descriptor: [Emergency Medical Services] explode all trees (3085)
- #12 #1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11 (29727)
- #13 MeSH descriptor: [Housing] explode all trees (295)
- #14 MeSH descriptor: [Housing for the Elderly] explode all trees (36)
- #15 MeSH descriptor: [Independent Living] explode all trees (92)
- #16 MeSH descriptor: [Assisted Living Facilities] explode all trees (37)
- #17 Home:ab (Word variations have been searched) (14797)
- #18 MeSH descriptor: [Homebound Persons] explode all trees (26)
- #19 MeSH descriptor: [Rehabilitation Centers] explode all trees (613)
- #20 ((Rehabilitat* or reablement) near (centre* or center* or service*)):ab (Word variations have been searched) (1045)
- #21 ((Temporary or "extra care" or "close care" or specialist or sheltered or supported) near (home* or hous* or accommodation or setting* or facilit* or model* or scheme*)):ab (Word variations have been searched) (2184)
- #22 MeSH descriptor: [Intermediate Care Facilities] explode all trees (18)
- #23 ((Intermediate or skilled nursing) near (unit* or centre* or center* or scheme* or setting* or service* or facilit* or residen* or care)):ab (Word variations have been searched) (306)

- #24 MeSH descriptor: [Skilled Nursing Facilities] explode all trees (54)
- #25 ((Community or step up or step down or transitional) next (facility or care or hospital or unit or hospice)):ab (Word variations have been searched) (828)
- #26 MeSH descriptor: [Community Health Services] explode all trees (25208)
- #27 (Community near (rehab or scheme or model or setting or environment or provision)):ab (Word variations have been searched) (2446)
- #28 MeSH descriptor: [Community Mental Health Services] explode all trees (664)
- #29 MeSH descriptor: [Residential Facilities] explode all trees (1405)
- #30 (Residential near (facility or setting or environment or health or care)):ab (Word variations have been searched) (390)
- #31 ((Local authority or independent) near (facility or setting or environment or house)):ab (Word variations have been searched) (277)
- #32 MeSH descriptor: [Nursing Homes] explode all trees (1066)
- #33 MeSH descriptor: [Home Nursing] explode all trees (317)
- #34 (Nursing near (facility or home or setting or unit)):ab (Word variations have been searched) (2649)
- #35 MeSH descriptor: [Palliative Care] explode all trees (1465)
- #36 ((Care or rest or group or senior or elder or retire) near (accomodation or home or house or facility or unit)):ab (Word variations have been searched) (14952)
- #37 MeSH descriptor: [Homes for the Aged] explode all trees (504)
- #38 ((Old or elder or geriatric) near (people or age) near home*):ab (Word variations have been searched) (176)

- #39 MeSH descriptor: [Group Homes] explode all trees (45)
- #40 ((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") near care):ab (Word variations have been searched) (99)
- #41 ((Secondary or tertiary) near setting):ab (Word variations have been searched) (2323)
- #42 MeSH descriptor: [Home Care Services] explode all trees (2260)
- #43 MeSH descriptor: [Accidents, Home] explode all trees (92)
- #44 MeSH descriptor: [Prisons] explode all trees (92)
- #45 #13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24 or #25 or #26 or #27 or #28 or #29 or #30 or #31 or #32 or #33 or #34 or #36 or #37 or #38 or #39 or #40 or #41 or #42 or #43 or #44 (55362)
- #46 MeSH descriptor: [Interdisciplinary Communication] explode all trees (169)
- #47 MeSH descriptor: [Patient Care Team] explode all trees (1463)
- #48 (Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary):ab (Word variations have been searched) (2662)
- #49 MeSH descriptor: [Cooperative Behavior] explode all trees (703)
- #50 ((Joint or collaborative) near work*):ab (Word variations have been searched) (67)
- #51 MeSH descriptor: [Interprofessional Relations] explode all trees (434)
- #52 MeSH descriptor: [Delivery of Health Care, Integrated] explode all trees (282)

- #53 MeSH descriptor: [Progressive Patient Care] explode all trees (18)
- #54 MeSH descriptor: [Continuity of Patient Care] explode all trees (583)
- #55 (Integrated near (care or model or work or response)):ab (Word variations have been searched) (1044)
- #56 MeSH descriptor: [Occupational Therapy] explode all trees (568)
- #57 MeSH descriptor: [Allied Health Personnel] explode all trees (787)
- #58 (Ambulance near service):ab (Word variations have been searched) (62)
- #59 MeSH descriptor: [Ambulances] explode all trees (135)
- #60 MeSH descriptor: [Nurse Practitioners] explode all trees (316)
- #61 Nurse:ab (Word variations have been searched) (13028)
- #62 MeSH descriptor: [General Practitioners] explode all trees (96)
- #63 MeSH descriptor: [Community Health Nursing] explode all trees (380)
- #64 MeSH descriptor: [Social Work] explode all trees (209)
- #65 (Social near (care or work or support or service)):ab (Word variations have been searched) (3213)
- #66 (Support near worker):ab (Word variations have been searched) (114)
- #67 MeSH descriptor: [Home Health Aides] explode all trees (19)
- #68 MeSH descriptor: [Emergency Responders] explode all trees (184)
- #69 MeSH descriptor: [Caregivers] explode all trees (1314)
- #70 MeSH descriptor: [Nursing, Team] explode all trees (180)
- #71 Keyworker:ab (Word variations have been searched) (3)
- #72 MeSH descriptor: [Professional Role] explode all trees (643)

- #73 MeSH descriptor: [Family] explode all trees (5914)
- #74 Neighbour:ab (Word variations have been searched) (319)
- #75 MeSH descriptor: [Friends] explode all trees (94)
- #76 MeSH descriptor: [Leadership] explode all trees (1410)
- #77 #46 or #47 or #48 or #49 or #50 or #51 or #52 or #53 or #54 or #55 or #56 or #57 or #58 or #59 or #60 or #61 or #62 or #63 or #64 or #65 or #66 or #67 or #68 or #69 or #70 or #71 or #72 or #73 or #74 or #75 or #76 (29097)
- #78 (Access near specialist):ab (Word variations have been searched) (72)
- #79 MeSH descriptor: [Case Management] explode all trees (667)
- #80 ((Case or care) near (manage or work)):ab (Word variations have been searched) (1680)
- #81 ((Care or case) near plan):ab (Word variations have been searched) (974)
- #82 MeSH descriptor: [Medical Records] explode all trees (2182)
- #83 (Shared near record):ab (Word variations have been searched) (36)
- #84 MeSH descriptor: [Information Dissemination] explode all trees (192)
- #85 MeSH descriptor: [Risk] explode all trees (31953)
- #86 MeSH descriptor: [Risk Management] explode all trees (8231)
- #87 MeSH descriptor: [Patient Care Planning] explode all trees (1500)
- #88 MeSH descriptor: [Problem Solving] explode all trees (1227)
- #89 ((Avoid or prevent or unnecessary or unplanned or inappropriate) near (admission or admitted or hospital)):ab (Word variations have been searched) (418)
- #90 MeSH descriptor: [Patient Readmission] explode all trees (843)

- #91 MeSH descriptor: [Patient Care Management] explode all trees (17503)
- #92 MeSH descriptor: [Patient Discharge] explode all trees (1130)
- #93 MeSH descriptor: [Patient Admission] explode all trees (590)
- #94 MeSH descriptor: [Nursing Assessment] explode all trees (514)
- #95 MeSH descriptor: [Self-Assessment] explode all trees (621)
- #96 MeSH descriptor: [Geriatric Assessment] explode all trees (1144)
- #97 MeSH descriptor: [Outcome Assessment (Health Care)] explode all trees (102998)
- #98 MeSH descriptor: [Risk Assessment] explode all trees (7949)
- #99 MeSH descriptor: [Needs Assessment] explode all trees (322)
- #100 MeSH descriptor: [Health Impact Assessment] explode all trees (5)
- #101 MeSH descriptor: [Patient Outcome Assessment] explode all trees (30)
- #102 MeSH descriptor: [Quality Assurance, Health Care] explode all trees (3646)
- #103 MeSH descriptor: [Pain Measurement] explode all trees (15333)
- #104 Assessment:ab (Word variations have been searched) (57235)
- #105 Referral:ab (Word variations have been searched) (4656)
- #106 MeSH descriptor: [Referral and Consultation] explode all trees (1885)
- #107 #78 or #79 or #80 or #81 or #82 or #83 or #84 or #85 or #86 or #87 or #88 or #89 or #90 or #91 or #92 or #93 or #94 or #95 or #96 or #97 or #98 or #99 or #100 or #101 or #102 or #103 or #104 or #105 or #106 (197142)
- #108 MeSH descriptor: [Time Factors] explode all trees (51694)
- #109 MeSH descriptor: [Time-to-Treatment] explode all trees (59)

- #110 MeSH descriptor: [Time] explode all trees (55752)
- #111 (("Short-term" or "short term") near (care or intervention or respon or assess)):ab (Word variations have been searched) (1295)
- #112 (Week or hour or day):ab (Word variations have been searched) (304496)
- #113 (Time or period or length or brief or fast or limit or quick or target or emergency):ab (Word variations have been searched) (313368)
- #114 "Extended hours":ab (Word variations have been searched) (4)
- #115 Out of hours:ab (Word variations have been searched) (4808)
- #116 #108 or #109 or #110 or #111 or #112 or #113 or #114 or #115 (463743)
- #117 MeSH descriptor: [Activities of Daily Living] explode all trees (4013)
- #118 ((Activities near "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care"):ab (Word variations have been searched) (4783)
- #119 MeSH descriptor: [Treatment Outcome] explode all trees (98399)
- #120 MeSH descriptor: [Evaluation Studies as Topic] explode all trees (91038)
- #121 MeSH descriptor: [Program Evaluation] explode all trees (4881)
- #122 Effectiveness:ab (Word variations have been searched) (44960)
- #123 #117 or #118 or #119 or #120 or #121 or #122 (212408)
- #124 #12 and #45 and #116 (3344)
- #125 #12 and #107 and #116 (9766)
- #126 #12 and #45 and #124 (3344)
- #127 #12 and #45 and #77 (1246)
- #128 #124 and #125 and #126 and #127 Pub Year from 2005 to 2015 (406)

ECONLIT - EBSCO

Date searched: 23/12/2015

No. of records: 41

Limits: language (English), date (2005/01/01 – 2015/12/31)

Q3 A, B, C: Crisis Response (Intermediate Care) – effectiveness, cost effectiveness, views and experiences

1	(ZU "crisis management")	(168)
2	AB (((Cris?s or rapid) W2 (approach* or response* or resolution or intervention* or team* or service* or manage* or support or model* or home or assessment* or nurs* or rehabilitat* or care or scheme* or occurrence* or treatment* or therap*))) OR TI (((Cris?s or rapid) W2 (approach* or response* or resolution or intervention* or team* or service* or manage* or support or model* or home or assessment* or nurs* or rehabilitat* or care or scheme* or occurrence* or treatment* or therap*)))	(1,938)
3	AB ((Cris?s W3 (fall* or disability* or condition* or function* or physical or mental or cognitive or aged or frail* or injur* or minor))) OR TI ((Cris?s W3 (fall* or disability* or condition* or function* or physical or mental or cognitive or aged or frail* or injur* or minor)))	(349)
4	AB (((Cris?s or rapid* or recover*) W2 (outcome* or impairment* or independent* or goal*))) OR TI (((Cris?s or rapid* or recover*) W2 (outcome* or impairment* or independent* or goal*)))	(97)

5	TI (((Urgent or emergency) W3 respon*)) OR AB (((Urgent or emergency) W3 respon*))	(128)
6	TI ((Episode W3 (cris?s or care))) OR AB ((Episode W3 (cris?s or care)))	(117)
7	TI ((Ambulatory W2 (respon* or cris?s))) OR AB ((Ambulatory W2 (respon* or cris?s)))	(1)
8	TI (((Unexpected or temporary or unscheduled) W3 (event* or need* or ill* or occurrence* or injur* or fall*))) OR AB (((Unexpected or temporary or unscheduled) W3 (event* or need* or ill* or occurrence* or injur* or fall*)))	(287)
9	TI ((Deterioration W3 (ability* or health or condition or sudden* or intermittent*))) OR AB ((Deterioration W3 (ability* or health or condition or sudden* or intermittent*)))	(160)
10	AB (((social or health or hospital or community) W4 (work* or care* or service* or model* or provision*))) OR TI (((social or health or hospital or community) W4 (work* or care* or service* or model* or provision*)))	(18,218)
11	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9	(3,161)

12	S10 AND S11	(106)
13	S12 AND Limiters – Published Date: 20050101-20151231 Narrow by Language: - English; articles;	(41)

Excerpta Medica database (Embase) - OVID

Date searched: 23/12/2015

No. of records: 2838

Limits: study type, publication type, date (2005 – 2015)

Q3 A: Crisis Response (Intermediate Care) – effectiveness

Searches	Results	Search Type
1	"review".pt.	2110348
2	systematic review.sh.	99318
3	(Systematic adj2 (review\$ or overview or search\$)).ti,ab.	104971
4	((Evidence or literature) adj2 review).ti,ab.	113937
5	(randomized or randomized active control trial or randomized clinical trial or randomized clinical trial topic or randomized clinical trials or randomized cohort study or randomized control	534092

	trial topic or randomized controled trial or randomized controlld trial or randomized controlled trial or randomized controlled trial psychotherapy quality rating scale or randomized controlled trial rct or randomized controlled trial topic or randomized controlled trial trial or randomized controlled trials as topic or randomized controllled or randomised control trials or randomised controlled trail or randomised controlled trial rct or randomised controlled trial topic or randomization).sh.	
6	Trial.ti,ab.	560179
7	((Published or search\$ or handsearch\$ or relevant or selected) adj3 (journals or database\$ or stud\$)).ti,ab.	162316
8	((Pool\$ or synthes\$ or extract\$) adj2 (data or evidence)).ti,ab.	64910
9	(meta analysis or "meta analysis of observational studies in epidemiology" or meta analysis topic or meta analyse).sh.	122995
10	("Meta analy\$" or "metaanaly\$" or "meta regression" or metaregression).ti,ab.	111789
11	Case-Control Studies.sh.	207
12	cohort studies.sh.	62
13	Cross-Sectional Studies.sh.	149
14	(double blind or double blind method or double blind procedure or double blind studies).sh.	127258
15	or/1-14	3222940
16	(crisis inpatient bed or crisis interaction intervention model or crisis intervention or crisis intervention team or crisis	5933

	intervention team model or crisis intervention team training or crisis intervention theory or crisis management or crisis management plan or crisis model or crisis prevention or "crisis resolution and home treatment" or "crisis resolution and home treatment service" or "crisis resolution and home treatment team" or crisis resolution home treatment or crisis resolution team or crisis resource management).sh.	
17	((Crisis or crises or rapid\$ or urgent\$) adj2 (approach\$ or respon\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support\$ or model\$ or home\$ or assessment\$ or nurs\$ or rehabilitat\$ or intermediate or reablement or domiciliary or care or social or health or clinical or scheme\$ or occurrence\$ or treatment\$ or therap\$ or recovery)).ti,ab.	70761
18	((Crisis or crises) adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental\$ or cognitiv\$ or aged or frail or injur\$ or minor)).ti,ab.	970
19	((Crisis or crises or rapid or recovery) adj2 (outcome or impairment or independence or goal or problem or need)).ti,ab.	3818
20	((Crisis or rapid or respond) adj3 (resident or patient or client or consumer)).ti,ab.	5040
21	(rapid response or rapid response team or rapid response team call).sh. or rapidly.kw.	1950
22	crisis.kw.	3046
23	(Unscheduled adj3 care).ti,ab.	242
24	((emergency or urgent) adj2 respon\$).ti,ab.	3524

25	(Ambulatory adj2 (respon\$ or crisis)).ti,ab.	168
26	((Episode or temporary) adj3 (crisis or care or adapt)).ti,ab.	1271
27	(Unexpected adj3 (crisis or event or need or illness or occurrence or deterioration or injury or fall or condition or adapt)).ti,ab.	1216
28	((Crisis or crises) adj2 (adapt or access)).ti,ab.	70
29	(Deteriorat\$ adj3 (abilit\$ or health or condition\$ or sudden\$)).ti,ab.	8069
30	((Dependency or circumstance or support or fluctuation or change or difference or measure or need) adj3 (crisis or reablement or enablement or intermediate or rapid or home care)).ti,ab.	9069
31	(emergency call system or emergency care or emergency care information systems or emergency care practitioner or emergency care systems).sh.	27343
32	or/16-31	132827
33	housing.kw. or housing.sh.	18713
34	elderly care.sh.	35877
35	(residential care or residential care facility or residential care homes or residential care intervention program in the elderly service).sh. or residents.kw.	11271
36	adults.kw. or adults.sh.	12788

37	accomodation.kw. or accomodation.sh.	60
38	<p>home.kw. or home.sh. or "home assessment of person environment interaction".sh. or home assessment visit.sh. or home base management.sh. or home base rehabilitation.sh. or home based.sh. or "home based and community based service".sh. or home based assessment.sh. or home based assessment study.sh. or home based cancer palliative care.sh. or home based cardiac rehabilitation.sh. or home based cardiac telerehabilitation.sh. or home based care organization.sh. or home based care policy.sh. or home based care volunteer.sh. or home based consumer health.sh. or home based diagnosis.sh. or home based environmental intervention.sh. or home based functional exercise.sh. or home based intervention.sh. or home based intervention package.sh. or home based intervention program.sh. or home based intervention programme.sh. or home based palliative care.sh. or home based parent aide service.sh. or home based physical rehabilitation program.sh. or home based physical therapy.sh. or home based preventive care program.sh. or "home based primary and palliative care".sh. or home based primary care.sh. or home based primary care program.sh. or home based program.sh. or home based pulmonary rehabilitation.sh. or home based rehabilitation.sh. or home based rehabilitation exercise.sh. or home based rehabilitation program.sh. or home based therapy.sh. or home care.sh. or home care aides.sh. or home care capacity scale.sh. or "home care cost".sh. or home care nurse.sh. or home care nurses.sh. or home care nursing.sh. or home care reablement service.sh. or home care rehabilitation.sh. or home care satisfaction scale.sh. or home care scale.sh. or home care score.sh. or home care services.sh. or home care setting.sh. or home care staff.sh. or home care stat.sh.</p>	65057

39	Home\$.ti,ab.	447117
40	home environment.sh.	2767
41	(Independent\$ adj1 liv\$).ti,ab.	4915
42	((Rehabilitat\$ or reablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	12404
43	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	8504
44	(assisted living or assisted living care or assisted living community or assisted living facility or assisted living facility resident).sh.	1481
45	(intermediate care or intermediate care hospital or intermediate care unit).sh.	23
46	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	5908
47	(skilled nursing facilities snf or skilled nursing facility).sh.	22
48	((Community or "step up" or "step down" or transition\$) adj3 (facilit\$ or care or hospice)).ti,ab.	27109
49	community care.sh.	50358
50	(community health services or "community health services cost").sh.	11

51	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	22550
52	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	6798
53	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	2527
54	(nursing homes or "nursing homes/economics").sh.	13
55	(Nursing adj3 (unit\$ or facilit\$ or home\$ or setting\$)).ti,ab.	39371
56	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	68533
57	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	801
58	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	10778
59	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	1327
60	((Secondary or tertiary) adj setting\$).ti,ab.	227
61	(Virtual adj3 ward\$).ti,ab.	41
62	prisons.kw. or prisons.sh.	370
63	accidents.kw. or accidents.sh.	3160
64	or/33-63	673520
65	(inter agency cooperation or inter professional or inter	5

	professional collaboration or inter professional relations).sh.	
66	(multidisciplinary research or multidisciplinary or multidisciplinary approach or multidisciplinary assessment or multidisciplinary biopsychosocial educational group intervention or multidisciplinary biopsychosocial rehabilitation or multidisciplinary cancer care or multidisciplinary cancer management or multidisciplinary cancer team or multidisciplinary cardiac rehabilitation center or multidisciplinary care or multidisciplinary care coordination or multidisciplinary care path or multidisciplinary care team or multidisciplinary clinic or multidisciplinary clinic approach or multidisciplinary clinic group or "multidisciplinary clinical assessment and treatment service" or multidisciplinary collaboration or multidisciplinary collaboration method or multidisciplinary committee or multidisciplinary communication or multidisciplinary consultation or multidisciplinary decision or multidisciplinary diabetes care or multidisciplinary diabetes center or multidisciplinary diabetic foot clinic or multidisciplinary diabetic foot day unit or multidisciplinary diabetic foot unit or multidisciplinary didactic curriculum or multidisciplinary discussion or multidisciplinary disease management program or multidisciplinary doctor nurse practitioner model or multidisciplinary education or multidisciplinary education program or multidisciplinary educational intervention or multidisciplinary educational program or multidisciplinary evaluation or multidisciplinary facial function clinic or multidisciplinary fall reduction program or multidisciplinary fatigue management programme or multidisciplinary functional rehabilitation program or multidisciplinary geriatric assessment or multidisciplinary goal round or multidisciplinary group based treatment program or multidisciplinary group clinic appointment or multidisciplinary guideline or multidisciplinary guideline	392

	<p>predialysis or "multidisciplinary health and development study" or multidisciplinary health care team or multidisciplinary heart failure unit or multidisciplinary heart team or multidisciplinary hospital intervention or multidisciplinary hospital team or multidisciplinary in hospital team or multidisciplinary infectious diseases team or multidisciplinary infrastructure or multidisciplinary integrated care or multidisciplinary intensive inpatient model or multidisciplinary intensive rehabilitation treatment or multidisciplinary intervention or "multidisciplinary intervention for quality of life" or multidisciplinary intervention program or multidisciplinary intestinal rehabilitation program or multidisciplinary involvement or multidisciplinary limb preservation team or multidisciplinary management or multidisciplinary medical assessment or multidisciplinary medical care or multidisciplinary meeting or multidisciplinary meeting radiotherapy or multidisciplinary meetings or multidisciplinary methodology or multidisciplinary model or multidisciplinary mortality committee or multidisciplinary nutritional care or multidisciplinary one stop follow up clinic or multidisciplinary orthopedic rehabilitation or multidisciplinary outpatient management or multidisciplinary outpatient rehabilitation or multidisciplinary pain or multidisciplinary pain center or multidisciplinary pain clinic or multidisciplinary pain education program or multidisciplinary pain intervention or multidisciplinary pain management or multidisciplinary pain management programme or multidisciplinary pain management support unit or multidisciplinary pain program or multidisciplinary pain rehabilitation or multidisciplinary pain therapy or multidisciplinary pain treatment or multidisciplinary pain treatment facility or multidisciplinary palliative care team or multidisciplinary pharmaceutical care or multidisciplinary predialysis care or multidisciplinary preventive program or multidisciplinary program or multidisciplinary psychoeducational</p>	
--	--	--

	<p>protocol or "multidisciplinary quality of life intervention" or multidisciplinary reference center or multidisciplinary rehabilitation or multidisciplinary rehabilitation program or multidisciplinary rehabilitation treatment or multidisciplinary research or multidisciplinary research field or multidisciplinary round or multidisciplinary rounds or multidisciplinary specialty clinic or multidisciplinary staff meeting or multidisciplinary standardized approach or multidisciplinary study center or multidisciplinary teaching or multidisciplinary team or multidisciplinary team approach or multidisciplinary team care or multidisciplinary team care arrangement or "multidisciplinary team case review" or multidisciplinary team coordinator or multidisciplinary team course or multidisciplinary team decision making or multidisciplinary team management or multidisciplinary team meeting or multidisciplinary team observation assessment tool or multidisciplinary team planning or multidisciplinary team practice or multidisciplinary team service or multidisciplinary team working or multidisciplinary teams or multidisciplinary teamwork or multidisciplinary training program or multidisciplinary transitional care program or multidisciplinary translational team or multidisciplinary treatment or multidisciplinary treatment program or multidisciplinary working or multidisciplinary medicine or multidisciplinary cancer care).sh.</p>	
67	<p>(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.</p>	127217
68	<p>((Joint or collaborative) adj work\$).ti,ab.</p>	2317

69	(collaboration or "collaboration and satisfaction about care decisions" or collaboration goal setting or collaboration model or collaboration preference or collaborations or collaborative ability or collaborative activity or collaborative approach or collaborative behavior or collaborative care or collaborative care management or collaborative care management program or collaborative care model or collaborative choice or collaborative chronic care network or collaborative clinical practice or collaborative cohort supervision or collaborative community based care or collaborative decision making or collaborative feedback or collaborative group intervention or collaborative groups or collaborative interdisciplinary research or collaborative intervention or collaborative leadership or collaborative management or collaborative patient care or collaborative practice or collaborative practice agreement or collaborative problem solving or collaborative recovery model or collaborative research or collaborative skill or collaborative stepped care or collaborative study or collaborative system or collaborative therapy or collaborative transdisciplinary team approach).sh.	178
70	(delivery or "delivery of health care" or "delivery of health care changes" or "delivery of health care cost" or "delivery of health care determinants" or "delivery of health care integrated" or "delivery of health care legal aspects" or "delivery of health care standards").sh.	37167
71	(patient or patient care or "patient care and cure" or patient care associate or patient care center or patient care collaboration or patient care continuity or "patient care cost" or patient care information system or patient care model or patient care monitor or "patient care monitor acute distress and despair" or patient care monitor version 2 or patient care pathway or patient care	1498494

	report or patient care team or patient centered medical home or patient centered or patient centered approach or "patient centered assessment and counseling for exercise" or "patient centered assessment and counseling for exercise questionnaire" or "patient centered assessment and counseling for exercise score" or patient centered cancer care or patient centered care or patient centered care medical home or patient centered care medicine or patient centered collaborative care or patient centered communication or patient centered decision making or patient centered medical home or patient centered medical home care or patient centered medical home health care or patient centered medical home implementation or patient centered medical home model or patient centered medical home neighbor or patient centered medicine or patient centered outcome or patient centered outcome measure or patient centered outcome research or patient centered outcomes research or patient centered outcomes research institute or patient centeredness or patient centred interprofessional collaboration or patient centred medical home or patient centred medicine).sh.	
72	(integrated care or integrated care model or integrated care pathway or integrated care pathways or integrated care pilot or integrated care system or integrated care team).sh.	51
73	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	6276
74	(occupational therapy or occupational therapy assistant or occupational therapy home program or occupational therapy intervention or occupational therapy practice).sh.	18860
75	(allied health or allied health assistant or allied health care or allied health care practice or allied health education or allied health intervention or allied health professional or allied health	276

	staff or allied health therapy).sh.	
76	(Ambulance adj service).ti,ab.	1418
77	(emergency service hospital or emergency service personnel or emergency services).sh.	20
78	emergency treatment.sh.	14880
79	nurse.sh.	87785
80	Nurs\$.ti,ab.	407411
81	General Practitioners.sh.	1
82	Doctor.sh.	0
83	(doctor nurse relation or doctor patient relation).sh.	86728
84	Doctor\$.ti,ab.	134303
85	Physiotherap\$.ti,ab.	30226
86	community health nursing.sh.	25745
87	home nursing.sh.	4
88	palliative care.sh.	5
89	("end of life" or "end of life care").sh.	75
90	terminal care.sh.	26604
91	(social work or social worker).sh.	27513

92	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	73029
93	(Support adj3 worker\$).ti,ab.	1495
94	home health agency.sh.	162
95	Care coordinator\$.ti,ab.	642
96	(Cris?s adj3 coordinator\$).ti,ab.	4
97	(First adj3 response).ti,ab.	9392
98	(caregivers or caregiving or caregiver support or caregiver).sh.	49628
99	Carer\$.ti,ab.	13691
100	Team.ti,ab.	126068
101	Keyword\$.ti,ab.	89
102	(professional role or professional patient relationship or professional competence).sh.	34736
103	family.sh.	79132
104	Neighbour\$.ti,ab.	23181
105	(friends or "friends and family" or "friends and relatives" or friendship or friendship network).sh.	1919
106	leadership.sh.	42787
107	or/65-106	2503923
108	(Access adj specialist\$).ti,ab.	94

109	(case management or case manager).sh.	9369
110	(care planning or "care planning and management").sh.	3
111	((Case or care) adj3 (manage\$ or work\$ or plan\$)).ti,ab.	112128
112	(medical records or medical record or "medical record review").sh.	201775
113	(Shared adj record\$).ti,ab.	29
114	information dissemination.sh.	15773
115	risk.sh.	436203
116	risk management.sh.	35376
117	Contingency planning.ti,ab.	241
118	problem solving.sh.	28592
119	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	6714
120	patient readmission.sh.	7
121	patient discharge.sh.	7
122	hospital discharge.sh.	75777
123	Assessment\$.ti,ab.	979097
124	assessment.sh.	479
125	Referral\$.ti,ab.	112651

126	patient referral.sh.	71557
127	or/108-126	1891775
128	(time or time based task or time constant or time constraint or time dependence or time dependent model or time factors or time interval or time measurement or time pressure or time related competence or time related factor or time to treatment).sh.	396343
129	(("Short-term" or "short term") adj3 (care or intervention\$ or respon\$ or assess\$)).ti,ab.	9131
130	(Week\$ or hour\$ or day\$).ti,ab.	3358480
131	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	7158126
132	Extended hours.ti,ab.	144
133	Out of hour\$.ti,ab.	2452
134	or/128-133	9057383
135	("activities of daily living" or "activities of daily living adl" or "activities of daily living computerized adaptive testing system" or "activities of daily living impairment" or "activities of daily living index" or "activities of daily living prevention instrument" or "activities of daily living scale" or "activities of daily living with an effort scale" or "activities of living model").sh.	63
136	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	63144

137	treatment outcome.sh.	699117
138	effectiveness.sh.	3
139	Effectiveness.ti,ab.	395580
140	or/135-139	1116573
141	32 and 64 and 134	8003
142	32 and 127 and 134	19631
143	32 and 64 and 107	6141
144	32 and 64 and 140	1400
145	or/141-144	26005
146	15 and 145	4843
147	146 and 2005:2015.(sa_year).	3877
148	(article or journal article or report or report article or "review").pt.	22687073
149	147 and 148	2838

Excerpta Medica database (Embase) - OVID

Date searched: 23/12/2015

No. of records: 1778

Limits: study type, publication type, date (2005 – 2015)

Q3 B: Crisis Response (Intermediate Care) – cost effectiveness

Searches	Results	Search Type
----------	---------	-------------

1	economics.sh.	219274
2	("cost" or "cost analysis" or "cost and benefit" or "cost assessment" or "cost benefit analysis" or "cost benefit decision making" or "cost comparison" or "cost consequence" or "cost consequence analysis" or "cost consequences analysis" or "cost consious care" or "cost containment" or "cost control" or "cost effective care" or "cost effectiveness" or "cost effectiveness analysis" or "cost effectiveness angle" or "cost effectiveness model" or "cost estimation" or "cost minimization analysis" or "cost modeling approach" or "cost modeling forecast" or "cost of activity" or "cost of care" or "cost offset estimation" or "cost offset model" or "cost per life saved analysis" or "cost per life year" or "cost per life year gain" or "cost per life year gained" or "cost per life year saved" or "cost per saved year of life" or "cost per treated patient" or "cost per years of life saved" or "cost saving" or "cost savings" or "cost utility analysis").sh.	270672
3	(budget or budget impact analysis or budgets).sh.	21882
4	(fee or fee for service or fee for service plan).sh.	14731
5	((Low or high) adj cost\$.ti,ab.	51867
6	(Care adj cost\$.ti,ab.	17721
7	(Fiscal or funding or financial or finance).ti,ab.	122806
8	(Economic\$ or price\$ or commission\$ or pricing).ti,ab.	294993
9	Socioeconomic\$.ti,ab.	70273
10	((Cost\$ or compar\$ or net\$) adj3 (intervention\$ or service\$ or	455513

	offset\$ or effect\$ or utility\$ or consequence\$ or benefit\$ or model\$ or estimate\$ or unit\$ or variable)).ti,ab.	
11	(Personal health adj3 budget\$).ti,ab.	30
12	((("Social care" or "social work\$" or "social service\$") adj3 cost\$).ti,ab.	264
13	((Direct or individual or personal or cash) adj3 budget\$).ti,ab.	279
14	((self-directed or consumer-directed) adj3 support).ti,ab.	51
15	or/1-14	1207624
16	(crisis inpatient bed or crisis interaction intervention model or crisis intervention or crisis intervention team or crisis intervention team model or crisis intervention team training or crisis intervention theory or crisis management or crisis management plan or crisis model or crisis prevention or "crisis resolution and home treatment" or "crisis resolution and home treatment service" or "crisis resolution and home treatment team" or crisis resolution home treatment or crisis resolution team or crisis resource management).sh.	5933
17	((Crisis or crises or rapid\$ or urgent\$) adj2 (approach\$ or respon\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support\$ or model\$ or home\$ or assessment\$ or nurs\$ or rehabilitat\$ or intermediate or reablement or domiciliary or care or social or health or clinical or scheme\$ or occurrence\$ or treatment\$ or therap\$ or recovery)).ti,ab.	70761
18	((Crisis or crises) adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental\$ or cognitiv\$ or aged or frail or injur\$ or minor)).ti,ab.	970

19	((Crisis or crises or rapid or recovery) adj2 (outcome or impairment or independence or goal or problem or need)).ti,ab.	3818
20	((Crisis or rapid or respond) adj3 (resident or patient or client or consumer)).ti,ab.	5040
21	(rapid response or rapid response team or rapid response team call).sh. or rapidly.kw.	1950
22	crisis.kw.	3046
23	(Unscheduled adj3 care).ti,ab.	242
24	((emergency or urgent) adj2 respon\$).ti,ab.	3524
25	(Ambulatory adj2 (respon\$ or crisis)).ti,ab.	168
26	((Episode or temporary) adj3 (crisis or care or adapt)).ti,ab.	1271
27	(Unexpected adj3 (crisis or event or need or illness or occurrence or deterioration or injury or fall or condition or adapt)).ti,ab.	1216
28	((Crisis or crises) adj2 (adapt or access)).ti,ab.	70
29	(Deteriorat\$ adj3 (abilit\$ or health or condition\$ or sudden\$)).ti,ab.	8069
30	((Dependency or circumstance or support or fluctuation or change or difference or measure or need) adj3 (crisis or reablement or enablement or intermediate or rapid or home care)).ti,ab.	9069
31	(emergency call system or emergency care or emergency care information systems or emergency care practitioner or	27343

	emergency care systems).sh.	
32	or/16-31	132827
33	housing.kw. or housing.sh.	18713
34	elderly care.sh.	35877
35	(residential care or residential care facility or residential care homes or residential care intervention program in the elderly service).sh. or residents.kw.	11271
36	adults.kw. or adults.sh.	12788
37	accomodation.kw. or accomodation.sh.	60
38	home.kw. or home.sh. or "home assessment of person environment interaction".sh. or home assessment visit.sh. or home base management.sh. or home base rehabilitation.sh. or home based.sh. or "home based and community based service".sh. or home based assessment.sh. or home based assessment study.sh. or home based cancer palliative care.sh. or home based cardiac rehabilitation.sh. or home based cardiac telerehabilitation.sh. or home based care organization.sh. or home based care policy.sh. or home based care volunteer.sh. or home based consumer health.sh. or home based diagnosis.sh. or home based environmental intervention.sh. or home based functional exercise.sh. or home based intervention.sh. or home based intervention package.sh. or home based intervention program.sh. or home based intervention programme.sh. or home based palliative care.sh. or home based parent aide service.sh. or home based physical rehabilitation program.sh. or home based physical therapy.sh. or home based preventive care program.sh. or "home based	65057

	primary and palliative care".sh. or home based primary care.sh. or home based primary care program.sh. or home based program.sh. or home based pulmonary rehabilitation.sh. or home based rehabilitation.sh. or home based rehabilitation exercise.sh. or home based rehabilitation program.sh. or home based therapy.sh. or home care.sh. or home care aides.sh. or home care capacity scale.sh. or "home care cost".sh. or home care nurse.sh. or home care nurses.sh. or home care nursing.sh. or home care reablement service.sh. or home care rehabilitation.sh. or home care satisfaction scale.sh. or home care scale.sh. or home care score.sh. or home care services.sh. or home care setting.sh. or home care staff.sh. or home care stat.sh.	
39	Home\$.ti,ab.	447117
40	(independent adj1 living).ti,ab.	2666
41	((Rehabilitat\$ or reablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	12404
42	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	8504
43	(assisted living or assisted living care or assisted living community or assisted living facility or assisted living facility resident).sh.	1481
44	(intermediate care or intermediate care hospital or intermediate care unit).sh.	23
45	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or	5908

	center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	
46	(skilled nursing facilities snf or skilled nursing facility).sh.	22
47	((Community or "step up" or "step down" or transition\$) adj3 (facilit\$ or care or hospice)).ti,ab.	27109
48	community care.sh.	50358
49	(community health services or "community health services cost").sh.	11
50	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	22550
51	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	6798
52	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	2527
53	(nursing homes or "nursing homes/economics").sh.	13
54	(Nursing adj3 (unit\$ or facilit\$ or home\$ or setting\$)).ti,ab.	39371
55	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	68533
56	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	801
57	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	10778
58	((Subacute or sub-acute or "sub acute" or postacute or post-	1327

	acute or "post acute") adj care).ti,ab.	
59	((Secondary or tertiary) adj setting\$.ti,ab.	227
60	(Virtual adj3 ward\$.ti,ab.	41
61	prisons.kw. or prisons.sh.	370
62	accidents.kw. or accidents.sh.	3160
63	or/33-62	671574
64	(inter agency cooperation or inter professional or inter professional collaboration or inter professional relations).sh.	5
65	(multidisciplinarity reseach or multidisciplinary or multidisciplinary approach or multidisciplinary assessment or multidisciplinary biopsychosocial educational group intervention or multidisciplinary biopsychosocial rehabilitation or multidisciplinary cancer care or multidisciplinary cancer management or multidisciplinary cancer team or multidisciplinary cardiac rehabilitation center or multidisciplinary care or multidisciplinary care coordination or multidisciplinary care path or multidisciplinary care team or multidisciplinary clinic or multidisciplinary clinic approach or multidisciplinary clinic group or "multidisciplinary clinical assessment and treatment service" or multidisciplinary collaboration or multidisciplinary collaboration method or multidisciplinary committee or multidisciplinary communication or multidisciplinary consultation or multidisciplinary decision or multidisciplinary diabetes care or multidisciplinary diabetes center or multidisciplinary diabetic foot clinic or multidisciplinary diabetic foot day unit or multidisciplinary diabetic foot unit or multidisciplinary didactic curriculum or multidisciplinary	392

	<p>discussion or multidisciplinary disease management program or multidisciplinary doctor nurse practitioner model or multidisciplinary education or multidisciplinary education program or multidisciplinary educational intervention or multidisciplinary educational program or multidisciplinary evaluation or multidisciplinary facial function clinic or multidisciplinary fall reduction program or multidisciplinary fatigue management programme or multidisciplinary functional rehabilitation program or multidisciplinary geriatric assessment or multidisciplinary goal round or multidisciplinary group based treatment program or multidisciplinary group clinic appointment or multidisciplinary guideline or multidisciplinary guideline predialysis or "multidisciplinary health and development study" or multidisciplinary health care team or multidisciplinary heart failure unit or multidisciplinary heart team or multidisciplinary hospital intervention or multidisciplinary hospital team or multidisciplinary in hospital team or multidisciplinary infectious diseases team or multidisciplinary infrastructure or multidisciplinary integrated care or multidisciplinary intensive inpatient model or multidisciplinary intensive rehabilitation treatment or multidisciplinary intervention or "multidisciplinary intervention for quality of life" or multidisciplinary intervention program or multidisciplinary intestinal rehabilitation program or multidisciplinary involvement or multidisciplinary limb preservation team or multidisciplinary management or multidisciplinary medical assessment or multidisciplinary medical care or multidisciplinary meeting or multidisciplinary meeting radiotherapy or multidisciplinary meetings or multidisciplinary methodology or multidisciplinary model or multidisciplinary mortality committee or multidisciplinary nutritional care or multidisciplinary one stop follow up clinic or multidisciplinary orthopedic rehabilitation or multidisciplinary outpatient management or multidisciplinary outpatient</p>	
--	--	--

	<p>rehabilitation or multidisciplinary pain or multidisciplinary pain center or multidisciplinary pain clinic or multidisciplinary pain education program or multidisciplinary pain intervention or multidisciplinary pain management or multidisciplinary pain management programme or multidisciplinary pain management support unit or multidisciplinary pain program or multidisciplinary pain rehabilitation or multidisciplinary pain therapy or multidisciplinary pain treatment or multidisciplinary pain treatment facility or multidisciplinary palliative care team or multidisciplinary pharmaceutical care or multidisciplinary predialysis care or multidisciplinary preventive program or multidisciplinary program or multidisciplinary psychoeducational protocol or "multidisciplinary quality of life intervention" or multidisciplinary reference center or multidisciplinary rehabilitation or multidisciplinary rehabilitation program or multidisciplinary rehabilitation treatment or multidisciplinary research or multidisciplinary research field or multidisciplinary round or multidisciplinary rounds or multidisciplinary specialty clinic or multidisciplinary staff meeting or multidisciplinary standardized approach or multidisciplinary study center or multidisciplinary teaching or multidisciplinary team or multidisciplinary team approach or multidisciplinary team care or multidisciplinary team care arrangement or "multidisciplinary team case review" or multidisciplinary team coordinator or multidisciplinary team course or multidisciplinary team decision making or multidisciplinary team management or multidisciplinary team meeting or multidisciplinary team observation assessment tool or multidisciplinary team planning or multidisciplinary team practice or multidisciplinary team service or multidisciplinary team working or multidisciplinary teams or multidisciplinary teamwork or multidisciplinary training program or multidisciplinary transitional care program or multidisciplinary translational team or multidisciplinary treatment</p>	
--	---	--

	or multidisciplinary treatment program or multidisciplinary working or multidisciplined medicine or multidisciplinary cancer care).sh.	
66	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.	127217
67	((Joint or collaborative) adj work\$).ti,ab.	2317
68	(collaboration or "collaboration and satisfaction about care decisions" or collaboration goal setting or collaboration model or collaboration preference or collaborations or collaborative ability or collaborative activity or collaborative approach or collaborative behavior or collaborative care or collaborative care management or collaborative care management program or collaborative care model or collaborative choice or collaborative chronic care network or collaborative clinical practice or collaborative cohort supervision or collaborative community based care or collaborative decision making or collaborative feedback or collaborative group intervention or collaborative groups or collaborative interdisciplinary research or collaborative intervention or collaborative leadership or collaborative management or collaborative patient care or collaborative practice or collaborative practice agreement or collaborative problem solving or collaborative recovery model or collaborative research or collaborative skill or collaborative stepped care or collaborative study or collaborative system or collaborative therapy or collaborative transdisciplinary team approach).sh.	178

69	(delivery or "delivery of health care" or "delivery of health care changes" or "delivery of health care cost" or "delivery of health care determinants" or "delivery of health care integrated" or "delivery of health care legal aspects" or "delivery of health care standards").sh.	37167
70	(patient or patient care or "patient care and cure" or patient care associate or patient care center or patient care collaboration or patient care continuity or "patient care cost" or patient care information system or patient care model or patient care monitor or "patient care monitor acute distress and despair" or patient care monitor version 2 or patient care pathway or patient care report or patient care team or patient centered medical home or patient centered or patient centered approach or "patient centered assessment and counseling for exercise" or "patient centered assessment and counseling for exercise questionnaire" or "patient centered assessment and counseling for exercise score" or patient centered cancer care or patient centered care or patient centered care medical home or patient centered care medicine or patient centered collaborative care or patient centered communication or patient centered decision making or patient centered medical home or patient centered medical home care or patient centered medical home health care or patient centered medical home implementation or patient centered medical home model or patient centered medical home neighbor or patient centered medicine or patient centered outcome or patient centered outcome measure or patient centered outcome research or patient centered outcomes research or patient centered outcomes research institute or patient centeredness or patient centred interprofessional collaboration or patient centred medical home or patient centred medicine).sh.	1498494

71	(integrated care or integrated care model or integrated care pathway or integrated care pathways or integrated care pilot or integrated care system or integrated care team).sh.	51
72	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	6276
73	(occupational therapy or occupational therapy assistant or occupational therapy home program or occupational therapy intervention or occupational therapy practice).sh.	18860
74	(allied health or allied health assistant or allied health care or allied health care practice or allied health education or allied health intervention or allied health professional or allied health staff or allied health therapy).sh.	276
75	(Ambulance adj service).ti,ab.	1418
76	(emergency service hospital or emergency service personnel or emergency services).sh.	20
77	emergency treatment.sh.	14880
78	nurse.sh.	87785
79	Nurs\$.ti,ab.	407411
80	General Practitioners.sh.	1
81	Doctor.sh.	0
82	(doctor nurse relation or doctor patient relation).sh.	86728
83	Doctor\$.ti,ab.	134303
84	Physiotherap\$.ti,ab.	30226

85	community health nursing.sh.	25745
86	home nursing.sh.	4
87	palliative care.sh.	5
88	("end of life" or "end of life care").sh.	75
89	terminal care.sh.	26604
90	(social work or social worker).sh.	27513
91	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	73029
92	(Support adj3 worker\$).ti,ab.	1495
93	home health agency.sh.	162
94	home environment.sh.	2767
95	Care coordinator\$.ti,ab.	642
96	(Cris?s adj3 coordinator\$).ti,ab.	4
97	(First adj3 response).ti,ab.	9392
98	(caregivers or caregiving or caregiver support or caregiver).sh.	49628
99	Carer\$.ti,ab.	13691
100	Team.ti,ab.	126068
101	Keyword\$.ti,ab.	89
102	(professional role or professional patient relationship or	34736

	professional competence).sh.	
103	family.sh.	79132
104	Neighbour\$.ti,ab.	23181
105	(friends or "friends and family" or "friends and relatives" or friendship or friendship network).sh.	1919
106	leadership.sh.	42787
107	or/64-106	2505789
108	(Access adj specialist\$.ti,ab.	94
109	(case management or case manager).sh.	9369
110	(care planning or "care planning and management").sh.	3
111	((Case or care) adj3 (manage\$ or work\$ or plan\$)).ti,ab.	112128
112	(medical records or medical record or "medical record review").sh.	201775
113	(Shared adj record\$.ti,ab.	29
114	information dissemination.sh.	15773
115	risk.sh.	436203
116	risk management.sh.	35376
117	Contingency planning.ti,ab.	241
118	problem solving.sh.	28592

119	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	6714
120	patient readmission.sh.	7
121	patient discharge.sh.	7
122	hospital discharge.sh.	75777
123	Assessment\$.ti,ab.	979097
124	assessment.sh.	479
125	Referral\$.ti,ab.	112651
126	patient referral.sh.	71557
127	or/108-126	1891775
128	(time or time based task or time constant or time constraint or time dependence or time dependent model or time factors or time interval or time measurement or time pressure or time related competence or time related factor or time to treatment).sh.	396343
129	("Short-term" or "short term") adj3 (care or intervention\$ or respon\$ or assess\$).ti,ab.	9131
130	(Week\$ or hour\$ or day\$).ti,ab.	3358480
131	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	7158126
132	Extended hours.ti,ab.	144

133	Out of hour\$.ti,ab.	2452
134	or/128-133	9057383
135	("activities of daily living" or "activities of daily living adl" or "activities of daily living computerized adaptive testing system" or "activities of daily living impairment" or "activities of daily living index" or "activities of daily living prevention instrument" or "activities of daily living scale" or "activities of daily living with an effort scale" or "activities of living model").sh.	63
136	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	63144
137	treatment outcome.sh.	699117
138	effectiveness.sh.	3
139	Effectiveness.ti,ab.	395580
140	or/135-139	1116573
141	32 and 63 and 134	7985
142	32 and 127 and 134	19631
143	32 and 63 and 107	6144
144	32 and 63 and 140	1395
145	or/141-144	25993
146	15 and 145	4004
147	146 and 2005:2015.(sa_year).	3194

148	(article or journal article or report or report article or "review").pt.	22687073
149	147 and 148	1778

Excerpta Medica database (Embase) - OVID

Date searched: 23/12/2015

No. of records: 4373

Limits: study type, publication type, date (2005 – 2015)

Q3 C: Crisis Response (Intermediate Care) – views and experiences

Searches	Results	Search Type
1	exp qualitative research/	33692
2	Qualitative\$.ti,ab.	209694
3	(Meta-synthesis\$ or meta synthesis\$ or metasynthesis).ti,ab.	487
4	(Meta-ethnograph* or metaethnograph* or meta ethnograph*).ti,ab.	231
5	(Evidence synthesis or realist synthesis).ti,ab.	2012
6	interview/ or telephone interview/ or structured interview/ or unstructured interview/ or semi structured interview/	169059
7	Interview\$.ti,ab.	306984
8	In-depth.ti,ab.	46646
9	(Case adj (study or studies)).ti,ab.	81806

10	questionnaire/	459934
11	health care survey/	9660
12	self report/	78438
13	Questionnaire\$.ti,ab.	481505
14	Behavioral research.ti,ab.	1364
15	narrative/	3940
16	(Narrative\$ or narration\$ or survey\$).ti,ab.	578660
17	information processing/	183223
18	cohort analysis/	225074
19	(Cohort adj (study or studies or analysis)).ti,ab.	154647
20	observational study/	82404
21	(Observation\$ adj (study or studies)).ti,ab.	86082
22	"Focus Group?".ti,ab.	32140
23	attitude/	56449
24	perception/	71954
25	patient satisfaction/	97463
26	patient participation/	19203
27	consumer/	39500

28	View\$.ti,ab.	453884
29	caregiver/	48300
30	Experience\$.ti,ab.	1043287
31	Attitude\$.ti,ab.	133148
32	Perspective\$.ti,ab.	250223
33	(Satisf\$ or dissatisf\$).ti,ab.	320720
34	(Choice\$ or choos\$ or control or centred or centered).ti,ab.	2834449
35	patient preference/	8300
36	Preference\$.ti,ab.	125212
37	Complaint\$.ti,ab.	98250
38	Expectation\$.ti,ab.	75407
39	Feedback\$.ti,ab.	116172
40	patient advocacy/	19349
41	(Belief\$ or need\$ or stress\$ or emotion\$ or anx\$ or fear\$ or concern\$ or uncertain\$ or unsure or thought\$ or feeling\$ or felt\$ or opinion\$ or perception\$ or know\$ or understand\$ or aware\$).ti,ab.	5623535
42	physiological stress/	12283
43	adaptation/	81189

44	emotion/	80627
45	anxiety/	140928
46	fear/	45024
47	or/1-46	9767633
48	(crisis inpatient bed or crisis interaction intervention model or crisis intervention or crisis intervention team or crisis intervention team model or crisis intervention team training or crisis intervention theory or crisis management or crisis management plan or crisis model or crisis prevention or "crisis resolution and home treatment" or "crisis resolution and home treatment service" or "crisis resolution and home treatment team" or crisis resolution home treatment or crisis resolution team or crisis resource management).sh.	5933
49	((Crisis or crises or rapid\$ or urgent\$) adj2 (approach\$ or respon\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support\$ or model\$ or home\$ or assessment\$ or nurs\$ or rehabilitat\$ or intermediate or reablement or domiciliary or care or social or health or clinical or scheme\$ or occurrence\$ or treatment\$ or therap\$ or recovery)).ti,ab.	70761
50	((Crisis or crises) adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental\$ or cognitiv\$ or aged or frail or injur\$ or minor)).ti,ab.	970
51	((Crisis or crises or rapid or recovery) adj2 (outcome or impairment or independence or goal or problem or need)).ti,ab.	3818
52	((Crisis or rapid or respond) adj3 (resident or patient or client or consumer)).ti,ab.	5040

53	(rapid response or rapid response team or rapid response team call).sh. or rapidly.kw.	1950
54	crisis.kw.	3046
55	(Unscheduled adj3 care).ti,ab.	242
56	((emergency or urgent) adj2 respon\$).ti,ab.	3524
57	(Ambulatory adj2 (respon\$ or crisis)).ti,ab.	168
58	((Episode or temporary) adj3 (crisis or care or adapt)).ti,ab.	1271
59	(Unexpected adj3 (crisis or event or need or illness or occurrence or deterioration or injury or fall or condition or adapt)).ti,ab.	1216
60	((Crisis or crises) adj2 (adapt or access)).ti,ab.	70
61	(Deteriorat\$ adj3 (abilit\$ or health or condition\$ or sudden\$)).ti,ab.	8069
62	((Dependency or circumstance or support or fluctuation or change or difference or measure or need) adj3 (crisis or reablement or enablement or intermediate or rapid or home care)).ti,ab.	9069
63	(emergency call system or emergency care or emergency care information systems or emergency care practitioner or emergency care systems).sh.	27343
64	or/48-63	132827
65	housing.kw. or housing.sh.	18713

66	elderly care.sh.	35877
67	(residential care or residential care facility or residential care homes or residential care intervention program in the elderly service).sh. or residents.kw.	11271
68	adults.kw. or adults.sh.	12788
69	accomodation.kw. or accomodation.sh.	60
70	home.kw. or home.sh. or "home assessment of person environment interaction".sh. or home assessment visit.sh. or home base management.sh. or home base rehabilitation.sh. or home based.sh. or "home based and community based service".sh. or home based assessment.sh. or home based assessment study.sh. or home based cancer palliative care.sh. or home based cardiac rehabilitation.sh. or home based cardiac telerehabilitation.sh. or home based care organization.sh. or home based care policy.sh. or home based care volunteer.sh. or home based consumer health.sh. or home based diagnosis.sh. or home based environmental intervention.sh. or home based functional exercise.sh. or home based intervention.sh. or home based intervention package.sh. or home based intervention program.sh. or home based intervention programme.sh. or home based palliative care.sh. or home based parent aide service.sh. or home based physical rehabilitation program.sh. or home based physical therapy.sh. or home based preventive care program.sh. or "home based primary and palliative care".sh. or home based primary care.sh. or home based primary care program.sh. or home based program.sh. or home based pulmonary rehabilitation.sh. or home based rehabilitation.sh. or home based rehabilitation exercise.sh. or home based rehabilitation program.sh. or home based therapy.sh. or home care.sh. or home care aides.sh. or	65057

	home care capacity scale.sh. or "home care cost".sh. or home care nurse.sh. or home care nurses.sh. or home care nursing.sh. or home care reablement service.sh. or home care rehabilitation.sh. or home care satisfaction scale.sh. or home care scale.sh. or home care score.sh. or home care services.sh. or home care setting.sh. or home care staff.sh. or home care stat.sh.	
71	Home\$.ti,ab.	447117
72	home environment.sh.	2767
73	(Independent\$ adj liv\$).ti,ab.	3242
74	((Rehabilitat\$ or reablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	12404
75	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	8504
76	(assisted living or assisted living care or assisted living community or assisted living facility or assisted living facility resident).sh.	1481
77	(intermediate care or intermediate care hospital or intermediate care unit).sh.	23
78	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	5908
79	(skilled nursing facilities snf or skilled nursing facility).sh.	22

80	((Community or "step up" or "step down" or transition\$) adj3 (facilit\$ or care or hospice)).ti,ab.	27109
81	community care.sh.	50358
82	(community health services or "community health services cost").sh.	11
83	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	22550
84	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	6798
85	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	2527
86	(nursing homes or "nursing homes/economics").sh.	13
87	(Nursing adj3 (unit\$ or facilit\$ or home\$ or setting\$)).ti,ab.	39371
88	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	68533
89	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	801
90	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	10778
91	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	1327
92	((Secondary or tertiary) adj setting\$).ti,ab.	227
93	(Virtual adj3 ward\$).ti,ab.	41

94	prisons.kw. or prisons.sh.	370
95	accidents.kw. or accidents.sh.	3160
96	or/65-95	672540
97	(inter agency cooperation or inter professional or inter professional collaboration or inter professional relations).sh.	5
98	(multidisciplinarity reseach or multidisciplinary or multidisciplinary approach or multidisciplinary assessment or multidisciplinary biopsychosocial educational group intervention or multidisciplinary biopsychosocial rehabilitation or multidisciplinary cancer care or multidisciplinary cancer management or multidisciplinary cancer team or multidisciplinary cardiac rehabilitation center or multidisciplinary care or multidisciplinary care coordination or multidisciplinary care path or multidisciplinary care team or multidisciplinary clinic or multidisciplinary clinic approach or multidisciplinary clinic group or "multidisciplinary clinical assessment and treatment service" or multidisciplinary collaboration or multidisciplinary collaboration method or multidisciplinary committee or multidisciplinary communication or multidisciplinary consultation or multidisciplinary decision or multidisciplinary diabetes care or multidisciplinary diabetes center or multidisciplinary diabetic foot clinic or multidisciplinary diabetic foot day unit or multidisciplinary diabetic foot unit or multidisciplinary didactic curriculum or multidisciplinary discussion or multidisciplinary disease management program or multidisciplinary doctor nurse practitioner model or multidisciplinary education or multidisciplinary education program or multidisciplinary educational intervention or multidisciplinary educational program or multidisciplinary evaluation or multidisciplinary facial function clinic or	392

<p>multidisciplinary fall reduction program or multidisciplinary fatigue management programme or multidisciplinary functional rehabilitation program or multidisciplinary geriatric assessment or multidisciplinary goal round or multidisciplinary group based treatment program or multidisciplinary group clinic appointment or multidisciplinary guideline or multidisciplinary guideline predialysis or "multidisciplinary health and development study" or multidisciplinary health care team or multidisciplinary heart failure unit or multidisciplinary heart team or multidisciplinary hospital intervention or multidisciplinary hospital team or multidisciplinary in hospital team or multidisciplinary infectious diseases team or multidisciplinary infrastructure or multidisciplinary integrated care or multidisciplinary intensive inpatient model or multidisciplinary intensive rehabilitation treatment or multidisciplinary intervention or "multidisciplinary intervention for quality of life" or multidisciplinary intervention program or multidisciplinary intestinal rehabilitation program or multidisciplinary involvement or multidisciplinary limb preservation team or multidisciplinary management or multidisciplinary medical assessment or multidisciplinary medical care or multidisciplinary meeting or multidisciplinary meeting radiotherapy or multidisciplinary meetings or multidisciplinary methodology or multidisciplinary model or multidisciplinary mortality committee or multidisciplinary nutritional care or multidisciplinary one stop follow up clinic or multidisciplinary orthopedic rehabilitation or multidisciplinary outpatient management or multidisciplinary outpatient rehabilitation or multidisciplinary pain or multidisciplinary pain center or multidisciplinary pain clinic or multidisciplinary pain education program or multidisciplinary pain intervention or multidisciplinary pain management or multidisciplinary pain management programme or multidisciplinary pain management support unit or multidisciplinary pain program or</p>	
---	--

	<p>multidisciplinary pain rehabilitation or multidisciplinary pain therapy or multidisciplinary pain treatment or multidisciplinary pain treatment facility or multidisciplinary palliative care team or multidisciplinary pharmaceutical care or multidisciplinary predialysis care or multidisciplinary preventive program or multidisciplinary program or multidisciplinary psychoeducational protocol or "multidisciplinary quality of life intervention" or multidisciplinary reference center or multidisciplinary rehabilitation or multidisciplinary rehabilitation program or multidisciplinary rehabilitation treatment or multidisciplinary research or multidisciplinary research field or multidisciplinary round or multidisciplinary rounds or multidisciplinary specialty clinic or multidisciplinary staff meeting or multidisciplinary standardized approach or multidisciplinary study center or multidisciplinary teaching or multidisciplinary team or multidisciplinary team approach or multidisciplinary team care or multidisciplinary team care arrangement or "multidisciplinary team case review" or multidisciplinary team coordinator or multidisciplinary team course or multidisciplinary team decision making or multidisciplinary team management or multidisciplinary team meeting or multidisciplinary team observation assessment tool or multidisciplinary team planning or multidisciplinary team practice or multidisciplinary team service or multidisciplinary team working or multidisciplinary teams or multidisciplinary teamwork or multidisciplinary training program or multidisciplinary transitional care program or multidisciplinary translational team or multidisciplinary treatment or multidisciplinary treatment program or multidisciplinary working or multidisciplined medicine or multidisciplinary cancer care).sh.</p>	
99	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or	127217

	<p>multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.</p>	
100	<p>((Joint or collaborative) adj work\$).ti,ab.</p>	2317
101	<p>(collaboration or "collaboration and satisfaction about care decisions" or collaboration goal setting or collaboration model or collaboration preference or collaborations or collaborative ability or collaborative activity or collaborative approach or collaborative behavior or collaborative care or collaborative care management or collaborative care management program or collaborative care model or collaborative choice or collaborative chronic care network or collaborative clinical practice or collaborative cohort supervision or collaborative community based care or collaborative decision making or collaborative feedback or collaborative group intervention or collaborative groups or collaborative interdisciplinary research or collaborative intervention or collaborative leadership or collaborative management or collaborative patient care or collaborative practice or collaborative practice agreement or collaborative problem solving or collaborative recovery model or collaborative research or collaborative skill or collaborative stepped care or collaborative study or collaborative system or collaborative therapy or collaborative transdisciplinary team approach).sh.</p>	178
102	<p>(delivery or "delivery of health care" or "delivery of health care changes" or "delivery of health care cost" or "delivery of health care determinants" or "delivery of health care integrated" or "delivery of health care legal aspects" or "delivery of health care standards").sh.</p>	37167

103	(patient or patient care or "patient care and cure" or patient care associate or patient care center or patient care collaboration or patient care continuity or "patient care cost" or patient care information system or patient care model or patient care monitor or "patient care monitor acute distress and despair" or patient care monitor version 2 or patient care pathway or patient care report or patient care team or patient centered medical home or patient centered or patient centered approach or "patient centered assessment and counseling for exercise" or "patient centered assessment and counseling for exercise questionnaire" or "patient centered assessment and counseling for exercise score" or patient centered cancer care or patient centered care or patient centered care medical home or patient centered care medicine or patient centered collaborative care or patient centered communication or patient centered decision making or patient centered medical home or patient centered medical home care or patient centered medical home health care or patient centered medical home implementation or patient centered medical home model or patient centered medical home neighbor or patient centered medicine or patient centered outcome or patient centered outcome measure or patient centered outcome research or patient centered outcomes research institute or patient centeredness or patient centred interprofessional collaboration or patient centred medical home or patient centred medicine).sh.	1498494
104	(integrated care or integrated care model or integrated care pathway or integrated care pathways or integrated care pilot or integrated care system or integrated care team).sh.	51
105	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	6276

106	(occupational therapy or occupational therapy assistant or occupational therapy home program or occupational therapy intervention or occupational therapy practice).sh.	18860
107	(allied health or allied health assistant or allied health care or allied health care practice or allied health education or allied health intervention or allied health professional or allied health staff or allied health therapy).sh.	276
108	(Ambulance adj service).ti,ab.	1418
109	(emergency service hospital or emergency service personnel or emergency services).sh.	20
110	emergency treatment.sh.	14880
111	nurse.sh.	87785
112	Nurs\$.ti,ab.	407411
113	General Practitioners.sh.	1
114	Doctor.sh.	0
115	(doctor nurse relation or doctor patient relation).sh.	86728
116	Doctor\$.ti,ab.	134303
117	Physiotherap\$.ti,ab.	30226
118	community health nursing.sh.	25745
119	home nursing.sh.	4
120	palliative care.sh.	5

121	("end of life" or "end of life care").sh.	75
122	terminal care.sh.	26604
123	(social work or social worker).sh.	27513
124	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	73029
125	(Support adj3 worker\$).ti,ab.	1495
126	home health agency.sh.	162
127	Care coordinator\$.ti,ab.	642
128	(Cris?s adj3 coordinator\$).ti,ab.	4
129	(First adj3 response).ti,ab.	9392
130	(caregivers or caregiving or caregiver support or caregiver).sh.	49628
131	Carer\$.ti,ab.	13691
132	Team.ti,ab.	126068
133	Keyword\$.ti,ab.	89
134	(professional role or professional patient relationship or professional competence).sh.	34736
135	family.sh.	79132
136	Neighbour\$.ti,ab.	23181
137	(friends or "friends and family" or "friends and relatives" or friendship or friendship network).sh.	1919

138	leadership.sh.	42787
139	or/97-138	2503923
140	(Access adj specialist\$.ti,ab.	94
141	(case management or case manager).sh.	9369
142	(care planning or "care planning and management").sh.	3
143	((Case or care) adj3 (manage\$ or work\$ or plan\$)).ti,ab.	112128
144	(medical records or medical record or "medical record review").sh.	201775
145	(Shared adj record\$.ti,ab.	29
146	information dissemination.sh.	15773
147	risk.sh.	436203
148	risk management.sh.	35376
149	Contingency planning.ti,ab.	241
150	problem solving.sh.	28592
151	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	6714
152	patient readmission.sh.	7
153	patient discharge.sh.	7
154	hospital discharge.sh.	75777

155	Assessment\$.ti,ab.	979097
156	assessment.sh.	479
157	Referral\$.ti,ab.	112651
158	patient referral.sh.	71557
159	or/140-158	1891775
160	(time or time based task or time constant or time constraint or time dependence or time dependent model or time factors or time interval or time measurement or time pressure or time related competence or time related factor or time to treatment).sh.	396343
161	((("Short-term" or "short term") adj3 (care or intervention\$ or respon\$ or assess\$)).ti,ab.	9131
162	(Week\$ or hour\$ or day\$).ti,ab.	3358480
163	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	7158126
164	Extended hours.ti,ab.	144
165	(Out adj1 hour\$).ti,ab.	131
166	or/160-165	9057383
167	("activities of daily living" or "activities of daily living adl" or "activities of daily living computerized adaptive testing system" or "activities of daily living impairment" or "activities of daily living index" or "activities of daily living prevention instrument" or "activities of daily living scale" or "activities of daily living with an	63

	effort scale" or "activities of living model").sh.	
168	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	63144
169	treatment outcome.sh.	699117
170	effectiveness.sh.	3
171	Effectiveness.ti,ab.	395580
172	or/167-171	1116573
173	64 and 96 and 166	7988
174	64 and 159 and 166	19631
175	64 and 96 and 139	6132
176	64 and 96 and 172	1394
177	or/173-176	25996
178	47 and 177	19091
179	178 and 2005:2015.(sa_year).	15897
180	(article or journal article or report or report article or "review").pt.	22687073
181	179 and 180	8708
182	adult.ab. or adult.bt. or adult.cf. or adult.dv. or adult.in. or adult.ji. or adult.kw. or adult.mf. or adult.ot. or adult.sh. or adult.ti. or adult.tn. or adult.ur.	5383077

183	older.ab. or older.in. or older.ji. or older.kw. or older.ot. or older.sh. or older.ti. or older.tn. or older.ur. or older adult.sh. or older adults.sh. or older people.sh. or older person.sh. or older persons.sh.	391567
184	aged.ab. or aged.dm. or aged.dv. or aged.in. or aged.kw. or aged.ot. or aged.sh. or aged.ti. or aged.tn. or aged.ur. or aged 65.sh. or "aged 80 and over".sh.	2714531
185	182 or 183 or 184	6462270
186	181 and 185	4373

Health Management Information Consortium (HMIC) - OVID

Date searched: 23/12/2015

No. of records: 477

Limits: study type, date (2005 – 2015)

Q3 A: Crisis Response (Intermediate Care) – effectiveness

Searches	Results	Search Type
1	(Systematic adj2 (review\$ or overview or search\$)).ti,ab.	4098
2	"systematic review".at. or "systematic review".de. or systematic reviews.de. or systematically.ab.	3777
3	((Evidence or literature) adj2 review).ti,ab.	2925
4	("literature review" or literature reviews).de.	3014
5	"review".ab. or "review".ar. or "review".bt. or "review".ca. or	28793

	"review".de. or "review".ea. or "review".jh. or "review".jn. or "review".nt. or "review".oj. or "review".pb. or "review".ri. or "review".sd. or "review".se. or "review".st. or "review".ti. or "review".ur.	
6	((Published or search\$ or handsearch\$ or relevant or selected) adj3 (journals or database\$ or stud\$)).ti,ab.	2833
7	((Pool\$ or synthes\$ or extract\$) adj2 (data or evidence)).ti,ab.	1308
8	meta analysis.de.	726
9	("Meta analy\$" or "metaanaly\$" or "meta regression" or metaregression).ti,ab.	1642
10	randomized.ur. or randomly.ab. or randomised.ab. or randomised.de. or randomised.ea. or randomised.st. or randomised.ti. or randomised.ur. or randomised clinical trial.de. or randomised controlled trial.de. or randomised controlled trial rct.de. or randomised controlled trials.de. or randomising.ab. or randomization.ab. or randomization.ea. or randomize.ti. or randomized.ab. or randomized.ea. or randomized.st. or randomized.ti.	8271
11	trial.ab. or trial.ar. or trial.de. or trial.ea. or trial.jh. or trial.st. or trial.ti. or trial.ur.	6135
12	case control study.de.	0
13	(cohort analysis or cohort study).de.	0
14	or/1-13	41045
15	(crisis intervention or crisis intervention project or crisis intervention team or crisis intervention unit or crisis	3032

	management or crisis referral or crisis resolution or crisis service or crisis services or crisis support or crisis team or crisis work).de. or crises.ab. or crises.ea. or crises.ti. or crises.ur. or "crises and emergency response".de. or crisi.ab. or crisis.ab. or crisis.ar. or crisis.au. or crisis.bt. or crisis.ca. or crisis.de. or crisis.ea. or crisis.nt. or crisis.pb. or crisis.ri. or crisis.sd. or crisis.se. or crisis.st. or crisis.ti. or crisis.ur. or crisis accommodation.de. or crisis bed.de. or crisis care provision.de. or crisis episode.de.	
16	rapid.ab. or rapid.ti. or rapid response.de. or rapid response team.de. or rapid response unit.de.	2320
17	((Cris?s or rapid) adj2 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	953
18	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or injur\$ or minor)).ti,ab.	129
19	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	41
20	(Cris?s adj3 (residen\$ or patient\$ or access\$)).ti,ab.	64
21	(Unscheduled adj3 care).ti,ab.	45
22	(Early adj intervention\$).ti,ab.	549
23	(Urgent adj respon\$).ti,ab.	3
24	((Episode or Temporary) adj3 (cris?s or care)).ti,ab.	116

25	ambulatory.ab. or ambulatory.ea. or ambulatory.sd. or ambulatory.ti. or ambulatory.ur.	758
26	(Ambulatory adj (respon\$ or cris?s)).ti,ab.	1
27	(Unexpected adj3 (event\$ or need\$ or ill\$ or occurrence\$ or episode\$)).ti,ab.	20
28	(Deterioration adj3 (abilit\$ or health or condition or sudden\$)).ti,ab.	68
29	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	408
30	rehabilitation.ab. or rehabilitation.ti. or rehabilitative.ab. or rehabilitative.ti. or rehab.ab. or rehab.ti. or rehabilitation.ab. or rehabilitation.ti. or rehabilitaiton.ab. or rehabilitasie.ti. or rehabilitate.ab. or rehabilitate.ti. or rehabilitated.ab. or rehabilitated.ti. or rehabilitates.ab. or rehabilitating.ab. or rehabilitating.ti.	3465
31	or/15-30	10500
32	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	1186
33	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	11216
34	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2010

35	residential care.de.	4271
36	(residential home or residential homes or residential hospital care or residential housing).de.	0
37	nursing homes.de.	1565
38	(Nursing adj3 (unit\$ or facilit\$ or home\$ or setting\$)).ti,ab.	3109
39	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	6943
40	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	156
41	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	61
42	((Secondary or tertiary) adj setting\$).ti,ab.	5
43	prisons.ab. or prisons.ar. or prisons.ca. or prisons.de. or prisons.ea. or prisons.nt. or prisons.pb. or prisons.st. or prisons.ti. or prisons.ur.	1271
44	housing.ab. or housing.ti.	4416
45	home.ab. or home.ti. or homecare.ab. or homecare.ti.	13120
46	independentlivingchoices.ab.	0
47	Independent living.ti,ab.	485
48	home.de.	0
49	housing.de.	2233

50	rehabilitation centre.de.	0
51	((Rehabilitat\$ or reablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	547
52	assisted living.de.	0
53	Assisted living.ti,ab.	55
54	intermediary service delivery.de. or intermediate.ab. or intermediate.de. or intermediate.ti. or intermediate care.de. or intermediate care scheme.de. or intermediate housing.de.	1364
55	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	646
56	(community health or community health care or community health centre).de.	1645
57	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2010
58	resident.ti. or residential.ab. or residential.ti. or residential care.de. or residential care centre.de. or residential care home.de. or residential care homes.de. or residential home.de. or residential homes.de. or residents.ab. or residents.de. or residents.ti. or residents care homes.de.	10461
59	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	3091
60	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	266

61	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	618
62	accidents.ab. or accidents.de. or accidents.ti.	1637
63	accomodation.ab. or accomodation.de. or accomodation.ti. or accommodation.ab. or accommodation.de. or accommodation.ti. or accommodations.ab. or accommodations.ti.	2513
64	or/32-63	44740
65	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.	6124
66	(multidisciplinary or multidisciplinary approach or multidisciplinary assessment or multidisciplinary care assessment or multidisciplinary collaboration or multidisciplinary practice or multidisciplinary services or multidisciplinary team or multidisciplinary teams or multidisciplinary training or multidisciplinary working).de.	1187
67	((Joint or collaborative) adj work\$).ti,ab.	1255
68	communication.de.	1895
69	relationships.de.	0
70	(cooperative or coordination).de.	213
71	(integrated or integrated approach or integrated care or integrated care approach or integrated care group or integrated	1661

	care management or integrated care organisation programme or integrated care organisations or integrated care pathway or integrated care plan or integrated client focused services or integrated communities or integrated community or integrated comprehensive community care service or integrated facilities or "integrated health and social care provision" or integrated information system).de.	
72	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	1124
73	(continuity or "continuity of care").de.	54
74	(patient care or patient centred care).de.	3553
75	Patient care.ti,ab.	5289
76	(Continuity adj3 care).ti,ab.	1002
77	Occupational Therapy.ab,de,ti.	1247
78	Allied health.ti,ab.	463
79	(Ambulance adj service).ti,ab.	496
80	ambulance.ab. or ambulance.de. or ambulance.ti. or ambulance service.de. or ambulance services.de.	1724
81	nurse.ab. or nurse.de. or nurse.ti. or nurses.ab. or nurses.de. or nurses.ti. or "nurses and nursing".de. or nursing.ab. or nursing.de. or nursing.ti. or nursing auxiliary.de. or nursing care.de.	41568
82	emergency.ab. or emergency.de. or emergency.ti. or emergency admission.de. or emergency admissions.de. or emergency assistance.de. or emergency duty team.de. or	7252

	emergency duty teams.de. or emergency health services.de. or emergency hospital admission.de. or "emergency out of hours service".de. or emergency planning.de. or emergency response.de. or emergency response plan.de. or emergency response service.de. or emergency response team.de. or emergency rest centres.de. or emergency service.de. or emergency service coordination.de. or emergency services.de.	
83	gp.ab. or gp.de. or gp.ti.	7159
84	(general practitioner or general practitioners).de.	9125
85	doctor.ab. or doctor.de. or doctor.ti. or doctors.ab. or doctors.de. or doctors.ti.	13777
86	physiotherapy.ab. or physiotherapy.de. or physiotherapy.ti. or physiotherapy domiciliary.de.	1052
87	palliative care.de.	2229
88	("end of life" or "end of life care").de.	965
89	therapy.ab. or therapy.de. or therapy.ti. or "therapy and treatment".de.	6752
90	dementia.ab. or dementia.de. or dementia.ti. or dementia care.de. or dementias.ab.	2913
91	Physical therapy.ti,ab.	83
92	comorbidity.ab. or comorbidity.de. or comorbidity.ti.	441
93	accidents.ab. or accidents.de. or accidents.ti.	1637

94	(interpersonal relations or interpersonal relationship or interpersonal relationships).de.	556
95	leadership.ab. or leadership.de. or leadership.ti.	5174
96	(professional practice or professional role or professional staff).de. or professionalisation.ab. or professionalism.ab. or professionalism.de. or professionalism.ti.	4235
97	role.ab. or role.de. or role.ti. or roles.ab. or roles.de. or roles.ti.	30050
98	decision making.de.	5080
99	(social work or social work agency or social work approaches or social work assistant or social work assistants or social work authority or social work department or social work methods or social work practice or social work practitioner or social work profession or social work professional or social work referral or social worker or social worker attitude or social worker service user relationships).de. or socialcare.ab. or socialcare.ti. or socialcare21.ab. or social welfare.de.	3296
100	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	25491
101	(Support adj3 worker\$).ti,ab.	462
102	(support worker or support workers).de.	0
103	aides.ab. or aides.ti.	82
104	carer.ab. or carer.de. or carer.ti. or carergiver.ab. or carergiver.ti. or carergivers.ab. or carers.ab. or carers.de. or carers.ti.	8198

105	team.ab. or team.de. or team.ti. or team work.de. or team working.de. or teams.ab. or teamwork.ab. or teamwork.de. or teamwork.ti. or teamworking.ab. or teamworking.de. or teamworking.ti.	13296
106	((Cris?s or care) adj3 coordinator\$).ti,ab.	63
107	(First adj3 response).ti,ab.	64
108	Keyword\$.ti,ab.	82
109	(keyword or keyworked or keyworker).ab. or keyworker.de. or keyworker.ti. or keyworkers.ab. or keyworkers.de. or keyworkers.ti. or keyworking.ab. or keyworking.de. or keyworking.ti.	82
110	family.ab. or family.de. or family.ti. or "family and friends carers".de. or family care.de. or family care giver.de. or family carer.de. or family carers.de. or family centre.de. or family centred approach.de. or family centred living.de. or family support.de. or familys.ab. or familys.ti.	12595
111	relatives.ab. or relatives.de. or relatives.ti.	2036
112	neighbour.ab. or neighbour.de. or neighbour.ti. or neighbour care.de. or neighbors.ab. or neighbors.ti.	56
113	friends.ab. or friends.de. or friends.ti. or "friends of the elderly".de. or friendship.ab. or friendship.de. or friendship.ti. or friendship network.de. or friendships.ab. or friendships.ti.	1423
114	or/65-113	151101
115	access.ab. or access.de. or access.ti.	13020

116	(Access adj specialist\$.ti,ab.	13
117	(case management or case manager or case records or case report or "case review" or case reviews or case work or case worker or case working service).de. or case.ab. or case.de. or case.ti. or case assessment.de.	19255
118	(care planning or care plans).de.	0
119	((Care or case) adj3 plan\$.ti,ab.	2915
120	medical.ab. or medical.de. or medical.ti. or medical record.de. or medical records.de.	33344
121	records.ab. or records.de. or records.ti.	6385
122	(Shared adj record\$.ti,ab.	13
123	information.ab. or information.de. or information.ti. or information access.de. or information dissemination.de. or information handling.de. or information management.de. or information sharing.de. or "information sharing and assessment".de.	37330
124	risk.ab. or risk.de. or risk.ti. or risk assessment.de. or risk management.de.	26318
125	contingency.ab. or contingency.de. or contingency.ti. or contingency plan.de. or contingency planning.de. or contingency plans.de.	324
126	problem solving.de.	224
127	((Avoid\$ or prevent\$ or unnecessary or unplanned or	620

	inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	
128	(patient discharge or patient discharge planning).de.	1697
129	readmission.ab. or readmission.ti. or readmissions.ab. or readmissions.ti. or readmitted.ab.	746
130	assessment.ab. or assessment.de. or assessment.ti. or assessment agreements.de. or "assessment and care management".de. or "assessment and care management system".de. or assessment care management.de. or assessment centre.de. or assessment centres.de. or assessment instruments.de. or "assessment of need".de. or "assessment of needs".de. or assessment social work.de. or assessments.ab. or assessments.de. or assessments.ti. or assess.ab. or assess.ti. or assessed.ab. or assessed.ti. or assesment.ab. or assesemnt.ab. or assessent.ti. or assessering.ti. or assesses.ab. or assesses.ti. or assessess.ab. or assessing.ab. or assessing.ti. or assessing need.de.	39472
131	referral.ab. or referral.de. or referral.ti. or referral procedure.de. or referral procedures.de. or referrals.ab. or referrals.de. or referrals.ti. or referred.ab. or referrer.ab. or referrers.ab. or referring.ab. or referring.ti. or referral.ab. or refers.ab.	8393
132	or/115-131	132925
133	time.ab. or time.de. or time.ti. or time duration.de. or timeframe.ab. or timeframe.ti. or timeframes.ab. or timeframes.ti. or timely.ab. or timely.ti. or times.ab. or times.de. or times.ti. or timescale.ab. or timescale.de. or timescale.ti. or timescales.ab. or timescales.ti. or timing.ab. or timing.de. or timing.ti. or timings.ab.	33357

134	((("Short-term" or "short term") adj3 (care or intervention\$ or respon\$ or assess\$)).ti,ab.	251
135	(Week\$ or hour\$ or day\$).ti,ab.	24453
136	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	68291
137	Extended hours.ti,ab.	37
138	Out of hour\$.ti,ab.	1066
139	or/133-138	86034
140	"activities of daily living".de.	60
141	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	1959
142	outcome.ab. or outcome.de. or outcome.ti. or outcomes.ab. or outcomes.de. or outcomes.ti. or outcomes assessment.de.	26852
143	effectiveness.ab. or effectiveness.ar. or effectiveness.ca. or effectiveness.de. or effectiveness.ea. or effectiveness.jh. or effectiveness.pb. or effectiveness.ri. or effectiveness.sd. or effectiveness.se. or effectiveness.st. or effectiveness.ti. or effectiveness.ur. or effects.de. or effects.se. or effects.st. or effects.ti. or effects.ur.	20835
144	or/140-143	43999
145	31 and 64 and 139	1274
146	31 and 132 and 139	2867

147	31 and 64 and 114	1810
148	31 and 64 and 144	660
149	or/145-148	4224
150	14 and 149	855
151	150 and 2005:2015.(sa_year).	477

Health Management Information Consortium (HMIC) - OVID

Date searched: 23/12/2015

No. of records: 580

Limits: study type, date (2005 – 2015)

Q3 B: Crisis Response (Intermediate Care) – cost effectiveness

Searches	Results	Search Type
1	economics.ab. or economics.ar. or economics.ca. or economics.de. or economics.ea. or economics.nt. or economics.pb. or economics.pp. or economics.sd. or economics.se. or economics.st. or economics.ti. or economics.ur.	3517
2	"cost".ab. or "cost".ar. or "cost".ca. or "cost".de. or "cost".ea. or "cost".st. or "cost".ti. or "cost".ur. or "cost advantage".de. or "cost analysis".de. or "cost assessment".de. or "cost benefit".de. or "cost benefit analysis".de. or "cost benefit assessment".de. or "cost benefit estimate".de. or "cost benefit evaluation".de. or "cost benefit ratio".de. or "cost benefitanalysis".de. or "cost burden".de. or "cost capping".de. or "cost ceiling".de. or "cost consideration".de. or "cost containment".de. or "cost contribution".de. or "cost control".de. or "cost driver".de. or "cost	18291

	drivers".de. or "cost effect".de. or "cost effective".de. or "cost effective purchasing".de. or "cost effectiveness".de. or "cost effectiveness in housing investment research programme".de. or "cost effectiveness strategy".de. or "cost efficiency".de. or "cost escalation".de. or "cost estimate".de. or "cost estimation".de. or "cost forecast".de. or "cost framework".de. or "cost impact".de. or "cost implication".de. or "cost increase".de. or "cost justification".de. or "cost measurement".de. or "cost model".de. or "cost of care".de. or "cost of service".de. or "cost recovery".de. or "cost reduction".de. or "cost reduction scheme".de. or "cost saving".de. or "cost saving measure".de. or "cost savings".de.	
3	budgets.ab. or budgets.ar. or budgets.ca. or budgets.de. or budgets.ea. or budgets.jh. or budgets.pb. or budgets.ri. or budgets.st. or budgets.ti. or budgets.ur.	2274
4	expenditure.ab. or expenditure.ar. or expenditure.de. or expenditure.ea. or expenditure.jh. or expenditure.nt. or expenditure.pb. or expenditure.ri. or expenditure.st. or expenditure.ti. or expenditure.ur.	4416
5	((Low or high) adj cost\$.ti,ab.	835
6	(Care adj cost\$.ti,ab.	896
7	(Fiscal or funding or financial or finance).ti,ab.	17386
8	(Economic\$ or price\$ or commission\$ or pricing).ti,ab.	27029
9	Socioeconomic\$.ti,ab.	3048
10	((Cost\$ or compar\$ or net\$) adj3 (service\$ or offset\$ or effect\$ or utility\$ or consequence\$ or benefit\$ or model\$ or estimate\$	11996

	or unit\$ or variable)).ti,ab.	
11	(economic model or economic modelling).de.	0
12	((Personal or pool\$) adj3 budget\$).ti,ab.	318
13	(Personal health adj3 budget\$).ti,ab.	100
14	("Social care" or "social work\$" or "social service\$") adj3 cost\$).ti,ab.	134
15	price.ab. or price.ar. or price.ca. or price.de. or price.ea. or price.nt. or price.pa. or price.pb. or price.sd. or price.st. or price.ti. or price.ur.	2280
16	finance.ab. or finance.ar. or finance.ca. or finance.de. or finance.ea. or finance.nt. or finance.pb. or finance.ri. or finance.sd. or finance.st. or finance.ti. or finance.ur.	4629
17	money.ab. or money.ar. or money.ca. or money.de. or money.ea. or money.jh. or money.jn. or money.nt. or money.pb. or money.ri. or money.sd. or money.se. or money.st. or money.ti. or money.ur.	4090
18	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17	67453
19	(crisis intervention or crisis intervention project or crisis intervention team or crisis intervention unit or crisis management or crisis referral or crisis resolution or crisis service or crisis services or crisis support or crisis team or crisis work).de. or crises.ab. or crises.ea. or crises.ti. or crises.ur. or "crises and emergency response".de. or crisi.ab. or crisis.ab. or crisis.ar. or crisis.au. or crisis.bt. or crisis.ca. or crisis.de. or	3032

	crisis.ea. or crisis.nt. or crisis.pb. or crisis.ri. or crisis.sd. or crisis.se. or crisis.st. or crisis.ti. or crisis.ur. or crisis accommodation.de. or crisis bed.de. or crisis care provision.de. or crisis episode.de.	
20	rapid.ab. or rapid.ti. or rapid response.de. or rapid response team.de. or rapid response unit.de.	2320
21	((Cris?s or rapid) adj2 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	953
22	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or injur\$ or minor)).ti,ab.	129
23	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	41
24	(Cris?s adj3 (residen\$ or patient\$ or access\$)).ti,ab.	64
25	(Unscheduled adj3 care).ti,ab.	45
26	(Early adj intervention\$).ti,ab.	549
27	(Urgent adj respon\$).ti,ab.	3
28	((Episode or temporary) adj3 (cris?s or care)).ti,ab.	116
29	ambulatory.ab. or ambulatory.ea. or ambulatory.sd. or ambulatory.ti. or ambulatory.ur.	758
30	(Ambulatory adj (respon\$ or cris?s)).ti,ab.	1

31	(Unexpected adj3 (event\$ or need\$ or ill\$ or occurrence\$ or episode\$)).ti,ab.	20
32	(Deterioration adj3 (abilit\$ or health or condition or sudden\$)).ti,ab.	68
33	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	408
34	rehabilitation.ab. or rehabilitation.ti. or rehabilitative.ab. or rehabilitative.ti. or rehab.ab. or rehab.ti. or rehabilitation.ab. or rehabilitation.ti. or rehabilitaiton.ab. or rehabilitasie.ti. or rehabilitate.ab. or rehabilitate.ti. or rehabilitated.ab. or rehabilitated.ti. or rehabilitates.ab. or rehabilitating.ab. or rehabilitating.ti.	3465
35	or/19-34	10500
36	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	1186
37	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	11216
38	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2010
39	residential care.de.	4271
40	(residential home or residential homes or residential hospital care or residential housing).de.	0

41	nursing homes.de.	1565
42	(Nursing adj3 (unit\$ or facilit\$ or home\$ or setting\$)).ti,ab.	3109
43	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	6943
44	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	156
45	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	61
46	((Secondary or tertiary) adj setting\$).ti,ab.	5
47	prisons.ab. or prisons.ar. or prisons.ca. or prisons.de. or prisons.ea. or prisons.nt. or prisons.pb. or prisons.st. or prisons.ti. or prisons.ur.	1271
48	housing.ab. or housing.ti.	4416
49	home.ab. or home.ti. or homecare.ab. or homecare.ti.	13120
50	independentlivingchoices.ab.	0
51	Independent living.ti,ab.	485
52	home.de.	0
53	housing.de.	2233
54	rehabilitation centre.de.	0
55	((Rehabilitat\$ or reablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	547

56	assisted living.de.	0
57	Assisted living.ti,ab.	55
58	intermediary service delivery.de. or intermediate.ab. or intermediate.de. or intermediate.ti. or intermediate care.de. or intermediate care scheme.de. or intermediate housing.de.	1364
59	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	646
60	(community health or community health care or community health centre).de.	1645
61	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2010
62	resident.ti. or residential.ab. or residential.ti. or residential care.de. or residential care centre.de. or residential care home.de. or residential care homes.de. or residential home.de. or residential homes.de. or residents.ab. or residents.de. or residents.ti. or residents care homes.de.	10461
63	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	3091
64	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	266
65	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	618
66	accidents.ab. or accidents.de. or accidents.ti.	1637

67	accomodation.ab. or accomodation.de. or accomodation.ti. or accommodation.ab. or accommodation.de. or accommodation.ti. or accommodations.ab. or accommodations.ti.	2513
68	or/36-67	44740
69	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.	6124
70	(multidisciplinary or multidisciplinary approach or multidisciplinary assessment or multidisciplinary care assessment or multidisciplinary collaboration or multidisciplinary practice or multidisciplinary services or multidisciplinary team or multidisciplinary teams or multidisciplinary training or multidisciplinary working).de.	1187
71	((Joint or collaborative) adj work\$).ti,ab.	1255
72	communication.de.	1895
73	relationships.de.	0
74	(cooperative or coordination).de.	213
75	(integrated or integrated approach or integrated care or integrated care approach or integrated care group or integrated care management or integrated care organisation programme or integrated care organisations or integrated care pathway or integrated care plan or integrated client focused services or	1661

	integrated communities or integrated community or integrated comprehensive community care service or integrated facilities or "integrated health and social care provision" or integrated information system).de.	
76	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	1124
77	(continuity or "continuity of care").de.	54
78	(patient care or patient centred care).de.	3553
79	Patient care.ti,ab.	5289
80	(Continuity adj3 care).ti,ab.	1002
81	Occupational Therapy.ab,de,ti.	1247
82	Allied health.ti,ab.	463
83	(Ambulance adj service).ti,ab.	496
84	ambulance.ab. or ambulance.de. or ambulance.ti. or ambulance service.de. or ambulance services.de.	1724
85	nurse.ab. or nurse.de. or nurse.ti. or nurses.ab. or nurses.de. or nurses.ti. or "nurses and nursing".de. or nursing.ab. or nursing.de. or nursing.ti. or nursing auxiliary.de. or nursing care.de.	41568
86	emergency.ab. or emergency.de. or emergency.ti. or emergency admission.de. or emergency admissions.de. or emergency assistance.de. or emergency duty team.de. or emergency duty teams.de. or emergency health services.de. or emergency hospital admission.de. or "emergency out of hours service".de. or emergency planning.de. or emergency	7252

	response.de. or emergency response plan.de. or emergency response service.de. or emergency response team.de. or emergency rest centres.de. or emergency service.de. or emergency service coordination.de. or emergency services.de.	
87	gp.ab. or gp.de. or gp.ti.	7159
88	(general practitioner or general practitioners).de.	9125
89	doctor.ab. or doctor.de. or doctor.ti. or doctors.ab. or doctors.de. or doctors.ti.	13777
90	physiotherapy.ab. or physiotherapy.de. or physiotherapy.ti. or physiotherapy domiciliary.de.	1052
91	palliative care.de.	2229
92	("end of life" or "end of life care").de.	965
93	therapy.ab. or therapy.de. or therapy.ti. or "therapy and treatment".de.	6752
94	dementia.ab. or dementia.de. or dementia.ti. or dementia care.de. or dementias.ab.	2913
95	Physical therapy.ti,ab.	83
96	comorbidity.ab. or comorbidity.de. or comorbidity.ti.	441
97	accidents.ab. or accidents.de. or accidents.ti.	1637
98	(interpersonal relations or interpersonal relationship or interpersonal relationships).de.	556
99	leadership.ab. or leadership.de. or leadership.ti.	5174

100	(professional practice or professional role or professional staff).de. or professionalisation.ab. or professionalism.ab. or professionalism.de. or professionalism.ti.	4235
101	role.ab. or role.de. or role.ti. or roles.ab. or roles.de. or roles.ti.	30050
102	decision making.de.	5080
103	(social work or social work agency or social work approaches or social work assistant or social work assistants or social work authority or social work department or social work methods or social work practice or social work practitioner or social work profession or social work professional or social work referral or social worker or social worker attitude or social worker service user relationships).de. or socialcare.ab. or socialcare.ti. or socialcare21.ab. or social welfare.de.	3296
104	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	25491
105	(Support adj3 worker\$).ti,ab.	462
106	(support worker or support workers).de.	0
107	aides.ab. or aides.ti.	82
108	carer.ab. or carer.de. or carer.ti. or carergiver.ab. or carergiver.ti. or carergivers.ab. or carers.ab. or carers.de. or carers.ti.	8198
109	team.ab. or team.de. or team.ti. or team work.de. or team working.de. or teams.ab. or teamwork.ab. or teamwork.de. or teamwork.ti. or teamworking.ab. or teamworking.de. or teamworking.ti.	13296

110	((Cris?s or care) adj3 coordinator\$).ti,ab.	63
111	(First adj3 response).ti,ab.	64
112	Keyword\$.ti,ab.	82
113	(keyword or keyworded or keyworker).ab. or keyworker.de. or keyworker.ti. or keyworkers.ab. or keyworkers.de. or keyworkers.ti. or keyworking.ab. or keyworking.de. or keyworking.ti.	82
114	family.ab. or family.de. or family.ti. or "family and friends carers".de. or family care.de. or family care giver.de. or family carer.de. or family carers.de. or family centre.de. or family centred approach.de. or family centred living.de. or family support.de. or familys.ab. or familys.ti.	12595
115	relatives.ab. or relatives.de. or relatives.ti.	2036
116	neighbour.ab. or neighbour.de. or neighbour.ti. or neighbour care.de. or neighbors.ab. or neighbors.ti.	56
117	friends.ab. or friends.de. or friends.ti. or "friends of the elderly".de. or friendship.ab. or friendship.de. or friendship.ti. or friendship network.de. or friendships.ab. or friendships.ti.	1423
118	or/69-117	151101
119	access.ab. or access.de. or access.ti.	13020
120	(Access adj specialist\$).ti,ab.	13
121	(case management or case manager or case records or case report or "case review" or case reviews or case work or case worker or case working service).de. or case.ab. or case.de. or	19255

	case.ti. or case assessment.de.	
122	(care planning or care plans).de.	0
123	((Care or case) adj3 plan\$).ti,ab.	2915
124	medical.ab. or medical.de. or medical.ti. or medical record.de. or medical records.de.	33344
125	records.ab. or records.de. or records.ti.	6385
126	(Shared adj record\$).ti,ab.	13
127	information.ab. or information.de. or information.ti. or information access.de. or information dissemination.de. or information handling.de. or information management.de. or information sharing.de. or "information sharing and assessment".de.	37330
128	risk.ab. or risk.de. or risk.ti. or risk assessment.de. or risk management.de.	26318
129	contingency.ab. or contingency.de. or contingency.ti. or contingency plan.de. or contingency planning.de. or contingency plans.de.	324
130	problem solving.de.	224
131	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	620
132	(patient discharge or patient discharge planning).de.	1697
133	readmission.ab. or readmission.ti. or readmissions.ab. or	746

	readmissions.ti. or readmitted.ab.	
134	assessment.ab. or assessment.de. or assessment.ti. or assessment agreements.de. or "assessment and care management".de. or "assessment and care management system".de. or assessment care management.de. or assessment centre.de. or assessment centres.de. or assessment instruments.de. or "assessment of need".de. or "assessment of needs".de. or assessment social work.de. or assessments.ab. or assessments.de. or assessments.ti. or assess.ab. or assess.ti. or assessed.ab. or assessed.ti. or assesment.ab. or assesemnt.ab. or assessent.ti. or assessering.ti. or assesses.ab. or assesses.ti. or assessess.ab. or assessing.ab. or assessing.ti. or assessing need.de.	39472
135	referral.ab. or referral.de. or referral.ti. or referral procedure.de. or referral procedures.de. or referrals.ab. or referrals.de. or referrals.ti. or referred.ab. or referrer.ab. or referrers.ab. or referring.ab. or referring.ti. or referral.ab. or refers.ab.	8393
136	or/119-135	132925
137	time.ab. or time.de. or time.ti. or time duration.de. or timeframe.ab. or timeframe.ti. or timeframes.ab. or timeframes.ti. or timely.ab. or timely.ti. or times.ab. or times.de. or times.ti. or timescale.ab. or timescale.de. or timescale.ti. or timescales.ab. or timescales.ti. or timing.ab. or timing.de. or timing.ti. or timings.ab.	33357
138	(("Short-term" or "short term") adj3 (care or intervention\$ or respon\$ or assess\$)).ti,ab.	251
139	(Week\$ or hour\$ or day\$).ti,ab.	24453

140	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	68291
141	Extended hours.ti,ab.	37
142	Out of hour\$.ti,ab.	1066
143	or/137-142	86034
144	"activities of daily living".de.	60
145	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	1959
146	outcome.ab. or outcome.de. or outcome.ti. or outcomes.ab. or outcomes.de. or outcomes.ti. or outcomes assessment.de.	26852
147	effectiveness.ab. or effectiveness.ar. or effectiveness.ca. or effectiveness.de. or effectiveness.ea. or effectiveness.jh. or effectiveness.pb. or effectiveness.ri. or effectiveness.sd. or effectiveness.se. or effectiveness.st. or effectiveness.ti. or effectiveness.ur. or effects.de. or effects.se. or effects.st. or effects.ti. or effects.ur.	20835
148	or/144-147	43999
149	35 and 68 and 143	1274
150	35 and 136 and 143	2867
151	35 and 68 and 118	1810
152	35 and 68 and 148	660
153	or/149-152	4224

154	18 and 153	1189
155	154 and 2005:2015.(sa_year).	580

Health Management Information Consortium (HMIC) - OVID

Date searched: 23/12/2015

No. of records: 1505

Limits: study type, date (2005 – 2015)

Q3 C: Crisis Response (Intermediate Care) – views & experiences

Searches	Results	Search Type
1	qualitative research.de. or qualitative research.jn. or qualitative reserach.de. or qualitative social work.jn. or qualitative studies.de. or qualitative study.de. or qualitative survey.de. or qualitative survey findings.de. or qualitatively.ab. or qualitatively.ea. or qualitatively.ti. or qualitiative.ab.	1377
2	Qualitative\$.ti,ab.	8198
3	(Meta-synthesis\$ or meta synthesis\$ or metasynthesis).ti,ab.	43
4	(Meta-ethnograph\$ or metaethnograph\$ or meta ethnograph\$.ti,ab.	32
5	(Evidence synthesis or realist synthesis).ti,ab.	98
6	interview.ab. or interview.ar. or interview.de. or interview.ea. or interview.jh. or interview.nt. or interview.st. or interview.ti. or interview.ur. or interviewed.ab. or interviewing research.de. or interviews.ab.	17384

7	Interview\$.ti,ab.	17598
8	survey.ab. or survey.ar. or survey.ca. or survey.de. or survey.ea. or survey.jh. or survey.nt. or survey.pb. or survey.pp. or survey.ri. or survey.sd. or survey.se. or survey.st. or survey.ti. or survey.ur. or survey data.de. or survey design.de. or survey evidence.de. or survey findings.de.	24250
9	(cross sectional or cross sectional model or cross sectional study or cross sectional survey or cross sectional surveys or cross sector or cross sector alliance or cross sector benefit).de.	0
10	(case studies or case study or case work).de.	3144
11	longitudinal.ab. or longitudinal.bt. or longitudinal.ca. or longitudinal.de. or longitudinal.ea. or longitudinal.pb. or longitudinal.ri. or longitudinal.sd. or longitudinal.st. or longitudinal.ti. or longitudinal.ur. or longitudinal surveys.de.	3049
12	(Case adj (study or studies)).ti,ab.	5825
13	questionnaires.ab. or questionnaires.de. or questionnaires.ea. or questionnaires.st. or questionnaires.ti. or questionnaires.ur.	6349
14	Questionnaire\$.ti,ab.	16133
15	Behavio?ral research.ti,ab.	20
16	narrative.ab. or narrative.ar. or narrative.de. or narrative.ea. or narrative.st. or narrative.ti. or narrative.ur. or narratively.ab. or narratively.ea. or narratives.ab. or narratives.de. or narratives.st. or narratives.ti. or narratives.ur. or narrativise.ab.	1061
17	(cohort analysis or cohort study).de.	0

18	(Cohort adj (study or studies or analysis)).ti,ab.	3299
19	observational study.de. or observations.ab. or observations.ti. or observed.ur. or observers.ab. or observes.ab. or observing.ab. or observing.ti.	2026
20	(Observation\$ adj (study or studies)).ti,ab.	1378
21	focus groups.de. or focused.ab. or focused.ti. or focuses.ab. or focusing.ab.	11071
22	"Focus Group?".ti,ab.	2751
23	attitude.ab. or attitude.ca. or attitude.de. or attitude.ea. or attitude.pb. or attitude.st. or attitude.ti. or attitude.ur. or attitude indicator.de. or attitude research.de. or attitude survey.de. or attitudes.ab. or attitudes.ar. or attitudes.de. or attitudes.ea. or attitudes.ti. or attitudes.ur. or attitudes survey.de. or attitudes to retirement.de. or "attitudes to the old of general public".de. or attitudinal.ab. or attitudinal.ti. or attitudinal survey.de. or attitudinally.ab.	10521
24	perception.ab. or perception.ar. or perception.de. or perception.ea. or perception.jn. or perception.sd. or perception.st. or perception.ti. or perception.ur. or perception attitudes.de. or perceptions.ab. or perceptions.de. or perceptions.ti. or perceptions.ur. or perceptual.ab.	6825
25	satisfaction.ab. or satisfaction.ar. or satisfaction.ca. or satisfaction.de. or satisfaction.ea. or satisfaction.st. or satisfaction.ti. or satisfaction.ur. or satisfaction survey.de. or satisfaction surveys.de. or satisfactions.ti. or satisfactorily.ab. or satisfactory.ab. or satisfied.ab. or satisfy.ab.	8241

26	participation.ab. or participation.ar. or participation.bt. or participation.ca. or participation.de. or participation.ea. or participation.jh. or participation.nt. or participation.pb. or participation.ri. or participation.sd. or participation.se. or participation.st. or participation.ti. or participation.ur.	5176
27	involvement.ab. or involvement.ar. or involvement.bt. or involvement.ca. or involvement.de. or involvement.ea. or involvement.nt. or involvement.pb. or involvement.ri. or involvement.sd. or involvement.st. or involvement.ti. or involvement.ur. or involves.ab. or involving.ab. or involving.ti.	13064
28	View\$.ti,ab.	17365
29	Experience\$.ti,ab.	25731
30	Attitude\$.ti,ab.	8778
31	Perspective\$.ti,ab.	9416
32	(Satisf\$ or dissatisf\$).ti,ab.	9120
33	(Choice\$ or choos\$ or control or centred or centered).ti,ab.	29671
34	Preference\$.ti,ab.	2704
35	Complaint\$.ti,ab.	2417
36	Expectation\$.ti,ab.	3612
37	Feedback\$.ti,ab.	2461
38	opinion\$.ti,ab.	3829
39	advocacy.ab. or advocacy.ar. or advocacy.bt. or advocacy.ca.	1566

	or advocacy.de. or advocacy.ea. or advocacy.jh. or advocacy.jn. or advocacy.nt. or advocacy.pb. or advocacy.ri. or advocacy.sd. or advocacy.st. or advocacy.ti. or advocacy.ur.	
40	narration.ab. or narration.de. or narration.ti. or narrations.ab. or narrations.ti. or narrative.ab. or narrative.de. or narrative.ti. or narratives.ab. or narratives.de. or narratives.ti.	1051
41	(Belief\$ or need\$ or stress\$ or emotion\$ or anx\$ or fear\$ or concern\$ or uncertain\$ or unsure or thought\$ or feeling\$ or felt\$ or opinion\$ or perception\$ or know\$ or understand\$ or aware\$).ti,ab.	108644
42	emotion.ab. or emotion.de. or emotion.ti. or emotionality.ab. or emotionality.ti. or emotionally.ab. or emotionally.ti.	474
43	anxiety.ab. or anxiety.de. or anxiety.ti. or anxiety among professionals.de.	3056
44	fear.ab. or fear.de. or fear.ti. or feared.ab. or feared.ti. or fearful.ab. or fearful.ti. or fearing.ab. or fears.ab. or fears.ti.	2312
45	stress.ab. or stress.de. or stress.ti. or stressed.ab. or stressed.ti.	5465
46	adaptation.ab. or adaptation.de. or adaptation.ti.	668
47	or/1-46	177863
48	(crisis intervention or crisis intervention project or crisis intervention team or crisis intervention unit or crisis management or crisis referral or crisis resolution or crisis service or crisis services or crisis support or crisis team or crisis work).de. or crises.ab. or crises.ea. or crises.ti. or crises.ur. or	3032

	"crises and emergency response".de. or crisi.ab. or crisis.ab. or crisis.ar. or crisis.au. or crisis.bt. or crisis.ca. or crisis.de. or crisis.ea. or crisis.nt. or crisis.pb. or crisis.ri. or crisis.sd. or crisis.se. or crisis.st. or crisis.ti. or crisis.ur. or crisis accommodation.de. or crisis bed.de. or crisis care provision.de. or crisis episode.de.	
49	rapid.ab. or rapid.ti. or rapid response.de. or rapid response team.de. or rapid response unit.de.	2320
50	((Cris?s or rapid) adj2 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	953
51	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or injur\$ or minor)).ti,ab.	129
52	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	41
53	(Cris?s adj3 (residen\$ or patient\$ or access\$)).ti,ab.	64
54	(Unscheduled adj3 care).ti,ab.	45
55	(Early adj intervention\$).ti,ab.	549
56	(Urgent adj respon\$).ti,ab.	3
57	((Episode or temporary) adj3 (cris?s or care)).ti,ab.	116
58	ambulatory.ab. or ambulatory.ea. or ambulatory.sd. or ambulatory.ti. or ambulatory.ur.	758

59	(Ambulatory adj (respon\$ or cris?s)).ti,ab.	1
60	(Unexpected adj3 (event\$ or need\$ or ill\$ or occurrence\$ or episode\$)).ti,ab.	20
61	(Deterioration adj3 (abilit\$ or health or condition or sudden\$)).ti,ab.	68
62	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	408
63	rehabilitation.ab. or rehabilitation.ti. or rehabilitative.ab. or rehabilitative.ti. or rehab.ab. or rehab.ti. or rehabilitation.ab. or rehabilitation.ti. or rehabilitaiton.ab. or rehabilitasie.ti. or rehabilitate.ab. or rehabilitate.ti. or rehabilitated.ab. or rehabilitated.ti. or rehabilitates.ab. or rehabilitating.ab. or rehabilitating.ti.	3465
64	or/48-63	10500
65	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	1186
66	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	11216
67	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2010
68	residential care.de.	4271
69	(residential home or residential homes or residential hospital	0

	care or residential housing).de.	
70	nursing homes.de.	1565
71	(Nursing adj3 (unit\$ or facilit\$ or home\$ or setting\$)).ti,ab.	3109
72	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	6943
73	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	156
74	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	61
75	((Secondary or tertiary) adj setting\$).ti,ab.	5
76	prisons.ab. or prisons.ar. or prisons.ca. or prisons.de. or prisons.ea. or prisons.nt. or prisons.pb. or prisons.st. or prisons.ti. or prisons.ur.	1271
77	housing.ab. or housing.ti.	4416
78	home.ab. or home.ti. or homecare.ab. or homecare.ti.	13120
79	independentlivingchoices.ab.	0
80	Independent living.ti,ab.	485
81	home.de.	0
82	housing.de.	2233
83	rehabilitation centre.de.	0

84	((Rehabilitat\$ or reablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	547
85	assisted living.de.	0
86	Assisted living.ti,ab.	55
87	intermediary service delivery.de. or intermediate.ab. or intermediate.de. or intermediate.ti. or intermediate care.de. or intermediate care scheme.de. or intermediate housing.de.	1364
88	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	646
89	(community health or community health care or community health centre).de.	1645
90	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2010
91	resident.ti. or residential.ab. or residential.ti. or residential care.de. or residential care centre.de. or residential care home.de. or residential care homes.de. or residential home.de. or residential homes.de. or residents.ab. or residents.de. or residents.ti. or residents care homes.de.	10461
92	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	3091
93	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	266
94	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	618

95	accidents.ab. or accidents.de. or accidents.ti.	1637
96	accomodation.ab. or accomodation.de. or accomodation.ti. or accommodation.ab. or accommodation.de. or accommodation.ti. or accommodations.ab. or accommodations.ti.	2513
97	or/65-96	44740
98	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.	6124
99	(multidisciplinary or multidisciplinary approach or multidisciplinary assessment or multidisciplinary care assessment or multidisciplinary collaboration or multidisciplinary practice or multidisciplinary services or multidisciplinary team or multidisciplinary teams or multidisciplinary training or multidisciplinary working).de.	1187
100	((Joint or collaborative) adj work\$).ti,ab.	1255
101	communication.de.	1895
102	relationships.de.	0
103	(cooperative or coordination).de.	213
104	(integrated or integrated approach or integrated care or integrated care approach or integrated care group or integrated care management or integrated care organisation programme	1661

	or integrated care organisations or integrated care pathway or integrated care plan or integrated client focused services or integrated communities or integrated community or integrated comprehensive community care service or integrated facilities or "integrated health and social care provision" or integrated information system).de.	
105	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	1124
106	(continuity or "continuity of care").de.	54
107	(patient care or patient centred care).de.	3553
108	Patient care.ti,ab.	5289
109	(Continuity adj3 care).ti,ab.	1002
110	Occupational Therapy.ab,de,ti.	1247
111	Allied health.ti,ab.	463
112	(Ambulance adj service).ti,ab.	496
113	ambulance.ab. or ambulance.de. or ambulance.ti. or ambulance service.de. or ambulance services.de.	1724
114	nurse.ab. or nurse.de. or nurse.ti. or nurses.ab. or nurses.de. or nurses.ti. or "nurses and nursing".de. or nursing.ab. or nursing.de. or nursing.ti. or nursing auxiliary.de. or nursing care.de.	41568
115	emergency.ab. or emergency.de. or emergency.ti. or emergency admission.de. or emergency admissions.de. or emergency assistance.de. or emergency duty team.de. or emergency duty teams.de. or emergency health services.de. or	7252

	emergency hospital admission.de. or "emergency out of hours service".de. or emergency planning.de. or emergency response.de. or emergency response plan.de. or emergency response service.de. or emergency response team.de. or emergency rest centres.de. or emergency service.de. or emergency service coordination.de. or emergency services.de.	
116	gp.ab. or gp.de. or gp.ti.	7159
117	(general practitioner or general practitioners).de.	9125
118	doctor.ab. or doctor.de. or doctor.ti. or doctors.ab. or doctors.de. or doctors.ti.	13777
119	physiotherapy.ab. or physiotherapy.de. or physiotherapy.ti. or physiotherapy domiciliary.de.	1052
120	palliative care.de.	2229
121	("end of life" or "end of life care").de.	965
122	therapy.ab. or therapy.de. or therapy.ti. or "therapy and treatment".de.	6752
123	dementia.ab. or dementia.de. or dementia.ti. or dementia care.de. or dementias.ab.	2913
124	Physical therapy.ti,ab.	83
125	comorbidity.ab. or comorbidity.de. or comorbidity.ti.	441
126	accidents.ab. or accidents.de. or accidents.ti.	1637
127	(interpersonal relations or interpersonal relationship or	556

	interpersonal relationships).de.	
128	leadership.ab. or leadership.de. or leadership.ti.	5174
129	(professional practice or professional role or professional staff).de. or professionalisation.ab. or professionalism.ab. or professionalism.de. or professionalism.ti.	4235
130	role.ab. or role.de. or role.ti. or roles.ab. or roles.de. or roles.ti.	30050
131	decision making.de.	5080
132	(social work or social work agency or social work approaches or social work assistant or social work assistants or social work authority or social work department or social work methods or social work practice or social work practitioner or social work profession or social work professional or social work referral or social worker or social worker attitude or social worker service user relationships).de. or socialcare.ab. or socialcare.ti. or socialcare21.ab. or social welfare.de.	3296
133	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	25491
134	(Support adj3 worker\$).ti,ab.	462
135	(support worker or support workers).de.	0
136	aides.ab. or aides.ti.	82
137	carer.ab. or carer.de. or carer.ti. or carergiver.ab. or carergiver.ti. or carergivers.ab. or carers.ab. or carers.de. or carers.ti.	8198
138	team.ab. or team.de. or team.ti. or team work.de. or team working.de. or teams.ab. or teamwork.ab. or teamwork.de. or	13296

	teamwork.ti. or teamworking.ab. or teamworking.de. or teamworking.ti.	
139	((Cris?s or care) adj3 coordinator\$.ti,ab.	63
140	(First adj3 response).ti,ab.	64
141	Keyword\$.ti,ab.	82
142	(keyword or keyworked or keyworker).ab. or keyworker.de. or keyworker.ti. or keyworkers.ab. or keyworkers.de. or keyworkers.ti. or keyworking.ab. or keyworking.de. or keyworking.ti.	82
143	family.ab. or family.de. or family.ti. or "family and friends carers".de. or family care.de. or family care giver.de. or family carer.de. or family carers.de. or family centre.de. or family centred approach.de. or family centred living.de. or family support.de. or familys.ab. or familys.ti.	12595
144	relatives.ab. or relatives.de. or relatives.ti.	2036
145	neighbour.ab. or neighbour.de. or neighbour.ti. or neighbour care.de. or neighbors.ab. or neighbors.ti.	56
146	friends.ab. or friends.de. or friends.ti. or "friends of the elderly".de. or friendship.ab. or friendship.de. or friendship.ti. or friendship network.de. or friendships.ab. or friendships.ti.	1423
147	or/98-146	151101
148	access.ab. or access.de. or access.ti.	13020
149	(Access adj specialist\$.ti,ab.	13

150	(case management or case manager or case records or case report or "case review" or case reviews or case work or case worker or case working service).de. or case.ab. or case.de. or case.ti. or case assessment.de.	19255
151	(care planning or care plans).de.	0
152	((Care or case) adj3 plan\$).ti,ab.	2915
153	medical.ab. or medical.de. or medical.ti. or medical record.de. or medical records.de.	33344
154	records.ab. or records.de. or records.ti.	6385
155	(Shared adj record\$).ti,ab.	13
156	information.ab. or information.de. or information.ti. or information access.de. or information dissemination.de. or information handling.de. or information management.de. or information sharing.de. or "information sharing and assessment".de.	37330
157	risk.ab. or risk.de. or risk.ti. or risk assessment.de. or risk management.de.	26318
158	contingency.ab. or contingency.de. or contingency.ti. or contingency plan.de. or contingency planning.de. or contingency plans.de.	324
159	problem solving.de.	224
160	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	620

161	(patient discharge or patient discharge planning).de.	1697
162	readmission.ab. or readmission.ti. or readmissions.ab. or readmissions.ti. or readmitted.ab.	746
163	assessment.ab. or assessment.de. or assessment.ti. or assessment agreements.de. or "assessment and care management".de. or "assessment and care management system".de. or assessment care management.de. or assessment centre.de. or assessment centres.de. or assessment instruments.de. or "assessment of need".de. or "assessment of needs".de. or assessment social work.de. or assessments.ab. or assessments.de. or assessments.ti. or assess.ab. or assess.ti. or assessed.ab. or assessed.ti. or assesment.ab. or assesemnt.ab. or assessent.ti. or assessering.ti. or assesses.ab. or assesses.ti. or assessess.ab. or assessing.ab. or assessing.ti. or assessing need.de.	39472
164	referral.ab. or referral.de. or referral.ti. or referral procedure.de. or referral procedures.de. or referrals.ab. or referrals.de. or referrals.ti. or referred.ab. or referrer.ab. or referrers.ab. or referring.ab. or referring.ti. or referral.ab. or refers.ab.	8393
165	or/148-164	132925
166	time.ab. or time.de. or time.ti. or time duration.de. or timeframe.ab. or timeframe.ti. or timeframes.ab. or timeframes.ti. or timely.ab. or timely.ti. or times.ab. or times.de. or times.ti. or timescale.ab. or timescale.de. or timescale.ti. or timescales.ab. or timescales.ti. or timing.ab. or timing.de. or timing.ti. or timings.ab.	33357
167	(("Short-term" or "short term") adj3 (care or intervention\$ or	251

	respon\$ or assess\$)).ti,ab.	
168	(Week\$ or hour\$ or day\$).ti,ab.	24453
169	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	68291
170	Extended hours.ti,ab.	37
171	Out of hour\$.ti,ab.	1066
172	or/166-171	86034
173	"activities of daily living".de.	60
174	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	1959
175	outcome.ab. or outcome.de. or outcome.ti. or outcomes.ab. or outcomes.de. or outcomes.ti. or outcomes assessment.de.	26852
176	effectiveness.ab. or effectiveness.ar. or effectiveness.ca. or effectiveness.de. or effectiveness.ea. or effectiveness.jh. or effectiveness.pb. or effectiveness.ri. or effectiveness.sd. or effectiveness.se. or effectiveness.st. or effectiveness.ti. or effectiveness.ur. or effects.de. or effects.se. or effects.st. or effects.ti. or effects.ur.	20835
177	or/173-176	43999
178	64 and 97 and 172	1274
179	64 and 165 and 172	2867
180	64 and 97 and 147	1810

181	64 and 97 and 177	660
182	or/178-181	4224
183	47 and 182	3319
184	183 and 2005:2015.(sa_year).	1505

Medical Literature Analysis and Retrieval System Online (MEDLINE) - OVID

Date searched: 21/12/2015

No. of records: 3680

Limits: study type, publication type, human, language (English), date (2005 – 2015), age

Q3A: Crisis Response (Intermediate Care) – effectiveness

Searches	Results	Search Type
1	(Systematic adj2 (review\$ or overview or search\$)).ti,ab.	86292
2	((Evidence or literature) adj2 review).ti,ab.	94114
3	exp "Review"/	2104834
4	((Published or search\$ or handsearch\$ or relevant or selected) adj3 (journals or database\$ or stud\$)).ti,ab.	125664
5	((Pool\$ or synthes\$ or extract\$) adj2 (data or evidence)).ti,ab.	51623
6	exp Meta-Analysis/	63877

7	exp Meta-Analysis as Topic/	15153
8	("Meta analy\$" or "metaanaly\$" or "meta regression" or metaregression).ti,ab.	88689
9	exp Randomized Controlled Trials as Topic/	106659
10	Randomized controlled trial.pt.	421245
11	Controlled clinical trial.pt.	92544
12	Random allocation.sh.	87561
13	Double blind method.sh.	137041
14	Single blind method.sh.	21821
15	Clinical trial.pt.	510485
16	Randomi#ed.ti,ab.	441243
17	Random\$.ti,ab.	822264
18	Trial.ti,ab.	423171
19	exp Case-Control Studies/	772191
20	exp Cohort Studies/	1528441
21	exp Cross-Sectional Studies/	210916
22	or/1-21	5099271
23	Crisis intervention/	5320

24	((Cris?s or rapid) adj2 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	27272
25	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or injur\$ or minor)).ti,ab.	777
26	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	3795
27	(Cris?s adj3 (residen\$ or patient\$)).ti,ab.	2344
28	(Cris?s adj3 access\$).ti,ab.	90
29	(Early adj3 intervention\$).ti,ab.	21984
30	Hospital Rapid Response Team/	442
31	"Urgent care".ti,ab.	1209
32	(Urgent adj respon\$).ti,ab.	68
33	((Episode or unscheduled) adj3 (cris?s or care)).ti,ab.	1022
34	Ambulatory Care/	37965
35	(Ambulatory adj (respon\$ or cris?s)).ti,ab.	21
36	((Unexpected or temporary) adj3 (event\$ or need\$ or ill\$ or occurrence\$)).ti,ab.	2535
37	(Deterioration adj3 (abilit\$ or health or condition or sudden\$)).ti,ab.	2126

38	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	43500
39	or/23-38	147066
40	Housing/	14401
41	Housing for the Elderly/	1494
42	Independent Living/	1592
43	Home\$.ti,ab.	358460
44	Rehabilitation Centers/	7226
45	((Rehabilitat\$ or reablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	8514
46	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	7105
47	Assisted Living Facilities/	1043
48	exp Intermediate Care Facilities/	654
49	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	4474
50	Skilled Nursing Facilities/	3792
51	((Community or "step up" or "step down" or transition\$) adj3 (facilit\$ or care or hospice)).ti,ab.	21452

52	Community Health Services/	28550
53	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	17982
54	Community Mental Health Services/	17245
55	exp Residential Facilities/	45551
56	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	5542
57	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	2000
58	Nursing Homes/	29945
59	(Nurs\$ adj3 (facilit\$ or home\$ or setting\$ or unit\$)).ti,ab.	39349
60	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	56153
61	Homes for the Aged/	11825
62	Housing for the Elderly/	1494
63	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	568
64	Group Homes/	873
65	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	6921
66	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	1061

67	((Secondary or tertiary) adj setting\$).ti,ab.	126
68	exp Home Care Services/	41857
69	Home Care Agencies/	1255
70	Accidents, Home/	4205
71	Prisons/	7871
72	(Virtual adj3 ward\$).ti,ab.	24
73	or/40-72	539283
74	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.	87341
75	((Joint or collaborative) adj work\$).ti,ab.	1722
76	Interdisciplinary Communication/	12715
77	Interprofessional Relations/ or Cooperative Behavior/	75629
78	Delivery of Health care, Integrated/	9470
79	Progressive Patient care/	1171
80	Continuity of Patient Care/	15813
81	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	5028

82	Patient Care Team/	56025
83	Occupational Therapy/	10881
84	Allied Health Personnel/	10540
85	(Ambulance adj service).ti,ab.	999
86	Nurse Practitioners/ or Emergency Medical Services/	50758
87	Nurs\$.ti,ab.	362277
88	exp General Practitioners/	2798
89	Doctor\$.ti,ab.	99925
90	Physiotherap\$.ti,ab.	17616
91	Community Health Nursing/	18863
92	Home Nursing/	8273
93	Home Health Nursing/	97
94	Palliative Care/	43948
95	Social Work/	13402
96	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	57968
97	(Support adj3 worker\$).ti,ab.	1226
98	Home Health Aides/	538
99	Care coordinator\$.ti,ab.	389

100	(Cris?s adj3 coordinator\$.ti,ab.	2
101	(First adj3 response).ti,ab.	6978
102	Caregivers/	24699
103	Team.ti,ab.	83733
104	Keyword\$.ti,ab.	52
105	Professional Role/	9483
106	Family/	64807
107	Neighbour\$.ti,ab.	21129
108	Friends/	3195
109	Leadership/	30227
110	or/74-109	973212
111	(Access adj specialist\$.ti,ab.	51
112	Case management/	8928
113	((Case or care) adj3 (manage\$ or work\$)).ti,ab.	73298
114	((Care or case) adj3 plan\$.ti,ab.	19302
115	Medical Records/	35298
116	(Shared adj record\$.ti,ab.	27
117	Information Dissemination/	12159

118	Risk/ or Risk Management/	122275
119	Contingency planning.ti,ab.	167
120	Problem Solving/	21993
121	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	4475
122	Patient Readmission/	10027
123	Patient Discharge Summaries/ or Patient Discharge/	21269
124	Assessment\$.ti,ab.	724581
125	"Outcome Assessment (Health Care)"/ or Risk Assessment/ or Nursing Assessment/ or Patient Outcome Assessment/ or "Process Assessment (Health Care)"/ or Needs Assessment/ or Self-Assessment/ or Geriatric Assessment/ or Symptom Assessment/ or "Outcome and Process Assessment (Health Care)"/	352224
126	Referral\$.ti,ab.	78842
127	exp "Referral and Consultation"/	61463
128	or/111-127	1376685
129	Time/	11026
130	Time-to-Treatment/	1661
131	Time Factors/	1070456
132	((("Short-term" or "short term") adj3 (care or intervention\$ or	7361

	respon\$ or assess\$)).ti,ab.	
133	(week\$ or hour\$ or day\$).ti,ab.	2522474
134	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	5753135
135	Extended hours.ti,ab.	106
136	Out of hour\$.ti,ab.	1495
137	or/129-136	7603978
138	"Activities of Daily Living"/	54588
139	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	49044
140	Treatment Outcome/	725971
141	Effectiveness.ti,ab.	310675
142	or/138-141	1075374
143	39 and 73 and 137	5797
144	39 and 128 and 137	14706
145	39 and 73 and 110	3818
146	39 and 73 and 142	1953
147	143 or 144 or 145 or 146	20420
148	22 and 147	10203

149	Historical Article/	334151
150	Editorial/	403927
151	Comment/	679974
152	Letter/	962958
153	News/	179620
154	Animals/	5684695
155	Humans/	14656270
156	154 not (154 and 155)	4075390
157	or/149-153,156	6009828
158	148 not 157	10054
159	limit 158 to english language	9382
160	limit 159 to yr="2005 -Current"	6004
161	adult children/ or adult/ or aged/ or "aged, 80 and over"/ or frail elderly/ or middle aged/ or young adult/	6050846
162	160 and 161	3680

Medical Literature Analysis and Retrieval System Online (MEDLINE) - OVID

Date searched: 21/12/2015

No. of records: 994

Limits: study type, publication type, human, language (English), date (2005 – 2015), age

Q3 B: Crisis Response (Intermediate Care) – cost effectiveness

Searches	Results	Search Type
1	Economics/	27236
2	"Costs and Cost Analysis"/	43857
3	"Cost Allocation"/	1976
4	Cost-Benefit Analysis/	65646
5	"Cost Control"/	20885
6	"Cost Savings"/	9641
7	"Cost of Illness"/	20476
8	"Cost Sharing"/	2106
9	"deductibles and coinsurance"/	1503
10	Medical savings accounts/	499
11	Health care costs/	30653
12	Direct service costs/	1087
13	Hospital costs/	8674
14	Health expenditures/	15106
15	Capital expenditures/	1967

16	Value of life/	5537
17	exp economics, hospital/	21033
18	exp economics, medical/	14123
19	Economics, nursing/	3971
20	exp "fees and charges"/	28080
21	exp budgets/	12667
22	((Low or high) adj cost\$.ti,ab.	43391
23	(Care adj cost\$.ti,ab.	13012
24	(fiscal or funding or financial or finance).ti,ab.	98740
25	(Economic\$ or price\$ or commission\$ or pricing).ti,ab.	231778
26	socioeconomic\$.ti,ab.	61672
27	((Cost\$ or compar\$ or net\$) adj3 (intervention\$ or service\$ or offset\$ or effect\$ or utility\$ or consequence\$ or benefit\$ or model\$ or estimate\$ or unit\$ or variable)).ti,ab.	358432
28	exp Models, Economic/	11427
29	((personal or pool\$) adj3 budget\$.ti,ab.	114
30	(personal health adj3 budget\$.ti,ab.	30
31	("social care" or "social work\$" or "social service\$") adj3 cost\$.ti,ab.	197

32	or/1-31	893760
33	Crisis intervention/	5320
34	((Cris?s or rapid) adj2 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	27272
35	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or minor or injur\$)).ti,ab.	777
36	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	3795
37	(Cris?s adj3 (residen\$ or patient\$)).ti,ab.	2344
38	(Cris?s adj3 access\$).ti,ab.	90
39	(Early adj3 intervention\$).ti,ab.	21984
40	Hospital Rapid Response Team/	442
41	"Urgent care".ti,ab.	1209
42	(Urgent adj respon\$).ti,ab.	68
43	((Episode or Temporary) adj3 (cris?s or care)).ti,ab.	1010
44	Ambulatory Care/	37965
45	(Ambulatory adj (respon\$ or cris?s)).ti,ab.	21
46	(Unexpected adj3 (event\$ or need\$ or ill\$ or	1833

	occurrence\$)).ti,ab.	
47	(Deterioration adj3 (abilit\$ or health or condition or sudden\$)).ti,ab.	2126
48	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	43500
49	or/33-48	146373
50	Housing/	14401
51	Housing for the Elderly/	1494
52	Independent Living/	1592
53	Home\$.ti,ab.	358460
54	Rehabilitation Centers/	7226
55	((Rehabilitat\$ or reablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	8514
56	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	7105
57	Assisted Living Facilities/	1043
58	exp Intermediate Care Facilities/	654
59	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	4474

60	Skilled Nursing Facilities/	3792
61	((Community or "step up" or "step down" or transition\$) adj3 (facilit\$ or care or hospice)).ti,ab.	21452
62	Community Health Services/	28550
63	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	17982
64	Community Mental Health Services/	17245
65	exp Residential Facilities/	45551
66	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	5542
67	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	2000
68	Nursing Homes/	29945
69	(Nursing adj3 (facilit\$ or home\$ or setting\$ or unit\$)).ti,ab.	32021
70	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	56153
71	Homes for the Aged/	11825
72	Housing for the Elderly/	1494
73	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	568
74	Group Homes/	873

75	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	6921
76	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	1061
77	((Secondary or tertiary) adj setting\$).ti,ab.	126
78	exp Home Care Services/	41857
79	Home Care Agencies/	1255
80	Accidents, Home/	4205
81	Prisons/	7871
82	(Virtual adj3 ward\$).ti,ab.	24
83	or/50-82	535139
84	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.	87341
85	((Joint or collaborative) adj work\$).ti,ab.	1722
86	Interdisciplinary Communication/	12715
87	Interprofessional Relations/ or Cooperative Behavior/	75629
88	Delivery of Health care, Integrated/	9470
89	Progressive Patient care/	1171

90	Continuity of Patient Care/	15813
91	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	5028
92	Patient Care Team/	56025
93	Occupational Therapy/	10881
94	Allied Health Personnel/	10540
95	(Ambulance adj service).ti,ab.	999
96	Nurse Practitioners/ or Emergency Medical Services/	50758
97	Nurs\$.ti,ab.	362277
98	exp General Practitioners/	2798
99	Doctor\$.ti,ab.	99925
100	Physiotherap\$.ti,ab.	17616
101	Community Health Nursing/	18863
102	Home Nursing/	8273
103	Home Health Nursing/	97
104	Palliative Care/	43948
105	Social Work/	13402
106	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	57968
107	(Support adj3 worker\$).ti,ab.	1226

108	Home Health Aides/	538
109	Care coordinator\$.ti,ab.	389
110	(Cris?s adj3 coordinator\$.ti,ab.	2
111	(First adj3 response).ti,ab.	6978
112	Caregivers/	24699
113	Team.ti,ab.	83733
114	Keyword\$.ti,ab.	52
115	Professional Role/	9483
116	Family/	64807
117	Neighbour\$.ti,ab.	21129
118	Friends/	3195
119	Leadership/	30227
120	or/84-119	973212
121	(Access adj specialist\$.ti,ab.	51
122	Case management/	8928
123	((Case or care) adj3 (manage\$ or work\$)).ti,ab.	73298
124	((Care or case) adj3 plan\$.ti,ab.	19302
125	Medical Records/	35298

126	(Shared adj record\$.ti,ab.	27
127	Information Dissemination/	12159
128	Risk/ or Risk Management/	122275
129	Contingency planning.ti,ab.	167
130	Problem Solving/	21993
131	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	4475
132	Patient Readmission/	10027
133	Patient Discharge Summaries/ or Patient Discharge/	21269
134	Assessment\$.ti,ab.	724581
135	"Outcome Assessment (Health Care)"/ or Risk Assessment/ or Nursing Assessment/ or Patient Outcome Assessment/ or "Process Assessment (Health Care)"/ or Needs Assessment/ or Self-Assessment/ or Geriatric Assessment/ or Symptom Assessment/ or "Outcome and Process Assessment (Health Care)"/	352224
136	Referral\$.ti,ab.	78842
137	exp "Referral and Consultation"/	61463
138	or/121-137	1376685
139	Time/	11026
140	Time-to-Treatment/	1661

141	Time Factors/	1070456
142	(("Short-term" or "short term") adj3 (care or intervention\$ or respon\$ or assess\$)).ti,ab.	7361
143	(week\$ or hour\$ or day\$).ti,ab.	2522474
144	(Time or period\$ or length or brief or fast\$ or limit\$ or quick or target\$ or emergenc\$).ti,ab.	5722761
145	Extended hours.ti,ab.	106
146	Out of hour\$.ti,ab.	1495
147	or/139-146	7580216
148	"Activities of Daily Living"/	54588
149	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	49044
150	Treatment Outcome/	725971
151	Effectiveness.ti,ab.	310675
152	or/148-151	1075374
153	49 and 83 and 147	5719
154	49 and 138 and 147	14579
155	49 and 83 and 120	3729
156	49 and 83 and 152	1946

157	153 or 154 or 155 or 156	20209
158	32 and 157	3577
159	Historical Article/	334151
160	Editorial/	403927
161	Comment/	679974
162	Letter/	962958
163	News/	179620
164	Animals/	5684695
165	Humans/	14656270
166	164 not (164 and 165)	4075390
167	or/159-163,166	6009828
168	158 not 167	3497
169	limit 168 to english language	3208
170	limit 169 to yr="2005 -Current"	1842
171	adult children/ or adult/ or aged/ or "aged, 80 and over"/ or frail elderly/ or middle aged/ or young adult/	6050846
172	170 and 171	994

Medical Literature Analysis and Retrieval System Online (MEDLINE)

Date searched: 21/12/2015

No. of records: 4244

Limits: study type, publication type, human, language (English), date (2005 – 2015), age

Q3 C: Crisis Response (Intermediate Care) – views and experiences

Searches	Results	Search Type
1	Qualitative Research/	25566
2	Qualitative\$.ti,ab.	178869
3	(Meta-synthesis\$ or meta synthesis\$ or metasynthesis).ti,ab.	497
4	(Meta-ethnograph* or metaethnograph* or meta ethnograph*).ti,ab.	241
5	(Evidence synthesis or realist synthesis).ti,ab.	1883
6	Interview/	26777
7	Interview\$.ti,ab.	254734
8	"In depth".ti,ab.	39633
9	(Case adj (study or studies)).ti,ab.	62670
10	Questionnaires/	337436

11	Health Care Surveys/	27051
12	Self report/	13785
13	Questionnaire\$.ti,ab.	352692
14	Behavioral research.ti,ab.	1284
15	Personal Narratives/	1949
16	Narration/	5864
17	(Narrative\$ or narration\$ or survey\$.ti,ab.	474114
18	Data Collection/	81669
19	Cohort Studies/	194929
20	(Cohort adj (study or studies or analysis)).ti,ab.	116332
21	Observational Study/	17852
22	(Observation\$ adj (study or studies)).ti,ab.	59262
23	Focus Groups/	19554
24	"Focus Group?".ti,ab.	27133
25	Attitude/	41034
26	Perception/	23601
27	Patient Satisfaction/	65212
28	Patient Participation/	19809

29	exp Consumer Satisfaction/	18452
30	View\$.ti,ab.	369016
31	Caregivers/	24699
32	Experience\$.ti,ab.	784819
33	Attitude\$.ti,ab.	108739
34	Perspective\$.ti,ab.	206901
35	(Satisf\$ or dissatisf\$).ti,ab.	250789
36	(Choice\$ or choos\$ or control or centred or centered).ti,ab.	2290338
37	Patient Preference/	4211
38	Preference\$.ti,ab.	107291
39	Complaint\$.ti,ab.	67790
40	Expectation\$.ti,ab.	62603
41	Feedback\$.ti,ab.	97674
42	Patient Advocacy/	22955
43	(Belief\$ or need\$ or stress\$ or emotion\$ or anx\$ or fear\$ or concern\$ or uncertain\$ or unsure or thought\$ or feeling\$ or felt\$ or opinion\$ or perception\$ or know\$ or understand\$ or aware\$).ti,ab.	4531909
44	Stress, Psychological/	96519

45	Adaptation, psychological/	80196
46	Emotions/	48395
47	Anxiety/	59565
48	Fear/	25142
49	or/1-48	7894360
50	Crisis intervention/	5320
51	((Cris?s or rapid) adj2 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	27272
52	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or minor or injur\$)).ti,ab.	777
53	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	3795
54	(Cris?s adj3 (residen\$ or patient\$)).ti,ab.	2344
55	(Cris?s adj3 access\$).ti,ab.	90
56	(Early adj3 intervention\$).ti,ab.	21984
57	Hospital Rapid Response Team/	442
58	"Urgent care".ti,ab.	1209
59	(Urgent adj respon\$).ti,ab.	68

60	((Episode or temporary) adj3 (cris?s or care)).ti,ab.	1010
61	Ambulatory Care/	37965
62	(Ambulatory adj (respon\$ or cris?s)).ti,ab.	21
63	(Unexpected adj3 (event\$ or need\$ or ill\$ or occurrence\$)).ti,ab.	1833
64	(Deterioration adj3 (abilit\$ or health or condition or sudden\$)).ti,ab.	2126
65	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	43500
66	or/50-65	146373
67	Housing/	14401
68	Housing for the Elderly/	1494
69	Independent Living/	1592
70	Home\$.ti,ab.	358460
71	Rehabilitation Centers/	7226
72	((Rehabilitat\$ or reablement) adj2 (service\$ or centre or center\$)).ti,ab.	7961
73	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	7105

74	Assisted Living Facilities/	1043
75	exp Intermediate Care Facilities/	654
76	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	4474
77	Skilled Nursing Facilities/	3792
78	((Community or "step up" or "step down" or transition\$) adj3 (facilit\$ or care or hospice)).ti,ab.	21452
79	Community Health Services/	28550
80	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	17982
81	Community Mental Health Services/	17245
82	exp Residential Facilities/	45551
83	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	5542
84	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	2000
85	Nursing Homes/	29945
86	(Nursing adj3 (unit\$ or facilit\$ or home\$ or setting\$)).ti,ab.	32021
87	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	56153

88	Homes for the Aged/	11825
89	Housing for the Elderly/	1494
90	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	568
91	Group Homes/	873
92	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	6921
93	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	1061
94	((Secondary or tertiary) adj setting\$).ti,ab.	126
95	exp Home Care Services/	41857
96	Home Care Agencies/	1255
97	Accidents, Home/	4205
98	Prisons/	7871
99	(Virtual adj3 ward\$).ti,ab.	24
100	or/67-99	534771
101	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.	87341

102	((Joint or collaborative) adj work\$).ti,ab.	1722
103	Interdisciplinary Communication/	12715
104	Interprofessional Relations/ or Cooperative Behavior/	75629
105	Delivery of Health care, Integrated/	9470
106	Progressive Patient care/	1171
107	Continuity of Patient Care/	15813
108	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	5028
109	Patient Care Team/	56025
110	Occupational Therapy/	10881
111	Allied Health Personnel/	10540
112	(Ambulance adj service).ti,ab.	999
113	Nurse Practitioners/ or Emergency Medical Services/	50758
114	Nurs\$.ti,ab.	362277
115	exp General Practitioners/	2798
116	Doctor\$.ti,ab.	99925
117	Physiotherap\$.ti,ab.	17616
118	Community Health Nursing/	18863
119	Home Nursing/	8273

120	Home Health Nursing/	97
121	Palliative Care/	43948
122	Social Work/	13402
123	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	57968
124	(Support adj3 worker\$).ti,ab.	1226
125	Home Health Aides/	538
126	Care coordinator\$.ti,ab.	389
127	(Cris?s adj3 coordinator\$).ti,ab.	2
128	(First adj3 response).ti,ab.	6978
129	Caregivers/	24699
130	Team.ti,ab.	83733
131	Keyword\$.ti,ab.	52
132	Professional Role/	9483
133	Family/	64807
134	Neighbour\$.ti,ab.	21129
135	Friends/	3195
136	Leadership/	30227
137	or/101-136	973212

138	(Access adj specialist\$.ti,ab.	51
139	Case management/	8928
140	((Case or care) adj3 (manage\$ or work\$)).ti,ab.	73298
141	((Care or case) adj3 plan\$.ti,ab.	19302
142	Medical Records/	35298
143	(Shared adj record\$.ti,ab.	27
144	Information Dissemination/	12159
145	Risk/ or Risk Management/	122275
146	Contingency planning.ti,ab.	167
147	Problem Solving/	21993
148	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	4475
149	Patient Readmission/	10027
150	Patient Discharge Summaries/ or Patient Discharge/	21269
151	Assessment\$.ti,ab.	724581
152	"Outcome Assessment (Health Care)"/ or Risk Assessment/ or Nursing Assessment/ or Patient Outcome Assessment/ or "Process Assessment (Health Care)"/ or Needs Assessment/ or Self-Assessment/ or Geriatric Assessment/ or Symptom Assessment/ or "Outcome and Process Assessment (Health Care)"/	352224

153	Referral\$.ti,ab.	78842
154	exp "Referral and Consultation"/	61463
155	or/138-154	1376685
156	Time/	11026
157	Time-to-Treatment/	1661
158	Time Factors/	1070456
159	((("Short-term" or "short term") adj3 (care or intervention\$ or respon\$ or assess\$)).ti,ab.	7361
160	(week\$ or hour\$ or day\$).ti,ab.	2522474
161	(Time or period\$ or length or brief or fast\$ or limit\$ or quick or target\$ or emergenc\$).ti,ab.	5722761
162	Extended hours.ti,ab.	106
163	Out of hour\$.ti,ab.	1495
164	or/156-163	7580216
165	"Activities of Daily Living"/	54588
166	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	49044
167	Treatment Outcome/	725971
168	Effectiveness.ti,ab.	310675

169	or/165-168	1075374
170	66 and 100 and 164	5707
171	66 and 155 and 164	14579
172	66 and 100 and 137	3725
173	66 and 100 and 169	1938
174	170 or 171 or 172 or 173	20203
175	49 and 174	14371
176	Historical Article/	334151
177	Editorial/	403927
178	Comment/	679974
179	Letter/	962958
180	News/	179620
181	Animals/	5684695
182	Humans/	14656270
183	181 not (181 and 182)	4075390
184	or/176-180,183	6009828
185	175 not 184	13832
186	limit 185 to english language	12700

187	limit 186 to yr="2005 -Current"	7961
188	adult children/ or adult/ or aged/ or "aged, 80 and over"/ or frail elderly/ or middle aged/ or young adult/	6050846
189	187 and 188	4244

Social Policy & Practice (SPP) - OVID

Date searched: 23/12/2015

No. of records: 544

Limits: study type, date (2005 – 2015)

Q3 A: Crisis Response (Intermediate Care) – effectiveness

Searches	Results	Search Type
1	(Systematic adj2 (review\$ or overview or search\$)).ti,ab.	2346
2	"systematic review".at. or "systematic review".de. or systematic reviews.de. or systematically.ab.	2449
3	((Evidence or literature) adj2 review).ti,ab.	3549
4	("literature review" or literature reviews).de.	5841
5	"review".ab. or "review".ar. or "review".bt. or "review".ca. or "review".de. or "review".ea. or "review".jh. or "review".jn. or "review".nt. or "review".oj. or "review".pb. or "review".ri. or "review".sd. or "review".se. or "review".st. or "review".ti. or	35543

	"review".ur.	
6	((Published or search\$ or handsearch\$ or relevant or selected) adj3 (journals or database\$ or stud\$)).ti,ab.	1456
7	((Pool\$ or synthes\$ or extract\$) adj2 (data or evidence)).ti,ab.	297
8	meta analysis.de.	101
9	("Meta analy\$" or "metaanaly\$" or "meta regression" or metaregression).ti,ab.	831
10	randomized.ur. or randomly.ab. or randomised.ab. or randomised.de. or randomised.ea. or randomised.st. or randomised.ti. or randomised.ur. or randomised clinical trial.de. or randomised controlled trial.de. or randomised controlled trial rct.de. or randomised controlled trials.de. or randomising.ab. or randomization.ab. or randomization.ea. or randomize.ti. or randomized.ab. or randomized.ea. or randomized.st. or randomized.ti.	3648
11	trial.ab. or trial.ar. or trial.de. or trial.ea. or trial.jh. or trial.st. or trial.ti. or trial.ur.	2870
12	case control study.de.	14
13	(cohort analysis or cohort study).de.	26
14	or/1-13	43376
15	(crisis intervention or crisis intervention project or crisis intervention team or crisis intervention unit or crisis management or crisis referral or crisis resolution or crisis service or crisis services or crisis support or crisis team or crisis work).de. or crises.ab. or crises.ea. or crises.ti. or crises.ur. or	4419

	"crises and emergency response".de. or crisi.ab. or crisis.ab. or crisis.ar. or crisis.au. or crisis.bt. or crisis.ca. or crisis.de. or crisis.ea. or crisis.nt. or crisis.pb. or crisis.ri. or crisis.sd. or crisis.se. or crisis.st. or crisis.ti. or crisis.ur. or crisis accommodation.de. or crisis bed.de. or crisis care provision.de. or crisis episode.de.	
16	rapid.ab. or rapid.ti. or rapid response.de. or rapid response team.de. or rapid response unit.de.	1497
17	((Cris?s or rapid) adj2 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	1082
18	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or injur\$ or minor)).ti,ab.	189
19	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	70
20	(Cris?s adj3 (residen\$ or patient\$ or access\$)).ti,ab.	57
21	(Unscheduled adj3 care).ti,ab.	12
22	(Early adj intervention\$).ti,ab.	2548
23	(Urgent adj respon\$).ti,ab.	1
24	((Episode or Temporary) adj3 (cris?s or care)).ti,ab.	95
25	ambulatory.ab. or ambulatory.ea. or ambulatory.sd. or ambulatory.ti. or ambulatory.ur.	151

26	(Ambulatory adj (respon\$ or cris?s)).ti,ab.	0
27	(Unexpected adj3 (event\$ or need\$ or ill\$ or occurrence\$ or episode\$)).ti,ab.	13
28	(Deterioration adj3 (abilit\$ or health or condition or sudden\$)).ti,ab.	67
29	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	649
30	rehabilitation.ab. or rehabilitation.ti. or rehabilitative.ab. or rehabilitative.ti. or rehab.ab. or rehab.ti. or rehabilitation.ab. or rehabilitation.ti. or rehabilitaiton.ab. or rehabilitasie.ti. or rehabilitate.ab. or rehabilitate.ti. or rehabilitated.ab. or rehabilitated.ti. or rehabilitates.ab. or rehabilitating.ab. or rehabilitating.ti.	3457
31	or/15-30	12619
32	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	4084
33	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	11362
34	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2426
35	residential care.de.	7555
36	(residential home or residential homes or residential hospital	132

	care or residential housing).de.	
37	nursing homes.de.	4099
38	(Nursing adj3 (unit\$ or facilit\$ or home\$ or setting\$)).ti,ab.	4480
39	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	13129
40	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	285
41	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	32
42	((Secondary or tertiary) adj setting\$).ti,ab.	12
43	prisons.ab. or prisons.ar. or prisons.ca. or prisons.de. or prisons.ea. or prisons.nt. or prisons.pb. or prisons.st. or prisons.ti. or prisons.ur.	2392
44	housing.ab. or housing.ti.	39991
45	home.ab. or home.ti. or homecare.ab. or homecare.ti.	27424
46	independentlivingchoices.ab.	2
47	Independent living.ti,ab.	1486
48	home.de.	93
49	housing.de.	28173
50	rehabilitation centre.de.	1

51	((Rehabilitat\$ or reablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	516
52	assisted living.de.	4
53	Assisted living.ti,ab.	362
54	intermediary service delivery.de. or intermediate.ab. or intermediate.de. or intermediate.ti. or intermediate care.de. or intermediate care scheme.de. or intermediate housing.de.	1079
55	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	587
56	(community health or community health care or community health centre).de.	791
57	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2426
58	resident.ti. or residential.ab. or residential.ti. or residential care.de. or residential care centre.de. or residential care home.de. or residential care homes.de. or residential home.de. or residential homes.de. or residents.ab. or residents.de. or residents.ti. or residents care homes.de.	24949
59	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	7684
60	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	2502
61	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	1042

62	accidents.ab. or accidents.de. or accidents.ti.	2097
63	accomodation.ab. or accomodation.de. or accomodation.ti. or accommodation.ab. or accommodation.de. or accommodation.ti. or accommodations.ab. or accommodations.ti.	6312
64	or/32-63	103173
65	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.	7514
66	(multidisciplinary or multidisciplinary approach or multidisciplinary assessment or multidisciplinary care assessment or multidisciplinary collaboration or multidisciplinary practice or multidisciplinary services or multidisciplinary team or multidisciplinary teams or multidisciplinary training or multidisciplinary working).de.	3566
67	((Joint or collaborative) adj work\$).ti,ab.	2015
68	communication.de.	5561
69	relationships.de.	580
70	(cooperative or coordination).de.	1444
71	(integrated or integrated approach or integrated care or integrated care approach or integrated care group or integrated care management or integrated care organisation programme	382

	or integrated care organisations or integrated care pathway or integrated care plan or integrated client focused services or integrated communities or integrated community or integrated comprehensive community care service or integrated facilities or "integrated health and social care provision" or integrated information system).de.	
72	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	1184
73	(continuity or "continuity of care").de.	39
74	(patient care or patient centred care).de.	31
75	Patient care.ti,ab.	511
76	(Continuity adj3 care).ti,ab.	324
77	Occupational Therapy.ab,de,ti.	1326
78	Allied health.ti,ab.	167
79	(Ambulance adj service).ti,ab.	61
80	ambulance.ab. or ambulance.de. or ambulance.ti. or ambulance service.de. or ambulance services.de.	206
81	nurse.ab. or nurse.de. or nurse.ti. or nurses.ab. or nurses.de. or nurses.ti. or "nurses and nursing".de. or nursing.ab. or nursing.de. or nursing.ti. or nursing auxiliary.de. or nursing care.de.	11799
82	emergency.ab. or emergency.de. or emergency.ti. or emergency admission.de. or emergency admissions.de. or emergency assistance.de. or emergency duty team.de. or emergency duty teams.de. or emergency health services.de. or	2418

	emergency hospital admission.de. or "emergency out of hours service".de. or emergency planning.de. or emergency response.de. or emergency response plan.de. or emergency response service.de. or emergency response team.de. or emergency rest centres.de. or emergency service.de. or emergency service coordination.de. or emergency services.de.	
83	gp.ab. or gp.de. or gp.ti.	1324
84	(general practitioner or general practitioners).de.	2087
85	doctor.ab. or doctor.de. or doctor.ti. or doctors.ab. or doctors.de. or doctors.ti.	2646
86	physiotherapy.ab. or physiotherapy.de. or physiotherapy.ti. or physiotherapy domiciliary.de.	326
87	palliative care.de.	901
88	("end of life" or "end of life care").de.	540
89	therapy.ab. or therapy.de. or therapy.ti. or "therapy and treatment".de.	14129
90	dementia.ab. or dementia.de. or dementia.ti. or dementia care.de. or dementias.ab.	12188
91	Physical therapy.ti,ab.	43
92	comorbidity.ab. or comorbidity.de. or comorbidity.ti.	550
93	accidents.ab. or accidents.de. or accidents.ti.	2097
94	(interpersonal relations or interpersonal relationship or	2846

	interpersonal relationships).de.	
95	leadership.ab. or leadership.de. or leadership.ti.	4626
96	(professional practice or professional role or professional staff).de. or professionalisation.ab. or professionalism.ab. or professionalism.de. or professionalism.ti.	6127
97	role.ab. or role.de. or role.ti. or roles.ab. or roles.de. or roles.ti.	39961
98	decision making.de.	6901
99	(social work or social work agency or social work approaches or social work assistant or social work assistants or social work authority or social work department or social work methods or social work practice or social work practitioner or social work profession or social work professional or social work referral or social worker or social worker attitude or social worker service user relationships).de. or socialcare.ab. or socialcare.ti. or socialcare21.ab. or social welfare.de.	23151
100	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	61282
101	(Support adj3 worker\$).ti,ab.	1060
102	(support worker or support workers).de.	86
103	aides.ab. or aides.ti.	111
104	carer.ab. or carer.de. or carer.ti. or carergiver.ab. or carergiver.ti. or carergivers.ab. or carers.ab. or carers.de. or carers.ti.	20680
105	team.ab. or team.de. or team.ti. or team work.de. or team working.de. or teams.ab. or teamwork.ab. or teamwork.de. or	10554

	teamwork.ti. or teamworking.ab. or teamworking.de. or teamworking.ti.	
106	((Cris?s or care) adj3 coordinator\$.ti,ab.	84
107	(First adj3 response).ti,ab.	69
108	Keyword\$.ti,ab.	155
109	(keyword or keyworked or keyworker).ab. or keyworker.de. or keyworker.ti. or keyworkers.ab. or keyworkers.de. or keyworkers.ti. or keyworking.ab. or keyworking.de. or keyworking.ti.	249
110	family.ab. or family.de. or family.ti. or "family and friends carers".de. or family care.de. or family care giver.de. or family carer.de. or family carers.de. or family centre.de. or family centred approach.de. or family centred living.de. or family support.de. or familys.ab. or familys.ti.	39363
111	relatives.ab. or relatives.de. or relatives.ti.	3198
112	neighbour.ab. or neighbour.de. or neighbour.ti. or neighbour care.de. or neighbors.ab. or neighbors.ti.	284
113	friends.ab. or friends.de. or friends.ti. or "friends of the elderly".de. or friendship.ab. or friendship.de. or friendship.ti. or friendship network.de. or friendships.ab. or friendships.ti.	4929
114	or/65-113	188860
115	access.ab. or access.de. or access.ti.	15556
116	(Access adj specialist\$.ti,ab.	15

117	(case management or case manager or case records or case report or "case review" or case reviews or case work or case worker or case working service).de. or case.ab. or case.de. or case.ti. or case assessment.de.	32568
118	(care planning or care plans).de.	1560
119	((Care or case) adj3 plan\$).ti,ab.	3406
120	medical.ab. or medical.de. or medical.ti. or medical record.de. or medical records.de.	8207
121	records.ab. or records.de. or records.ti.	2965
122	(Shared adj record\$).ti,ab.	8
123	information.ab. or information.de. or information.ti. or information access.de. or information dissemination.de. or information handling.de. or information management.de. or information sharing.de. or "information sharing and assessment".de.	35626
124	risk.ab. or risk.de. or risk.ti. or risk assessment.de. or risk management.de.	28212
125	contingency.ab. or contingency.de. or contingency.ti. or contingency plan.de. or contingency planning.de. or contingency plans.de.	144
126	problem solving.de.	489
127	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	310

128	(patient discharge or patient discharge planning).de.	49
129	readmission.ab. or readmission.ti. or readmissions.ab. or readmissions.ti. or readmitted.ab.	209
130	assessment.ab. or assessment.de. or assessment.ti. or assessment agreements.de. or "assessment and care management".de. or "assessment and care management system".de. or assessment care management.de. or assessment centre.de. or assessment centres.de. or assessment instruments.de. or "assessment of need".de. or "assessment of needs".de. or assessment social work.de. or assessments.ab. or assessments.de. or assessments.ti. or assess.ab. or assess.ti. or assessed.ab. or assessed.ti. or assesment.ab. or assesemnt.ab. or assessent.ti. or assessering.ti. or assesses.ab. or assesses.ti. or assessess.ab. or assessing.ab. or assessing.ti. or assessing need.de.	51380
131	referral.ab. or referral.de. or referral.ti. or referral procedure.de. or referral procedures.de. or referrals.ab. or referrals.de. or referrals.ti. or referred.ab. or referrer.ab. or referrers.ab. or referring.ab. or referring.ti. or referrral.ab. or refers.ab.	8440
132	or/115-131	142872
133	time.ab. or time.de. or time.ti. or time duration.de. or timeframe.ab. or timeframe.ti. or timeframes.ab. or timeframes.ti. or timely.ab. or timely.ti. or times.ab. or times.de. or times.ti. or timescale.ab. or timescale.de. or timescale.ti. or timescales.ab. or timescales.ti. or timing.ab. or timing.de. or timing.ti. or timings.ab.	27745
134	(("Short-term" or "short term") adj3 (care or intervention\$ or	340

	respon\$ or assess\$)).ti,ab.	
135	(Week\$ or hour\$ or day\$).ti,ab.	17437
136	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	63053
137	Extended hours.ti,ab.	9
138	Out of hour\$.ti,ab.	200
139	or/133-138	79353
140	"activities of daily living".de.	672
141	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	5162
142	outcome.ab. or outcome.de. or outcome.ti. or outcomes.ab. or outcomes.de. or outcomes.ti. or outcomes assessment.de.	32118
143	effectiveness.ab. or effectiveness.ar. or effectiveness.ca. or effectiveness.de. or effectiveness.ea. or effectiveness.jh. or effectiveness.pb. or effectiveness.ri. or effectiveness.sd. or effectiveness.se. or effectiveness.st. or effectiveness.ti. or effectiveness.ur. or effects.de. or effects.se. or effects.st. or effects.ti. or effects.ur.	25894
144	or/140-143	54715
145	31 and 64 and 139	1372
146	31 and 132 and 139	1999
147	31 and 64 and 114	2358

148	31 and 64 and 144	849
149	or/145-148	4199
150	14 and 149	787
151	150 and 2005:2015.(sa_year).	544

Social Policy and Practice (SPP) - OVID

Date searched: 23/12/2015

No. of records: 912

Date limits: study type, date (2005 – 2015)

Q3 B: Crisis Response (Intermediate Care) – cost effectiveness

Searches	Results	Search Type
1	economics.ab. or economics.ar. or economics.ca. or economics.de. or economics.ea. or economics.nt. or economics.pb. or economics.pp. or economics.sd. or economics.se. or economics.st. or economics.ti. or economics.ur.	4929
2	"cost".ab. or "cost".ar. or "cost".ca. or "cost".de. or "cost".ea. or "cost".st. or "cost".ti. or "cost".ur. or "cost advantage".de. or "cost analysis".de. or "cost assessment".de. or "cost benefit".de. or "cost benefit analysis".de. or "cost benefit assessment".de. or "cost benefit estimate".de. or "cost benefit evaluation".de. or "cost benefit ratio".de. or "cost benefitanalysis".de. or "cost burden".de. or "cost capping".de. or "cost ceiling".de. or "cost consideration".de. or "cost containment".de. or "cost contribution".de. or "cost control".de. or "cost driver".de. or "cost	10263

	drivers".de. or "cost effect".de. or "cost effective".de. or "cost effective purchasing".de. or "cost effectiveness".de. or "cost effectiveness in housing investment research programme".de. or "cost effectiveness strategy".de. or "cost efficiency".de. or "cost escalation".de. or "cost estimate".de. or "cost estimation".de. or "cost forecast".de. or "cost framework".de. or "cost impact".de. or "cost implication".de. or "cost increase".de. or "cost justification".de. or "cost measurement".de. or "cost model".de. or "cost of care".de. or "cost of service".de. or "cost recovery".de. or "cost reduction".de. or "cost reduction scheme".de. or "cost saving".de. or "cost saving measure".de. or "cost savings".de.	
3	budgets.ab. or budgets.ar. or budgets.ca. or budgets.de. or budgets.ea. or budgets.jh. or budgets.pb. or budgets.ri. or budgets.st. or budgets.ti. or budgets.ur.	2775
4	expenditure.ab. or expenditure.ar. or expenditure.de. or expenditure.ea. or expenditure.jh. or expenditure.nt. or expenditure.pb. or expenditure.ri. or expenditure.st. or expenditure.ti. or expenditure.ur.	4507
5	((Low or high) adj cost\$.ti,ab.	1024
6	(Care adj cost\$.ti,ab.	466
7	(Fiscal or funding or financial or finance).ti,ab.	23962
8	(Economic\$ or price\$ or commission\$ or pricing).ti,ab.	35755
9	Socioeconomic\$.ti,ab.	1745
10	((Cost\$ or compar\$ or net\$) adj3 (service\$ or offset\$ or effect\$ or utility\$ or consequence\$ or benefit\$ or model\$ or estimate\$	7149

	or unit\$ or variable)).ti,ab.	
11	(economic model or economic modelling).de.	17
12	((Personal or pool\$) adj3 budget\$).ti,ab.	772
13	(Personal health adj3 budget\$).ti,ab.	66
14	("Social care" or "social work\$" or "social service\$") adj3 cost\$).ti,ab.	232
15	price.ab. or price.ar. or price.ca. or price.de. or price.ea. or price.nt. or price.pa. or price.pb. or price.sd. or price.st. or price.ti. or price.ur.	1638
16	finance.ab. or finance.ar. or finance.ca. or finance.de. or finance.ea. or finance.nt. or finance.pb. or finance.ri. or finance.sd. or finance.st. or finance.ti. or finance.ur.	11774
17	money.ab. or money.ar. or money.ca. or money.de. or money.ea. or money.jh. or money.jn. or money.nt. or money.pb. or money.ri. or money.sd. or money.se. or money.st. or money.ti. or money.ur.	4995
18	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17	76502
19	(crisis intervention or crisis intervention project or crisis intervention team or crisis intervention unit or crisis management or crisis referral or crisis resolution or crisis service or crisis services or crisis support or crisis team or crisis work).de. or crises.ab. or crises.ea. or crises.ti. or crises.ur. or "crises and emergency response".de. or crisi.ab. or crisis.ab. or crisis.ar. or crisis.au. or crisis.bt. or crisis.ca. or crisis.de. or	4419

	crisis.ea. or crisis.nt. or crisis.pb. or crisis.ri. or crisis.sd. or crisis.se. or crisis.st. or crisis.ti. or crisis.ur. or crisis accommodation.de. or crisis bed.de. or crisis care provision.de. or crisis episode.de.	
20	rapid.ab. or rapid.ti. or rapid response.de. or rapid response team.de. or rapid response unit.de.	1497
21	((Cris?s or rapid) adj2 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	1082
22	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or injur\$ or minor)).ti,ab.	189
23	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	70
24	(Cris?s adj3 (residen\$ or patient\$ or access\$)).ti,ab.	57
25	(Unscheduled adj3 care).ti,ab.	12
26	(Early adj intervention\$).ti,ab.	2548
27	(Urgent adj respon\$).ti,ab.	1
28	((Episode or temporary) adj3 (cris?s or care)).ti,ab.	95
29	ambulatory.ab. or ambulatory.ea. or ambulatory.sd. or ambulatory.ti. or ambulatory.ur.	151
30	(Ambulatory adj (respon\$ or cris?s)).ti,ab.	0

31	(Unexpected adj3 (event\$ or need\$ or ill\$ or occurrence\$ or episode\$)).ti,ab.	13
32	(Deterioration adj3 (abilit\$ or health or condition or sudden\$)).ti,ab.	67
33	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	649
34	rehabilitation.ab. or rehabilitation.ti. or rehabilitative.ab. or rehabilitative.ti. or rehab.ab. or rehab.ti. or rehabilitation.ab. or rehabilitation.ti. or rehabilitaiton.ab. or rehabilitasie.ti. or rehabilitate.ab. or rehabilitate.ti. or rehabilitated.ab. or rehabilitated.ti. or rehabilitates.ab. or rehabilitating.ab. or rehabilitating.ti.	3457
35	or/19-34	12619
36	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	4084
37	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	11362
38	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2426
39	residential care.de.	7555
40	(residential home or residential homes or residential hospital care or residential housing).de.	132

41	nursing homes.de.	4099
42	(Nursing adj3 (unit\$ or facilit\$ or home\$ or setting\$)).ti,ab.	4480
43	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	13129
44	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	285
45	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	32
46	((Secondary or tertiary) adj setting\$).ti,ab.	12
47	prisons.ab. or prisons.ar. or prisons.ca. or prisons.de. or prisons.ea. or prisons.nt. or prisons.pb. or prisons.st. or prisons.ti. or prisons.ur.	2392
48	housing.ab. or housing.ti.	39991
49	home.ab. or home.ti. or homecare.ab. or homecare.ti.	27424
50	independentlivingchoices.ab.	2
51	Independent living.ti,ab.	1486
52	home.de.	93
53	housing.de.	28173
54	rehabilitation centre.de.	1
55	((Rehabilitat\$ or reablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	516

56	assisted living.de.	4
57	Assisted living.ti,ab.	362
58	intermediary service delivery.de. or intermediate.ab. or intermediate.de. or intermediate.ti. or intermediate care.de. or intermediate care scheme.de. or intermediate housing.de.	1079
59	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	587
60	(community health or community health care or community health centre).de.	791
61	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2426
62	resident.ti. or residential.ab. or residential.ti. or residential care.de. or residential care centre.de. or residential care home.de. or residential care homes.de. or residential home.de. or residential homes.de. or residents.ab. or residents.de. or residents.ti. or residents care homes.de.	24949
63	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	7684
64	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	2502
65	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	1042
66	accidents.ab. or accidents.de. or accidents.ti.	2097

67	accomodation.ab. or accomodation.de. or accomodation.ti. or accommodation.ab. or accommodation.de. or accommodation.ti. or accommodations.ab. or accommodations.ti.	6312
68	or/36-67	103173
69	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.	7514
70	(multidisciplinary or multidisciplinary approach or multidisciplinary assessment or multidisciplinary care assessment or multidisciplinary collaboration or multidisciplinary practice or multidisciplinary services or multidisciplinary team or multidisciplinary teams or multidisciplinary training or multidisciplinary working).de.	3566
71	((Joint or collaborative) adj work\$).ti,ab.	2015
72	communication.de.	5561
73	relationships.de.	580
74	(cooperative or coordination).de.	1444
75	(integrated or integrated approach or integrated care or integrated care approach or integrated care group or integrated care management or integrated care organisation programme or integrated care organisations or integrated care pathway or integrated care plan or integrated client focused services or	382

	integrated communities or integrated community or integrated comprehensive community care service or integrated facilities or "integrated health and social care provision" or integrated information system).de.	
76	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	1184
77	(continuity or "continuity of care").de.	39
78	(patient care or patient centred care).de.	31
79	Patient care.ti,ab.	511
80	(Continuity adj3 care).ti,ab.	324
81	Occupational Therapy.ab,de,ti.	1326
82	Allied health.ti,ab.	167
83	(Ambulance adj service).ti,ab.	61
84	ambulance.ab. or ambulance.de. or ambulance.ti. or ambulance service.de. or ambulance services.de.	206
85	nurse.ab. or nurse.de. or nurse.ti. or nurses.ab. or nurses.de. or nurses.ti. or "nurses and nursing".de. or nursing.ab. or nursing.de. or nursing.ti. or nursing auxiliary.de. or nursing care.de.	11799
86	emergency.ab. or emergency.de. or emergency.ti. or emergency admission.de. or emergency admissions.de. or emergency assistance.de. or emergency duty team.de. or emergency duty teams.de. or emergency health services.de. or emergency hospital admission.de. or "emergency out of hours service".de. or emergency planning.de. or emergency	2418

	response.de. or emergency response plan.de. or emergency response service.de. or emergency response team.de. or emergency rest centres.de. or emergency service.de. or emergency service coordination.de. or emergency services.de.	
87	gp.ab. or gp.de. or gp.ti.	1324
88	(general practitioner or general practitioners).de.	2087
89	doctor.ab. or doctor.de. or doctor.ti. or doctors.ab. or doctors.de. or doctors.ti.	2646
90	physiotherapy.ab. or physiotherapy.de. or physiotherapy.ti. or physiotherapy domiciliary.de.	326
91	palliative care.de.	901
92	("end of life" or "end of life care").de.	540
93	therapy.ab. or therapy.de. or therapy.ti. or "therapy and treatment".de.	14129
94	dementia.ab. or dementia.de. or dementia.ti. or dementia care.de. or dementias.ab.	12188
95	Physical therapy.ti,ab.	43
96	comorbidity.ab. or comorbidity.de. or comorbidity.ti.	550
97	accidents.ab. or accidents.de. or accidents.ti.	2097
98	(interpersonal relations or interpersonal relationship or interpersonal relationships).de.	2846
99	leadership.ab. or leadership.de. or leadership.ti.	4626

100	(professional practice or professional role or professional staff).de. or professionalisation.ab. or professionalism.ab. or professionalism.de. or professionalism.ti.	6127
101	role.ab. or role.de. or role.ti. or roles.ab. or roles.de. or roles.ti.	39961
102	decision making.de.	6901
103	(social work or social work agency or social work approaches or social work assistant or social work assistants or social work authority or social work department or social work methods or social work practice or social work practitioner or social work profession or social work professional or social work referral or social worker or social worker attitude or social worker service user relationships).de. or socialcare.ab. or socialcare.ti. or socialcare21.ab. or social welfare.de.	23151
104	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	61282
105	(Support adj3 worker\$).ti,ab.	1060
106	(support worker or support workers).de.	86
107	aides.ab. or aides.ti.	111
108	carer.ab. or carer.de. or carer.ti. or carergiver.ab. or carergiver.ti. or carergivers.ab. or carers.ab. or carers.de. or carers.ti.	20680
109	team.ab. or team.de. or team.ti. or team work.de. or team working.de. or teams.ab. or teamwork.ab. or teamwork.de. or teamwork.ti. or teamworking.ab. or teamworking.de. or teamworking.ti.	10554

110	((Cris?s or care) adj3 coordinator\$).ti,ab.	84
111	(First adj3 response).ti,ab.	69
112	Keyword\$.ti,ab.	155
113	(keyword or keyworded or keyworker).ab. or keyworker.de. or keyworker.ti. or keyworkers.ab. or keyworkers.de. or keyworkers.ti. or keyworking.ab. or keyworking.de. or keyworking.ti.	249
114	family.ab. or family.de. or family.ti. or "family and friends carers".de. or family care.de. or family care giver.de. or family carer.de. or family carers.de. or family centre.de. or family centred approach.de. or family centred living.de. or family support.de. or familys.ab. or familys.ti.	39363
115	relatives.ab. or relatives.de. or relatives.ti.	3198
116	neighbour.ab. or neighbour.de. or neighbour.ti. or neighbour care.de. or neighbors.ab. or neighbors.ti.	284
117	friends.ab. or friends.de. or friends.ti. or "friends of the elderly".de. or friendship.ab. or friendship.de. or friendship.ti. or friendship network.de. or friendships.ab. or friendships.ti.	4929
118	or/69-117	188860
119	access.ab. or access.de. or access.ti.	15556
120	(Access adj specialist\$).ti,ab.	15
121	(case management or case manager or case records or case report or "case review" or case reviews or case work or case worker or case working service).de. or case.ab. or case.de. or	32568

	case.ti. or case assessment.de.	
122	(care planning or care plans).de.	1560
123	((Care or case) adj3 plan\$).ti,ab.	3406
124	medical.ab. or medical.de. or medical.ti. or medical record.de. or medical records.de.	8207
125	records.ab. or records.de. or records.ti.	2965
126	(Shared adj record\$).ti,ab.	8
127	information.ab. or information.de. or information.ti. or information access.de. or information dissemination.de. or information handling.de. or information management.de. or information sharing.de. or "information sharing and assessment".de.	35626
128	risk.ab. or risk.de. or risk.ti. or risk assessment.de. or risk management.de.	28212
129	contingency.ab. or contingency.de. or contingency.ti. or contingency plan.de. or contingency planning.de. or contingency plans.de.	144
130	problem solving.de.	489
131	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	310
132	(patient discharge or patient discharge planning).de.	49
133	readmission.ab. or readmission.ti. or readmissions.ab. or	209

	readmissions.ti. or readmitted.ab.	
134	assessment.ab. or assessment.de. or assessment.ti. or assessment agreements.de. or "assessment and care management".de. or "assessment and care management system".de. or assessment care management.de. or assessment centre.de. or assessment centres.de. or assessment instruments.de. or "assessment of need".de. or "assessment of needs".de. or assessment social work.de. or assessments.ab. or assessments.de. or assessments.ti. or assess.ab. or assess.ti. or assessed.ab. or assessed.ti. or assesment.ab. or assesemnt.ab. or assessent.ti. or assessering.ti. or assesses.ab. or assesses.ti. or assessess.ab. or assessing.ab. or assessing.ti. or assessing need.de.	51380
135	referral.ab. or referral.de. or referral.ti. or referral procedure.de. or referral procedures.de. or referrals.ab. or referrals.de. or referrals.ti. or referred.ab. or referrer.ab. or referrers.ab. or referring.ab. or referring.ti. or referral.ab. or refers.ab.	8440
136	or/119-135	142872
137	time.ab. or time.de. or time.ti. or time duration.de. or timeframe.ab. or timeframe.ti. or timeframes.ab. or timeframes.ti. or timely.ab. or timely.ti. or times.ab. or times.de. or times.ti. or timescale.ab. or timescale.de. or timescale.ti. or timescales.ab. or timescales.ti. or timing.ab. or timing.de. or timing.ti. or timings.ab.	27745
138	(("Short-term" or "short term") adj3 (care or intervention\$ or respon\$ or assess\$)).ti,ab.	340
139	(Week\$ or hour\$ or day\$).ti,ab.	17437

140	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	63053
141	Extended hours.ti,ab.	9
142	Out of hour\$.ti,ab.	200
143	or/137-142	79353
144	"activities of daily living".de.	672
145	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	5162
146	outcome.ab. or outcome.de. or outcome.ti. or outcomes.ab. or outcomes.de. or outcomes.ti. or outcomes assessment.de.	32118
147	effectiveness.ab. or effectiveness.ar. or effectiveness.ca. or effectiveness.de. or effectiveness.ea. or effectiveness.jh. or effectiveness.pb. or effectiveness.ri. or effectiveness.sd. or effectiveness.se. or effectiveness.st. or effectiveness.ti. or effectiveness.ur. or effects.de. or effects.se. or effects.st. or effects.ti. or effects.ur.	25894
148	or/144-147	54715
149	35 and 68 and 143	1372
150	35 and 136 and 143	1999
151	35 and 68 and 118	2358
152	35 and 68 and 148	849
153	or/149-152	4199

154	18 and 153	1358
155	154 and 2005:2015.(sa_year).	912

Social Policy and Practice (SPP) - OVID

Date searched: 23/12/2015

No. of records: 1125

Date limits: study type, date (2005 – 2015)

Q3 C: Crisis Response (Intermediate Care) – views and experiences

Searches	Results	Search Type
1	qualitative research.de. or qualitative research.jn. or qualitative reserach.de. or qualitative social work.jn. or qualitative studies.de. or qualitative study.de. or qualitative survey.de. or qualitative survey findings.de. or qualitatively.ab. or qualitatively.ea. or qualitatively.ti. or qualitiative.ab.	2158
2	Qualitative\$.ti,ab.	10028
3	(Meta-synthesis\$ or meta synthesis\$ or metasynthesis).ti,ab.	36
4	(Meta-ethnograph\$ or metaethnograph\$ or meta ethnograph\$.ti,ab.	16
5	(Evidence synthesis or realist synthesis).ti,ab.	34
6	interview.ab. or interview.ar. or interview.de. or interview.ea. or interview.jh. or interview.nt. or interview.st. or interview.ti. or interview.ur. or interviewed.ab. or interviewing research.de. or interviews.ab.	22032

7	Interview\$.ti,ab.	22950
8	survey.ab. or survey.ar. or survey.ca. or survey.de. or survey.ea. or survey.jh. or survey.nt. or survey.pb. or survey.pp. or survey.ri. or survey.sd. or survey.se. or survey.st. or survey.ti. or survey.ur. or survey data.de. or survey design.de. or survey evidence.de. or survey findings.de.	24458
9	(cross sectional or cross sectional model or cross sectional study or cross sectional survey or cross sectional surveys or cross sector or cross sector alliance or cross sector benefit).de.	517
10	(case studies or case study or case work).de.	10542
11	longitudinal.ab. or longitudinal.bt. or longitudinal.ca. or longitudinal.de. or longitudinal.ea. or longitudinal.pb. or longitudinal.ri. or longitudinal.sd. or longitudinal.st. or longitudinal.ti. or longitudinal.ur. or longitudinal surveys.de.	6550
12	(Case adj (study or studies)).ti,ab.	15636
13	questionnaires.ab. or questionnaires.de. or questionnaires.ea. or questionnaires.st. or questionnaires.ti. or questionnaires.ur.	4095
14	Questionnaire\$.ti,ab.	8683
15	Behavio?ral research.ti,ab.	34
16	narrative.ab. or narrative.ar. or narrative.de. or narrative.ea. or narrative.st. or narrative.ti. or narrative.ur. or narratively.ab. or narratively.ea. or narratives.ab. or narratives.de. or narratives.st. or narratives.ti. or narratives.ur. or narrativise.ab.	2790
17	(cohort analysis or cohort study).de.	26

18	(Cohort adj (study or studies or analysis)).ti,ab.	1101
19	observational study.de. or observations.ab. or observations.ti. or observed.ur. or observers.ab. or observes.ab. or observing.ab. or observing.ti.	2373
20	(Observation\$ adj (study or studies)).ti,ab.	286
21	focus groups.de. or focused.ab. or focused.ti. or focuses.ab. or focusing.ab.	28861
22	"Focus Group?".ti,ab.	4151
23	attitude.ab. or attitude.ca. or attitude.de. or attitude.ea. or attitude.pb. or attitude.st. or attitude.ti. or attitude.ur. or attitude indicator.de. or attitude research.de. or attitude survey.de. or attitudes.ab. or attitudes.ar. or attitudes.de. or attitudes.ea. or attitudes.ti. or attitudes.ur. or attitudes survey.de. or attitudes to retirement.de. or "attitudes to the old of general public".de. or attitudinal.ab. or attitudinal.ti. or attitudinal survey.de. or attitudinally.ab.	28392
24	perception.ab. or perception.ar. or perception.de. or perception.ea. or perception.jn. or perception.sd. or perception.st. or perception.ti. or perception.ur. or perception attitudes.de. or perceptions.ab. or perceptions.de. or perceptions.ti. or perceptions.ur. or perceptual.ab.	11837
25	satisfaction.ab. or satisfaction.ar. or satisfaction.ca. or satisfaction.de. or satisfaction.ea. or satisfaction.st. or satisfaction.ti. or satisfaction.ur. or satisfaction survey.de. or satisfaction surveys.de. or satisfactions.ti. or satisfactorily.ab. or satisfactory.ab. or satisfied.ab. or satisfy.ab.	6321

26	participation.ab. or participation.ar. or participation.bt. or participation.ca. or participation.de. or participation.ea. or participation.jh. or participation.nt. or participation.pb. or participation.ri. or participation.sd. or participation.se. or participation.st. or participation.ti. or participation.ur.	20873
27	involvement.ab. or involvement.ar. or involvement.bt. or involvement.ca. or involvement.de. or involvement.ea. or involvement.nt. or involvement.pb. or involvement.ri. or involvement.sd. or involvement.st. or involvement.ti. or involvement.ur. or involves.ab. or involving.ab. or involving.ti.	19576
28	View\$.ti,ab.	24595
29	Experience\$.ti,ab.	47303
30	Attitude\$.ti,ab.	12751
31	Perspective\$.ti,ab.	16697
32	(Satisf\$ or dissatisf\$).ti,ab.	6946
33	(Choice\$ or choos\$ or control or centred or centered).ti,ab.	25482
34	Preference\$.ti,ab.	2439
35	Complaint\$.ti,ab.	2142
36	Expectation\$.ti,ab.	4343
37	Feedback\$.ti,ab.	2049
38	opinion\$.ti,ab.	2995
39	advocacy.ab. or advocacy.ar. or advocacy.bt. or advocacy.ca.	4490

	or advocacy.de. or advocacy.ea. or advocacy.jh. or advocacy.jn. or advocacy.nt. or advocacy.pb. or advocacy.ri. or advocacy.sd. or advocacy.st. or advocacy.ti. or advocacy.ur.	
40	narration.ab. or narration.de. or narration.ti. or narrations.ab. or narrations.ti. or narrative.ab. or narrative.de. or narrative.ti. or narratives.ab. or narratives.de. or narratives.ti.	2490
41	(Belief\$ or need\$ or stress\$ or emotion\$ or anx\$ or fear\$ or concern\$ or uncertain\$ or unsure or thought\$ or feeling\$ or felt\$ or opinion\$ or perception\$ or know\$ or understand\$ or aware\$).ti,ab.	156971
42	emotion.ab. or emotion.de. or emotion.ti. or emotionality.ab. or emotionality.ti. or emotionally.ab. or emotionally.ti.	1603
43	anxiety.ab. or anxiety.de. or anxiety.ti. or anxiety among professionals.de.	4571
44	fear.ab. or fear.de. or fear.ti. or feared.ab. or feared.ti. or fearful.ab. or fearful.ti. or fearing.ab. or fears.ab. or fears.ti.	3607
45	stress.ab. or stress.de. or stress.ti. or stressed.ab. or stressed.ti.	9896
46	adaptation.ab. or adaptation.de. or adaptation.ti.	1302
47	or/1-46	261755
48	(crisis intervention or crisis intervention project or crisis intervention team or crisis intervention unit or crisis management or crisis referral or crisis resolution or crisis service or crisis services or crisis support or crisis team or crisis work).de. or crises.ab. or crises.ea. or crises.ti. or crises.ur. or	4419

	"crises and emergency response".de. or crisi.ab. or crisis.ab. or crisis.ar. or crisis.au. or crisis.bt. or crisis.ca. or crisis.de. or crisis.ea. or crisis.nt. or crisis.pb. or crisis.ri. or crisis.sd. or crisis.se. or crisis.st. or crisis.ti. or crisis.ur. or crisis accommodation.de. or crisis bed.de. or crisis care provision.de. or crisis episode.de.	
49	rapid.ab. or rapid.ti. or rapid response.de. or rapid response team.de. or rapid response unit.de.	1497
50	((Cris?s or rapid) adj2 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	1082
51	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or injur\$ or minor)).ti,ab.	189
52	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	70
53	(Cris?s adj3 (residen\$ or patient\$ or access\$)).ti,ab.	57
54	(Unscheduled adj3 care).ti,ab.	12
55	(Early adj intervention\$).ti,ab.	2548
56	(Urgent adj respon\$).ti,ab.	1
57	((Episode or temporary) adj3 (cris?s or care)).ti,ab.	95
58	ambulatory.ab. or ambulatory.ea. or ambulatory.sd. or ambulatory.ti. or ambulatory.ur.	151

59	(Ambulatory adj (respon\$ or cris?s)).ti,ab.	0
60	(Unexpected adj3 (event\$ or need\$ or ill\$ or occurrence\$ or episode\$)).ti,ab.	13
61	(Deterioration adj3 (abilit\$ or health or condition or sudden\$)).ti,ab.	67
62	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	649
63	rehabilitation.ab. or rehabilitation.ti. or rehabilitative.ab. or rehabilitative.ti. or rehab.ab. or rehab.ti. or rehabilitation.ab. or rehabilitation.ti. or rehabilitaiton.ab. or rehabilitasie.ti. or rehabilitate.ab. or rehabilitate.ti. or rehabilitated.ab. or rehabilitated.ti. or rehabilitates.ab. or rehabilitating.ab. or rehabilitating.ti.	3457
64	or/48-63	12619
65	((Temporary or "extra care" or "close care" or specialist or sheltered or supported) adj3 (home\$ or hous\$ or accommodation or setting\$ or facilit\$ or model\$ or scheme\$)).ti,ab.	4084
66	((Community or "step up" or "step down" or transition\$) adj3 (hospital\$ or ward\$ or facilit\$ or care or bed or hospice)).ti,ab.	11362
67	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2426
68	residential care.de.	7555
69	(residential home or residential homes or residential hospital	132

	care or residential housing).de.	
70	nursing homes.de.	4099
71	(Nursing adj3 (unit\$ or facilit\$ or home\$ or setting\$)).ti,ab.	4480
72	((Care or rest or group or senior or elder or retire\$) adj3 (home\$ or hous\$ or facilit\$)).ti,ab.	13129
73	((Old\$ or elder\$ or geriatric\$) adj (people\$ or age\$) adj home\$).ti,ab.	285
74	((Subacute or sub-acute or "sub acute" or postacute or post-acute or "post acute") adj care).ti,ab.	32
75	((Secondary or tertiary) adj setting\$).ti,ab.	12
76	prisons.ab. or prisons.ar. or prisons.ca. or prisons.de. or prisons.ea. or prisons.nt. or prisons.pb. or prisons.st. or prisons.ti. or prisons.ur.	2392
77	housing.ab. or housing.ti.	39991
78	home.ab. or home.ti. or homecare.ab. or homecare.ti.	27424
79	independentlivingchoices.ab.	2
80	Independent living.ti,ab.	1486
81	home.de.	93
82	housing.de.	28173
83	rehabilitation centre.de.	1

84	((Rehabilitat\$ or reablement) adj2 (centre\$ or center\$ or service\$)).ti,ab.	516
85	assisted living.de.	4
86	Assisted living.ti,ab.	362
87	intermediary service delivery.de. or intermediate.ab. or intermediate.de. or intermediate.ti. or intermediate care.de. or intermediate care scheme.de. or intermediate housing.de.	1079
88	((Intermediate or skilled nursing) adj3 (unit\$ or centre\$ or center\$ or scheme\$ or setting\$ or service\$ or facilit\$ or residen\$ or care)).ti,ab.	587
89	(community health or community health care or community health centre).de.	791
90	(Community adj3 (rehab or scheme\$ or model\$ or setting\$ or environment or provision)).ti,ab.	2426
91	resident.ti. or residential.ab. or residential.ti. or residential care.de. or residential care centre.de. or residential care home.de. or residential care homes.de. or residential home.de. or residential homes.de. or residents.ab. or residents.de. or residents.ti. or residents care homes.de.	24949
92	(Residential adj3 (facilit\$ or setting\$ or environment or health or care)).ti,ab.	7684
93	((Local authorit\$ or independent) adj3 (facilit\$ or setting\$ or environment or hous\$)).ti,ab.	2502
94	(Group adj3 (home\$ or setting\$ or facilit\$)).ti,ab.	1042

95	accidents.ab. or accidents.de. or accidents.ti.	2097
96	accomodation.ab. or accomodation.de. or accomodation.ti. or accommodation.ab. or accommodation.de. or accommodation.ti. or accommodations.ab. or accommodations.ti.	6312
97	or/65-96	103173
98	(Interdisciplinary or inter-disciplinary or "inter disciplinary" or interprofessional or inter-professional or "inter professional" or multiprofessional or multi-professional or "multi professional" or multidisciplinary or multi-disciplinary or "multi disciplinary" or multiagency or multi-agency or trans-disciplinary or trans disciplinary or transdisciplinary).ti,ab.	7514
99	(multidisciplinary or multidisciplinary approach or multidisciplinary assessment or multidisciplinary care assessment or multidisciplinary collaboration or multidisciplinary practice or multidisciplinary services or multidisciplinary team or multidisciplinary teams or multidisciplinary training or multidisciplinary working).de.	3566
100	((Joint or collaborative) adj work\$).ti,ab.	2015
101	communication.de.	5561
102	relationships.de.	580
103	(cooperative or coordination).de.	1444
104	(integrated or integrated approach or integrated care or integrated care approach or integrated care group or integrated care management or integrated care organisation programme	382

	or integrated care organisations or integrated care pathway or integrated care plan or integrated client focused services or integrated communities or integrated community or integrated comprehensive community care service or integrated facilities or "integrated health and social care provision" or integrated information system).de.	
105	(Integrated adj (care or model\$ or work\$ or response\$)).ti,ab.	1184
106	(continuity or "continuity of care").de.	39
107	(patient care or patient centred care).de.	31
108	Patient care.ti,ab.	511
109	(Continuity adj3 care).ti,ab.	324
110	Occupational Therapy.ab,de,ti.	1326
111	Allied health.ti,ab.	167
112	(Ambulance adj service).ti,ab.	61
113	ambulance.ab. or ambulance.de. or ambulance.ti. or ambulance service.de. or ambulance services.de.	206
114	nurse.ab. or nurse.de. or nurse.ti. or nurses.ab. or nurses.de. or nurses.ti. or "nurses and nursing".de. or nursing.ab. or nursing.de. or nursing.ti. or nursing auxiliary.de. or nursing care.de.	11799
115	emergency.ab. or emergency.de. or emergency.ti. or emergency admission.de. or emergency admissions.de. or emergency assistance.de. or emergency duty team.de. or emergency duty teams.de. or emergency health services.de. or	2418

	emergency hospital admission.de. or "emergency out of hours service".de. or emergency planning.de. or emergency response.de. or emergency response plan.de. or emergency response service.de. or emergency response team.de. or emergency rest centres.de. or emergency service.de. or emergency service coordination.de. or emergency services.de.	
116	gp.ab. or gp.de. or gp.ti.	1324
117	(general practitioner or general practitioners).de.	2087
118	doctor.ab. or doctor.de. or doctor.ti. or doctors.ab. or doctors.de. or doctors.ti.	2646
119	physiotherapy.ab. or physiotherapy.de. or physiotherapy.ti. or physiotherapy domiciliary.de.	326
120	palliative care.de.	901
121	("end of life" or "end of life care").de.	540
122	therapy.ab. or therapy.de. or therapy.ti. or "therapy and treatment".de.	14129
123	dementia.ab. or dementia.de. or dementia.ti. or dementia care.de. or dementias.ab.	12188
124	Physical therapy.ti,ab.	43
125	comorbidity.ab. or comorbidity.de. or comorbidity.ti.	550
126	accidents.ab. or accidents.de. or accidents.ti.	2097
127	(interpersonal relations or interpersonal relationship or	2846

	interpersonal relationships).de.	
128	leadership.ab. or leadership.de. or leadership.ti.	4626
129	(professional practice or professional role or professional staff).de. or professionalisation.ab. or professionalism.ab. or professionalism.de. or professionalism.ti.	6127
130	role.ab. or role.de. or role.ti. or roles.ab. or roles.de. or roles.ti.	39961
131	decision making.de.	6901
132	(social work or social work agency or social work approaches or social work assistant or social work assistants or social work authority or social work department or social work methods or social work practice or social work practitioner or social work profession or social work professional or social work referral or social worker or social worker attitude or social worker service user relationships).de. or socialcare.ab. or socialcare.ti. or socialcare21.ab. or social welfare.de.	23151
133	(Social adj3 (care or work\$ or support\$ or service\$)).ti,ab.	61282
134	(Support adj3 worker\$).ti,ab.	1060
135	(support worker or support workers).de.	86
136	aides.ab. or aides.ti.	111
137	carer.ab. or carer.de. or carer.ti. or carergiver.ab. or carergiver.ti. or carergivers.ab. or carers.ab. or carers.de. or carers.ti.	20680
138	team.ab. or team.de. or team.ti. or team work.de. or team working.de. or teams.ab. or teamwork.ab. or teamwork.de. or	10554

	teamwork.ti. or teamworking.ab. or teamworking.de. or teamworking.ti.	
139	((Cris?s or care) adj3 coordinator\$.ti,ab.	84
140	(First adj3 response).ti,ab.	69
141	Keyword\$.ti,ab.	155
142	(keyword or keyworked or keyworker).ab. or keyworker.de. or keyworker.ti. or keyworkers.ab. or keyworkers.de. or keyworkers.ti. or keyworking.ab. or keyworking.de. or keyworking.ti.	249
143	family.ab. or family.de. or family.ti. or "family and friends carers".de. or family care.de. or family care giver.de. or family carer.de. or family carers.de. or family centre.de. or family centred approach.de. or family centred living.de. or family support.de. or familys.ab. or familys.ti.	39363
144	relatives.ab. or relatives.de. or relatives.ti.	3198
145	neighbour.ab. or neighbour.de. or neighbour.ti. or neighbour care.de. or neighbors.ab. or neighbors.ti.	284
146	friends.ab. or friends.de. or friends.ti. or "friends of the elderly".de. or friendship.ab. or friendship.de. or friendship.ti. or friendship network.de. or friendships.ab. or friendships.ti.	4929
147	or/98-146	188860
148	access.ab. or access.de. or access.ti.	15556
149	(Access adj specialist\$.ti,ab.	15

150	(case management or case manager or case records or case report or "case review" or case reviews or case work or case worker or case working service).de. or case.ab. or case.de. or case.ti. or case assessment.de.	32568
151	(care planning or care plans).de.	1560
152	((Care or case) adj3 plan\$).ti,ab.	3406
153	medical.ab. or medical.de. or medical.ti. or medical record.de. or medical records.de.	8207
154	records.ab. or records.de. or records.ti.	2965
155	(Shared adj record\$).ti,ab.	8
156	information.ab. or information.de. or information.ti. or information access.de. or information dissemination.de. or information handling.de. or information management.de. or information sharing.de. or "information sharing and assessment".de.	35626
157	risk.ab. or risk.de. or risk.ti. or risk assessment.de. or risk management.de.	28212
158	contingency.ab. or contingency.de. or contingency.ti. or contingency plan.de. or contingency planning.de. or contingency plans.de.	144
159	problem solving.de.	489
160	((Avoid\$ or prevent\$ or unnecessary or unplanned or inappropriate) adj3 (admission or admitted or hospital)).ti,ab.	310

161	(patient discharge or patient discharge planning).de.	49
162	readmission.ab. or readmission.ti. or readmissions.ab. or readmissions.ti. or readmitted.ab.	209
163	assessment.ab. or assessment.de. or assessment.ti. or assessment agreements.de. or "assessment and care management".de. or "assessment and care management system".de. or assessment care management.de. or assessment centre.de. or assessment centres.de. or assessment instruments.de. or "assessment of need".de. or "assessment of needs".de. or assessment social work.de. or assessments.ab. or assessments.de. or assessments.ti. or assess.ab. or assess.ti. or assessed.ab. or assessed.ti. or assesment.ab. or assesemnt.ab. or assessent.ti. or assessering.ti. or assesses.ab. or assesses.ti. or assessess.ab. or assessing.ab. or assessing.ti. or assessing need.de.	51380
164	referral.ab. or referral.de. or referral.ti. or referral procedure.de. or referral procedures.de. or referrals.ab. or referrals.de. or referrals.ti. or referred.ab. or referrer.ab. or referrers.ab. or referring.ab. or referring.ti. or referral.ab. or refers.ab.	8440
165	or/148-164	142872
166	time.ab. or time.de. or time.ti. or time duration.de. or timeframe.ab. or timeframe.ti. or timeframes.ab. or timeframes.ti. or timely.ab. or timely.ti. or times.ab. or times.de. or times.ti. or timescale.ab. or timescale.de. or timescale.ti. or timescales.ab. or timescales.ti. or timing.ab. or timing.de. or timing.ti. or timings.ab.	27745
167	(("Short-term" or "short term") adj3 (care or intervention\$ or	340

	respon\$ or assess\$)).ti,ab.	
168	(Week\$ or hour\$ or day\$).ti,ab.	17437
169	(Time or period\$ or length or brief or fast\$ or limit\$ or quick\$ or target\$ or emergenc\$).ti,ab.	63053
170	Extended hours.ti,ab.	9
171	Out of hour\$.ti,ab.	200
172	or/166-171	79353
173	"activities of daily living".de.	672
174	((Activities adj3 "daily living") or ADL or ADLs or "domestic task\$" or "social support" or "personal care").ti,ab.	5162
175	outcome.ab. or outcome.de. or outcome.ti. or outcomes.ab. or outcomes.de. or outcomes.ti. or outcomes assessment.de.	32118
176	effectiveness.ab. or effectiveness.ar. or effectiveness.ca. or effectiveness.de. or effectiveness.ea. or effectiveness.jh. or effectiveness.pb. or effectiveness.ri. or effectiveness.sd. or effectiveness.se. or effectiveness.st. or effectiveness.ti. or effectiveness.ur. or effects.de. or effects.se. or effects.st. or effects.ti. or effects.ur.	25894
177	or/173-176	54715
178	64 and 97 and 172	1372
179	64 and 165 and 172	1999
180	64 and 97 and 147	2358

181	64 and 97 and 177	849
182	or/178-181	4199
183	47 and 182	3336
184	183 and 2005:2015.(sa_year).	2117
185	(article or journal or journal article or online report or report).pt.	179614
186	184 and 185	1125

Social Work Abstracts (SWA) - OVID

Date searched: 23/12/2015

No. of records: 411

Date limits: date (2005 – 2015)

Q3 A, B, C: Crisis Response (Intermediate Care) – effectiveness, cost effectiveness , views and experiences

Searches	Results	Search Type
1	crisis intervention.ti,ab,sh,hw.	245
2	rapid response.ti,ab,sh,hw.	10
3	crisis management.ti,ab,sh,hw.	10
4	(crisis assessment technique or crisis care center or crisis care centers or crisis center).sh. or crises.ab. or crises.hw. or crises.sh. or crises.ti.	302
5	emergency.ab. or emergency.hw. or emergency.ti. or	469

	emergency health services.sh. or emergency services.sh.	
6	accidents.ab. or accidents.hw. or accidents.sh. or accidents.ti.	105
7	((Cris?s or rapid) adj2 (approach\$ or response\$ or resolution or intervention\$ or team\$ or service\$ or manage\$ or support or model\$ or home or assessment\$ or nurs\$ or rehabilitat\$ or care or scheme\$ or occurrence\$ or treatment\$ or therap\$)).ti,ab.	396
8	(Cris?s adj3 (fall\$ or disabilit\$ or condition\$ or function\$ or physical or mental or cognitive or aged or frail\$ or injur\$ or minor)).ti,ab.	43
9	((Cris?s or rapid\$ or recover\$) adj2 (outcome\$ or impairment\$ or independen\$ or goal\$)).ti,ab.	23
10	(Cris?s adj3 (residen\$ or patient\$)).ti,ab.	14
11	(Cris?s adj3 access\$).ti,ab.	6
12	((Urgent or emergency) adj3 (respon\$ or care)).ti,ab.	61
13	(Episode adj3 (cris?s or care or unexpected or unscheduled)).ti,ab.	4
14	ambulatory care.sh. or ambulatory.ab. or ambulatory.hw. or ambulatory.ti.	84
15	((Unexpected or temporary) adj3 (event\$ or need\$ or ill\$ or occurrence\$)).ti,ab.	115
16	(Deterioration adj3 (abilit\$ or health or condition or sudden\$)).ti,ab.	13

17	((Dependen\$ or circumstance\$) adj3 (fluctuat\$ or change\$ or difference\$ or measure\$ or need\$)).ti,ab.	214
18	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17	1660
19	18 and 2005:2015.(sa_year).	434
20	journal.pt.	63175
21	19 and 20	411

Q4: Reablement

Conducted in February 2016, the Reablement search strategy was formulated to answer questions about reablement and other forms of short-term rehabilitation and Intermediate Care in the home, or community setting.

Questions:

- What is the effectiveness and cost effectiveness of reablement?
- What are the views and experiences of people using services, their families and carers in relation to reablement?
- What are the views and experiences of health, social care and other practitioners about reablement?

Databases:

- Ageline
- Allied and Complementary Medicine Database (AMED)
- Applied Social Sciences Index and Abstracts (ASSIA)
- British Nursing Index (BNI)
- CIRRIE Database of International Rehabilitation Research
- Cochrane Database of Systematic Reviews (Cochrane Library)
- Cumulative Index to Nursing and Allied Health Literature (CINAHL)
- Excerpta Medica database (Embase)
- IBSS International bibliography of social sciences
- Medical Literature Analysis and Retrieval System Online (MEDLINE)
- NHS Economic Evaluation Database (EED)
- OT Seeker
- Physiotherapy Evidence Database (PEDro)
- Prospero
- PsycINFO
- Rehabdata
- Social Policy and Practice (SPP) Inc. Social Online & others
- SocINDEX
- Social Services Abstracts

Organisations:

- AGE UK
- DEMOS
- HousingLIN
- Kings Fund
- Local Government Association
- NHS England
- NIHR
- OPM
- PSSRU
- Reablement UK
- Royal Voluntary Service
- Think Local Act Personal
- York University

A range of electronic databases in the fields of social care, health, rehabilitation and social science were searched, using a combination of controlled and free text terms

around the requirements of the Scope, Appendix 3: Service category definitions of the 'National Audit of Intermediate Care 2014' and the Review Protocol.

Due reablement and intermediate care being short-term interventions, the following core search approach was undertaken without date limits, to collect all studies on the topic (as this was a manageable number):

- A: Intervention 1 (reablement, home independence programmes etc.)
- B: Intervention 2 (rehabilitation, restorative, recuperative etc.)
- C: Setting (intermediate care, domiciliary care, homecare, community etc.)
- D: Duration (six week, time-limited, brief, short-term, effectiveness etc.)
- E: Language and age limits (adults, English)

Organisation and additional searches:

Terms frequently used within the organisation searches for reablement (intermediate care) consisted of: reablement, intermediate care or rehabilitation types combined with setting types. Relevant PDF's were then searched within, to clarify the relevance to the specific question.

Additional Google and Google Scholar searches were undertaken due to the decision to change the standard NCCSC search approach, to a question by question approach, after the scope searches had been conducted and the 'National Audit of Intermediate Care' service categories were identified. These searches included the key terms above associated with systematic review, outcomes, cost and effectiveness, views or experiences, literature reviews, qualitative data or time limits.

The information specialist identified the following studies in the protocol development stage and recommended additional citation harvesting:

1. Winkel A, Langberg H, and Wæhrens EE. (2015) "Reablement in a community setting", *Disability and Rehabilitation*, 37(15), pp.1347-1352.
2. Legg L, Gladman J, Drummond A, Davidson A. (2016) "A systematic review of the evidence on home care reablement services", *Clinical Rehabilitation*, 30(8), pp.741-9.

3. Cochrane A, McGilloway S, Furlong M, Molloy DW, Stevenson M, Donnelly M. "Home-care 're-ablement' services for maintaining and improving older adults' functional independence (Protocol)", Cochrane Database of Systematic Reviews 2013, Issue 11.
4. Tuntland H, Aaslund MK, Espehaug B, Førlund O, Kjekken I (2015) "Reablement in community-dwelling older adults: a randomised controlled trial", BMC Geriatrics, 15:145.

The lead systematic reviewer screened the above references citations on title and date, highlighting the studies of relevance for inclusion into the core data for this question to the information specialist.

All searches RQ4 - Reablement (Intermediate Care)

AGELINE - EBSCO

Date searched: 22/02/2016

No. of records: 110

Limits: academic journals

Q4 A, B, C: Reablement – effectiveness, cost effectiveness, views and experiences

S45	Limit S44: academic journals	110
S44	S8 OR S43	248
S43	S22 AND S31 AND S42	415
S42	S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41	9,481
S41	(ZU "outcomes") or (ZU "outcomes evaluation") or (ZU "outcomes	2,801

	of care") or (ZU "outcomes research")	
S40	(ZU "treatment outcome") or (ZU "treatment outcomes") or (ZU "treatment response")	15
S39	(ZU "effectiveness") or (ZU "effectiveness of intervention")	22
S38	TI(Effectiveness) or AB(Effectiveness)	4,267
S37	TI(6-week* or "6 week*" or six-week* or "six week*") or AB(6-week* or "6 week*" or six-week* or "six week*")	646
S36	TI("Short term" or short-term) or AB("Short term" or short-term)	1,682
S35	TI(Brief W0 (time or period or duration)) or AB(Brief W0 (time or period or duration))	46
S34	TI(Limited W3 (period or duration)) or AB(Limited W3 (period or duration))	28
S33	TI(Time W3 (limit* or restricted or bound or factor)) or AB(Time W3 (limit* or restricted or bound or factor))	306
S32	((ZU "time measurements") or (ZU "time orientation") or (ZU "time scale") or (ZU "time series analysis") or (ZU "time use") or (ZU "time use satisfaction") or (ZU "time use.") or (ZU "timing")) or ((ZU "time"))	410
S31	S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30	15,739
S30	TI(Community W0 (dwelling* or setting* or living)) or AB(Community W0 (dwelling* or setting* or living))	6,028

S29	<p>(ZU "community aged care") or (ZU "community aged care services") or (ZU "community care") or (ZU "community care act") or (ZU "community care and service") or (ZU "community care network") or (ZU "community dwelling") or (ZU "community dwelling older adults") or (ZU "community dwelling older people") or (ZU "community general support centers") or (ZU "community gerontology") or (ZU "community health") or (ZU "community health and support services") or (ZU "community health care") or (ZU "community health centres") or (ZU "community health service") or (ZU "community health services") or (ZU "community health services administration") or (ZU "community health worker") or (ZU "community health workers") or (ZU "community integration") or (ZU "community intervention") or (ZU "community interventions") or (ZU "community involvement") or (ZU "community living") or (ZU "community living centers") or (ZU "community long-term care") or (ZU "community mental health") or (ZU "community mental health services") or (ZU "community mental health teams") or (ZU "community nurses") or (ZU "community nursing") or (ZU "community older adults") or (ZU "community palliative care") or (ZU "community practice") or (ZU "community program") or (ZU "community programmes") or (ZU "community programs") or (ZU "community projects") or (ZU "community rehabilitation") or (ZU "community rehabilitation practice") or (ZU "community research") or (ZU "community residents") or (ZU "community services") or (ZU "community setting") or (ZU "community well-being") or (ZU "community-base services") or (ZU "community-based") or (ZU "community-based aged healthcare") or (ZU "community-based care") or (ZU "community-based dementia care") or (ZU "community-based fall assessment") or (ZU "community-based hospice") or (ZU "community-based intervention") or (ZU "community-based interventions") or (ZU "community-based long term care") or (ZU "community-based long-term care") or (ZU "community-based organization") or (ZU "community-based</p>	3,588
-----	--	-------

	<p>organizations") or (ZU "community-based participatory research") or (ZU "community-based practices") or (ZU "community-based program") or (ZU "community-based programs") or (ZU "community-based rehabilitation") or (ZU "community-based research") or (ZU "community-based research platform") or (ZU "community-based seniors") or (ZU "community-based services") or (ZU "community-based study") or (ZU "community-based survey") or (ZU "community-dwelling") or (ZU "community-dwelling adults") or (ZU "community-dwelling dementia care recipients") or (ZU "community-dwelling elder") or (ZU "community-dwelling elderly") or (ZU "community-dwelling elders") or (ZU "community-dwelling ethnicity") or (ZU "community-dwelling older adults") or (ZU "community-dwelling older people") or (ZU "community-dwelling older people at risk") or (ZU "community-dwelling older persons") or (ZU "community-dwelling older population") or (ZU "community-dwelling seniors") or (ZU "community-health services") or (ZU "community-living") or (ZU "community-related factors") or (ZU "community-residing") or (ZU "community-scale interventions") or (ZU "community-study")</p>	
S28	<p>TI(Home W0 (care or visit* or base*)) OR AB(Home W0 (care or visit* or base*))</p>	5,670
S27	<p>(ZU "home care") or (ZU "home care agencies") or (ZU "home care aides") or (ZU "home care for individuals with chronic illness") or (ZU "home care management") or (ZU "home care nursing") or (ZU "home care policy") or (ZU "home care population") or (ZU "home care practitioners") or (ZU "home care satisfaction measure") or (ZU "home care service") or (ZU "home care services") or (ZU "home care setting") or (ZU "home care supplies and equipment") or (ZU "home care support services") or (ZU "home care worker") or (ZU "home care workers")</p>	3,507

S26	TI("Domiciliary care") OR AB("Domiciliary care")	85
S25	(ZU "domiciliary care")	5
S24	TI("Intermediate care") OR AB("Intermediate care")	384
S23	(ZU "intermediate care") or (ZU "intermediate care facilities")	142
S22	S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21	16,893
S21	TI(Self W0 (care or manag*)) or AB(Self W0 (care or manag*))	1,490
S20	TI(Self adj (care or manag*)) or AB(Self adj (care or manag*))	6
S19	(ZU "self care") or (ZU "self concept") or (ZU "self efficacy") or (ZU "self efficacy for exercise scale") or (ZU "self efficacy scale") or (ZU "self efficacy to walk for health scale")	4,267
S18	TI(Goal* W2 (set* or treat* or therap*)) or AB(Goal* W2 (set* or treat* or therap*))	263
S17	(ZU "goal") or (ZU "goal attainment") or (ZU "goal attainment scaling") or (ZU "goal disengagement") or (ZU "goal engagement") or (ZU "goal framing") or (ZU "goal fulfillment") or (ZU "goal modification") or (ZU "goal orientation") or (ZU "goal pursuit") or (ZU "goal seeking") or (ZU "goal setting") or (ZU "goal-directed behavior reduction") or (ZU "goal-setting") or (ZU "goals") or (ZU "goals of care") or (ZU "goals-of-care")	65
S16	TI((Regain* or improve* or relearn or re-learn or optimize or increase* or recover* or rebuild* or restore*) W3 (function or functioning or independent* or confidence or mobility or skill* or	1,542

	competen*)) or AB((Regain* or improve* or relearn or re-learn or optimize or increase* or recover* or rebuild* or restore*) W3 (function or functioning or independent* or confidence or mobility or skill* or competen*))	
S15	(ZU "independent living") or (ZU "independent living facilities") or (ZU "independent living skills survey") or (ZU "independent older adult")	1,348
S14	(ZU "recovery of function") or (ZU "recovery-oriented care")	3
S13	(ZU "activities of daily living") or (ZU "activities of daily living (adl)") or (ZU "activities of daily living (adls)") or (ZU "activities of daily living dependency") or (ZU "activities of daily living evaluation") or (ZU "activities of daily living functioning") or (ZU "activities of daily living older people") or (ZU "activities of daily living prevention instrument") or (ZU "activities of daily living questionnaire") or (ZU "activities of daily living; caregiving") or (ZU "activities of daily vision scale") or (ZU "activities specific balance confidence scale") or (ZU "activities to ward off loneliness")	2,978
S12	TI(Activities W3 Living)or ADL or ADLs) OR AB(Activities W3 Living)or ADL or ADLs)	5,310
S11	TI(Restorative or recuperative or resettlement) W3 (support* or care or service* or provision*) OR AB(Restorative or recuperative or resettlement) W3 (support* or care or service* or provision*)	111
S10	TI(Rehab*) OR AB(Rehab*)	3,701
S9	(ZU "rehabilitation") or (ZU "rehabilitation activities profile") or (ZU "rehabilitation costs") or (ZU "rehabilitation medicine") or (ZU "rehabilitation model") or (ZU "rehabilitation of hearing impaired") or	1,741

	(ZU "rehabilitation outcome") or (ZU "rehabilitation outcomes") or (ZU "rehabilitation services") or (ZU "rehabilitation success") or (ZU "rehabilitation therapy") or (ZU "rehabilitative care")	
S8	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7	100
S7	(ZU "reablement")	1
S6	(TI(Wellness W0 (model* or approach* or intervention* or service*))) OR (AB(Wellness W0 (model* or approach* or intervention* or service*)))	40
S5	TI("Enhanced activation program") AND AB("Enhanced activation program")	0
S4	TI(Home W3 independence) OR AB(Home W3 independence)	40
S3	TI(Res-care) OR AB(Res-care)	7
S2	TI(Re-enablement or reenablement or enablement) or AB(Re-enablement or reenablement or enablement)	8
S1	TI(Reable* or re-able*) or AB(Reable* or re-able*)	5

Allied and Complementary Medicine Database (AMED) - OVID

Date searched: 22/02/2016

No. of records: 164

Limits: journal article

Q4 A, B, C: Reablement – effectiveness, cost effectiveness views and experiences

Searches	Results	Search Type
1	(Reable\$ or re-able\$).ti,ab.	6
2	(Re-enablement or reenablement or enablement).ti,ab.	47
3	Res-care.ti,ab.	1
4	((Wellness or well?being) adj3 (model\$ or approach\$ or intervention\$ or service\$)).ti,ab.	102
5	(Home adj3 independence).ti,ab.	44
6	"Enhanced activation program".ti,ab.	0
7	or/1-6	200
8	(Homecare or home-care or home?care).ti,ab.	975
9	(home care services or home nursing).sh. or home.hw.	2349
10	homes.hw. or homes for the aged.sh.	994
11	"Domiciliary care".ti,ab.	12
12	community.hw. or community health services.sh. or community mental health centers.sh. or community mental health services.sh. or community pharmacy services.sh.	2906
13	((Home or intermediate) adj care).ti,ab.	979
14	or/8-13	6444

15	Rehabilitat\$.ti,ab.	23976
16	rehabilitation.hw. or rehabilitation.sh. or rehabilitation centers.sh. or rehabilitation modalities.sh. or rehabilitation nursing.sh. or rehabilitation psychosocial.sh. or rehabilitation speciality.sh. or rehabilitation techniques.sh. or rehabilitation vocational.sh. or rehabilitation.hw.	53677
17	((Regain\$ or improve\$ or relearn or re-learn or optimi#e or increase\$ or recover\$ or rebuild\$ or restore\$) adj3 (social or function or functioning or independen\$ or confidence or mobility or skill\$ or competen\$)).ti,ab.	5159
18	independent living.sh.	1929
19	("Activities adj daily living" or "ADL" or "ADLs").ti,ab.	946
20	"activities of daily living".sh. or activity.hw. or active.hw. or activities.hw.	6904
21	goals.hw. or goals.sh. or goal.hw.	446
22	(Goal\$ adj2 (set\$ or treat\$ or therap\$)).ti,ab.	1039
23	(self care or self efficacy).sh.	1998
24	(Self-sufficient\$ or self-efficacy).ti,ab.	972
25	or/15-24	67425
26	Effectiveness.ti,ab.	7909
27	effectiveness.hw.	1
28	treatment outcome.sh.	15557

29	time.sh.	1681
30	(6-week\$ or 6?week\$ or six-week\$ or six?week\$).ti,ab.	2002
31	(Time adj3 (limit\$ or restricted or bound or factor)).ti,ab.	379
32	(Limited adj3 (period or duration)).ti,ab.	46
33	(Brief adj (time or period or duration)).ti,ab.	41
34	or/26-33	25518
35	14 and 25 and 34	349
36	7 or 35	546
37	age.hw. or age factors.sh. or age groups.sh. or aged.hw. or aged.sh. or aged 80.sh. or ageism.hw.	15314
38	elder.hw. or elder abuse.sh. or elderly.hw.	479
39	(Old\$ or geriatric\$ or gerontologic\$).ti,ab.	15208
40	adult.hw. or adult.sh.	10611
41	middle aged.sh.	3321
42	(Age or aging or aged).ti,ab.	25001
43	or/37-42	46097
44	36 and 43	200
45	journal article.pt.	268604

46	44 and 45	164
----	-----------	-----

Applied Social Sciences Index and Abstracts (ASSIA) - ProQuest

Date searched: 22/02/2015

No. of records: 394

Limits: scholarly journals, language (English)

Q4 A, B, C: Reablement – effectiveness, cost effectiveness and views & experiences

((TI,AB(retable* OR retable*) OR TI,AB(Re-enablement OR enablement OR enablement) OR TI,AB(Res-care) OR TI,AB(Home NEAR/3 independence) OR TI,AB("Enhanced activation program") OR TI,AB(Wellness NEAR/3 (model* OR approach* OR intervention* OR service*))) OR (((SU.EXACT("Psychosocial rehabilitation") OR SU.EXACT("Rehabilitation units") OR SU.EXACT("Rehabilitation") OR SU.EXACT("Neuropsychological rehabilitation")) OR TI,AB(rehab*) OR TI,AB((Restorative OR recuperative OR resettlement) NEAR/3 (support* OR care OR service* OR provision*)) OR (SU.EXACT("Getting up") OR SU.EXACT("Activities of daily living") OR SU.EXACT("Dressing")) OR TI,AB((Activities NEAR/0 "daily living") OR ADL OR ADLs) OR (SU.EXACT("Convalescence") OR SU.EXACT("Recovery")) OR TI,AB("Recovery of function") OR TI,AB("Independent Living") OR TI,AB((Regain* OR improve* OR relearn OR re-learn OR optimize OR increase* OR recover* OR rebuild* OR restore*) NEAR/3 (function OR functioning OR independence OR confidence OR mobility OR skill* OR competency)) OR (SU.EXACT("Goals") OR SU.EXACT("Health related goals")) OR TI,AB(Goal* NEAR/2 (set* OR treat* OR therap* OR outcome*)) OR (SU.EXACT("Selfcare") OR SU.EXACT("Selfhelp")) OR TI,AB(Self NEAR/0 (care OR manage*)) AND ((SU.EXACT("Intermediate care") OR SU.EXACT("Intermediate care centres")) OR TI,AB("Intermediate care") OR TI,AB("Domiciliary care") OR SU.EXACT("Domiciliary visits") OR (SU.EXACT("Home health care") OR SU.EXACT("Home care") OR SU.EXACT("Home helps") OR SU.EXACT("Home health aides") OR SU.EXACT("Home environment") OR

SU.EXACT("Home from home care") OR SU.EXACT("Home delivery services")) OR
TI,AB(Home NEAR/0 (care OR visit* OR base*)) OR (SU.EXACT("Community care")
OR SU.EXACT("Community based clinics") OR SU.EXACT("Community health
services") OR SU.EXACT("Long term community care") OR SU.EXACT("Community
nurses") OR SU.EXACT("Community based programmes") OR
SU.EXACT("Community based treatment") OR SU.EXACT("Community mental
health professionals") OR SU.EXACT("Community psychologists") OR
SU.EXACT("Community health centres") OR SU.EXACT("Community based
discharge planning") OR SU.EXACT("Community health workers") OR
SU.EXACT("Community mental health services") OR SU.EXACT("Community
midwives") OR SU.EXACT("Community living") OR SU.EXACT("Community
nursing") OR SU.EXACT("Community midwifery") OR SU.EXACT("Community
based preventive programmes") OR SU.EXACT("Community psychology") OR
SU.EXACT("Community health care") OR SU.EXACT("Community based research")
OR SU.EXACT("Community health") OR SU.EXACT("Community occupational
therapy") OR SU.EXACT("Community nurse specialists") OR
SU.EXACT("Community health councils") OR SU.EXACT("Community based") OR
SU.EXACT("Community based action research")) OR TI,AB(Community NEAR/0
(dwelling* OR setting* OR living OR care OR service* OR nursing))) AND
(SU.EXACT("Time related factors") OR TI,AB(Time NEAR/3 (limit* OR restricted OR
bound OR factor)) OR TI,AB(Limited NEAR/3 (period OR duration)) OR TI,AB(Brief
NEAR/0 (time OR period OR duration)) OR TI,AB("Short term" OR shortterm) OR
TI,AB(6-week* OR "6 week*" OR six-week* OR "six week") OR (SU.EXACT("Cost
effectiveness") OR SU.EXACT("Medical effectiveness research") OR
SU.EXACT("Effectiveness") OR SU.EXACT("Clinical effectiveness")) OR
TI,AB(Effectiveness) OR (SU.EXACT("Clinical outcomes") OR
SU.EXACT("Outcomes")))) AND peer(yes) AND stype.exact("Scholarly Journals")
AND la.exact("English")

British Nursing Index (BNI) - ProQuest

Date searched: 23/02/2016

No. of records: 174

Limits: peer reviewed

Q4 A, B, C: Reablement – effectiveness, cost effectiveness, views and experiences

((TI,AB(Reable* OR re-able*) OR TI,AB(Re-enablement OR reenablement OR enablement) OR TI,AB(Res-care) OR TI,AB(Home NEAR/3 independence) OR TI,AB("Enhanced activation program") OR TI,AB(Wellness NEAR/0 (model* OR approach* OR intervention* OR service*))) OR ((TI,AB(Rehab*) OR (SU.EXACT("Occupational Therapy") OR SU.EXACT("Speech Disorders") OR SU.EXACT("Heart Disorders : Rehabilitation") OR SU.EXACT("Physiotherapy") OR SU.EXACT("Spinal Injuries : Rehabilitation") OR SU.EXACT("Stroke : Rehabilitation") OR SU.EXACT("Rehabilitation") OR SU.EXACT("Psychiatric Rehabilitation") OR SU.EXACT("Rehabilitation Nursing") OR SU.EXACT("Disabilities : Aids and Appliances"))) OR TI,AB((Restorative OR recuperative OR resettlement OR recovery) NEAR/3 (support* OR care OR service* OR provision*)) OR TI,AB((Activities NEAR/0 "daily living") OR ADL OR ADLs) OR TI,AB("Recovery of function") OR TI,AB("Independent Living") OR TI,AB((Regain* OR improve* OR relearn OR re-learn OR optimize OR increase* OR recover* OR rebuild* OR restore*) NEAR/3 (function OR functioning OR independence OR confidence OR mobility OR skill* OR competency)) OR TI,AB(Goal NEAR/2 (set* OR treat* OR therap* OR outcome*)) OR SU.EXACT("Self Care") OR TI,AB(Self NEAR/0 (care OR manag*))) AND (SU.EXACT("Continuity of Care") OR TI,AB("Intermediate care") OR TI,AB("Domiciliary care") OR SU.EXACT("Home Care Services") OR TI,AB(Home NEAR/0 (care OR visit* OR base*)) OR (SU.EXACT("Learning Disabilities : Community Nursing") OR SU.EXACT("Community Psychiatric Nursing") OR SU.EXACT("Community Care") OR SU.EXACT("Mental Health : Community Care") OR SU.EXACT("Community Medicine") OR SU.EXACT("Community Health Services") OR SU.EXACT("Community Nursing")) OR TI,AB(Community NEAR/0 (dwelling* OR setting* OR living OR care OR service*))) AND (TI,AB(Time NEAR/3 (limit* OR restricted OR bound OR factor)) OR TI,AB(Limited NEAR/3 (period OR duration)) OR TI,AB(Brief NEAR/0 (time OR period OR duration)) OR TI,AB("Short term" OR short-term) OR TI,AB(6-week* OR "6 week*" OR six-week* OR "six week*") OR TI,AB(Effectiveness) OR SU.EXACT("Evidence Based Practice") OR SU.EXACT("Outcomes and Prognoses")))) AND peer(yes)

Cumulative Index to Nursing and Allied Health Literature (CINAHL) - EBSCO

Date searched: 23/02/2016

No. of records: 809

Limits: language (English)

Q4 A, B, C: Reablement – effectiveness, cost effectiveness, views and experiences

#	Query	Results
S50	S42 AND S48 Limiters - English Language, academic journals	809
S49	S42 AND S48	821
S48	S43 OR S44 OR S45 OR S46 OR S47	772,444
S47	(TI(old*) OR TI(geriatric) OR TI(aged) NOT TI(child*) NOT TI(youth*) NOT TI(adolescen*)) or (AB(old*) OR AB(geriatric) OR AB(aged) NOT AB(child*) NOT AB(youth*) NOT AB(adolescen*))	174,797
S46	(ZU "adult") or (ZU "adult evaluation") or (ZU "adult rehabilitation") or (ZU "adult social care") or (ZU "adults")	489,446
S45	(ZU "frail elderly") or (ZU "frail elderly england") or (ZU "frail elderly ethical issues") or (ZU "frail elderly europe") or (ZU "frail elderly european union") or (ZU "frail elderly evaluation") or (ZU "frail elderly psychosocial factors") or (ZU "frail elderly statistics and numerical data") or (ZU "frail elderly united kingdom") or (ZU "frail elderly wales") or (ZU "frail older adult") or (ZU "frail older people") or (ZU	3,802

	"frail people") or (ZU "frailty")	
S44	(ZU "aged") or (ZU "aged 80 years and over") or (ZU "aged australia") or (ZU "aged care") or (ZU "aged europe") or (ZU "aged evaluation") or (ZU "aged legislation and jurisprudence") or (ZU "aged organizations") or (ZU "aged organizations great britain") or (ZU "aged organizations united kingdom") or (ZU "aged organizations united states") or (ZU "aged psychosocial factors") or (ZU "aged psychosocial factors united kingdom") or (ZU "aged statistics and numerical data") or (ZU "aged united kingdom") or (ZU "aged wales") or (ZU "aged, 80 and over") or (ZU "aged, 80 and over australia") or (ZU "aged, 80 and over classification") or (ZU "aged, 80 and over denmark") or (ZU "aged, 80 and over italy") or (ZU "aged, 80 and over michigan") or (ZU "aged, 80 and over netherlands") or (ZU "aged, 80 and over psychosocial factors") or (ZU "aged, 80 and over psychosocial factors united kingdom") or (ZU "aged, 80 and over statistics and numerical data") or (ZU "aged, 80 and over sweden") or (ZU "aged, 80 and over united kingdom") or (ZU "ageing")	370,543
S43	(ZU "older") or (ZU "older adult") or (ZU "older adulthood") or (ZU "older adults") or (ZU "older age") or (ZU "older carers") or (ZU "older men") or (ZU "older patients") or (ZU "older people") or (ZU "older person") or (ZU "older persons") or (ZU "older population") or (ZU "older women") or (ZU "oldest old") or (ZU "oldest-old")	130
S42	S6 OR S41	1,411
S41	S22 AND S31 AND S40	938
S40	S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39	258,504

S39	((ZU "effectiveness")) or ((ZU "treatment outcome") or (ZU "treatment outcomes") or (ZU "treatment outcomes adverse effects") or (ZU "treatment outcomes australia") or (ZU "treatment outcomes classification in old age") or (ZU "treatment outcomes denmark") or (ZU "treatment outcomes economics") or (ZU "treatment outcomes england") or (ZU "treatment outcomes equipment and supplies") or (ZU "treatment outcomes ethical issues") or (ZU "treatment outcomes europe") or (ZU "treatment outcomes evaluation") or (ZU "treatment outcomes evaluation australia") or (ZU "treatment outcomes evaluation europe") or (ZU "treatment outcomes evaluation in adulthood") or (ZU "treatment outcomes evaluation in middle age") or (ZU "treatment outcomes evaluation in old age"))	129,001
S38	TI(Effectiveness) or AB(Effectiveness)	58,842
S37	TI(6-week* or "6 week*" or "six-week*" or "six week*") or AB(6-week* or "6 week*" or "six-week*" or "six week*")	9,983
S36	TI("Short term" or short-term) or AB("Short term" or short-term)	16,375
S35	TI(Brief W0 (time or period or duration)) or AB(Brief W0 (time or period or duration))	320
S34	TI(Limited W3 (period or duration)) or AB(Limited W3 (period or duration))	271
S33	TI(Time W3 (limit* or restricted or bound or factor)) or AB(Time W3 (limit* or restricted or bound or factor))	2,362
S32	(ZU "time factors") or (ZU "time limit")	72,027
S31	S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30	49,701

S30	TI(Community W0 (dwelling* or setting* or living)) or AB(Community W0 (dwelling* or setting* or living))	9,963
S29	(ZU "community care") or (ZU "community care centres") or (ZU "community health") or (ZU "community health centers") or (ZU "community health centers administration") or (ZU "community health centers economics") or (ZU "community health centers economics united kingdom") or (ZU "community health centers england") or (ZU "community health centers evaluation") or (ZU "community health centers evaluation united kingdom") or (ZU "community health centers evaluation united states") or (ZU "community health centers finland") or (ZU "community health centers germany") or (ZU "community health centers great britain") or (ZU "community health centers legislation and jurisprudence") or (ZU "community health centers netherlands") or (ZU "community health centers statistics and numerical data") or (ZU "community health centers trends") or (ZU "community health centers united kingdom") or (ZU "community health centers utilization") or (ZU "community health centers utilization in old age") or (ZU "community health centers utilization united states") or (ZU "community health centers wales") or (ZU "community health nursing") or (ZU "community health nursing administration") or (ZU "community health nursing administration england") or (ZU "community health nursing administration germany") or (ZU "community health nursing administration northern ireland") or (ZU "community health nursing administration scotland") or (ZU "community health nursing administration united kingdom") or (ZU "community health nursing administration wales") or (ZU "community health nursing australia") or (ZU "community health nursing australian capital territory") or (ZU "community health nursing canada") or (ZU "community health nursing classification") or (ZU "community health nursing classification united kingdom") or (ZU "community health nursing denmark") or (ZU "community health nursing economics") or (ZU "community health nursing economics	23,858

	australia") or (ZU "community health nursing economics england") or (ZU "community health nursing economics in old age") or (ZU "community health nursing economics ireland") or (ZU "community health nursing economics new south wales") or (ZU "community health nursing economics new zealand") or (ZU "community health nursing economics scotland") or (ZU "community health nursing economics united kingdom") or (ZU "community health nursing economics united states") or (ZU "community health nursing economics victoria")	
S28	TI(Home W0 (care or visit* or base*)) or AB(Home W0 (care or visit* or base*))	15,810
S27	TI(Homecare or home-care or home?care) or AB(Homecare or home-care or home?care)	11,007
S26	(ZU "home-visit rehabilitation") or (ZU "home-visiting intervention") or (ZU "home-visiting nursing services") or (ZU "homebound patients") or (ZU "homebound patients ethical issues") or (ZU "homebound patients evaluation") or (ZU "homebound patients evaluation in old age") or (ZU "homebound patients in old age") or (ZU "homebound patients in old age england") or (ZU "homebound patients legislation and jurisprudence") or (ZU "homebound patients legislation and jurisprudence new jersey") or (ZU "homebound patients legislation and jurisprudence united states") or (ZU "homebound patients psychosocial factors") or (ZU "homebound patients psychosocial factors in old age") or (ZU "homebound patients statistics and numerical data") or (ZU "homebound patients united kingdom") or (ZU "homebound persons")	502
S25	(ZU "home care") or (ZU "home care device") or (ZU "home care equipment and supplies") or (ZU "home care equipment and supplies economics") or (ZU "home care equipment and supplies economics	387

	finland") or (ZU "home care equipment and supplies education") or (ZU "home care equipment and supplies evaluation") or (ZU "home care equipment and supplies history") or (ZU "home care equipment and supplies in old age") or (ZU "home care equipment and supplies legislation and jurisprudence") or (ZU "home care equipment and supplies legislation and jurisprudence united kingdom") or (ZU "home care equipment and supplies legislation and jurisprudence united states") or (ZU "home care equipment and supplies organizations") or (ZU "home care equipment and supplies standards") or (ZU "home care equipment and supplies standards wales") or (ZU "home care equipment and supplies trends") or (ZU "home care equipment and supplies united kingdom") or (ZU "home care equipment and supplies utilization") or (ZU "home care equipment and supplies utilization germany") or (ZU "home care nursing") or (ZU "home care organizers") or (ZU "home care service") or (ZU "home care services") or (ZU "home care supporting clinic")	
S24	TI("Domiciliary care") or AB("Domiciliary care")	119
S23	TI("Intermediate care") or AB("Intermediate care")	566
S22	S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21	128,161
S21	TI(Self W0 (care or manag*)) or AB(Self W0 (care or manag*))	13,322
S20	(ZU "self administration") or (ZU "self administration evaluation in old age") or (ZU "self administration in adulthood") or (ZU "self administration in old age") or (ZU "self administration in old age united kingdom") or (ZU "self administration methods in old age") or (ZU "self administration nursing") or (ZU "self administration nursing in old age") or (ZU "self administration trends in old age") or (ZU "self administration utilization") or (ZU "self care") or (ZU "self care	22,886

	adverse effects")	
S19	TI(Self-sufficient* or self-efficacy) or AB(Self-sufficient* or self-efficacy)	9,041
S18	TI(Goal* W2 (set* or treat* or therap*)) or AB(Goal* W2 (set* or treat* or therap*))	3,163
S17	(ZU "goal attainment") or (ZU "goal attainment evaluation") or (ZU "goal attainment evaluation in old age") or (ZU "goal attainment in old age") or (ZU "goal attainment methods") or (ZU "goal attainment standards") or (ZU "goal attainment trends") or (ZU "goal finding") or (ZU "goal perspective") or (ZU "goal setting") or (ZU "goal-setting") or (ZU "goal-setting classification") or (ZU "goal-setting economics") or (ZU "goal-setting ethical issues") or (ZU "goal-setting evaluation") or (ZU "goal-setting evaluation in old age") or (ZU "goal-setting in old age") or (ZU "goal-setting methods") or (ZU "goal-setting methods in old age") or (ZU "goal-setting standards") or (ZU "goal-setting trends") or (ZU "goal-setting united kingdom") or (ZU "goal-setting utilization") or (ZU "goals") or (ZU "goals and objectives") or (ZU "goals and objectives economics") or (ZU "goals and objectives evaluation") or (ZU "goals and objectives in old age") or (ZU "goals and objectives methods") or (ZU "goals and objectives trends") or (ZU "goals and objectives trends united kingdom") or (ZU "goals and objectives united kingdom") or (ZU "goals and objectives utilization")	10,013
S16	TI((Regain* or improve* or relearn or re-learn or optimise or optimize or increase* or recover* or rebuild* or restore*) W3 (social or function or functioning or independen* or confidence or mobility or skill* or competen*)) or AB((Regain* or improve* or relearn or re-learn or optimise or optimize or increase* or recover* or rebuild* or restore*) W3 (social or function or functioning or independen* or confidence or	19,721

	mobility or skill* or competen*))	
S15	(ZU "independent living")	3
S14	TI("Independent living") or AB("independent living")	1,230
S13	TI(Recovery W3 function) or AB(Recovery W3 function)	1,060
S12	(ZU "recovery of function") or (ZU "recovery in middle age") or (ZU "recovery in old age") or (ZU "recovery in old age france") or (ZU "recovery methods") or (ZU "recovery evaluation") or (ZU "recovery in adulthood")	474
S11	(ZU "activities of daily living") or (ZU "activities of daily living (adl)") or (ZU "activities of daily living (saba ccc)") or (ZU "activities of daily living adverse effects") or (ZU "activities of daily living alteration (saba ccc)") or (ZU "activities of daily living canada") or (ZU "activities of daily living classification") or (ZU "activities of daily living classification in old age") or (ZU "activities of daily living economics") or (ZU "activities of daily living economics in old age") or (ZU "activities of daily living education in old age") or (ZU "activities of daily living education northern ireland") or (ZU "activities of daily living equipment and supplies") or (ZU "activities of daily living ethical issues") or (ZU "activities of daily living evaluation") or (ZU "activities of daily living evaluation in adulthood") or (ZU "activities of daily living evaluation in middle age") or (ZU "activities of daily living evaluation in old age") or (ZU "activities of daily living impairment") or (ZU "activities of daily living in adulthood") or (ZU "activities of daily living in middle age") or (ZU "activities of daily living in old age") or (ZU "activities of daily living in old age canada") or (ZU "activities of daily living in old age denmark") or (ZU "activities of daily living in old age norway") or (ZU "activities of daily living in old age sweden") or (ZU "activities of daily living in old age united states") or (ZU "activities of	20

	daily living methods") or (ZU "activities of daily living netherlands") or (ZU "activities of daily living nursing") or (ZU "activities of daily living physiology") or (ZU "activities of daily living physiology in old age") or (ZU "activities of daily living psychosocial factors") or (ZU "activities of daily living psychosocial factors in old age") or (ZU "activities of daily living psychosocial factors new zealand") or (ZU "activities of daily living psychosocial factors united states") or (ZU "activities of daily living standards") or (ZU "activities of daily living statistics and numerical data") or (ZU "activities of daily living trends") or (ZU "activities of daily living trends in old age") or (ZU "activities of daily living united kingdom") or (ZU "activities of daily living united states") or (ZU "activities of daily living utilization") or (ZU "activities of daily living/classification")	
S10	TI("Activities W1 daily living" or "ADL" or "ADLs") or AB("Activities W1 daily living" or "ADL" or "ADLs")	2,782
S9	TI((Restorative or recuperative or resettlement) W3 (support* or care or service* or provision*)) or AB((Restorative or recuperative or resettlement) W3 (support* or care or service* or provision*))	215
S8	(ZU "rehabilitation") or (ZU "rehabilitation administration") or (ZU "rehabilitation administration europe") or (ZU "rehabilitation adverse effects") or (ZU "rehabilitation australia") or (ZU "rehabilitation centers") or (ZU "rehabilitation centers administration united kingdom") or (ZU "rehabilitation centers australia") or (ZU "rehabilitation centers california") or (ZU "rehabilitation centers canada") or (ZU "rehabilitation centers denmark") or (ZU "rehabilitation centers economics") or (ZU "rehabilitation centers economics australia") or (ZU "rehabilitation centers economics england") or (ZU "rehabilitation centers economics germany") or (ZU "rehabilitation centers economics tasmania") or (ZU "rehabilitation centers economics united kingdom") or (ZU "rehabilitation centers	22,395

economics united states") or (ZU "rehabilitation centers england") or (ZU "rehabilitation centers ethical issues") or (ZU "rehabilitation centers evaluation") or (ZU "rehabilitation centers evaluation australia") or (ZU "rehabilitation centers evaluation canada") or (ZU "rehabilitation centers evaluation in old age") or (ZU "rehabilitation centers evaluation new york") or (ZU "rehabilitation centers evaluation united kingdom") or (ZU "rehabilitation centers evaluation united states") or (ZU "rehabilitation centers finland") or (ZU "rehabilitation centers france") or (ZU "rehabilitation centers germany") or (ZU "rehabilitation centers germany, west") or (ZU "rehabilitation centers history united kingdom") or (ZU "rehabilitation centers iceland") or (ZU "rehabilitation centers in old age") or (ZU "rehabilitation centers ireland") or (ZU "rehabilitation centers netherlands") or (ZU "rehabilitation centers norway") or (ZU "rehabilitation centers trends united kingdom") or (ZU "rehabilitation centers united kingdom") or (ZU "rehabilitation centers utilization") or (ZU "rehabilitation classification") or (ZU "rehabilitation economics") or (ZU "rehabilitation economics belgium") or (ZU "rehabilitation economics europe") or (ZU "rehabilitation economics germany") or (ZU "rehabilitation economics in old age") or (ZU "rehabilitation economics united kingdom") or (ZU "rehabilitation education australia") or (ZU "rehabilitation education canada") or (ZU "rehabilitation education europe") or (ZU "rehabilitation education germany") or (ZU "rehabilitation education united kingdom") or (ZU "rehabilitation england") or (ZU "rehabilitation equipment and supplies") or (ZU "rehabilitation equipment and supplies united kingdom") or (ZU "rehabilitation ethical issues") or (ZU "rehabilitation europe") or (ZU "rehabilitation evaluation") or (ZU "rehabilitation evaluation australia") or (ZU "rehabilitation evaluation canada") or (ZU "rehabilitation evaluation europe") or (ZU "rehabilitation evaluation netherlands") or (ZU "rehabilitation evaluation united kingdom") or (ZU "rehabilitation evaluation united states") or (ZU "rehabilitation finland") or (ZU "rehabilitation germany") or (ZU

"rehabilitation germany, west") or (ZU "rehabilitation history united kingdom") or (ZU "rehabilitation in adulthood") or (ZU "rehabilitation in adulthood united kingdom") or (ZU "rehabilitation in middle age") or (ZU "rehabilitation legislation and jurisprudence") or (ZU "rehabilitation legislation and jurisprudence united kingdom") or (ZU "rehabilitation method") or (ZU "rehabilitation methods") or (ZU "rehabilitation methods in adulthood") or (ZU "rehabilitation nursing") or (ZU "rehabilitation nursing australia") or (ZU "rehabilitation nursing canada") or (ZU "rehabilitation nursing economics") or (ZU "rehabilitation nursing england") or (ZU "rehabilitation nursing equipment and supplies") or (ZU "rehabilitation nursing ethical issues") or (ZU "rehabilitation nursing evaluation") or (ZU "rehabilitation nursing history") or (ZU "rehabilitation nursing in old age") or (ZU "rehabilitation nursing legislation and jurisprudence") or (ZU "rehabilitation nursing methods") or (ZU "rehabilitation nursing netherlands") or (ZU "rehabilitation nursing new south wales") or (ZU "rehabilitation nursing new zealand") or (ZU "rehabilitation nursing norway") or (ZU "rehabilitation nursing organizations") or (ZU "rehabilitation nursing organizations australia") or (ZU "rehabilitation nursing psychosocial factors") or (ZU "rehabilitation nursing standards") or (ZU "rehabilitation nursing trends") or (ZU "rehabilitation nursing trends united kingdom") or (ZU "rehabilitation nursing united kingdom") or (ZU "rehabilitation nursing wales") or (ZU "rehabilitation nutrition team") or (ZU "rehabilitation of hearing impaired") or (ZU "rehabilitation of hearing impaired economics") or (ZU "rehabilitation of hearing impaired equipment and supplies") or (ZU "rehabilitation of hearing impaired evaluation") or (ZU "rehabilitation of hearing impaired evaluation in adulthood") or (ZU "rehabilitation of hearing impaired in adulthood") or (ZU "rehabilitation of hearing impaired in old age") or (ZU "rehabilitation of hearing impaired organizations") or (ZU "rehabilitation of hearing impaired psychosocial factors in old age") or (ZU "rehabilitation of hearing impaired trends in old age") or (ZU "rehabilitation of vision

	impaired") or (ZU "rehabilitation of vision impaired economics") or (ZU "rehabilitation of vision impaired education united kingdom") or (ZU "rehabilitation of vision impaired england") or (ZU "rehabilitation of vision impaired equipment and supplies") or (ZU "rehabilitation of vision impaired equipment and supplies in old age") or (ZU "rehabilitation of vision impaired evaluation") or (ZU "rehabilitation of vision impaired evaluation in old age") or (ZU "rehabilitation of vision impaired in adulthood") or (ZU "rehabilitation of vision impaired in old age") or (ZU "rehabilitation of vision impaired methods") or (ZU "rehabilitation of vision impaired psychosocial factors in old age") or (ZU "rehabilitation of vision impaired united kingdom") or (ZU "rehabilitation of vision impaired utilization in old age") or (ZU "rehabilitation organizations") or (ZU "rehabilitation organizations canada") or (ZU "rehabilitation organizations europe") or (ZU "rehabilitation outcome") or (ZU "rehabilitation patients") or (ZU "rehabilitation patients evaluation") or (ZU "rehabilitation patients in old age") or (ZU "rehabilitation patients in old age sweden") or (ZU "rehabilitation patients psychosocial factors in old age") or (ZU "rehabilitation psychosocial factors") or (ZU "rehabilitation trends europe") or (ZU "rehabilitation trends united kingdom") or (ZU "rehabilitation united kingdom") or (ZU "rehabilitation united states") or (ZU "rehabilitation utilization")	
S7	TI(Rehab*) or AB(Rehab*)	52,678
S6	S1 OR S2 OR S3 OR S4 OR S5	481
S5	TI(Home W3 independence) or AB(Home W3 independence)	30
S4	TI((Wellness or well?being) W3 (model* or approach* or intervention* or service*)) or AB((Wellness or well?being) W3 (model* or approach* or intervention* or service*))	269

S3	TI(Res-care) or AB(Res-care)	16
S2	TI(Re?enablement or reenablement or enablement) or AB(Re?enablement or reenablement or enablement)	132
S1	TI(Reable* or re-able*) or AB(Reable* or re-able*)	35

**Cochrane Database of Systematic Reviews, Trials and Economic reviews -
Wiley**

Date searched: 23/02/2016

No. of records: 877

Limits: age

**Q4A, B, C: Reablement – effectiveness, cost effectiveness, views and
experiences**

ID	Search	Hits
#1	reablement	3
#2	re-ablement	6
#3	enablement	82
#4	"restorative care"	36
#5	"recuperative care"	2
#6	"home independence"	1
#7	"independent recovery"	1
#8	"wellness"	698
#9	"frailty"	445

- #10 "Enhanced activation program" 0
- #11 "Res-care" 7
- #12 #1 or #2 or #3 or #5 or #6 or #7 or #8 or #9 or #10 or #11 1226
- #13 "social work" 1138
- #14 "home care" 4096
- #15 "rehabilitation" 35769
- #16 "community service" 135
- #17 "community settings" 725
- #18 "community care" 1193
- #19 "intermediate care" 210
- #20 "early intervention" 2276
- #21 "preventative care" 39
- #22 "emergency care" 1036
- #23 "nursing" 21017
- #24 #13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21 or #22 or #23
61473
- #25 #12 and #24 394
- #26 "regaining independence" 4
- #27 "independent function" 31
- #28 "maintain independence" 25
- #29 "short-term care" 17
- #30 "recover function" 7

#31	"restore function"	36
#32	"maximise independence"	3
#33	goal	11998
#34	"self care"	5673
#35	"independent living"	380
#36	"activities of daily living"	6946
#37	"assistive technologies"	28
#38	"tele care"	17
#39	"telemedicine"	1975
#40	"self-sufficient"	18
#41	"personal autonomy"	179
#42	"self-efficacy"	5034
#43	"crisis response"	5
#44	"assessment"	144266
#45	"referral"	7827
#46	"continuity of care"	319
#47	"interdisciplinary"	1415
#48	"multidisciplinary"	3545
#49	"multi-agency"	21
#50	"inter-professional"	40
#51	"communication"	10626

#52	"patient care team"	1663
#53	"cooperative"	6043
#54	"joint working"	20
#55	"integrated care"	352
#56	"integration"	2643
#57	"hospital discharge"	4585
#58	"readmission"	2919
#59	"avoidance"	3885
#60	"delayed discharge"	101
#61	"information sharing"	64
#62	#26 or #27 or #28 or #29 or #30 or #31 or #32 or #33 or #34 or #35 or #36 or #37 or #38 or #39 or #40 or #41 or 42 or #43 or #44 or #45 or #46 or #47 or #48 or #49 or #50 or #51 or #52 or #53 or #54 or #55 or #56 or #57 or #58 or #59 or #60 or #61	224998
#63	#24 and #62	27663
#64	MeSH descriptor: [Homes for the Aged] explode all trees	553
#65	MeSH descriptor: [Aged] explode all trees	974
#66	MeSH descriptor: [Aged, 80 and over] explode all trees	97
#67	MeSH descriptor: [Adult] explode all trees	1469
#68	#64 or #65 or #66 or #67	1972
#69	#63 and #68	534
#70	#25 or #69	877

RQ5: Intermediate care or reablement for people living with dementia

Conducted in 2016, the Dementia and Reablement search strategy was formulated to answer questions about Intermediate Care in the home or community setting.

Questions:

- What is the effectiveness and cost effectiveness of intermediate and reablement for people living with dementia?
- What are the views and experiences of people living with dementia, their families and carers in relation to intermediate care and reablement?
- What are the views and experiences of health, social care and other practitioners about intermediate care and reablement for people living with dementia?

Databases:

- Allied and Complementary Medicine Database (AMED)
- Cochrane Database of Systematic Reviews, Trials, Economic reviews
- Cumulative Index to Nursing and Allied Health Literature (CINAHL)
- Excerpta Medica database (Embase)
- Medical Literature Analysis and Retrieval System Online (MEDLINE)
- Health Management Information Consortium (HMIC)
- Cochrane Library
- NIHR Library
- CRD databases
- Applied Social Sciences Index and Abstracts (ASSIA)
- Social Policy and Practice (SPP) including social care online
- Social Work Abstracts (SWA)
- Abstracts in Social Gerontology
- Ageline
- SocINDEX
- PsycINFO

Organisations:

- Alzheimer's society

- Joseph Rowntree Foundation
- Carers Trust
- Royal Voluntary Service
- Kings Fund
- Housing care
- Mental Health Foundation
- Alzheimer's research UK
- NHS England

Universities:

- University of York
- University College London
- University of Bradford
- University of Stirling

A range of electronic databases in the fields of social care, health, rehabilitation and social science were searched, using a combination of controlled and free text terms around the requirements of the Scope, Appendix 3: Service category definitions of the 'National Audit of Intermediate Care 2014' and the Review Protocol.

Dementia (condition) and intermediate care (short-term intervention) was identified as a small data set, therefore the following core search approach was undertaken without date limits, to collect all studies on the topic (as this was a manageable number):

A: Condition (alzheimer's, dementia, frontotemporal dementia etc.)

B: Intervention 1 (reablement, intermediate care, reenablement etc.)

C: Intervention 2 (restorative care, regaining independence etc.)

D: Duration (time factors, brief, short-term etc.)

E: Language limits (English)

Organisation and additional searches:

Terms frequently used within the organisation searches for dementia and reablement (intermediate care) consisted of: dementia and reablement, intermediate care and

dementia, rehabilitation combined with dementia and time limits. Relevant PDF's where then searched within, to clarify the relevance to the specific question.

Additional Google and Google Scholar searches were undertaken due to the decision to change the standard NCCSC search approach, to a question by question approach, after the scope searches had been conducted and the 'National Audit of Intermediate Care' service categories were identified. These searches included the key terms above associated with systematic review, outcomes, cost and effectiveness, views or experiences, literature reviews, qualitative data or time limits.

All searches RQ4 - Reablement and Dementia (Intermediate Care)

Abstracts in Social Gerontology (EBSCO)

Date searched: 31/03/2016

No. of records: 136

Limits: language (English)

RQ 5 A, B, C: Dementia and Reablement (Intermediate care)

#	Query	Results
S53	S8 AND S51 Narrow by Language: - English	136
S52	S8 AND S51	137
S51	S16 OR S50	758
S50	S36 AND S49	634
S49	S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48	5,612

S48	TI "Treatment Outcome" OR AB "Treatment Outcome"	76
S47	KW Treatment outcome	50
S46	TI Effectiveness OR AB Effectiveness	2,768
S45	KW Effectiveness	107
S44	SU Effectiveness	1,143
S43	TI ((6-week* or 6?week* or six-week* or six?week*)) OR AB ((6-week* or 6?week* or six-week* or six?week*))	317
S42	TI (("Short term" or short-term)) OR AB (("Short term" or short-term))	761
S41	TI ((Brief W0 (time or period or duration))) OR AB ((Brief W0 (time or period or duration)))	8
S40	TI ((Limited W3 (period or duration))) OR AB ((Limited W3 (period or duration)))	11
S39	TI ((Time W3 (limit* or restricted or bound or factor))) OR AB ((Time W3 (limit* or restricted or bound or factor)))	132
S38	KW Time	202
S37	SU Time	715
S36	S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35	6,349

S35	TI ((Self W0 (care or manag*))) OR AB ((Self W0 (care or manag*)))	572
S34	KW Self care	62
S33	SU Self care	383
S32	TI ((Goal* W2 (set* or treat* or therap*)) OR AB ((Goal* W2 (set* or treat* or therap*))	102
S31	KW Goal*	62
S30	SU Goal*	187
S29	TI (((Regain* or improve* or relearn or re-learn or optimi#e or increase* or recover* or rebuild* or restore*) W3 (social or function or functioning or independen* or confidence or mobility or skill* or competen*))) OR AB (((Regain* or improve* or relearn or re-learn or optimi#e or increase* or recover* or rebuild* or restore*) W3 (social or function or functioning or independen* or confidence or mobility or skill* or competen*)))	1,130
S28	KW Independent Living	30
S27	SU Independent Living	812
S26	TI "recovery of function" OR AB "recovery of function"	5
S25	KW "Recovery of Function"	2
S24	TI (((Activities W0 "daily living") or ADL or ADLs)) OR AB (((Activities W0 "daily living") or ADL or ADLs))	1,172

S23	KW Activities of Daily Living	390
S22	SU Activities of Daily Living	1,586
S21	TI (((Restorative or recuperative or resettlement) W3 (support* or care or service* or provision*))) OR AB (((Restorative or recuperative or resettlement) W3 (support* or care or service* or provision*)))	44
S20	KW restorative W2 care	9
S19	TI Rehab* OR AB Rehab*	1,250
S18	KW Rehabilitation	215
S17	SU Rehabilitation	563
S16	S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15	133
S15	TI Res-care OR AB Res-care	5
S14	TI (((Intermediate W3 (care or setting* or unit* or facilit* or home* or hous* or nurs* or sector* or provision* or provider*))) OR AB (((Intermediate W3 (care or setting* or unit* or facilit* or home* or hous* or nurs* or sector* or provision* or provider*)))	113
S13	KW Intermediate Care	13
S12	SU Intermediate Care	12
S11	TI (Re-enablement or reenablement or enablement) OR AB (Re-enablement or reenablement or enablement)	10

S10	TI (Reable* or re-able*) OR AB (Reable* or re-able*)	4
S9	KW Reablement	2
S8	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7	14,419
S7	TI Lewy* W2 bod* OR AB Lewy* W2 bod*	379
S6	TI Alzheimer* Disease OR AB Alzheimer* Disease	5,581
S5	TI Dement* OR AB Dement*	10,827
S4	KW Alzheimer* Disease	2,643
S3	SU Alzheimer* Disease	4,302
S2	KW Dementia	4,583
S1	SU Dementia	8,054

AGELINE - EBSCO

Date searched: 31/03/2016

No. of records: 207

Q5 A, B, C: Dementia and Reablement (Intermediate care)

#	Query	Results
S36	S6 AND S35	207

S35	S13 OR S34	1,428
S34	S25 AND S33	928
S33	S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32	6,628
S32	TI "Treatment outcome" OR AB "Treatment outcome"	60
S31	TI Effectiveness OR AB Effectiveness	4,148
S30	TI (6-week* or 6?week* or six-week* or six?week*) OR AB (6-week* or 6?week* or six-week* or six?week*)	632
S29	TI ("Short term" or short-term) OR AB ("Short term" or short-term)	1,645
S28	TI ((Brief W0 (time or period or duration))) OR AB ((Brief W0 (time or period or duration)))	46
S27	TI ((Limited W3 (period or duration))) OR AB ((Limited W3 (period or duration)))	27
S26	TI ((Time W3 (limit* or restricted or bound or factor))) OR AB ((Time W3 (limit* or restricted or bound or factor))	294
S25	S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24	12,224
S24	TI ((Self W0 (care or manag*))) OR AB ((Self W0 (care or manag*)))	1,459
S23	DE "Self Care"	1,251
S22	TI ((Goal* W2 (set* or treat* or therap*))) OR AB ((Goal* W2 (set* or	258

	treat* or therap*)))	
S21	TI (((Regain* or improve* or relearn or re-learn or optimi#e or increase* or recover* or rebuild* or restore*) W3 (social or function or functioning or independen* or confidence or mobility or skill* or competen*))) OR AB (((Regain* or improve* or relearn or re-learn or optimi#e or increase* or recover* or rebuild* or restore*) W3 (social or function or functioning or independen* or confidence or mobility or skill* or competen*)))	2,204
S20	DE "Independent Living"	1,221
S19	TI "Recovery of Function" OR AB "Recovery of Function"	8
S18	TI (((Activities W0 "daily living") or ADL or ADLs)) OR AB (((Activities W0 "daily living") or ADL or ADLs))	2,176
S17	DE "Activities of Daily Living"	2,760
S16	TI (((Restorative or recuperative or resettlement) W3 (support* or care or service* or provision*))) OR AB (((Restorative or recuperative or resettlement) W3 (support* or care or service* or provision*)))	108
S15	TI Rehab* OR AB Rehab*	3,614
S14	DE "Rehabilitation"	1,599
S13	S7 OR S8 OR S9 OR S10 OR S11 OR S12	513
S12	TI "Home independence" OR AB "Home independence"	4
S11	TI Res-care OR AB Res-care	7

S10	TI ((Intermediate W3 (care or setting* or unit* or facilit* or home* or hous* or nurs* or sector* or provision* or provider*))) OR AB ((Intermediate W3 (care or setting* or unit* or facilit* or home* or hous* or nurs* or sector* or provision* or provider*)))	479
S9	DE "Intermediate Care"	135
S8	TI (Re-enablement or reenablement or enablement) OR AB (Re-enablement or reenablement or enablement)	8
S7	TI (Reable* or re-able*) OR AB (Reable* or re-able*)	3
S6	S1 OR S2 OR S3 OR S4 OR S5	19,768
S5	TI Lewy* W2 bod* OR AB Lewy* W2 bod*	264
S4	DE "Lewy Body Dementia"	187
S3	TI Alzheimer* OR AB Alzheimer*	9,708
S2	TI Dement* OR AB Dement*	14,841
S1	DE "Dementia" OR DE "Alzheimers Disease" OR DE "Early Onset Dementia" OR DE "Frontotemporal Dementia" OR DE "Lewy Body Dementia" OR DE "Vascular Dementia"	16,063

Allied and Complementary Medicine Database (AMED) - OVID

Date searched: 15/03/2016

No. of records: 92

Limits: language (English)

Q5 A, B, C: Dementia and reablement (Intermediate care)

	Searches	Results
1	Dementia/	1575
2	Alzheimers Disease/	867
3	Dement\$.ti,ab.	2127
4	Alzheimer\$.ti,ab.	1092
5	(Lewy\$ adj2 bod\$).ti,ab.	15
6	1 or 2 or 3 or 4 or 5	3043
7	(Reable\$ or re-able\$).ti,ab.	6
8	(Re-enablement or reenablement or enablement).ti,ab.	47
9	(Intermediate adj3 (care or setting\$ or unit\$ or facilit\$ or home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or provider\$)).ti,ab.	56
10	7 or 8 or 9	109
11	Rehabilitation/	49213
12	Rehab\$.ti,ab.	24242
13	((Restorative or recuperative or resettlement) adj3 (support\$ or care or service\$ or provision\$)).ti,ab.	28
14	"Activities of Daily Living"/	4948
15	Independent Living/	1931

16	((Regain\$ or improve\$ or relearn or re-learn or optimi#e or increase\$ or recover\$ or rebuild\$ or restore\$) adj3 (social or function or functioning or independen\$ or confidence or mobility or skill\$ or competen\$)).ti,ab.	5177
17	Goals/	421
18	(Goal\$ adj2 (set\$ or treat\$ or therap\$)).ti,ab.	1041
19	Self care/	1557
20	(Self adj (care or manag\$)).ti,ab.	1489
21	11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20	63873
22	Time/	1684
23	(Time adj3 (limit\$ or restricted or bound or factor)).ti,ab.	379
24	(Limited adj3 (period or duration)).ti,ab.	46
25	(Brief adj (time or period or duration)).ti,ab.	41
26	("Short term" or short-term).ti,ab.	2067
27	(6-week\$ or 6?week\$ or six-week\$ or six?week\$).ti,ab.	2009
28	Effectiveness.ti,ab.	7950
29	Treatment Outcome/	15602
30	22 or 23 or 24 or 25 or 26 or 27 or 28 or 29	27073
31	21 and 30	9344

32	10 or 31	9438
33	6 and 32	97
34	limit 33 to english language	92

Applied Social Sciences Index and Abstracts (ASSIA) - ProQuest

Date searched: 15/03/2016

No. of records: 51

Q5 A, B, C: Dementia and Reablement (Intermediate care)

(SU.EXACT("Dementia") OR SU.EXACT("Multi-infarct dementia") OR SU.EXACT("Vascular dementia") OR SU.EXACT("Senile dementia") OR SU.EXACT("Subcortical dementia") OR SU.EXACT("Alzheimer's disease" OR "Presenile Alzheimer's disease") OR (ti(Dement*) OR ab(Dement*)) OR (ti(Alzheimer*) OR ab(Alzheimer*)) OR SU.EXACT("Lewy body dementia") OR (ti(Lewy* NEAR/2 bod*) OR ab(Lewy* NEAR/2 bod*))) AND (((ti(Reable* OR re-able*) OR ab(Reable* OR re-able*)) OR (ti(Re-enablement OR reenablement OR enablement) OR ab(Re-enablement OR reenablement OR enablement))) OR SU.EXACT("Intermediate care") OR (ti(Intermediate NEAR/3 (care OR setting* OR unit* OR facilit* OR home* OR hous* OR nurs* OR sector* OR provision* OR provider*)) OR ab(Intermediate NEAR/3 (care OR setting* OR unit* OR facilit* OR home* OR hous* OR nurs* OR sector* OR provision* OR provider*))) OR (ti(Res-care) OR ab(Res-care)) OR (ti("Home independence") OR ab("Home independence"))) OR ((SU.EXACT("Rehabilitation") OR (ti(Rehab*) OR ab(Rehab*))) OR (ti((Restorative OR recuperative OR resettlement) NEAR/3 (support* OR care OR service* OR provision*)) OR ab((Restorative OR recuperative OR resettlement) NEAR/3 (support* OR care OR service* OR provision*))) OR (SU.EXACT("Getting up") OR SU.EXACT("Activities of daily living") OR SU.EXACT("Dressing")) OR (ti((Activities NEAR/0 "daily living") OR ADL OR ADLs) OR ab((Activities NEAR/0 "daily living") OR ADL OR ADLs))) OR (ti("Recovery of function") OR ab("Recovery of function")) OR SU.EXACT("Independent living") OR (ti((Regain* OR improve* OR relearn OR re-learn OR optimi?e OR increase* OR recover* OR rebuild* OR

restore*) NEAR/3 (social OR function OR functioning OR independen* OR confidence OR mobility OR skill* OR competen*)) OR ab((Regain* OR improve* OR relearn OR re-learn OR optimi?e OR increase* OR recover* OR rebuild* OR restore*) NEAR/3 (social OR function OR functioning OR independen* OR confidence OR mobility OR skill* OR competen*)) OR SU.EXACT("Goals") OR (ti(Goal* NEAR/2 (set* OR treat* OR therap*)) OR ab(Goal* NEAR/2 (set* OR treat* OR therap*))) OR SU.EXACT("Selfcare") OR (ti(Self NEAR/0 (care OR manag*)) OR ab(Self NEAR/0 (care OR manag*))) AND (SU.EXACT("Time related factors") OR (ti(Time NEAR/3 (limit* OR restricted OR bound OR factor)) OR ab(Time NEAR/3 (limit* OR restricted OR bound OR factor))) OR (ti(Limited NEAR/3 (period OR duration)) OR ab(Limited NEAR/3 (period OR duration))) OR (ti(Brief NEAR/0 (time OR period OR duration)) OR ab(Brief NEAR/0 (time OR period OR duration))) OR (ti("Short term" OR short-term) OR ab("Short term" OR short-term)) OR (ti(6-week* OR 6?week* OR six-week* OR six?week*) OR ab(6-week* OR 6?week* OR six-week* OR six?week*)) OR (ti(Effectiveness) OR ab(Effectiveness)) OR (ti("Treatment outcome*") OR ab("Treatment outcome*"))))

Cumulative Index to Nursing and Allied Health Literature (CINAHL) - EBSCO

Date searched: 23/12/2015

No. of records: 605

Limits: language (English)

Q5 A, B, C: Dementia and Reablement (Intermediate care)

S49	S12 AND S47 Limiters - English Language	605
S48	S12 AND S47	615
S47	S19 OR S46	24,632
S46	S36 AND S45	22,951

S45	S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44	259,565
S44	(MH "Treatment Outcomes")	129,297
S43	TI Effectiveness OR AB Effectiveness	59,275
S42	TI (6-week* or 6?week* or six-week* or six?week*) OR AB (6-week* or 6?week* or six-week* or six?week*)	10,134
S41	TI ("Short term" or short-term) OR AB ("Short term" or short-term)	16,464
S40	TI (Brief W0 (time or period or duration)) OR AB (Brief W0 (time or period or duration))	320
S39	TI (Limited W3 (period or duration)) OR AB (Limited W3 (period or duration))	271
S38	TI (Time W3 (limit* or restricted or bound or factor)) OR AB (Time W3 (limit* or restricted or bound or factor))	2,370
S37	(MH "Time Factors")	72,202
S36	S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35	148,572
S35	TI (Self W0 (care or manag*)) OR AB (Self W0 (care or manag*))	13,380
S34	(MH "Self Care")	21,145

S33	TI (Goal* W2 (set* or treat* or therap*)) OR AB (Goal* W2 (set* or treat* or therap*))	3,173
S32	(MH "Goal-Setting")	3,507
S31	(MH "Goals and Objectives")	5,867
S30	TI ((Regain* or improve* or relearn or re-learn or optimi?e or increase* or recover* or rebuild* or restore*) W3 (social or function or functioning or independen* or confidence or mobility or skill* or competen*)) OR AB ((Regain* or improve* or relearn or re-learn or optimi?e or increase* or recover* or rebuild* or restore*) W3 (social or function or functioning or independen* or confidence or mobility or skill* or competen*))	19,778
S29	(MH "Community Living")	7,974
S28	TI ((Activities W0 "daily living") or ADL or ADLs) OR AB ((Activities W0 "daily living") or ADL or ADLs)	2,806
S27	(MH "Activities of Daily Living+")	33,304
S26	TI ((Restorative or recuperative or resettlement) W3 (support* or care or service* or provision*)) OR AB ((Restorative or recuperative or resettlement) W3 (support* or care or service* or provision*))	215
S25	TI Rehab* OR AB Rehab*	52,829
S24	(MH "Rehabilitation, Psychosocial")	2,398
S23	(MH "Rehabilitation, Community-Based")	704

S22	(MH "Rehabilitation, Geriatric")	2,575
S21	(MH "Home Rehabilitation")	888
S20	(MH "Rehabilitation")	11,049
S19	S13 OR S14 OR S15 OR S16 OR S17 OR S18	1,788
S18	TI "Home independence" OR AB "Home independence"	3
S17	TI Res-care OR AB Res-care	16
S16	TI (intermediate W3 (care or setting* or unit* or facilit* or home* or hous* or nurs* or sector* or provision* or provider*)) OR AB (intermediate W3 (care or setting* or unit* or facilit* or home* or hous* or nurs* or sector* or provision* or provider*))	732
S15	(MH "Subacute Care")	1,111
S14	TI (Re-enablement or reenablement or enablement) OR AB (Re-enablement or reenablement or enablement)	133
S13	TI Reable* OR AB Reable* OR TI Re-able* OR AB Re-able*	35
S12	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11	42,582
S11	TI Lewy* W2 bod* OR AB Lewy* W2 bod*	702
S10	(MH "Lewy Body Disease")	279
S9	TI Alzheimer* OR AB Alzheimer*	13,116

S8	TI Dement* OR AB Dement*	23,563
S7	(MH "Delirium, Dementia, Amnestic, Cognitive Disorders")	91
S6	(MH "Alzheimer's Disease")	15,716
S5	(MH "Frontotemporal Dementia")	65
S4	(MH "Dementia, Vascular")	471
S3	(MH "Dementia, Multi-Infarct")	211
S2	(MH "AIDS Dementia Complex")	289
S1	(MH "Dementia")	22,516

Cochrane Database of Systematic Reviews, Trials and Economic reviews - Wiley

Date searched: 11/04/2016

No. of records: 385

Q5 A, B, C: Dementia and Reablement (Intermediate care)

ID	Search	Hits
#1	MeSH descriptor: [Dementia] this term only	1614
#2	MeSH descriptor: [AIDS Dementia Complex] this term only	57
#3	MeSH descriptor: [Dementia, Multi-Infarct] this term only	62
#4	MeSH descriptor: [Dementia, Vascular] this term only	242
#5	MeSH descriptor: [Frontotemporal Dementia] this term only	16

#6	MeSH descriptor: [Alzheimer Disease] this term only	2417
#7	MeSH descriptor: [Neurocognitive Disorders] this term only	112
#8	Dement*:ti,ab	5857
#9	Alzheimer*:ti,ab	5538
#10	Lewy* near/2 bod*:ti,ab	141
#11	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10	9959
#12	Reable* or re-able*:ti,ab	7
#13	Re-enablement or reenablement or enablement:ti,ab	47
#14	MeSH descriptor: [Intermediate Care Facilities] this term only	20
#15	Intermediate near/3 (care or setting* or unit* or facilit* or home* or hous* or nurs* or sector* or provision* or provider*):ti,ab	204
#16	Res-care:ti,ab	6
#17	"Home independence":ti,ab	1
#18	#12 or #13 or #14 or #15 or #16 or #17	269
#19	Rehab*:ti,ab	14512
#20	(Restorative or recuperative or resettlement) near/3 (support* or care or service* or provision*):ti,ab	54
#21	MeSH descriptor: [Activities of Daily Living] this term only	4244
#22	(Activities near/0 "daily living") or ADL or ADLs:ti,ab	1745
#23	MeSH descriptor: [Recovery of Function] this term only	3843
#24	MeSH descriptor: [Independent Living] this term only	133

#25	(Regain* or improve* or relearn or re-learn or optimi?e or increase* or recover* or rebuild* or restore*) near/3 (social or function or functioning or independen* or confidence or mobility or skill* or competen*):ti,ab	18886
#26	MeSH descriptor: [Goals] this term only	515
#27	Goal* near/2 (set* or treat* or therap*):ti,ab	2310
#28	MeSH descriptor: [Self Care] this term only	3373
#29	Self near/0 (care or manag*):ti,ab	3
#30	#12 or #13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #22 or #23 or #25 or #27 or #28 or #29	41104
#31	MeSH descriptor: [Time Factors] this term only	55925
#32	Time near/3 (limit* or restricted or bound or factor):ti,ab	1280
#33	Limited near/3 (period or duration):ti,ab	298
#34	Brief near/0 (time or period or duration):ti,ab	1
#35	"Short-term" or short-term:ti,ab	28561
#36	6-week* or 6?week* or six-week* or six?week*:ti,ab	26127
#37	Effectiveness:ti,ab	69387
#38	MeSH descriptor: [Treatment Outcome] this term only	108613
#39	#31 or #32 or #33 or #34 or #35 or #36 or #37 or #38	239272
#40	#30 and #39	17391
#41	#18 or #40	17540
#42	#11 and #41	385

Database of Abstracts of Reviews of Effects (DARE) - Centre for Reviews and Dissemination (CRD): University of York

Date searched: 12/04/2016

No. of records: 89

Q5 A, B, C: Dementia and Reablement (Intermediate care)

1	MeSH DESCRIPTOR Dementia IN DARE	244
2	MeSH DESCRIPTOR AIDS Dementia Complex IN DARE	3
3	MeSH DESCRIPTOR Dementia, Vascular IN DARE	15
4	MeSH DESCRIPTOR Frontotemporal Dementia IN DARE	2
5	MeSH DESCRIPTOR Alzheimer Disease IN DARE	195
6	MeSH DESCRIPTOR Neurocognitive Disorders IN DARE	3
7	(Dement*) IN DARE	612
8	(Alzheimer*) IN DARE	388
9	(Lewy* NEAR2 bod*) IN DARE	17
10	#1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9	756
11	(Reable*) OR (Re-able*) IN DARE	1
12	(Re-enablement) OR (Reenablement) OR (Enablement) IN DARE	2

13	MeSH DESCRIPTOR Intermediate Care Facilities IN DARE	1
14	(Intermediate NEAR3 (care or setting* or unit* or facilit* or home* or hous* or nurs* or sector* or provision* or provider*)) IN DARE	10
15	#11 OR #12 OR #13 OR #14	13
16	MeSH DESCRIPTOR Rehabilitation IN DARE	50
17	(Rehab*) IN DARE	2072
18	((Restorative OR recuperative OR resettlement) NEAR3 (support* or care or service* or provision*)) IN DARE	3
19	MeSH DESCRIPTOR Activities of Daily Living IN DARE	250
20	((Activities NEAR0 "daily living") or ADL or ADLs) IN DARE	92
21	MeSH DESCRIPTOR Recovery of Function IN DARE	441
22	MeSH DESCRIPTOR Independent Living IN DARE	17
23	((Regain* OR improve* OR relearn OR re-learn OR optimise OR optimize OR increase* OR recover* OR rebuild* OR restore*) NEAR3 (social OR function OR functioning OR independen* OR confidence OR mobility OR skill* OR competen*)) IN DARE	1286
24	MeSH DESCRIPTOR Goals IN DARE	16

25	(Goal* NEAR2 (set* OR treat* OR therap*)) IN DARE	104
26	MeSH DESCRIPTOR Self Care IN DARE	281
27	(Self NEAR0 (care OR manag*)) IN DARE	495
28	#16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22 OR #23 OR #24 OR #25 OR #26 OR #27	3665
29	MeSH DESCRIPTOR Time Factors IN DARE	1650
30	(Time NEAR3 (limit* OR restricted OR bound OR factor)) IN DARE	58
31	(Limited NEAR3 (period OR duration)) IN DARE	50
32	(Brief NEAR0 (time or period or duration)) IN DARE	8
33	("Short term" OR short-term) IN DARE	1904
34	(6-week* OR "6 week*" OR six-week* OR "six week*") IN DARE	703
35	(Effectiveness) IN DARE	9268
36	MeSH DESCRIPTOR Treatment Outcome IN DARE	9469
37	#29 OR #30 OR #31 OR #32 OR #33 OR #34 OR #35 OR #36	18574
38	#28 AND #37	2145

39 #15 OR #38 2157

40 #10 AND #39 89

Health Technology Assessment (HTA) - Centre for Reviews and Dissemination (CRD): University of York

Date searched: 13/04/2016

No. of records: 6

Q5 A, B, C: Dementia and Reablement (Intermediate care)

1	MeSH DESCRIPTOR Dementia IN HTA	75
2	MeSH DESCRIPTOR Dementia, Vascular IN HTA	1
3	MeSH DESCRIPTOR Alzheimer Disease IN HTA	70
4	(Dement*) IN HTA	141
5	(Alzheimer*) IN HTA	95
6	(Lewy* NEAR2 bod*) IN HTA	3
7	#1 OR #2 OR #3 OR #4 OR #5 OR #6	196
8	(Reable* OR re-able*) IN HTA	2
9	(Re-enablement) OR (reenablement) OR (enablement) IN HTA	1
10	MeSH DESCRIPTOR Intermediate Care Facilities IN	2

HTA

11	(Intermediate NEAR3 (care OR setting* OR unit* OR facilit* OR home* OR hous* OR nurs* OR sector* OR provision* OR provider*)) IN HTA	5
12	#8 OR #9 OR #10 OR #11	8
13	MeSH DESCRIPTOR Rehabilitation IN HTA	65
14	(Rehab*) IN HTA	319
15	MeSH DESCRIPTOR Activities of Daily Living IN HTA	23
16	((Activities NEAR0 "daily living") OR ADL OR ADLs) IN HTA	12
17	MeSH DESCRIPTOR Recovery of Function IN HTA	32
18	((Regain* OR improve* OR relearn OR re-learn OR optimise OR optimize OR increase* OR recover* OR rebuild* OR restore*) NEAR3 (social OR function OR functioning OR independen* OR confidence OR mobility OR skill* OR competen*)) IN HTA	222
19	MeSH DESCRIPTOR Goals IN HTA	3
20	(Goal* NEAR2 (set* OR treat* OR therap*)) IN HTA	55
21	MeSH DESCRIPTOR Self Care IN HTA	59

22	(Self NEAR0 (care OR manag*)) IN HTA	105
23	#13 OR #14 OR #15 OR #16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22	666
24	MeSH DESCRIPTOR Time Factors IN HTA	70
25	(Time NEAR3 (limit* OR restricted OR bound OR factor)) IN HTA	25
26	(Limited NEAR3 (period OR duration)) IN HTA	6
27	("Short term" OR short-term) IN HTA	447
28	(6- week* OR "6 week*" OR six-week* OR "six week*") IN HTA	43
29	(Effectiveness) IN HTA	4196
30	MeSH DESCRIPTOR Treatment Outcome IN HTA	409
31	#24 OR #25 OR #26 OR #27 OR #28 OR #29 OR #30	4746
32	#23 AND #31	271
33	#12 OR #32	276
34	#7 AND #33	6

NHS Economic Evaluation Database (NHS EDD) - Centre for Reviews and Dissemination (CRD): University of York

Date searched: 12/04/2016

No. of records: 47

Q5 A, B, C: Dementia and Reablement (Intermediate care)

1	MeSH DESCRIPTOR Dementia IN NHSEED	40
2	MeSH DESCRIPTOR Dementia, Vascular IN NHSEED	2
3	MeSH DESCRIPTOR Alzheimer Disease IN NHSEED	55
4	MeSH DESCRIPTOR Neurocognitive Disorders IN NHSEED	1
5	(Dement*) IN NHSEED	125
6	(Alzheimer*) IN NHSEED	73
7	#1 OR #2 OR #3 OR #4 OR #5 OR #6	159
8	(Re-enablement OR reenablement OR enablement) IN NHSEED	3
9	MeSH DESCRIPTOR Intermediate Care Facilities IN NHSEED	3
10	(Intermediate NEAR3 (care OR setting* OR unit* or facilit* OR home* OR hous* OR nurs* OR sector* OR provision* OR provider*)) IN NHSEED	28

11	#8 OR #9 OR #10	31
12	MeSH DESCRIPTOR Rehabilitation IN NHSEED	31
13	(Rehab*) IN NHSEED	876
14	((Restorative OR recuperative OR resettlement) NEAR3 (support* OR care OR service* OR provision*)) IN NHSEED	1
15	MeSH DESCRIPTOR Activities of Daily Living IN NHSEED	122
16	((Activities NEAR0 "daily living") OR ADL OR ADLs) IN NHSEED	24
17	MeSH DESCRIPTOR Recovery of Function IN NHSEED	71
18	MeSH DESCRIPTOR Independent Living IN NHSEED	4
19	((Regain* OR improve* OR relearn OR re-learn OR optimise OR optimize OR increase* OR recover* OR rebuild* OR restore*) NEAR3 (social OR function OR functioning OR independen* OR confidence OR mobility OR skill* OR competen*)) IN NHSEED	207
20	MeSH DESCRIPTOR Goals IN NHSEED	4
21	(Goal* NEAR2 (set* OR treat* OR therap*)) IN NHSEED	22
22	MeSH DESCRIPTOR Self Care IN NHSEED	137

23	(Self NEAR0 (care OR manag*)) IN NHSEED	231
24	#12 OR #13 OR #14 OR #15 OR #16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22 OR #23	1300
25	MeSH DESCRIPTOR Time Factors IN NHSEED	1355
26	(Time NEAR3 (limit* OR restricted OR bound OR factor)) IN NHSEED	61
27	(Limited NEAR3 (period OR duration)) IN NHSEED	25
28	(Brief NEAR0 (time OR period OR duration)) IN NHSEED	2
29	("Short term" OR short-term) IN NHSEED	817
30	(6- week* OR "6 week*" OR six-week* OR "six week*") IN NHSEED	339
31	(Effectiveness) IN NHSEED	12693
32	MeSH DESCRIPTOR Treatment Outcome IN NHSEED	3809
33	#25 OR #26 OR #27 OR #28 OR #29 OR #30 OR #31 OR #32	14228
34	#24 AND #33	1159
35	#11 OR #34	1182
36	#7 AND #35	47

Excerpta Medica database (Embase) - OVID

Date searched: 19/04/2016

No. of records: 1712

Limit: language (English)

Q5 A, B, C: Dementia and Reablement (Intermediate care)

1	multiinfarct dementia/ or HIV associated dementia/ or frontal variant frontotemporal dementia/ or semantic dementia/ or "mixed depression and dementia"/ or presenile dementia/ or dementia/ or senile dementia/ or frontotemporal dementia/	89791
2	HIV associated dementia/	1715
3	Alzheimer disease/	127310
4	Dement\$.ti,ab.	96299
5	Alzheimer\$.ti,ab.	123669
6	(Lewy\$ adj2 bod\$).ti,ab.	8937
7	1 or 2 or 3 or 4 or 5 or 6	223816
8	(Reable\$ or re-able\$).ti,ab.	44
9	(Re-enablement or reenablement or enablement).ti,ab.	340
10	Intermediate Care Facilities.mp.	69
11	(Intermediate adj3 (care or setting\$ or unit\$ or facilit\$ or home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or provider\$)).ti,ab.	2280
12	8 or 9 or 10 or 11	2660

13	rehabilitation research/ or home rehabilitation/ or rehabilitation equipment/ or rehabilitation/ or rehabilitation care/ or rehabilitation patient/ or rehabilitation medicine/ or rehabilitation nursing/ or rehabilitation center/	66112
14	Rehab\$.ti,ab.	130334
15	((Restorative or recuperative or resettlement) adj3 (support\$ or care or service\$ or provision\$)).ti,ab.	577
16	daily life activity/	56042
17	((Activities adj "daily living") or ADL or ADLs).ti,ab.	11384
18	convalescence/	37258
19	independent living/	1770
20	((Regain\$ or improve\$ or relearn or re-learn or optimi#e or increase\$ or recover\$ or rebuild\$ or restore\$) adj3 (social or function or functioning or independen\$ or confidence or mobility or skill\$ or competen\$)).ti,ab.	164673
21	motivation/	60566
22	(Goal\$ adj2 (set\$ or treat\$ or therap\$)).ti,ab.	22627
23	self care/	33915
24	(Self adj (care or manag\$)).ti,ab.	27529
25	13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24	496843
26	time/	226655
27	(Time adj3 (limit\$ or restricted or bound or factor)).ti,ab.	18177

28	(Limited adj3 (period or duration)).ti,ab.	3269
29	(Brief adj (time or period or duration)).ti,ab.	2434
30	("Short term" or short-term).ti,ab.	158560
31	(6-week\$ or 6?week\$ or six-week\$ or six?week\$).ti,ab.	106498
32	Effectiveness.ti,ab.	337400
33	treatment outcome/	699865
34	26 or 27 or 28 or 29 or 30 or 31 or 32 or 33	1442832
35	25 and 34	85973
36	12 or 35	88527
37	7 and 36	1909
38	english.lg.	16328608
39	37 and 38	1712

Health Management Information Consortium (HMIC) - OVID

Date searched: 16/03/2016

No. of records: 38

Q5 A, B, C: Dementia and Reablement (Intermediate care)

	Searches	Results
1	exp Dementia/	2639

2	Alzheimers disease/	558
3	Dement\$.ti,ab.	2686
4	Alzheimer\$.ti,ab.	556
5	(Lewy\$ adj2 bod\$).ti,ab.	6
6	or/1-5	3286
7	(Reable\$ or re-able\$).ti,ab.	61
8	(Re-enablement or reenablement or enablement).ti,ab.	93
9	Intermediate care/	511
10	(Intermediate adj3 (care or setting\$ or unit\$ or facilit\$ or home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or provider\$)).ti,ab.	560
11	or/7-10	814
12	Rehabilitation/	1688
13	Rehabilitation services/ or intensive rehabilitation services/	251
14	Rehab\$.ti,ab.	3489
15	((Restorative or recuperative or resettlement) adj3 (support\$ or care or service\$ or provision\$)).ti,ab.	71
16	"Activities of daily living"/	60
17	((Activities adj "daily living") or ADL or ADLs).ti,ab.	143
18	Independent living/	580

19	((Regain\$ or improve\$ or relearn or re-learn or optimi#e or increase\$ or recover\$ or rebuild\$ or restore\$) adj3 (social or function or functioning or independen\$ or confidence or mobility or skill\$ or competen\$)).ti,ab.	1922
20	Aims & objectives/	24
21	(Goal\$ adj2 (set\$ or treat\$ or therap\$)).ti,ab.	368
22	Self care/	261
23	(Self adj (care or manag\$)).ti,ab.	1476
24	or/12-23	8336
25	exp Time/	653
26	(Time adj3 (limit\$ or restricted or bound or factor)).ti,ab.	413
27	(Limited adj3 (period or duration)).ti,ab.	44
28	(Brief adj (time or period or duration)).ti,ab.	17
29	("Short term" or short-term).ti,ab.	2057
30	(6-week\$ or 6?week\$ or six-week\$ or six?week\$).ti,ab.	744
31	exp Effectiveness/	13212
32	Effectiveness.ti,ab.	13226
33	exp Patient outcome/	5399
34	or/25-33	29440

35	24 and 34	1400
36	11 or 35	2146
37	6 and 36	38

Medical Literature Analysis and Retrieval System Online (MEDLINE) - OVID

Date searched: 16/03/2016

No. of records: 1395

Q5 A, B, C: Dementia and Reablement (Intermediate care)

	Searches	Results
1	Dementia/	39994
2	AIDS Dementia Complex/	3422
3	Dementia, Multi-Infarct/	1087
4	Dementia, Vascular/	4212
5	Frontotemporal Dementia/	1371
6	Alzheimer Disease/	73521
7	Delirium, Dementia, Amnestic, Cognitive Disorders/	8597
8	Dement\$.ti,ab.	79629
9	Alzheimer\$.ti,ab.	103114
10	(Lewy\$ adj2 bod\$).ti,ab.	6662

11	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10	181509
12	(Reable\$ or re-able\$).ti,ab.	35
13	(Re-enablement or reenablement or enablement).ti,ab.	298
14	Intermediate Care Facilities/	652
15	(Intermediate adj3 (care or setting\$ or unit\$ or facilit\$ or home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or provider\$)).ti,ab.	2308
16	12 or 13 or 14 or 15	2978
17	Rehabilitation/	17076
18	Rehab\$.ti,ab.	121252
19	((Restorative or recuperative or resettlement) adj3 (support\$ or care or service\$ or provision\$)).ti,ab.	776
20	"Activities of Daily Living"/	53488
21	((Activities adj "daily living") or ADL or ADLs).ti,ab.	7862
22	"Recovery of Function"/	36298
23	Independent Living/	1630
24	((Regain\$ or improve\$ or relearn or re-learn or optimi#e or increase\$ or recover\$ or rebuild\$ or restore\$) adj3 (social or function or functioning or independen\$ or confidence or mobility or skill\$ or competen\$)).ti,ab.	134977
25	Goals/	13071

26	(Goal\$ adj2 (set\$ or treat\$ or therap\$)).ti,ab.	17061
27	Self care/	26181
28	(Self adj (care or manag\$)).ti,ab.	22027
29	17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28	391417
30	Time Factors/	1050747
31	(Time adj3 (limit\$ or restricted or bound or factor)).ti,ab.	17643
32	(Limited adj3 (period or duration)).ti,ab.	3319
33	(Brief adj (time or period or duration)).ti,ab.	3361
34	("Short term" or short-term).ti,ab.	156421
35	(6-week\$ or 6?week\$ or six-week\$ or six?week\$).ti,ab.	95205
36	Effectiveness.ti,ab.	309075
37	Treatment Outcome/	714446
38	30 or 31 or 32 or 33 or 34 or 35 or 36 or 37	2133900
39	29 and 38	89124
40	16 or 39	92011
41	11 and 40	1568
42	limit 41 to english language	1395

PsycINFO - ProQuest

Date searched: 16/03/2016

No. of records: 438

Limits: language (English)

Q5 A, B, C: Dementia and Reablement (Intermediate care)

((SU.EXACT("Dementia") OR SU.EXACT("AIDS Dementia Complex") OR SU.EXACT("AIDS Dementia Complex") OR SU.EXACT("Vascular Dementia") OR SU.EXACT("Semantic Dementia") OR SU.EXACT("Alzheimer's Disease") OR (ti(Dement*) OR ab(Dement*)) OR (ti(Alzheimer*) OR ab(Alzheimer*)) OR SU.EXACT("Dementia with Lewy Bodies") OR (ti(Lewy* NEAR/2 bod*) OR ab(Lewy* NEAR/2 bod*))) AND (((ti(Reable* or re-able*) OR ab(Reable* or re-able*)) OR (ti(Re-enablement or reenablement or enablement) OR ab(Re-enablement or reenablement or enablement)) OR (ti(Intermediate NEAR/3 (care or setting* or unit* or facilit* or home* or hous* or nurs* or sector* or provision* or provider*)) OR ab(Intermediate NEAR/3 (care or setting* or unit* or facilit* or home* or hous* or nurs* or sector* or provision* or provider*))) OR (ti(Res-care) OR ab(Res-care)) OR (ti("Home independence") OR ab("Home independence")))) OR (((SU.EXACT("Neuropsychological Rehabilitation") OR SU.EXACT("Rehabilitation") OR SU.EXACT("Cognitive Rehabilitation")) OR (ti(Rehab*) OR ab(Rehab*)) OR (ti((Restorative or recuperative or resettlement) NEAR/3 (support* or care or service* or provision*)) OR ab((Restorative or recuperative or resettlement) NEAR/3 (support* or care or service* or provision*))) OR SU.EXACT("Activities of Daily Living") OR (ti((Activities NEAR/0 "daily living") or ADL or ADLs) OR ab((Activities NEAR/0 "daily living") or ADL or ADLs)) OR (ti("Recovery of function") OR ab("Recovery of function")) OR SU.EXACT("Self Care Skills") OR (ti((Regain* or improve* or relearn* or re-learn* or optimi?e or increase* or recover* or rebuild* or restore*) NEAR/3 (social or function or functioning or independen* or confidence or mobility or skill* or competen*)) OR ab((Regain* or improve* or relearn* or re-learn* or optimi?e or increase* or recover* or rebuild* or restore*) NEAR/3 (social or function or functioning or independen* or confidence or mobility or skill* or competen*))) OR SU.EXACT("Goals") OR (ti(Goal* NEAR/2 (set* or treat* or therap*)) OR ab(Goal* NEAR/2 (set* or treat* or therap*))) OR (ti(Self NEAR/0 (care or manag*)) OR

ab(Self NEAR/0 (care or manag*)))) AND ((ti(Time NEAR/3 (limit* or restricted or bound or factor)) OR ab(Time NEAR/3 (limit* or restricted or bound or factor))) OR (ti(Limited NEAR/3 (period or duration)) OR ab(Limited NEAR/3 (period or duration))) OR (ti(Brief NEAR/0 (time or period or duration)) OR ab(Brief NEAR/0 (time or period or duration)))) OR (ti("Short term" or short-term) OR ab("Short term" or short-term)) OR (ti(6-week* or 6?week* or six-week* or six?week*) OR ab(6-week* or 6?week* or six-week* or six?week*)) OR (ti(effectiveness) or ab(effectiveness)) OR SU.EXACT("Treatment Outcomes") OR SU.EXACT("Treatment Effectiveness Evaluation")))) AND la.exact("English")

Social Work Abstracts - OVID

Date searched: 16/03/2015

No. of records: 3

Q5 A, B, C: Dementia and Reablement (Intermediate care)

	Searches	Results
1	Dementia.sh.	313
2	Dementia.hw.	321
3	Dementia.ti,ab.	423
4	Alzheimer\$.sh.	224
5	(Lewy adj2 bod\$).ti,ab.	3
6	or/1-5	596
7	(Re-enablement or reenablement or enablement).ti,ab.	2
8	(Intermediate adj3 (care or setting\$ or unit\$ or facilit\$ or home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or provider\$)).ti,ab.	29

9	7 or 8	31
10	rehab\$.sh.	313
11	rehab\$.hw.	378
12	Rehab\$.ti,ab.	962
13	((Restorative or recuperative or resettlement) adj3 (support\$ or care or service\$ or provision\$)).ti,ab.	15
14	((Activities adj "daily living") or ADL or ADLs).hw.	11
15	((Activities adj "daily living") or ADL or ADLs).ti,ab.	60
16	"Independent living".sh.	79
17	"Independent living".hw.	82
18	"Independent living".ti,ab.	163
19	((Regain\$ or improve\$ or relearn or re-learn or optimi#e or increase\$ or recover\$ or rebuild\$ or restore\$) adj3 (social or function or functioning or independen\$ or confidence or mobility or skill\$ or competen\$)).ti,ab.	940
20	(Goal\$ adj2 (set\$ or treat\$ or therap\$)).sh.	3
21	(Goal\$ adj2 (set\$ or treat\$ or therap\$)).hw.	19
22	(Goal\$ adj2 (set\$ or treat\$ or therap\$)).ti,ab.	304
23	(Self adj (care or manag\$)).sh.	1
24	(Self adj (care or manag\$)).hw.	61

25	(Self adj (care or manag\$)).ti,ab.	223
26	or/10-25	2664
27	(Time adj3 (limit\$ or restricted or bound or factor)).ti,ab.	249
28	(Limited adj3 (period or duration)).ti,ab.	14
29	(Brief adj (time or period or duration)).ti,ab.	12
30	("Short term" or short-term).hw.	11
31	("Short term" or short-term).ti,ab.	607
32	(6-week\$ or 6?week\$ or six-week\$ or six?week\$).ti,ab.	161
33	Effectiveness.sh.	176
34	Effectiveness.hw.	360
35	Effectiveness.ti,ab.	2783
36	"Treatment outcome\$.sh.	64
37	"Treatment outcome\$.ti,ab.	324
38	or/27-37	4072
39	26 and 38	281
40	9 or 39	312
41	6 and 40	3

SocINDEX - EBSCO

Date searched: 16/03/2016

No. of records: 90

Limits: language (English)

Q5 A, B, C: Dementia and Reablement (Intermediate care)

#	Query	Results
S32	S4 AND S30 Narrow by Language: - english	90
S31	S4 AND S30	91
S30	S10 OR S29	11,351
S29	S20 AND S28	10,943
S28	S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27	66,697
S27	TX "Treatment outcome**"	4,225
S26	TX Effectiveness	50,149
S25	TX 6-week* or 6?week* or six-week* or six?week*	1,636
S24	TX "Short term" or short-term	9,422
S23	TX Brief N0 (time or period or duration)	327
S22	TX Limited N3 (period or duration)	297

S21	TX Time N3 (limit* or restricted or bound or factor)	4,180
S20	S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19	118,889
S19	TX Self N0 (care or manag*)	4,119
S18	TX Goal*	62,465
S17	TX (Regain* or improve* or relearn or re-learn or optimi#e or increase* or recover* or rebuild* or restore*) N3 (social or function or functioning or independen* or confidence or mobility or skill* or competen*)	13,222
S16	TX "Independent living"	2,501
S15	DE "LIFE skills"	1,320
S14	TX "Recovery of function"	24
S13	TX (Activities N0 daily living) or ADL or ADLs	798
S12	TX (Restorative or recuperative or resettlement) N3 (support* or care or service* or provision*)	604
S11	TX Rehab*	41,292
S10	S5 OR S6 OR S7 OR S8 OR S9	428
S9	TX "Home independence"	3
S8	TX Res-care	8
S7	TX Intermediate N3 (care or setting* or unit* or facilit* or home* or	320

	hous* or nurs* or sector* or provision* or provider*)	
S6	TX Re-enablement or reenablement or enablement	71
S5	TX Reable* or re-able*	29
S4	S1 OR S2 OR S3	6,959
S3	TX Lewy* N2 bod*	47
S2	TX Alzheimer*	3,038
S1	TX Dement*	5,898

Social Policy & Practice (SPP) - OVID

Date searched: 31/03/2016

No. of records: 129

Q5 A, B, C: Dementia and Reablement (Intermediate care)

	Searches	Results
1	Dementia.de.	10635
2	Dementia.ti,ab.	10407
3	Alzheimers Disease.de.	1087
4	Alzheimer\$.ti,ab.	2833
5	(Lewy\$ adj2 bod\$).ti,ab.	84
6	or/1-5	12722

7	reablement.de.	111
8	(Reable\$ or re-able\$).ti,ab.	192
9	(Re-enablement or reenablement or enablement).ti,ab.	100
10	Intermediate care.de.	279
11	(Intermediate adj3 (care or setting\$ or unit\$ or facilit\$ or home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or provider\$)).ti,ab.	607
12	"Home independence".ti,ab.	16
13	or/8-12	938
14	rehabilitation.de.	2755
15	Rehab\$.ti,ab.	3491
16	((Restorative or recuperative or resettlement) adj3 (support\$ or care or service\$ or provision\$)).ti,ab.	244
17	Activities of daily living.de.	678
18	((Activities adj "daily living") or ADL or ADLs).ti,ab.	772
19	Independent living.de.	1285
20	((Regain\$ or improve\$ or relearn or re-learn or optimi#e or increase\$ or recover\$ or rebuild\$ or restore\$) adj3 (social or function or functioning or independen\$ or confidence or mobility or skill\$ or competen\$)).ti,ab.	3579
21	Objectives setting.de.	197

22	(Goal\$ adj2 (set\$ or treat\$ or therap\$)).ti,ab.	435
23	Self care.de.	396
24	(Self adj (care or manag\$)).ti,ab.	1029
25	or/14-24	12292
26	(Time adj3 (limit\$ or restricted or bound or factor)).ti,ab.	458
27	(Limited adj3 (period or duration)).ti,ab.	16
28	(Brief adj (time or period or duration)).ti,ab.	11
29	("Short term" or short-term).ti,ab.	2164
30	(6-week\$ or 6?week\$ or six-week\$ or six?week\$).ti,ab.	355
31	Effectiveness.ti,ab.	11173
32	"Treatment outcome".de.	1
33	"Treatment outcome\$".ti,ab.	459
34	or/26-33	14243
35	25 and 34	963
36	13 or 35	1817
37	6 and 36	129

RQ 6 – Intermediate Care and Reablement – information, advice, advocacy, training and support

Conducted in June 2016, the communication search strategy was formulated to answer questions about Intermediate Care or Reablement and information, advice, advocacy, training and support.

Questions:

- What is the effectiveness and cost effectiveness of information, advice, advocacy, training and support for people using intermediate care, and reablement and their families and carer?
- What are the views and experiences of people using intermediate care and reablement, and their families and carers, about information, advice, advocacy, training and support?
- What are the views and experiences of health, social care and other practitioners about information, advice, advocacy, training and support for people using intermediate care and reablement and their families and carers?

Databases:

- Abstracts in Social Gerontology
- Ageline
- Allied and Complementary Medicine Database (AMED)
- Applied Social Sciences Index and Abstracts (ASSIA)
- British Nursing Index (BNI)
- Cumulative Index to Nursing and Allied Health Literature (CINAHL)
- Cochrane Database of Systematic Reviews, Trials, Economic reviews
- Excerpta Medica database (Embase)
- Health Management Information Consortium (HMIC)
- Medical Literature Analysis and Retrieval System Online (MEDLINE)
- Social Care Online
- Social Work Abstracts (SWA)
- SocINDEX

Organisations:

- ADASS
- Local Government Association (LGA)
- LGIU
- NHS England
- NIHR
- PIRU

A range of electronic databases in the fields of social care, health, rehabilitation and social science were searched, using a combination of controlled and free text terms around the requirements of the Scope, Appendix 3: Service category definitions of the 'National Audit of Intermediate Care 2014' and the Review Protocol.

A broad core search approach was designed to capture the variety of information, advice, advocacy, training and support needs including education. The date limit 2000 – 2016 was applied at the request of the CG.

A: Intervention (reablement, intermediate care etc.) AND

B: Patient Information (communication, information, advocacy etc.) AND

C: Limits NOT (historical article, comment, letter, editorial, animals etc.) NOT / AND

D: Language and Date Limits (English, 2000 – 2016)

Organisation and additional searches:

Terms frequently used within the organisation searches for intermediate care and reablement – information, advocacy, training and support consisted of: intermediate care or reablement or rehabilitation combined with information, advocacy, training, support, communication. Relevant PDF's were then searched within, to clarify the relevance to the specific question.

Additional Google and Google Scholar searches were undertaken due to the decision to change the standard NCCSC search approach, to a question by question approach, after the scope searches had been conducted and the 'National Audit of Intermediate Care' service categories were identified. These searches included the key terms above associated with systematic review, outcomes, cost and effectiveness, views or experiences, literature reviews and qualitative data.

All searches RQ6 - Intermediate Care and Reablement – information, advice, advocacy, training and support

Abstracts in Social Gerontology

Date of search: 06/06/16

Number of records: 2,482

Limits: language (English), date (2000 -2016)

RQ6 A, B, C - Intermediate Care and Reablement - information, advice, advocacy, training and support

#	Query	Results
S57	S25 AND S55	2,482

	Limiters - Publication Date: 20000101-20161231 Narrow by Language: - English	
S56	S25 AND S55	3,229
S55	S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54	39,355
S54	TX ((Education* or information or teach* or self?help or self?manage*) N5 (program* or intervention* or material* or resource* or meeting* or session* or strateg* or work?shop* or visit*))	4,643
S53	TX ((Communication or relationship or knowledge or skill*) N3 (inter-professional or multi-disciplinary or joint or professional* or practitioner* or team* or front-line) N3 (client* or user* or patient* or carer* or relative* or famil*))	40
S52	TX ((Information or advice) N2 (service* or line* or centre* or desk or bureau or signpost* or support or provision or format* or verbal or written or translation or communication or leaflet* or handout* or fact- sheet* or brochure* or technology or device* or computer* or online or web or website* or mobile* or forum or group* or video or phone* or telephone* or book* or tape* or guide* or search* or seek* or sourc* or mis-lead* or inaccurate* or relevant or timely or tailor* or purpose or access* or lack or helpful or unhelpful or satisfied or dissatisfied or complain* or protocol* or strateg* or literac*))	2,394
S51	TX ((Information or advice) N2 (independent or local or national or	1,218

	general or clinical or therapeutic or housing or financial or personal or public or client* or consumer* or patient* or user* or carer* or care-giver or famil* or relative* or relation* or volunteer* or professional* or practitioner* or provider* or commissioner* or specialist* or view* or experience* or attitude* or self-care or self-management or self-directed))	
S50	TX ((Train* or support* or educat* or communicat* or instruct* or show* or explain* or discuss* or tailor* or assist* or facilitate* or consult* or involve* or participat* or co-design or co-produce or engage* or direct* or coach* or inform* or advis* or personalis* or personaliz* or evaluate*) N1 (client* or consumer* or patient* or user* or carer* or care-giver or famil* or relative*))	4,158
S49	TX ((System or service or community) N1 (navigator or navigation)).	16
S48	(ZW "choice and control")	4
S47	(ZW "person centered") or (ZW "person centered care") or (ZW "person centred approaches") or (ZW "person centred care") or (ZW "person- centered care") or (ZW "person-centered") or (ZW "person-centered approach") or (ZW "person-centered care") or (ZW "person-centered communication") or (ZW "person-centered interaction") or (ZW "person-centered planning") or (ZW "person-centred") or (ZW "person-centred approach") or (ZW "person-centred care") or (ZW "person-centred environment") or (ZW "person-centred intervention") or (ZW "person-centred planning") or (ZW "person-centred/selfhood approach") or (ZW "person-directed") or (ZW "person-directed care") or (ZW "person-directed environment") or (ZW "personal assistance") or (ZW "personal assistance services") or (ZW "personal assistants") or (ZW "personal attribute") or (ZW "personal autonomy") or (ZW	164

	"personal care") or (ZW "personal care aide") or (ZW "personal care aides") or (ZW "personal care assistance") or (ZW "personal care assistants") or (ZW "personal care attendants") or (ZW "personal care home") or (ZW "personal care homes") or (ZW "personal care services") or (ZW "personal care workers") or (ZW "personal characteristics") or (ZW "personal competence") or (ZW "personal control") or (ZW "personal coping resources") or (ZW "personal dependence") or (ZW "personal digital assistant") or (ZW "personal dignity") or (ZW "personal experience") or (ZW "personal experience of aging") or (ZW "personal finance") or (ZW "personal goals") or (ZW "personal growth") or (ZW "personal health") or (ZW "personal health information") or (ZW "personal health record") or (ZW "personal health records") or (ZW "personal help")	
S46	((ZW "personalisation") or (ZW "personalised support")) or ((ZW "personalized care") or (ZW "personalized dietary recommendations") or (ZW "personalized intervention") or (ZW "personalized medicine"))	31
S45	(ZW "misinformation") or (ZW "misinformation effect")	3
S44	(ZW "unmet need") or (ZW "unmet need.") or (ZW "unmet needs") or (ZW "unmet service needs")	33
S43	(ZW "needs assessment") or (ZW "needs assessment methods") or (ZW "needs for psychiatric services") or (ZW "needs of patients") or (ZW "needs of the elderly") or (ZW "needs survey") or (ZW "needs' checklist") or (ZW "needs-assessment") or (ZW "needs-based programming")	42
S42	((ZW "decision making") or (ZW "decision making capacity") or (ZW "decision models") or (ZW "decision support") or (ZW "decision-makin") or (ZW "decision-making") or (ZW "decision-	1,158

	<p>making ability") or (ZW "decision-making behavior") or (ZW "decision-making capacity") or (ZW "decision-making competence") or (ZW "decision-making frameworks") or (ZW "decision-making guidelines") or (ZW "decision-making process") or (ZW "decision-making process for treatment") or (ZW "decision-making;caregiver") or (ZW "decisional pros and cons") or (ZW "decisions") or (ZW "decision")) or ((ZU "decision making") or (ZU "decision making -- abstracts") or (ZU "decision making -- belgium") or (ZU "decision making -- evaluation") or (ZU "decision making -- mathematical models") or (ZU "decision making -- methodology") or (ZU "decision making -- moral & ethical aspects") or (ZU "decision making -- psychic aspects") or (ZU "decision making -- psychological aspects") or (ZU "decision making -- psychological aspects -- research") or (ZU "decision making -- research") or (ZU "decision making -- social aspects") or (ZU "decision making -- united states") or (ZU "decision making in economics") or (ZU "decision making in old age"))</p>	
S41	(ZU "medicine -- information services")	27
S40	<p>(ZU "self") or (ZU "self (philosophy)") or (ZU "self -- psychological aspects") or (ZU "self advocacy") or (ZU "self diagnosis") or (ZU "self diagnosis -- history") or (ZU "self medication") or (ZU "self medication -- psychological aspects") or (ZU "self medication -- research") or (ZU "self psychology") or (ZU "self psychotherapy (book)") or (ZU "self regulation") or (ZU "self-actualization (psychology)") or (ZU "self-actualization (psychology) in middle age") or (ZU "self-actualization (psychology) in old age") or (ZU "self-analysis (psychoanalysis)") or (ZU "self-confidence") or (ZU "self-congruence") or (ZU "self-consciousness (awareness)") or (ZU "self-consciousness (awareness) -- research") or (ZU "self-consciousness (sensitivity)") or (ZU "self-containment (personality trait)") or (ZU "self-control") or (ZU "self-control -- physiological</p>	2,600

	<p>aspects") or (ZU "self-determination theory") or (ZU "self-directed work teams") or (ZU "self-efficacy") or (ZU "self-efficacy -- research") or (ZU "self-efficacy -- social aspects") or (ZU "self-esteem") or (ZU "self-esteem -- research") or (ZU "self-esteem -- social aspects") or (ZU "self-esteem -- testing") or (ZU "self-esteem in old age") or (ZU "self-esteem in old age -- research") or (ZU "self-esteem in women") or (ZU "self-esteem in women -- psychological aspects") or (ZU "self-esteem in young adults") or (ZU "self-evaluation") or (ZU "self-evaluation -- methodology") or (ZU "self-evaluation -- psychological aspects") or (ZU "self-evaluation -- research") or (ZU "self-experimentation in medicine") or (ZU "self-expression") or (ZU "self-help devices for older people") or (ZU "self-help devices for people with disabilities") or (ZU "self-help devices for people with disabilities -- economic aspects") or (ZU "self-help devices for people with disabilities -- evaluation") or (ZU "self-help devices for people with disabilities -- moral & ethical aspects") or (ZU "self-help programs") or (ZU "self-help techniques") or (ZU "self-neglect") or (ZU "self-neglect -- prevention") or (ZU "self-perception") or (ZU "self-perception in old age") or (ZU "self-perception in old age -- research") or (ZU "self-realization") or (ZU "self-realization in old age") or (ZU "self-reliance") or (ZU "self-reliance in old age") or (ZU "self-reliant living") or (ZU "self-report inventories") or (ZU "self-report inventories -- evaluation")</p>	
S39	<p>(ZW "self") or (ZW "self & other") or (ZW "self assessment") or (ZW "self care") or (ZW "self efficacy") or (ZW "self esteem") or (ZW "self help devices") or (ZW "self help groups") or (ZW "self management strategies") or (ZW "self neglect") or (ZW "self report") or (ZW "self reported health") or (ZW "self silencing") or (ZW "self-care") or (ZW "self- and proxy responses") or (ZW "self-acceptance") or (ZW "self-actualization") or (ZW "self-actualization in elderhood") or (ZW "self-administered") or (ZW "self-</p>	137

	<p>administered interview") or (ZW "self-administrable detection tools") or (ZW "self-administration") or (ZW "self-ageing") or (ZW "self-ageism") or (ZW "self-agency") or (ZW "self-appraisal") or (ZW "self-appropriation") or (ZW "self-assessed health") or (ZW "self-assessed health status") or (ZW "self-assessed overall health") or (ZW "self-assessed wisdom") or (ZW "self-assessed wisdom scale") or (ZW "self-assessment") or (ZW "self-assessment tools") or (ZW "self-assessments") or (ZW "self-awareness") or (ZW "self-awareness.") or (ZW "self-becoming") or (ZW "self-blame") or (ZW "self-care") or (ZW "self-care ability") or (ZW "self-care behaviors") or (ZW "self-care capacity") or (ZW "self-care limitations") or (ZW "self-care management") or (ZW "self-care practices") or (ZW "self-care-dependent older people") or (ZW "self-care-related choices")</p>	
S38	<p>(ZU "patient education") or (ZU "patient education -- computer network resources") or (ZU "patient education -- equipment & supplies") or (ZU "patient education -- evaluation") or (ZU "patient education -- methodology") or (ZU "patient education -- social aspects") or (ZU "patient monitoring") or (ZU "patient monitoring -- methodology") or (ZU "patient monitoring -- research") or (ZU "patient monitoring -- safety measures") or (ZU "patient monitoring equipment") or (ZU "patient participation") or (ZU "patient participation -- methodology") or (ZU "patient participation -- moral & ethical aspects") or (ZU "patient participation -- psychological aspects") or (ZU "patient participation -- research") or (ZU "patient readmissions") or (ZU "patient readmissions -- law & legislation") or (ZU "patient readmissions -- psychological aspects") or (ZU "patient readmissions -- research") or (ZU "patient representatives") or (ZU "patient satisfaction") or (ZU "patient satisfaction -- abstracts") or (ZU "patient satisfaction -- charts, diagrams, etc.") or (ZU "patient satisfaction -- evaluation") or (ZU "patient satisfaction -- research") or (ZU "patient self-monitoring")</p>	3,236

	<p>or (ZU "patient-centered care") or (ZU "patient-centered care -- economic aspects") or (ZU "patient-centered care -- methodology") or (ZU "patient-centered care -- moral & ethical aspects") or (ZU "patient-centered care -- research") or (ZU "patient-family relations") or (ZU "patient-family relations -- methodology") or (ZU "patients") or (ZU "patients -- attitudes") or (ZU "patients -- case studies") or (ZU "patients -- computer network resources") or (ZU "patients -- diagnosis") or (ZU "patients -- diseases") or (ZU "patients -- economic aspects") or (ZU "patients -- evaluation") or (ZU "patients -- health") or (ZU "patients -- history") or (ZU "patients -- interviews") or (ZU "patients -- management") or (ZU "patients -- mental health") or (ZU "patients -- moral & ethical aspects") or (ZU "patients -- nutrition -- research") or (ZU "patients -- psychology") or (ZU "patients -- research") or (ZU "patients -- services for") or (ZU "patients -- social aspects") or (ZU "patients -- training of") or (ZU "patients -- wounds & injuries") or (ZU "patients' associations") or (ZU "patients' families") or (ZU "patients' rights") or (ZU "patients' rights -- great britain")</p>	
S37	<p>(ZW "patient education") or (ZW "patient empowerment") or (ZW "patient engagement") or (ZW "patient experience") or (ZW "patient experiences") or (ZW "patient information") or (ZW "patient involvement") or (ZW "patient isolation") or (ZW "patient journey") or (ZW "patient journey mapping") or (ZW "patient knowledge") or (ZW "patient management") or (ZW "patient medication education") or (ZW "patient navigator") or (ZW "patient nutrition education") or (ZW "patient outcome assessment") or (ZW "patient outcomes") or (ZW "patient outreach") or (ZW "patient participation") or (ZW "patient perception") or (ZW "patient performance") or (ZW "patient perspective") or (ZW "patient perspectives") or (ZW "patient portals") or (ZW "patient preference") or (ZW "patient preferences") or (ZW "patient priorities") or (ZW "patient rated outcomes") or (ZW "patient</p>	166

	<p>ratings") or (ZW "patient readmission") or (ZW "patient readmissions") or (ZW "patient report") or (ZW "patient reported") or (ZW "patient reported data") or (ZW "patient reported experience") or (ZW "patient satisfaction") or (ZW "patient satisfaction surveys") or (ZW "patient satisfaction with split care") or (ZW "patient self-report") or (ZW "patient survey") or (ZW "patient's experience") or (ZW "patient-caregiver agreement") or (ZW "patient-caregiver dyad") or (ZW "patient-caregiver kinship") or (ZW "patient-caregiver reports") or (ZW "patient-centered") or (ZW "patient-centered approach") or (ZW "patient-centered care") or (ZW "patient-centered care.") or (ZW "patient-clinician communication") or (ZW "patient-doctor interaction") or (ZW "patient-informant agreement") or (ZW "patient-physician communication") or (ZW "patient-physician concordance") or (ZW "patient-physician relations") or (ZW "patient-physician relationship") or (ZW "patient-provider communication") or (ZW "patient-provider racial/ethnic concordance") or (ZW "patient-provider relationship") or (ZW "patient-provider relationships") or (ZW "patient-reported outcomes") or (ZW "patient-reported outcomes (pros)") or (ZW "patients") or (ZW "patients with dementia") or (ZW "patients' experience") or (ZW "patients' experiences") or (ZW "patients' perspective") or (ZW "patients' rights") or (ZW "patients/classement") or (ZW "patients/classification")</p>	
S36	<p>(ZU "health promotion") or (ZU "health promotion -- abstracts") or (ZU "health promotion -- economic aspects") or (ZU "health promotion -- evaluation") or (ZU "health promotion -- government policy") or (ZU "health promotion -- great britain") or (ZU "health promotion -- methodology") or (ZU "health promotion -- psychological aspects") or (ZU "health promotion -- research") or (ZU "health promotion -- social aspects") or (ZU "health promotion</p>	506

	-- study & teaching")	
S35	(ZW "health promotion") or (ZW "health promotion and disease prevention") or (ZW "health promotion programs") or (ZW "health promotion/prevention/screening")	95
S34	(ZW "health education")	11
S33	(ZU "health education") or (ZU "health education -- aids & devices") or (ZU "health education -- computer network resources") or (ZU "health education -- economic aspects") or (ZU "health education -- evaluation") or (ZU "health education -- methodology") or (ZU "health education -- psychological aspects") or (ZU "health education -- research") or (ZU "health education -- social aspects") or (ZU "health education -- societies, etc.")	276
S32	(ZU "communication") or (ZU "communication & technology") or (ZU "communication -- economic aspects") or (ZU "communication -- evaluation") or (ZU "communication -- methodology") or (ZU "communication -- psychological aspects") or (ZU "communication -- research") or (ZU "communication -- social aspects") or (ZU "communication -- study & teaching") or (ZU "communication barriers") or (ZU "communication barriers -- prevention") or (ZU "communication devices for people with disabilities") or (ZU "communication in elderly care: cross-cultural perspectives (book)") or (ZU "communication in human services") or (ZU "communication in learning & scholarship") or (ZU "communication in medicine") or (ZU "communication in medicine -- research") or (ZU "communication in nursing") or (ZU "communication in organizations") or (ZU "communication in pharmacy") or (ZU "communication in psychology") or (ZU "communication in science") or (ZU "communication in science -- abstracts") or (ZU "communication in social work") or (ZU "communication in the	589

	social sciences") or (ZU "communication models") or (ZU "communication patterns") or (ZU "communication planning") or (ZU "communication strategies") or (ZU "communication styles") or (ZU "communicative action") or (ZU "communicative competence") or (ZU "communicative competence -- research")	
S31	(ZW "communication") or (ZW "communication accommodation") or (ZW "communication accommodation theory") or (ZW "communication assessment") or (ZW "communication barriers") or (ZW "communication beliefs") or (ZW "communication channels") or (ZW "communication effectiveness") or (ZW "communication in the elderly") or (ZW "communication patterns") or (ZW "communication resolution") or (ZW "communication satisfaction") or (ZW "communication skills") or (ZW "communication strategies") or (ZW "communication technologies") or (ZW "communication technology") or (ZW "communication theory") or (ZW "communication tool") or (ZW "communication.") or (ZW "communication: wandering: environment") or (ZW "communications") or (ZW "communications model") or (ZW "communications principles") or (ZW "communicative activity types") or (ZW "communicative competence") or (ZW "communicative difficulties") or (ZW "communicative goals")	135
S30	(ZW "advocacy") or (ZW "advocacy and older adults and families") or (ZW "advocacy for older people") or (ZW "advocacy.") or (ZW "advocate") or (ZW "advocates")	44
S29	TX advocacy OR TX brokerage	743
S28	(ZW "information") or (ZW "information & communication technology") or (ZW "information and advice") or (ZW "information and communication technologies") or (ZW "information and communication technology") or (ZW "information and service	64

	needs") or (ZW "information communication technologies") or (ZW "information communication technology") or (ZW "information dissemination") or (ZW "information exchange") or (ZW "information needs") or (ZW "information processing") or (ZW "information provision") or (ZW "information search") or (ZW "information searching") or (ZW "information seeking") or (ZW "information sharing") or (ZW "information sharing protocol") or (ZW "information society") or (ZW "information structuring") or (ZW "information system evaluation") or (ZW "information systems") or (ZW "information technology") or (ZW "information technology in health") or (ZW "information utilization") or (ZW "information-giving") or (ZW "information-integration") or (ZW "information-seeking")	
S27	(ZU "information & communication technologies") or (ZU "information & communication technologies -- research") or (ZU "information dissemination") or (ZU "information ethics") or (ZU "information literacy") or (ZU "information needs") or (ZU "information needs -- evaluation") or (ZU "information networks") or (ZU "information overload") or (ZU "information policy") or (ZU "information processing") or (ZU "information resources") or (ZU "information resources -- evaluation") or (ZU "information resources -- reviews") or (ZU "information resources management") or (ZU "information resources management -- evaluation") or (ZU "information resources management -- government policy") or (ZU "information resources software") or (ZU "information retrieval") or (ZU "information retrieval -- computer network resources") or (ZU "information retrieval -- evaluation") or (ZU "information retrieval -- government policy") or (ZU "information services") or (ZU "information services -- evaluation") or (ZU "information services -- united states") or (ZU "information services industry -- employees") or (ZU "information sharing") or (ZU "information storage & retrieval systems") or (ZU	631

	"information storage & retrieval systems -- evaluation") or (ZU "information storage & retrieval systems -- finance") or (ZU "information technology") or (ZU "information technology -- economic aspects") or (ZU "information technology -- evaluation") or (ZU "information technology -- great britain") or (ZU "information technology -- research") or (ZU "information-seeking behavior") or (ZU "information-seeking strategies")	
S26	TX information OR TX advice OR TX guidance OR TX education OR TX support OR TX training OR TX communication	33,942
S25	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24	5,423
S24	(ZW "community aged care") or (ZW "community assessment") or (ZW "community based") or (ZW "community based care") or (ZW "community based long-term care") or (ZW "community based research") or (ZW "community based services") or (ZW "community based social work") or (ZW "community care") or (ZW "community care services") or (ZW "community care use") or (ZW "community case management") or (ZW "community") or (ZW "community dwelling") or (ZW "community dwelling elders") or (ZW "community dwelling older adult") or (ZW "community dwelling older adults") or (ZW "community dwelling older people") or (ZW "community elderly") or (ZW "community health") or (ZW "community health and support services") or (ZW "community health care") or (ZW "community health care providers") or (ZW "community health nursing") or (ZW "community health services") or (ZW "community health services/utilization") or (ZW "community health survey") or (ZW "community health worker") or (ZW "community health workers") or (ZW "community living") or (ZW "community living centers") or (ZW "community long-term care") or	573

(ZW "community networks") or (ZW "community nurse") or (ZW "community nurses") or (ZW "community nursing") or (ZW "community nutrition") or (ZW "community older adults") or (ZW "community organization") or (ZW "community organizations") or (ZW "community rehabilitation") or (ZW "community service") or (ZW "community service use") or (ZW "community services") or (ZW "community servics.") or (ZW "community setting") or (ZW "community social capital") or (ZW "community studies") or (ZW "community study") or (ZW "community support") or (ZW "community support services") or (ZW "community survey") or (ZW "community surveys") or (ZW "community teams") or (ZW "community well-being") or (ZW "community- based service") or (ZW "community-base services") or (ZW "community-based") or (ZW "community-based assessment and planning") or (ZW "community-based care") or (ZW "community-based case study") or (ZW "community-based cohort") or (ZW "community-based dementia care") or (ZW "community-based elder care") or (ZW "community-based instruction") or (ZW "community-based intervention") or (ZW "community-based interventions") or (ZW "community-based learning") or (ZW "community-based long term care") or (ZW "community-based long term-care") or (ZW "community-based long-term care") or (ZW "community-based long-term care services") or (ZW "community-based long-term-care use") or (ZW "community-based nutrition programs") or (ZW "community-based older people") or (ZW "community-based organization") or (ZW "community-based organizations") or (ZW "community-based outpatient clinics") or (ZW "community-based participator") or (ZW "community-based participatory action research") or (ZW "community-based participatory research") or (ZW "community-based participatory research qualitative methods") or (ZW "community-based programs") or (ZW "community-based rehabilitation") or (ZW "community-based research platform") or (ZW "community-based respite services") or

	<p>(ZW "community-based seniors") or (ZW "community-based service") or (ZW "community-based services") or (ZW "community-based study") or (ZW "community-based survey") or (ZW "community-based treatment") or (ZW "community-care") or (ZW "community-dwelling") or (ZW "community-dwelling adults") or (ZW "community-dwelling dementia care recipients") or (ZW "community-dwelling elderly") or (ZW "community-dwelling elderly people") or (ZW "community-dwelling elderly population") or (ZW "community-dwelling elders") or (ZW "community-dwelling frail elders") or (ZW "community-dwelling older adults") or (ZW "community-dwelling older people") or (ZW "community-dwelling older people at risk") or (ZW "community-dwelling older persons") or (ZW "community-dwelling older population") or (ZW "community-dwelling oldest old") or (ZW "community-dwelling population") or (ZW "community-dwelling seniors") or (ZW "community-engaged arts") or (ZW "community-focused strategy") or (ZW "community-health services") or (ZW "community-healthcare partnership") or (ZW "community-institutional relations") or (ZW "community-living") or (ZW "community-living elders") or (ZW "community-living older people") or (ZW "community-living seniors") or (ZW "community-related factors") or (ZW "community-residing") or (ZW "community-scale interventions") or (ZW "community-study")</p>	
S23	<p>(ZU "community health aides") or (ZU "community health aides -- training of") or (ZU "community health nurses") or (ZU "community health nursing") or (ZU "community health services") or (ZU "community health services -- citizen participation") or (ZU "community health services -- economic aspects") or (ZU "community health services -- evaluation") or (ZU "community health services -- finance") or (ZU "community health services -- government policy") or (ZU "community health services -- research") or (ZU "community health services -- utilization") or (ZU</p>	1,007

	"community health services -- utilization -- research") or (ZU "community health services administration") or (ZU "community health services for older people") or (ZU "community services") or (ZU "community services -- research")	
S22	(ZW "rehabilitation") or (ZW "rehabilitation efficiency") or (ZW "rehabilitation facility") or (ZW "rehabilitation of hearing impaired") or (ZW "rehabilitation outcome") or (ZW "rehabilitation outcomes") or (ZW "rehabilitation services") or (ZW "rehabilitation therapy") or (ZW "rehabilitation unit") or (ZW "rehabilitation.")	169
S21	(ZU "rehabilitation") or (ZU "rehabilitation -- economic aspects") or (ZU "rehabilitation -- equipment & supplies") or (ZU "rehabilitation - evaluation") or (ZU "rehabilitation -- law & legislation") or (ZU "rehabilitation -- methodology") or (ZU "rehabilitation -- study & teaching") or (ZU "rehabilitation centers") or (ZU "rehabilitation counseling") or (ZU "rehabilitation nursing") or (ZU "rehabilitation research")	286
S20	(ZU "older people -- home care") or (ZU "older people -- home care -- law & legislation") or (ZU "older people -- home care -- research") or (ZU "older people -- home care -- united states")	160
S19	TX ("home care")	3,024
S18	(ZU "home care services") or (ZU "home care services -- economic aspects") or (ZU "home care services -- evaluation") or (ZU "home care services -- finance") or (ZU "home") or (ZU "home -- safety measures") or (ZU "home accidents") or (ZU "home accidents -- prevention") or (ZU "home care services -- research") or (ZU "home care services -- statistics")	1,518

S17	(ZW "home care") or (ZW "home care agencies") or (ZW "home care aides") or (ZW "home care delivery") or (ZW "home care documentation") or (ZW "home care environment") or (ZW "home care for individuals with chronic illness") or (ZW "home care information systems") or (ZW "home care nurse") or (ZW "home care nurses") or (ZW "home care nursing") or (ZW "home care organizers") or (ZW "home care patients with medicare-only payment source") or (ZW "home care policy") or (ZW "home care population") or (ZW "home care practitioners") or (ZW "home care productivity") or (ZW "home care referrals") or (ZW "home care risk management") or (ZW "home care satisfaction measure") or (ZW "home care service") or (ZW "home care services") or (ZW "home care services, hospital based") or (ZW "home care services-- hospital based") or (ZW "home care services.") or (ZW "home care technology") or (ZW "home care use") or (ZW "home care wireless technology") or (ZW "home care worker") or (ZW "home care worker retention") or (ZW "home care workers") or (ZW "home care workforce")	291
S16	((ZU "intermediate care (nursing care))) or ((ZW "intermediate care") or (ZW "intermediate care for the mentally retarded developmentally disabled"))	22
S15	TX "respite care"	164
S14	TX ("Intermediate care")	99
S13	TX ((Rehabilitation N1 (oriented or goal* or home or community or unit* or setting* or service*)))	686
S12	TX ((Recovery or restorative) N2 (oriented or care or goal* or home or community or unit* or setting* or service*)))	73

S11	TX ((Wellness N2 (model* or approach* or intervention* or service*)))	13
S10	TX (Enhanced N3 program*)	21
S9	TX (((Home or regain*) N3 independence)) OR TX (((Home or regain*) N3 independence))	39
S8	TX Res-care	5
S7	(ZW "reablement")	2
S6	(ZW "restorative home care services") or (ZW "restorative nursing care") or (ZW "restorative activities") or (ZW "restorative care") or (ZW "restorative care nursing") or (ZW "restorative effects") or (ZW "restorative experiences") or (ZW "restorative gardens") or (ZW "restorying")	14
S5	reablement	3
S4	TX Re-enablement OR TX reenablement OR TX enablement	10
S3	TX "restorative care"	29
S2	TX reablement	3
S1	TX re-ablement	2

Ageline - EBSCO

Date searched: 23/12/2015

No. of records: 3479

Limits: academic journals, date (2000 – 2016)

RQ6 A, B, C - Intermediate Care and Reablement - information, advice, advocacy, training and support

#	Query	Results
S43	S40 AND S41 Limiters - Publication Year: 2000-2016 (4,389), Academic Journals Search modes - Boolean/Phrase	3,479
S42	S40 AND S41	7,344
S41	S7 OR S8 OR S9 OR S10 OR S13 OR S16 OR S17 OR S23 OR S24 OR S25 OR S26 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39	70,710
S40	S1 OR S2 OR S3 OR S4 OR S5 OR S11 OR S12 OR S14 OR S15 OR S18 OR S19 OR S20 OR S21 OR S22 OR S27	12,148
S39	AB (((Train* or support* or educat* or communicat* or instruct* or show* or explain* or discuss* or tailor* or assist* or facilitate* or consult* or involve* or participat* or co-design or co-produce or engage* or direct* or coach* or inform* or advis* or personalis* or personaliz* or evaluate*) N1 (client* or consumer* or patient* or user* or carer* or care-giver or famil* or relative*))) OR TI (((Train* or support* or educat* or communicat* or instruct* or show* or explain* or discuss* or tailor* or assist* or facilitate* or consult* or involve* or participat* or co-design or co-produce or engage* or direct* or coach* or inform* or advis* or personalis* or personaliz* or evaluate*) N1 (client* or consumer* or patient* or user* or carer* or care-giver or famil* or relative*)))	4,397
S38	AB (((Information or advice) N2 (independent or local or national or general or clinical or therapeutic or housing or financial or personal	1,665

	<p>or public or client* or consumer* or patient* or user* or carer* or care-giver or famil* or relative* or relation* or volunteer* or professional* or practitioner* or provider* or commissioner* or specialist* or view* or experience* or attitude* or self-care or self-management or self-directed))) OR TI (((Information or advice) N2 (independent or local or national or general or clinical or therapeutic or housing or financial or personal or public or client* or consumer* or patient* or user* or carer* or care-giver or famil* or relative* or relation* or volunteer* or professional* or practitioner* or provider* or commissioner* or specialist* or view* or experience* or attitude* or self-care or self-management or self-directed)))</p>	
S37	<p>AB (((Communication or relationship or knowledge or skill*) N3 (inter-professional or multi-disciplinary or joint or professional* or practitioner* or team* or front-line) N3 (client* or user* or patient* or carer* or relative* or famil*))) OR TI (((Communication or relationship or knowledge or skill*) N3 (inter-professional or multi-disciplinary or joint or professional* or practitioner* or team* or front-line) N3 (client* or user* or patient* or carer* or relative* or famil*)))</p>	38
S36	<p>TI (((Information or advice) N2 (service* or line* or centre* or desk or bureau or signpost* or support or provision or format* or verbal or written or translation or communication or leaflet* or handout* or fact- sheet* or brochure* or technology or device* or computer* or online or web or website* or mobile* or forum or group* or video or phone* or telephone* or book* or tape* or guide* or search* or seek* or sourc* or mis-lead* or inaccurate* or relevant or timely or tailor* or purpose or access* or lack or helpful or unhelpful or satisfied or dissatisfied or complain* or protocol* or strateg* or literac*))) OR AB (((Information or advice) N2 (service* or line* or centre* or desk or bureau or signpost* or support or provision or format* or verbal or written or translation or communication or</p>	2,232

	leaflet* or handout* or fact- sheet* or brochure* or technology or device* or computer* or online or web or website* or mobile* or forum or group* or video or phone* or telephone* or book* or tape* or guide* or search* or seek* or sourc* or mis-lead* or inaccurate* or relevant or timely or tailor* or purpose or access* or lack or helpful or unhelpful or satisfied or dissatisfied or complain* or protocol* or strateg* or literac*)))	
S35	AB view* OR TI view* OR AB experience* OR TI experience* OR TI learn* OR AB learn* OR AB inform* OR TI inform* OR TI advice OR AB advice OR AB advisor* OR TI advisor*	31,634
S34	(ZU "carers") or (ZU "carers' needs") or (ZU "caregiving-formal") or (ZU "caregiving-informal") or (ZU "caregiving/care work") or (ZU "carer") or (ZU "carer burden") or (ZU "carer distress") or (ZU "carer experience") or (ZU "carer needs") or (ZU "carer stress") or (ZU "carer support") or (ZU "carer's expectations") or (ZU "caregivers") or (ZU "caregiving outcomes") or (ZU "caregiving rewards") or (ZU "caregiving- informal") or (ZU "caregiving burden") or (ZU "caregivers") or (ZU "caregiving")	8,911
S33	(ZU "experiences") or (ZU "experiencing aging") or (ZU "experiential ageing")	11
S32	(ZU "service users") or (ZU "service utilization")	3,412
S31	(ZU "patient") or (ZU "patient acceptance of health care") or (ZU "patient activation") or (ZU "patient adherence") or (ZU "patient adherence; falls") or (ZU "patient admission") or (ZU "patient admissions") or (ZU "patient and carer perspectives") or (ZU "patient and family") or (ZU "patient and family satisfaction") or (ZU "patient and public involvement") or (ZU "patient assessment of chronic illness care") or (ZU "patient attitudes") or (ZU "patient	13,848

care") or (ZU "patient care attendants") or (ZU "patient care planning") or (ZU "patient care plans") or (ZU "patient care team") or (ZU "patient centered") or (ZU "patient centered episodes") or (ZU "patient centered outcomes research") or (ZU "patient communication") or (ZU "patient compliance") or (ZU "patient decision making") or (ZU "patient decision support") or (ZU "patient education") or (ZU "patient education and advocacy") or (ZU "patient education and counseling") or (ZU "patient education as topic") or (ZU "patient experience") or (ZU "patient experiences") or (ZU "patient falls") or (ZU "patient information") or (ZU "patient involvement") or (ZU "patient journey") or (ZU "patient journey mapping") or (ZU "patient medication education") or (ZU "patient monitoring equipment") or (ZU "patient navigator (company)") or (ZU "patient outcome assessment") or (ZU "patient outcomes") or (ZU "patient outreach") or (ZU "patient participation") or (ZU "patient perception") or (ZU "patient perspective") or (ZU "patient perspectives") or (ZU "patient preference") or (ZU "patient preferences") or (ZU "patient public involvement") or (ZU "patient readmission") or (ZU "patient readmissions") or (ZU "patient referrals") or (ZU "patient reported") or (ZU "patient reported data") or (ZU "patient reported experience") or (ZU "patient reported outcomes") or (ZU "patient reported outcomes in cognitive impairment scale") or (ZU "patient satisfaction") or (ZU "patient self-report") or (ZU "patient survey") or (ZU "patient transfer") or (ZU "patient's perspectives") or (ZU "patient-caregiver interactions") or (ZU "patient-caregiver reports") or (ZU "patient-centered") or (ZU "patient-centered care") or (ZU "patient-centered communication") or (ZU "patient-centered medical home") or (ZU "patient-centered practice") or (ZU "patient-centred care") or (ZU "patient-clinician relationships") or (ZU "patient-family") or (ZU "patient-family relations") or (ZU "patient-family relations -- law & legislation") or (ZU "patient-held records") or (ZU "patient-physician communication") or (ZU "patient-physician relationship") or (ZU

	"patient-provider communication") or (ZU "patient-provider racial/ethnic concordance") or (ZU "patient-provider relationships") or (ZU "patient-reported outcome") or (ZU "patient-reported outcomes") or (ZU "patient-reported outcomes (pros)") or (ZU "patient/family care") or (ZU "patients") or (ZU "patients receiving hospice care at home") or (ZU "patients receiving hospice care in nursing homes") or (ZU "patients with advanced cancer") or (ZU "patients with cancer") or (ZU "patients with dementia") or (ZU "patients' associations") or (ZU "patients' families") or (ZU "patients' preference") or (ZU "patients' relatives") or (ZU "patients' views")	
S30	(ZU "professional communication") or (ZU "professional competence") or (ZU "professional competencies") or (ZU "professional development") or (ZU "professional education") or (ZU "professional education and training") or (ZU "professional efficacy") or (ZU "professional guides") or (ZU "professional home caregivers") or (ZU "professional personnel") or (ZU "professional practice") or (ZU "professional practices") or (ZU "professional preparedness") or (ZU "professional reasoning") or (ZU "client") or (ZU "client centred") or (ZU "client perspectives") or (ZU "client relations") or (ZU "client satisfaction") or (ZU "client-centered") or (ZU "client-centered approach") or (ZU "client-centered practice") or (ZU "client-centered residential care") or (ZU "client-centred care") or (ZU "client-nurse relationship")	3,076
S29	(ZU "inter-professional working") or (ZU "interagency collaboration") or (ZU "interagency cooperation")	781
S28	(ZU "self") or (ZU "self actualization") or (ZU "self advocacy") or (ZU "self care") or (ZU "self diagnosis") or (ZU "self directed learning") or (ZU "self efficacy") or (ZU "self efficacy for exercise scale") or (ZU "self efficacy scale") or (ZU "self efficacy to walk for health scale") or (ZU "self help devices") or (ZU "self maintenance habits	4,068

and preferences in elderly instrument") or (ZU "self management strategies") or (ZU "self medication") or (ZU "self neglect") or (ZU "self neglect severity scale") or (ZU "self perceived burden scale") or (ZU "self regulation") or (ZU "self report") or (ZU "self report measures") or (ZU "self reported health") or (ZU "self transcendence") or (ZU "self-appraisal") or (ZU "self-assessed health") or (ZU "self-assessed overall health") or (ZU "self-assessed wisdom") or (ZU "self-assessed wisdom scale") or (ZU "self-assessment") or (ZU "self-awareness") or (ZU "self-awareness.") or (ZU "self-care") or (ZU "self-care ability") or (ZU "self-care behaviors") or (ZU "self-care behaviour") or (ZU "self-care dependency") or (ZU "self-care limitations") or (ZU "self-care, health") or (ZU "self-care-related choices") or (ZU "self-categorization") or (ZU "self-certainty") or (ZU "self-compassion") or (ZU "self-competency assessment") or (ZU "self-concept") or (ZU "self-concept differentiation") or (ZU "self-control") or (ZU "self-control in adolescence -- research") or (ZU "self-dealing") or (ZU "self-determination") or (ZU "self-determination theory") or (ZU "self-differentiation") or (ZU "self-directed care") or (ZU "self-directed evaluation") or (ZU "self-directed investments") or (ZU "self-efficacy") or (ZU "self-efficacy for learning") or (ZU "self-efficacy questionnaire") or (ZU "self-efficacy theory") or (ZU "self-efficacy.") or (ZU "self-efficacy/coping") or (ZU "self-evaluation") or (ZU "self-evaluation.") or (ZU "self-evaluations") or (ZU "self-help") or (ZU "self-help devices for older people") or (ZU "self-help group") or (ZU "self-help groups") or (ZU "self-help memory training") or (ZU "self-help.") or (ZU "self-knowledge") or (ZU "self-knowledge, theory of") or (ZU "self-management") or (ZU "self-management abilities") or (ZU "self-management intervention") or (ZU "self-management of chronic disease") or (ZU "self-management of health") or (ZU "self-management programs") or (ZU "self-management support") or (ZU "self-medication") or (ZU "self-medication management") or (ZU "self-monitoring") or (ZU "self-

	neglect") or (ZU "self-perceived health") or (ZU "self-perception") or (ZU "self-perception of aging") or (ZU "self-perception of health") or (ZU "self-perceptions") or (ZU "self-perceptions of aging") or (ZU "self-rated health") or (ZU "self-rated qol") or (ZU "self-rated well-being") or (ZU "self-rating") or (ZU "self-ratings") or (ZU "self-referral") or (ZU "self-regulation") or (ZU "self-report") or (ZU "self-report inaccuracy") or (ZU "self-report measure") or (ZU "self-report physical activity") or (ZU "self-report questionnaire") or (ZU "self-reported") or (ZU "self-reported depressive symptoms") or (ZU "self-reported disability") or (ZU "self-reported function") or (ZU "self-reported health") or (ZU "self-reported outcomes") or (ZU "self-reported physical activity") or (ZU "self-reported questionnaires") or (ZU "self-reported vision") or (ZU "self-reported vision impairment") or (ZU "self-reports")	
S27	(ZU "community") or (ZU "community & ageing: maintaining quality of life in housing with care settings (book)") or (ZU "community aged care") or (ZU "community aged care package") or (ZU "community aged care services") or (ZU "community care") or (ZU "community care and service") or (ZU "community care network") or (ZU "community dwelling") or (ZU "community dwelling older adults") or (ZU "community dwelling older people") or (ZU "community health") or (ZU "community health and support services") or (ZU "community health care") or (ZU "community health centres") or (ZU "community health service") or (ZU "community health services") or (ZU "community health services administration") or (ZU "community health survey") or (ZU "community intervention") or (ZU "community interventions") or (ZU "community involvement") or (ZU "community living") or (ZU "community living centers") or (ZU "community nurses") or (ZU "community nursing") or (ZU "community older adults") or (ZU "community program") or (ZU "community programmes") or (ZU "community programs") or (ZU "community projects") or (ZU	3,492

	"community rehabilitation") or (ZU "community rehabilitation practice") or (ZU "community services") or (ZU "community setting")	
S26	(ZU "communication") or (ZU "communication and aging") or (ZU "communication effectiveness") or (ZU "communication in families") or (ZU "communication in hospice") or (ZU "communication in human services") or (ZU "communication in nursing") or (ZU "communication in pharmacy") or (ZU "communication in the elderly") or (ZU "communication partners") or (ZU "communication patterns") or (ZU "communication satisfaction") or (ZU "communication skills") or (ZU "communication strategies") or (ZU "communication style") or (ZU "communication technologies") or (ZU "communication technology") or (ZU "communication tool") or (ZU "communication training") or (ZU "communications") or (ZU "communications media") or (ZU "communications model") or (ZU "communications outreach") or (ZU "communications skills") or (ZU "communicative action") or (ZU "communicative goals")	3,390
S25	(ZU "education") or (ZU "education (training)") or (ZU "education and health") or (ZU "education and training") or (ZU "education tool") or (ZU "educational intervention") or (ZU "educational interventions") or (ZU "educational needs") or (ZU "educational outcomes") or (ZU "educational program") or (ZU "educational programs") or (ZU "educational resources")	3,131
S24	(ZU "training") or (ZU "training adherence") or (ZU "training and education") or (ZU "training and educational programs") or (ZU "training interest") or (ZU "training intervention") or (ZU "training maintenance") or (ZU "training measures") or (ZU "training outcomes") or (ZU "training program")	2,322
S23	(ZU "support") or (ZU "support bank") or (ZU "support exchanges") or (ZU "support group") or (ZU "support group training") or (ZU	2,418

	<p>"support groups") or (ZU "support interventions") or (ZU "support needs") or (ZU "support network") or (ZU "support networks") or (ZU "support processes") or (ZU "support program") or (ZU "support services") or (ZU "support services.") or (ZU "support surfaces") or (ZU "support systems") or (ZU "support workers") or (ZU "supportive") or (ZU "supportive care") or (ZU "supportive care.") or (ZU "supportive caregiving interventions") or (ZU "supportive environment") or (ZU "supportive psychotherapy") or (ZU "supportive services") or (ZU "supports and services")</p>	
S22	<p>(ZU "home") or (ZU "home accident") or (ZU "home accidents") or (ZU "home aging") or (ZU "home and community") or (ZU "home and community aged care services") or (ZU "home and community based care") or (ZU "home and community based services") or (ZU "home and community care") or (ZU "home and community-based care") or (ZU "home and community-based care and services") or (ZU "home and community-based services") or (ZU "home assessment") or (ZU "home based care service for the aged") or (ZU "home bound") or (ZU "home care") or (ZU "home care agencies") or (ZU "home care aides") or (ZU "home care for individuals with chronic illness") or (ZU "home care management") or (ZU "home care nursing") or (ZU "home care policy") or (ZU "home care population") or (ZU "home care practitioners") or (ZU "home care satisfaction measure") or (ZU "home care service") or (ZU "home care services") or (ZU "home care setting") or (ZU "home care supplies and equipment") or (ZU "home care support services") or (ZU "home care worker") or (ZU "home care workers") or (ZU "home carexs") or (ZU "home environment") or (ZU "home environmental assessment protocol") or (ZU "home environments") or (ZU "home exercise") or (ZU "home exercise program") or (ZU "home health") or (ZU "home health agencies") or (ZU "home health aides") or (ZU "home health care") or (ZU "home health care delivery") or (ZU "home health care provider: a guide to essential</p>	6,355

skills (book)") or (ZU "home health care quality") or (ZU "home health compare") or (ZU "home health services") or (ZU "home healthcare") or (ZU "home help service") or (ZU "home help services") or (ZU "home hospice") or (ZU "home hospice care") or (ZU "home injury") or (ZU "home maintenance") or (ZU "home medication review") or (ZU "home medicines review") or (ZU "home modification") or (ZU "home modifications") or (ZU "home monitoring") or (ZU "home nursing") or (ZU "home rehabilitation") or (ZU "home safety") or (ZU "home safety checklist") or (ZU "home safety evaluation") or (ZU "home safety--evaluation") or (ZU "home safety-evaluation") or (ZU "home support") or (ZU "home support workers") or (ZU "home telemonitoring") or (ZU "home viewing") or (ZU "home visit") or (ZU "home visiting service") or (ZU "home visits") or (ZU "home- and community-based care") or (ZU "home- and community-based care and services") or (ZU "home- and community-based services") or (ZU "home- and community-based services (hcbs)") or (ZU "home- and community-based waivers") or (ZU "home-based assessment") or (ZU "home-based care costs") or (ZU "home-based caregiver training program") or (ZU "home-based clinical assessment") or (ZU "home-based exercise") or (ZU "home-based intervention") or (ZU "home-based nutrition") or (ZU "home-based palliative care") or (ZU "home-based primary care") or (ZU "home-based psychiatric care") or (ZU "home-based rehabilitation") or (ZU "home-based services") or (ZU "home-based yoga") or (ZU "home-care service") or (ZU "home-care services") or (ZU "home-delivered meal") or (ZU "home-delivered meal program") or (ZU "home-delivered meal programs") or (ZU "home-delivered meals") or (ZU "home-dwellers") or (ZU "home-dwelling") or (ZU "home-help services") or (ZU "home-making") or (ZU "home-visiting programme") or (ZU "home-visiting strategies: a case-management guide for caregivers (book)") or (ZU "homebased program") or (ZU "homebound") or (ZU "homebound elderly") or (ZU "homebound elderly adults") or (ZU "homebound older adults")

	or (ZU "homecare") or (ZU "homecare services") or (ZU "homecoming") or (ZU "homemaker services") or (ZU "homemakers") or (ZU "homes") or (ZU "homes for aged") or (ZU "homes for older people") or (ZU "homes for the aged") or (ZU "homes for the elderly") or (ZU "homes for the the aged")	
S21	(ZU "intermediate care") or (ZU "intermediate care facilities")	141
S20	crisis res*	240
S19	rapid response	35
S18	(ZU "hospital at home") or (ZU "hospital avoidance") or (ZU "hospital continuing care") or (ZU "hospital discharge") or (ZU "hospital readmission") or (ZU "hospital readmissions")	17
S17	(ZU "outcomes") or (ZU "outcomes and process assessment (health care)") or (ZU "outcomes assessment") or (ZU "outcomes evaluation") or (ZU "outcomes of care") or (ZU "outcomes research") or (ZU "outcomes.")	2,765
S16	(ZU "activities") or (ZU "activities of daily life") or (ZU "activities of daily living") or (ZU "activities of daily living (adl)") or (ZU "activities of daily living (adls)") or (ZU "activities of daily living dependency") or (ZU "activities of daily living evaluation") or (ZU "activities of daily living functioning") or (ZU "activities of daily living older people") or (ZU "activities of daily living prevention instrument") or (ZU "activities of daily living questionnaire") or (ZU "activities of daily living; caregiving") or (ZU "activities of daily vision scale") or (ZU "activities specific balance confidence scale") or (ZU "activities to ward off loneliness") or (ZU "activity") or (ZU "activity avoidance")	2,921

S15	(ZU "recovery") or (ZU "recovery approach") or (ZU "recovery movement") or (ZU "recovery of function") or (ZU "recovery-oriented care") or (ZU "recreation") or (ZU "recreation programs")	1,328
S14	recovery care	42
S13	(ZU "exercise") or (ZU "exercise adherence") or (ZU "exercise alternative") or (ZU "exercise barriers") or (ZU "exercise behavior") or (ZU "exercise behaviour") or (ZU "exercise capacity") or (ZU "exercise decisional balance scale") or (ZU "exercise for middle-aged women") or (ZU "exercise frequency") or (ZU "exercise group") or (ZU "exercise guidelines") or (ZU "exercise intensity") or (ZU "exercise intervention") or (ZU "exercise interventions") or (ZU "exercise leaders") or (ZU "exercise mode") or (ZU "exercise motivation") or (ZU "exercise participation") or (ZU "exercise physiology") or (ZU "exercise prescription") or (ZU "exercise processes of change questionnaire") or (ZU "exercise program") or (ZU "exercise programs") or (ZU "exercise promotion") or (ZU "exercise readiness") or (ZU "exercise rehabilitation") or (ZU "exercise self efficacy questionnaire") or (ZU "exercise self efficacy scale") or (ZU "exercise self-efficacy") or (ZU "exercise stage of change questionnaire") or (ZU "exercise test") or (ZU "exercise testing") or (ZU "exercise therapy") or (ZU "exercise tolerance") or (ZU "exercise training") or (ZU "exercise video games") or (ZU "exercise.") or (ZU "exercises") or (ZU "exercising")	3,474
S12	(ZU "rehabilitation") or (ZU "rehabilitation activities profile") or (ZU "rehabilitation costs") or (ZU "rehabilitation medicine") or (ZU "rehabilitation model") or (ZU "rehabilitation of hearing impaired") or (ZU "rehabilitation outcome") or (ZU "rehabilitation outcomes") or (ZU "rehabilitation services") or (ZU "rehabilitation success") or (ZU "rehabilitation therapy") or (ZU "rehabilitative care")	1,720

S11	(ZU "reablement")	1
S10	(ZU "advice") or (ZU "advisory groups") or (ZU "advocacy") or (ZU "advocacy for older people") or (ZU "advocate") or (ZU "advocates")	1,674
S9	(ZU "information") or (ZU "information and care planning") or (ZU "information and communication technology") or (ZU "information and referral services") or (ZU "information centers") or (ZU "information communication technologies") or (ZU "information dissemination") or (ZU "information need") or (ZU "information needs") or (ZU "information overload") or (ZU "information processing") or (ZU "information processing speed") or (ZU "information provision") or (ZU "information resources") or (ZU "information search") or (ZU "information seeking") or (ZU "information sharing") or (ZU "information society") or (ZU "information sources") or (ZU "information structuring") or (ZU "information systems") or (ZU "information technology") or (ZU "information transfer") or (ZU "information visualisation") or (ZU "information-integration") or (ZU "information-seeking strategies") or (ZU "informational masking") or (ZU "informational resource") or (ZU "informational support")	3,310
S8	(ZU "multi-disciplinarity") or (ZU "multi-disciplinary") or (ZU "multi-disciplinary assessment") or (ZU "multi-disciplinary care") or (ZU "multi-disciplinary care team") or (ZU "multi-disciplinary team") or (ZU "multi-professional") or (ZU "multi-professional rehabilitation practice") or (ZU "multidisciplinary") or (ZU "multidisciplinary approach") or (ZU "multidisciplinary care") or (ZU "multidisciplinary care team") or (ZU "multidisciplinary collaboration") or (ZU "multidisciplinary concerns") or (ZU "multidisciplinary education") or (ZU "multidisciplinary healthcare teams") or (ZU "multidisciplinary intervention") or (ZU "multidisciplinary occupational therapy") or (ZU "multidisciplinary partnership") or (ZU "multidisciplinary research")	63

	or (ZU "multidisciplinary team") or (ZU "multidisciplinary team care") or (ZU "multidisciplinary teams") or (ZU "multidisciplinary teams (mdts)") or (ZU "multidisciplinary working") or (ZU "multidiscipline")	
S7	(ZU "physical activity") or (ZU "physical activity and ageing") or (ZU "physical activity and exercise") or (ZU "physical activity assessment") or (ZU "physical activity exercise") or (ZU "physical activity intervention") or (ZU "physical activity involvement") or (ZU "physical activity level and epidemiology") or (ZU "physical activity measurement") or (ZU "physical activity program") or (ZU "physical activity programs") or (ZU "physical activity promotion") or (ZU "physical activity questionnaire") or (ZU "physical activity questionnaire for elderly japanese") or (ZU "physical activity readiness questionnaire") or (ZU "physical activity scale for older adults") or (ZU "physical activity scale for the elderly") or (ZU "physical activity survey in long term care") or (ZU "physical activity types") or (ZU "physical activity.") or (ZU "physical and cognitive exercise program") or (ZU "physical and emotional health") or (ZU "physical and functional capacity") or (ZU "physical and mental health") or (ZU "physical and psychiatric comorbidity") or (ZU "physical and psychological effects") or (ZU "physical and psychological health") or (ZU "physical and psychosocial environments - special care units") or (ZU "physical and social activities") or (ZU "physical burden") or (ZU "physical capability") or (ZU "physical capacity") or (ZU "physical capital") or (ZU "physical changes") or (ZU "physical characteristics") or (ZU "physical condition") or (ZU "physical deterioration") or (ZU "physical diagnosis") or (ZU "physical disabilities") or (ZU "physical disability") or (ZU "physical disorders") or (ZU "physical education & training") or (ZU "physical education & training -- research") or (ZU "physical education facilities") or (ZU "physical environment") or (ZU "physical environments") or (ZU "physical examination") or (ZU "physical exercise") or (ZU "physical exercises") or (ZU "physical	5,789

	<p>fitness") or (ZU "physical fitness centers") or (ZU "physical fitness for middle-aged persons") or (ZU "physical fitness health services for older adults") or (ZU "physical frailty") or (ZU "physical function") or (ZU "physical function decline") or (ZU "physical function performance") or (ZU "physical function.") or (ZU "physical functional decline") or (ZU "physical functioning") or (ZU "physical functioning inventory") or (ZU "physical functioning self-rated health") or (ZU "physical functioning.") or (ZU "physical hazards") or (ZU "physical health") or (ZU "physical health complaint") or (ZU "physical health measures") or (ZU "physical health problems") or (ZU "physical health status") or (ZU "physical illness") or (ZU "physical illnesses") or (ZU "physical impairment") or (ZU "physical inactivity") or (ZU "physical injury") or (ZU "physical limitation") or (ZU "physical limitations") or (ZU "physical literacy") or (ZU "physical mobility") or (ZU "physical mobility scale") or (ZU "physical mobilization") or (ZU "physical needs") or (ZU "physical neglect") or (ZU "physical performance") or (ZU "physical performance and mobility exam") or (ZU "physical performance measure") or (ZU "physical recovery") or (ZU "physical self maintenance scale") or (ZU "physical self-concept") or (ZU "physical space") or (ZU "physical strength") or (ZU "physical tests") or (ZU "physical therapists") or (ZU "physical therapy") or (ZU "physical therapy assessment") or (ZU "physical therapy modalities") or (ZU "physical therapy rehabilitation") or (ZU "physically active leisure") or (ZU "physically active people") or (ZU "physically disabled")</p>	
S6	(ZU "restorative") or (ZU "restorative care") or (ZU "restorative care nursing") or (ZU "restorative home care services")	11
S5	recovery support AND home	2
S4	regaining independence	2

S3	enablement	8
S2	restorative care	97
S1	AB re-ablement OR TI re-ablement OR AB reablement OR TI reablement	3

Allied and Complementary Medicine Database (AMED) - OVID

Date searched: 06/06/16

No. of records: 725

Limits: journal article, date (2000 – 2016), age

RQ6 A, B, C - Intermediate Care and Reablement - information, advice, advocacy, training and support

Number	Terms	Results
1.	(Reable\$ or re-able\$).ti,ab.	6
2.	(Re-enablement or reenablement or enablement).ti,ab.	47
3.	Res-care.ti,ab.	1
4.	((Home or regain\$) adj3 independence).ti,ab.	72
5.	"Enhanced activation program".ti,ab.	0
6.	(Wellness adj (model\$ or approach\$ or intervention\$ or service\$)).ti,ab.	23
7.	((Recovery or restorative) adj (care or goal or home or community or unit or setting or service)).ti,ab.	45
8.	(Rehabilitation adj (goal or home or community or unit or	1422

	setting or service)).ti,ab.	
9.	(Intermediate adj3 (care or setting\$ or unit\$ or facility\$ or home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or provider\$)).ti,ab.	55
10.	(Rehabilitation or rehabilitation centers or rehabilitation modalities or rehabilitation nursing or rehabilitation psychosocial or rehabilitation speciality or rehabilitation techniques).sh.	51812
11.	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10	52155
12.	Health education.sh.	455
13.	Health promotion.sh.	1908
14.	(Patient education or patient participation or patient satisfaction).sh.	4905
15.	Patient compliance.sh.	712
16.	(Education or education nonprofessional or educational measurement).sh.	4940
17.	Communication.sh.	2621
18.	Needs assessment.sh.	115
19.	(Consumer satisfaction or "continuity of patient care").sh.	387
20.	Information services.sh.	318
21.	((Education\$ or information or teach\$ or self?help or self?manage\$) adj5 (program\$ or intervention\$ or material\$ or resource\$ or meeting\$ or session\$ or strateg\$ or work?shop\$ or visit\$)).ti,ab.	4824

22.	((Communication or relationship or knowledge or skill\$) adj3 (inter-professional or multi-disciplinary or joint or professional\$ or practitioner\$ or team\$ or front-line) adj3 (client\$ or user\$ or patient\$ or carer\$ or relative\$ or famil\$)).ti,ab.	195
23.	((Information or advice) adj2 (service\$ or line\$ or centre\$ or desk or bureau or signpost\$ or support or provision or format\$ or verbal or written or translation or communication or leaflet\$ or handout\$ or fact- sheet\$ or brochure\$ or technology or device\$ or computer\$ or online or web or website\$ or mobile\$ or forum or group\$ or video or phone\$ or telephone\$ or book\$ or tape\$ or guide\$ or search\$ or seek\$ or sourc\$ or mis-lead\$ or inaccurate\$ or relevant or timely or tailor\$ or purpose or access\$ or lack or helpful or unhelpful or satisfied or dissatisfied or complain\$ or protocol\$ or strateg\$ or literac\$)).ti,ab.	2482
24.	((Information or advice) adj2 (independent or local or national or general or clinical or therapeutic or housing or financial or personal or public or client\$ or consumer\$ or patient\$ or user\$ or carer\$ or care-giver or famil\$ or relative\$ or relation\$ or volunteer\$ or professional\$ or practitioner\$ or provider\$ or commissioner\$ or specialist\$ or view\$ or experience\$ or attitude\$ or self-care or self-management or self-directed)).ti,ab.	2237
25.	((Train\$ or support\$ or educat\$ or communicat\$ or instruct\$ or show\$ or explain\$ or discuss\$ or tailor\$ or assist\$ or facilitate\$ or consult\$ or involve\$ or participat\$ or co-design or co-produce or engage\$ or direct\$ or coach\$ or inform\$ or advis\$ or personalis\$ or personaliz\$ or evaluate\$) adj1 (client\$ or consumer\$ or patient\$ or	7930

	user\$ or carer\$ or care-giver or famil\$ or relative\$)).ti,ab.	
26.	Mis?inform\$.ti,ab.	27
27.	Advocacy.ti,ab.	489
28.	(Patient Advice and Liaison Service).ti,ab.	1
29.	Social prescribing.ti,ab.	0
30.	Decision\$.ti,ab.	4782
31.	(Choice adj control).ti,ab.	43
32.	((System or service or community) adj (navigator\$ or navigation)).ti,ab.	2
33.	Unmet need\$.ti,ab.	181
34.	12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33	31104
35.	11 and 34	8029
36.	35 and 2000:2016.(sa_year).	6177
37.	36 and "Journal Article" [Publication Type]	5434
38.	Adult.sh.	10791
39.	Middle aged.sh.	3405
40.	(Age factors or age groups or aged or aged 80 or aging).sh.	15181
41.	Geriatrics.sh.	366
42.	38 or 39 or 40 or 41	26102

43.	37 and 42	725
-----	-----------	-----

Applied Social Sciences Index and Abstracts (ASSIA) - ProQuest

Date searched: 17/05/16

No. of records: 1505

Limits: date (2000 – 2016)

((SU.EXACT("Information sources") OR SU.EXACT("Information") OR SU.EXACT("Access to information") OR SU.EXACT("Information sharing") OR SU.EXACT("Computerized clinical information systems") OR SU.EXACT("Information technology") OR SU.EXACT("Health information services") OR SU.EXACT("Health information") OR SU.EXACT("Clinical information") OR SU.EXACT("Information needs") OR SU.EXACT("Information services") OR SU.EXACT("Information transfer") OR SU.EXACT("Information centres") OR SU.EXACT("Information seeking") OR SU.EXACT("Clinical information systems")) OR (SU.EXACT("Nurse-Patient communication") OR SU.EXACT("Carer-Patient communication") OR SU.EXACT("Indirect communication") OR SU.EXACT("Doctor-Patient communication") OR SU.EXACT("Health professional-Patient communication") OR SU.EXACT("Communication") OR SU.EXACT("Carer patient communication")) OR SU.EXACT("Health education") OR SU.EXACT("Health promotion") OR SU.EXACT("Patient education") OR (SU.EXACT("Outcome based education") OR SU.EXACT("Multiprofessional education") OR SU.EXACT("Patient education")) OR (SU.EXACT("Health information services") OR SU.EXACT("Health information") OR SU.EXACT("Health professional-Patient communication") OR SU.EXACT("Health professional-Patient interactions") OR SU.EXACT("Health professional-Patient relationships") OR SU.EXACT("Health behaviour")) OR (SU.EXACT("Health information services") OR SU.EXACT("Health information") OR SU.EXACT("Health professional-Patient interactions") OR SU.EXACT("Health professional-Patient relationships") OR SU.EXACT("Health behaviour")) OR (SU.EXACT("Patient participation") OR SU.EXACT("Patient information") OR SU.EXACT("Patient control") OR SU.EXACT("Patient centredness") OR SU.EXACT("Patient satisfaction")) OR (SU.EXACT("Advice") OR

SU.EXACT("Advice centres")) OR SU.EXACT("Education") OR SU.EXACT("Needs assessment") OR (SU.EXACT("Advocacy services") OR SU.EXACT("Advocacy") OR SU.EXACT("Advocacy planning") OR SU.EXACT("Advocacy groups")) OR SU.EXACT("Unmet needs") OR SU.EXACT("Navigation") OR ALL((Communication OR relationship OR knowledge OR skill) NEAR/3 (inter-professional OR multi-disciplinary OR joint OR professional OR practitioner OR team OR front-line) NEAR/3 (client OR user OR patient OR carer OR relative OR family)) OR ALL((Information OR advice) NEAR/2 (service OR line OR centre OR desk OR bureau OR signpost OR support OR provision OR format OR verbal OR written OR translation OR communication OR leaflet OR handout OR fact-sheet OR brochure OR technology OR device OR computer OR online OR web OR website OR mobile OR forum OR group OR video OR phone OR telephone OR book OR tape OR guide OR search OR seek OR source OR mis-lead OR inaccurate OR relevant OR timely OR tailor OR purpose OR access OR lack OR helpful OR unhelpful OR satisfied OR dissatisfied OR complain OR protocol OR strategy OR literacy)) OR ALL((Information OR advice) NEAR/2 (independent OR local OR national OR general OR clinical OR therapeutic OR housing OR financial OR personal OR public OR client OR consumer OR patient OR user OR carer OR care-giver OR family OR relative OR relation OR volunteer OR professional OR practitioner OR provider OR commissioner OR specialist OR view OR experience OR attitude OR self-care OR self-management OR self-directed)) OR ALL((Train OR support OR educate OR communicate OR instruct OR show OR explain OR discuss OR tailor OR assist OR facilitate OR consult OR involve OR participate OR co-design OR co-produce OR engage OR direct OR coach OR inform OR advise OR personalise OR personalize OR evaluate) NEAR/1 (client OR consumer OR patient OR user OR carer OR care-giver OR family OR relative)) OR ALL(misinformation) OR ALL("social prescribing") OR ALL("Decision making") OR (ALL(choice) AND ALL(control)) OR ALL((System OR service OR community) NEAR/0 (navigator OR navigation)) OR SU.EXACT("Training") OR SU.EXACT("Support")) AND ((ALL(re-able*) OR ALL(reable*)) OR ALL(Re-enablement OR reenablement OR enablement) OR ALL(Res-care) OR ALL(independence PRE/4 home) OR ALL(regain* PRE/4 independence) OR ALL("restorative care") OR (ALL(rehabilitation) AND ALL("home care")) OR ALL("intermediate care") OR (ALL(wellness) AND ALL(rehabilitation)) OR (ALL(independence) AND ALL(rehabilitation)) OR (ALL(home) AND

ALL(rehabilitation)) OR (ALL(care) AND ALL(rehabilitation)) OR
SU.EXACT("Rehabilitation") OR (SU.EXACT("Intermediate care") OR
SU.EXACT("Intermediate care centres")) OR (SU.EXACT("Independence") OR
SU.EXACT("Autonomy")) (Date limit 2000 – 2016)

British Nursing Index (BNI) - ProQuest

Date searched: 17/06/16

No. of records: 2963

Limits: date (2000 – 2016), age

RQ6 A, B, C - Intermediate Care and Reablement - information, advice, advocacy, training and support

((AB,TI((Information OR advice) NEAR/2 (service OR line OR centre OR desk OR bureau OR signpost OR support OR provision OR format OR verbal OR written OR translation OR communication OR leaflet OR handout OR fact?sheet OR brochure OR technology OR device OR computer OR online OR web OR website OR mobile OR forum OR group OR video OR phone OR telephone OR book OR tape OR guide OR search OR seek OR source OR mis?lead OR inaccurate OR relevant OR timely OR tailor OR purpose OR access OR lack OR helpful OR unhelpful OR satisfied OR dissatisfied OR complain OR protocol OR strategy OR literacy)) OR
AB,TI((Information OR advice) NEAR/2 (independent OR local OR national OR general OR clinical OR therapeutic OR housing OR financial OR personal OR public OR client OR consumer OR patient OR user OR carer OR care?giver OR family OR relative OR relation OR volunteer OR professional OR practitioner OR provider OR commissioner OR specialist OR view OR experience OR attitude OR self?care OR self?management OR self?directed)) OR AB,TI((Train OR support OR education OR communication OR instruct OR show OR explain OR discuss OR tailor OR assist OR facilitate OR consult OR involve OR participation OR co?design OR co?produce OR engage OR direct OR coach OR inform OR advise OR personalise OR personalize OR evaluate OR teach OR rehabilitate) NEAR/3 (client OR consumer OR patient OR user OR carer OR care?giver OR family OR relative)) OR
AB,TI((information OR advice OR advocacy OR advocate OR training OR support

OR communication OR education OR knowledge)) OR AB, TI((Education OR information OR teach OR self?help OR self?manage) NEAR/5 (program OR intervention OR material OR resource OR meeting OR session OR strategy OR work?shop OR visit)) OR AB, TI((Communication OR relationship OR knowledge OR skill) NEAR/3 (inter-professional OR multi-disciplinary OR joint OR professional OR practitioner OR team OR front-line) NEAR/3 (client OR user OR patient OR carer OR relative OR family)) OR SU.EXACT("Patients : Education") OR (SU.EXACT("Patients : Compliance") OR SU.EXACT("Nurse Patient Relations") OR SU.EXACT("Patients : Psychology") OR SU.EXACT("Patients : Accidents") OR SU.EXACT("Patients : Positioning") OR SU.EXACT("Patients : Admission") OR SU.EXACT("Patients : Empowerment") OR SU.EXACT("Patients : Welfare") OR SU.EXACT("Patients : Discharge") OR SU.EXACT("Patients : Attitudes and Perceptions") OR SU.EXACT("Patient Assessment")) OR SU.EXACT("Staff : Attitudes") OR (SU.EXACT("Health Promotion") OR SU.EXACT("Community Nursing : Education")) OR (SU.EXACT("Education : Other Professions") OR SU.EXACT("Interprofessional Education")) OR SU.EXACT("Information Technology") OR SU.EXACT("Consumer Satisfaction") OR (SU.EXACT("Multidisciplinary Teams") OR SU.EXACT("Interprofessional Education") OR SU.EXACT("Interprofessional Relations")) OR SU.EXACT("Decision Making Process") OR SU.EXACT("Health Service Planning") OR AB, TI((System OR service OR community) NEAR/1 (navigator OR navigation)) OR AB, TI(Choice NEAR/2 control) OR AB, TI(Misinform*) OR AB, TI(Social NEAR/2 prescrib*) OR AB, TI(unmet NEAR/2 need*) OR AB, TI((patient OR carer OR professional) NEAR/2 (need* OR opinion*)) OR AB, TI(effectiveness) OR AB, TI(outcomes) OR SU.EXACT("Evidence Based Practice") OR SU.EXACT("Outcomes and Prognoses")) AND (AB, TI((Recover OR maintain OR relearn OR learn OR regain OR remain OR live OR loss OR maximize OR prolong) NEAR/3 (function OR mobility OR ability OR confidence OR skill OR independence)) OR AB, TI(res-care) OR AB, TI(reablement OR re-ablement OR enablement OR reenablement OR re-enablement) OR AB, TI((Wellness OR well?being) NEAR/1 (model* OR approach* OR intervention* OR service*)) OR AB, TI((Recuperative OR recovery OR respite OR restorative) NEAR/3 care) OR AB, TI(Intermediate NEAR/3 (care OR setting OR unit OR facility OR home OR housing OR nursing OR sector OR provision OR provider)) OR AB, TI(Rehabilitation NEAR/1 (goal OR home OR community OR unit OR setting OR service)) OR

AB, TI(Community NEAR/2 (care OR setting OR service OR nursing)) OR
 AB, TI(Home NEAR/2 care) OR (SU.EXACT("Health and Quality of Life") OR
 SU.EXACT("Home Care Services") OR SU.EXACT("Community Care") OR
 SU.EXACT("Terminal Care : Domiciliary") OR SU.EXACT("Continuity of Care") OR
 SU.EXACT("District Nursing") OR SU.EXACT("Health Visiting") OR
 SU.EXACT("Carers") OR SU.EXACT("Community Nursing") OR SU.EXACT("Heart
 Disorders : Rehabilitation") OR SU.EXACT("Spinal Injuries : Rehabilitation") OR
 SU.EXACT("Stroke : Rehabilitation") OR SU.EXACT("Rehabilitation") OR
 SU.EXACT("Psychiatric Rehabilitation") OR SU.EXACT("Rehabilitation Nursing") OR
 SU.EXACT("Community Care")))) AND peer(yes) AND rtype.exact("Article" OR
 "Review" OR "Evidence Based Healthcare" OR "Literature Review")) AND
 ((SU.EXACT("Middle Age") OR SU.EXACT("Age Groups (Non BNI)") OR
 SU.EXACT("Retirement") OR SU.EXACT("Elderly")) OR (AB, TI((adult* OR "older
 people*" OR "older person*" OR "old age" OR retire* OR ageing OR aged OR
 "middle age*" OR geriatric OR gerontology)) AND peer(yes) AND
 rtype.exact("Article" OR "Review" OR "Evidence Based Healthcare" OR "Literature
 Review"))) (Date limited 2000 - 2016)

**Cochrane Database of Systematic Reviews, Trials and Economic reviews -
 Wiley**

Date searched: 07/06/16

No. of records: 714

Date limits: date (2000 – 2016)

**RQ6 A, B, C - Intermediate Care and Reablement - information, advice,
 advocacy, training and support**

ID	Search	Hits
#1	reablement	(3)
#2	re-ablement	(6)
#3	enablement	(84)
#4	"restorative care"	(36)

- #5 "recuperative care" (2)
- #6 "home independence" (1)
- #7 "independent recovery" (1)
- #8 MeSH descriptor: [Independent Living] explode all trees (133)
- #9 "wellness" (723)
- #10 "frailty" (461)
- #11 "Enhanced activation program" (0)
- #12 "Res-care" (7)
- #13 "home care" (4165)
- #14 MeSH descriptor: [Home Care Services] explode all trees (2413)
- #15 "rehabilitation" (36435)
- #16 MeSH descriptor: [Rehabilitation] explode all trees (18479)
- #17 "community service" (135)
- #18 MeSH descriptor: [Community Health Services] explode all trees (12053)
- #19 "community settings" (741)
- #20 "community care" (1219)
- #21 "intermediate care" (213)
- #22 MeSH descriptor: [Intermediate Care Facilities] explode all trees (19)
- #23 "regaining independence" (5)
- #24 "independent function" (31)
- #25 "maintain independence" (25)

- #26 "short-term care" (17)
- #27 "recover function" (7)
- #28 "restore function" (36)
- #29 "maximise independence" (3)
- #30 "self care" (5798)
- #31 MeSH descriptor: [Self Care] explode all trees (4622)
- #32 MeSH descriptor: [Self Efficacy] explode all trees (1999)
- #33 "self-sufficient" (20)
- #34 "personal autonomy" (183)
- #35 MeSH descriptor: [Personal Autonomy] explode all trees (148)
- #36 MeSH descriptor: [Patient Compliance] explode all trees (10027)
- #37 #1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11 or #12 or #13
or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24 or #25
or #26 or #27 or #28 or #29 or #30 or #31 or #32 or #33 or #34 or #35 or #36
(72350)
- #38 "communication" (10850)
- #39 MeSH descriptor: [Interdisciplinary Communication] explode all trees
(204)
- #40 MeSH descriptor: [Communication] explode all trees (11483)
- #41 "information" (62133)
- #42 MeSH descriptor: [Information Centers] explode all trees (20)
- #43 MeSH descriptor: [Information Services] explode all trees (2037)
- #44 MeSH descriptor: [Access to Information] explode all trees (56)

- #45 MeSH descriptor: [Information Dissemination] explode all trees (214)
- #46 MeSH descriptor: [Information Seeking Behavior] explode all trees (33)
- #47 advice (8147)
- #48 advocacy (448)
- #49 MeSH descriptor: [Patient Advocacy] explode all trees (72)
- #50 MeSH descriptor: [Consumer Advocacy] explode all trees (12)
- #51 education (45371)
- #52 MeSH descriptor: [Education] explode all trees (21791)
- #53 MeSH descriptor: [Health Education] explode all trees (11299)
- #54 MeSH descriptor: [Health Promotion] explode all trees (4969)
- #55 MeSH descriptor: [Patient Education as Topic] explode all trees (7512)
- #56 training (42239)
- #57 MeSH descriptor: [Training Support] explode all trees (24)
- #58 ((Communication or relationship or knowledge or skill) adj (client or user or patient or carer or relative or family)) (1818)
- #59 ((Information or advice) adj2 (service or line or centre or desk or bureau or signpost or support or provision or format* or verbal or written or translation or communication or leaflet or handout or fact- sheet or brochure or technology or device or computer or online or web or website or mobile or forum or group or video or phone or telephone or book or tape or guide or search or seek or source or mis-lead or inaccurate or relevant or timely or tailor or purpose or access or lack or helpful or unhelpful or satisfied or dissatisfied or complain or protocol or strategy or literacy)) (1391)
- #60 ((Information or advice) adj2 (independent or local or national or general or clinical or therapeutic or housing or financial or personal or public or client or

consumer or patient or user or carer or care-giver or family or relative or relation or volunteer or professional or practitioner or provider or commissioner or specialist or view or experience or attitude or self-care or self-management or self-directed))

(1391)

#61 ((Train or support or education or communication or instruct or show or explain or discuss or tailor or assist or facilitate or consult or involve or participate or co-design or co-produce or engage or direct or coach or inform or advise or personalise or personalize or evaluate) adj1 (client or consumer or patient or user or carer or care-giver or family or relative)) (384)

#62 ((Education or information or teach or self-help or self-manage) adj (program or intervention or material or resource or meeting or session or strategy or workshop or visit)) (2406)

#63 ((System or service or community) adj (navigator or navigation)) (44)

#64 (Choice adj control) (953)

#65 "Unmet need" (335)

#66 "Social prescribing" (1)

#67 MeSH descriptor: [Decision Making] explode all trees (3388)

#68 #38 or #39 or #40 or #41 or #42 or #43 or #44 or #45 or #46 or #47 or #48 or #49 or #50 or #51 or #52 or #53 or #54 or #55 or #56 or #57 or #58 or #59 or #60 or #61 or #62 or #63 or #64 or #65 or #66 or #67 (143033)

#69 #37 and #68 (31949)

#70 MeSH descriptor: [Homes for the Aged] explode all trees (550)

#71 MeSH descriptor: [Aged] explode all trees (1003)

#72 MeSH descriptor: [Aged, 80 and over] explode all trees (104)

#73 MeSH descriptor: [Adult] explode all trees (1543)

- #74 MeSH descriptor: [Aging] explode all trees (3208)
- #75 MeSH descriptor: [Frail Elderly] explode all trees (595)
- #76 MeSH descriptor: [Health Services for the Aged] explode all trees (524)
- #77 MeSH descriptor: [Geriatric Nursing] explode all trees (196)
- #78 #70 or #71 or #72 or #73 or #74 or #75 or #76 or #77 (5746)
- #79 #69 and #78 (799)
- #80 Limit by Date 200-2016 (714)

Cumulative Index to Nursing and Allied Health Literature (CINAHL)

Date searched: 06/06/12

No. of records: 2469

Date limits: study type, subject, language (English), date (2000 – 2016), age

RQ6 A, B, C - Intermediate Care and Reablement - information, advice, advocacy, training and support

#	Query	Results
S49	S44 AND S48	2,469
S48	S45 OR S46 OR S47	252,210
S47	TX "intermediate care"	2,857
S46	TX reablement or re-ablement or restorative or rehabilitation	211,566
S45	TX homecare or home-care or "home care" or "home nursing"	46,780

S44	S42 AND S43	7,190
S43	TX Home* OR TX community Limiters - Published Date: 20000101-20161231; English Language	535,857
S42	S31 AND S37 Limiters - Published Date: 20000101-20161231; English Language Narrow by SubjectMajor: - counseling Narrow by SubjectMajor: - women's health Narrow by SubjectMajor: - attitude to illness Narrow by SubjectMajor: - chronic disease Narrow by SubjectMajor: - obesity Narrow by SubjectMajor: - sexuality Narrow by SubjectMajor: - gerontologic care Narrow by SubjectMajor: - stress, psychological Narrow by SubjectMajor: - immigrants Narrow by SubjectMajor: - professional-patient relations Narrow by SubjectMajor: - primary health care Narrow by SubjectMajor: - patient satisfaction Narrow by SubjectMajor: - palliative care Narrow by SubjectMajor: - treatment outcomes Narrow by SubjectMajor: - patient compliance Narrow by SubjectMajor: - health knowledge Narrow by SubjectMajor: - exercise Narrow by SubjectMajor: - health services accessibility Narrow by SubjectMajor: - adaptation, psychological Narrow by SubjectMajor: - physical activity Narrow by SubjectMajor: - therapeutic exercise Narrow by SubjectMajor: - women Narrow by SubjectMajor: - coping Narrow by SubjectMajor: - decision making Narrow by SubjectMajor: - attitude of health personnel	12,980

	<p>Narrow by SubjectMajor: - depression</p> <p>Narrow by SubjectMajor: - dementia</p> <p>Narrow by SubjectMajor: - health behavior</p> <p>Narrow by SubjectMajor: - patient education</p> <p>Narrow by SubjectMajor: - blacks</p> <p>Narrow by SubjectMajor: - family</p> <p>Narrow by SubjectMajor: - life experiences</p> <p>Narrow by SubjectMajor: - attitude to health</p> <p>Narrow by SubjectMajor: - communication</p> <p>Narrow by SubjectMajor: - health promotion</p> <p>Narrow by SubjectMajor: - nurse attitudes</p> <p>Narrow by SubjectMajor: - cancer patients</p> <p>Narrow by SubjectMajor: - stroke</p> <p>Narrow by SubjectMajor: - quality of life</p> <p>Narrow by SubjectMajor: - self care</p> <p>Narrow by SubjectMajor: - caregivers</p> <p>Narrow by SubjectMajor: - support, psychosocial</p> <p>Narrow by SubjectMajor: - patient attitudes</p> <p>Narrow by SubjectAge: - aged, 80 & over</p> <p>Narrow by SubjectAge: - aged: 65+ years</p> <p>Narrow by SubjectAge: - middle aged: 45-64 years</p> <p>Narrow by SubjectAge: - adult: 19-44 years</p> <p>Narrow by SubjectAge: - all adult</p>	
S41	<p>S31 AND S37</p> <p>Limiters - Published Date: 20000101-20161231; English Language</p> <p>Narrow by SubjectAge: - aged, 80 & over</p> <p>Narrow by SubjectAge: - aged: 65+ years</p> <p>Narrow by SubjectAge: - middle aged: 45-64 years</p> <p>Narrow by SubjectAge: - adult: 19-44 years</p> <p>Narrow by SubjectAge: - all adult</p>	25,358

S40	S31 AND S37 Limiters - Published Date: 20000101-20161231; English Language	56,124
S39	S31 AND S37 Limiters - Published Date: 20000101-20161231	67,075
S38	S31 AND S37	71,545
S37	S32 OR S33 OR S34 OR S35 OR S36	125,577
S36	(ZU "meta analysis") or (ZU "meta analysis classification") or (ZU "meta analysis education") or (ZU "meta analysis ethical issues") or (ZU "meta analysis evaluation") or (ZU "meta analysis methods") or (ZU "meta analysis standards") or (ZU "meta analysis trends") or (ZU "meta analysis utilization") or (ZU "meta synthesis") or (ZU "meta synthesis methods") or (ZU "meta synthesis utilization")	17,948
S35	(ZU "qualitative studies") or (ZU "qualitative studies classification") or (ZU "qualitative studies economics") or (ZU "qualitative studies education") or (ZU "qualitative studies england") or (ZU "qualitative studies ethical issues") or (ZU "qualitative studies europe") or (ZU "qualitative studies evaluation") or (ZU "qualitative studies great britain") or (ZU "qualitative studies methods") or (ZU "qualitative studies united kingdom") or (ZU "qualitative studies utilization") or (ZU "qualitative validity") or (ZU "qualitative validity evaluation") or (ZU "qualitative validity methods")	57,644
S34	(ZU "quantitative studies") or (ZU "quantitative studies education") or (ZU "quantitative studies ethical issues") or (ZU "quantitative studies evaluation") or (ZU "quantitative studies methods") or (ZU "quantitative studies trends") or (ZU "quantitative studies united	11,626

	kingdom") or (ZU "quantitative studies utilization")	
S33	(ZU "randomized controlled trials") or (ZU "randomized controlled trials economics") or (ZU "randomized controlled trials england") or (ZU "randomized controlled trials evaluation") or (ZU "randomized controlled trials great britain") or (ZU "randomized controlled trials legislation and jurisprudence") or (ZU "randomized controlled trials methods") or (ZU "randomized controlled trials standards") or (ZU "randomized controlled trials trends") or (ZU "randomized controlled trials united kingdom") or (ZU "randomized controlled trials utilization")	26,712
S32	(ZU "systematic random sample") or (ZU "systematic random sample methods") or (ZU "systematic review") or (ZU "systematic review administration") or (ZU "systematic review classification") or (ZU "systematic review economics") or (ZU "systematic review education") or (ZU "systematic review ethical issues") or (ZU "systematic review evaluation") or (ZU "systematic review evaluation china") or (ZU "systematic review history") or (ZU "systematic review methods") or (ZU "systematic review standards") or (ZU "systematic review trends") or (ZU "systematic review utilization")	26,123
S31	S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30	1,441,637
S30	(ZU "self-efficacy") or (ZU "self-efficacy education")	10,372
S29	(ZU "decision making")	21,941
S28	(ZU "consumer advocacy")	2,818

S27	(ZU "patient compliance")	16,724
S26	(ZU "health education")	14,654
S25	((ZU "education") or (ZU "patient education")) or (ZU "consumer health information")	54,396
S24	(ZU "information centers") or (ZU "information centers economics") or (ZU "information centers england") or (ZU "information centers evaluation") or (ZU "information centers methods") or (ZU "information centers united kingdom") or (ZU "information clearinghouses") or (ZU "information clearinghouses trends") or (ZU "information clearinghouses united kingdom") or (ZU "information literacy education") or (ZU "information literacy evaluation") or (ZU "information management trends united kingdom") or (ZU "information needs") or (ZU "information needs classification") or (ZU "information needs classification in old age") or (ZU "information needs economics") or (ZU "information needs england") or (ZU "information needs ethical issues") or (ZU "information needs europe") or (ZU "information needs evaluation") or (ZU "information needs evaluation in adulthood") or (ZU "information needs evaluation in middle age") or (ZU "information needs evaluation united kingdom") or (ZU "information needs in adulthood") or (ZU "information needs in middle age") or (ZU "information needs in old age") or (ZU "information needs trends") or (ZU "information needs united kingdom") or (ZU "information needs utilization") or (ZU "information resources") or (ZU "information resources economics") or (ZU "information resources economics united kingdom") or (ZU "information resources education") or (ZU "information resources education in old age") or (ZU "information resources england") or (ZU "information resources equipment and supplies") or (ZU "information resources ethical issues") or (ZU "information resources europe") or (ZU "information resources evaluation") or	86,597

(ZU "information resources evaluation in old age") or (ZU "information resources in old age") or (ZU "information resources methods") or (ZU "information resources trends united kingdom") or (ZU "information resources united kingdom") or (ZU "information resources utilization") or (ZU "information resources utilization england") or (ZU "information resources utilization great britain") or (ZU "information resources utilization in old age") or (ZU "information resources utilization united kingdom") or (ZU "information retrieval") or (ZU "information retrieval economics") or (ZU "information retrieval education") or (ZU "information retrieval equipment and supplies") or (ZU "information retrieval ethical issues") or (ZU "information retrieval evaluation") or (ZU "information retrieval methods") or (ZU "information retrieval methods united kingdom") or (ZU "information retrieval organizations") or (ZU "information retrieval standards") or (ZU "information retrieval trends") or (ZU "information retrieval united kingdom") or (ZU "information retrieval utilization") or (ZU "information seeking behavior") or (ZU "information seeking behavior education in old age") or (ZU "information seeking behavior europe") or (ZU "information seeking behavior evaluation") or (ZU "information seeking behavior evaluation in old age") or (ZU "information seeking behavior in adulthood") or (ZU "information seeking behavior in middle age") or (ZU "information seeking behavior in old age") or (ZU "information seeking behavior methods") or (ZU "information seeking behavior methods in adulthood") or (ZU "information seeking behavior trends") or (ZU "information services") or (ZU "information services administration") or (ZU "information services administration great britain") or (ZU "information services administration united kingdom") or (ZU "information services economics") or (ZU "information services economics in old age") or (ZU "information services economics united kingdom") or (ZU "information services education") or (ZU "information services education united kingdom") or (ZU "information services england")

	or (ZU "information services equipment and supplies") or (ZU "information services ethical issues") or (ZU "information services europe") or (ZU "information services european union") or (ZU "information services evaluation") or (ZU "information services evaluation united kingdom") or (ZU "information services great britain") or (ZU "information services in old age") or (ZU "information services legislation and jurisprudence") or (ZU "information services methods") or (ZU "information services organizations") or (ZU "information services standards united kingdom") or (ZU "information services trends") or (ZU "information services trends united kingdom") or (ZU "information services united kingdom") or (ZU "information services utilization") or (ZU "information services utilization europe") or (ZU "information services utilization great britain") or (ZU "information systems") or (ZU "information systems economics") or (ZU "information systems economics united kingdom") or (ZU "information systems education") or (ZU "information systems standards") or (ZU "information systems trends") or (ZU "information systems utilization") or (ZU "information technology") or (ZU "information technology economics") or (ZU "information technology education") or (ZU "information technology evaluation")	
S23	TX Unmet need\$	11,747
S22	TX Misinform\$	103
S21	TX (Choice W1 control)	1,683
S20	TX ((System or service or community) W1 (navigator\$ or navigation)).	520
S19	TX ((Train\$ or support\$ or educat\$ or communicat\$ or instruct\$ or show\$ or explain\$ or discuss\$ or tailor\$ or assist\$ or facilitate\$ or	59,874

	consult\$ or involve\$ or participat\$ or co-design or co-produce or engage\$ or direct\$ or coach\$ or inform\$ or advis\$ or personalis\$ or personaliz\$ or evaluate\$) W1 (client\$ or consumer\$ or patient\$ or user\$ or carer\$ or care-giver or famil\$ or relative\$))	
S18	TX ((Information or advice) W2 (independent or local or national or general or clinical or therapeutic or housing or financial or personal or public or client\$ or consumer\$ or patient\$ or user\$ or carer\$ or care-giver or famil\$ or relative\$ or relation\$ or volunteer\$ or professional\$ or practitioner\$ or provider\$ or commissioner\$ or specialist\$ or view\$ or experience\$ or attitude\$ or self-care or self-management or self-directed))	70,318
S17	TX ((Information or advice) W2 (service\$ or line\$ or centre\$ or desk or bureau or signpost\$ or support or provision or format\$ or verbal or written or translation or communication or leaflet\$ or handout\$ or fact- sheet\$ or brochure\$ or technology or device\$ or computer\$ or online or web or website\$ or mobile\$ or forum or group\$ or video or phone\$ or telephone\$ or book\$ or tape\$ or guide\$ or search\$ or seek\$ or sourc\$ or mis-lead\$ or inaccurate\$ or relevant or timely or tailor\$ or purpose or access\$ or lack or helpful or unhelpful or satisfied or dissatisfied or complain\$ or protocol\$ or strateg\$ or literac\$))	106,819
S16	TX ((Communication or relationship or knowledge or skill\$) W2 (client\$ or user\$ or patient\$ or carer\$ or relative\$ or famil\$))	39,940
S15	TX ((Education\$ or information or teach\$ or self?help or self?manage\$) W3 (program\$ or intervention\$ or material\$ or resource\$ or meeting\$ or session\$ or strateg\$ or work?shop\$ or visit\$))	152,032

S14	TX (information or advice or advocacy or support or training or education or communication)	1,414,320
S13	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12	104,948
S12	(ZU "rehabilitation") or (ZU "rehabilitation centers") or (ZU "rehabilitation centers economics") or (ZU "rehabilitation centers economics england") or (ZU "rehabilitation centers economics united kingdom") or (ZU "rehabilitation centers england") or (ZU "rehabilitation centers evaluation") or (ZU "rehabilitation centers evaluation in old age") or (ZU "rehabilitation centers history united kingdom") or (ZU "rehabilitation centers in old age") or (ZU "rehabilitation centers trends") or (ZU "rehabilitation centers trends united kingdom") or (ZU "rehabilitation centers united kingdom") or (ZU "rehabilitation centers utilization") or (ZU "rehabilitation centers utilization in old age") or (ZU "rehabilitation centers wales") or (ZU "rehabilitation economics") or (ZU "rehabilitation economics europe") or (ZU "rehabilitation economics in old age") or (ZU "rehabilitation economics united kingdom") or (ZU "rehabilitation education") or (ZU "rehabilitation education europe") or (ZU "rehabilitation education united kingdom") or (ZU "rehabilitation england") or (ZU "rehabilitation equipment and supplies") or (ZU "rehabilitation equipment and supplies united kingdom") or (ZU "rehabilitation ethical issues") or (ZU "rehabilitation europe") or (ZU "rehabilitation evaluation") or (ZU "rehabilitation evaluation europe") or (ZU "rehabilitation evaluation united kingdom") or (ZU "rehabilitation history united kingdom") or (ZU "rehabilitation in adulthood") or (ZU "rehabilitation in adulthood united kingdom") or (ZU "rehabilitation in middle age") or (ZU "rehabilitation ireland") or (ZU "rehabilitation legislation and jurisprudence") or (ZU "rehabilitation legislation and jurisprudence united kingdom") or (ZU "rehabilitation legislation and jurisprudence united states") or (ZU	36,445

"rehabilitation manpower united kingdom") or (ZU "rehabilitation methods") or (ZU "rehabilitation methods australia") or (ZU "rehabilitation methods european union") or (ZU "rehabilitation methods in adulthood") or (ZU "rehabilitation nursing") or (ZU "rehabilitation nursing economics") or (ZU "rehabilitation nursing education") or (ZU "rehabilitation nursing education united kingdom") or (ZU "rehabilitation nursing england") or (ZU "rehabilitation nursing equipment and supplies") or (ZU "rehabilitation nursing ethical issues") or (ZU "rehabilitation nursing evaluation") or (ZU "rehabilitation nursing in old age") or (ZU "rehabilitation nursing organizations") or (ZU "rehabilitation nursing psychosocial factors") or (ZU "rehabilitation nursing trends") or (ZU "rehabilitation nursing trends united kingdom") or (ZU "rehabilitation nursing united kingdom") or (ZU "rehabilitation of hearing impaired") or (ZU "rehabilitation of hearing impaired economics") or (ZU "rehabilitation of hearing impaired education") or (ZU "rehabilitation of hearing impaired equipment and supplies") or (ZU "rehabilitation of hearing impaired evaluation") or (ZU "rehabilitation of hearing impaired in old age") or (ZU "rehabilitation of hearing impaired methods") or (ZU "rehabilitation of hearing impaired methods in old age") or (ZU "rehabilitation of hearing impaired organizations") or (ZU "rehabilitation of hearing impaired psychosocial factors in old age") or (ZU "rehabilitation of hearing impaired standards") or (ZU "rehabilitation of hearing impaired trends in old age") or (ZU "rehabilitation of vision impaired australia") or (ZU "rehabilitation of vision impaired economics") or (ZU "rehabilitation of vision impaired education united kingdom") or (ZU "rehabilitation of vision impaired england") or (ZU "rehabilitation of vision impaired equipment and supplies") or (ZU "rehabilitation of vision impaired evaluation in old age") or (ZU "rehabilitation of vision impaired in adulthood") or (ZU "rehabilitation of vision impaired in old age") or (ZU "rehabilitation of vision impaired methods") or (ZU "rehabilitation of vision impaired united kingdom") or (ZU "rehabilitation organizations") or (ZU

"rehabilitation organizations united kingdom") or (ZU "rehabilitation organizations wales") or (ZU "rehabilitation patients") or (ZU "rehabilitation patients education") or (ZU "rehabilitation patients education in old age") or (ZU "rehabilitation patients evaluation") or (ZU "rehabilitation patients psychosocial factors") or (ZU "rehabilitation psychosocial factors") or (ZU "rehabilitation standards") or (ZU "rehabilitation trends") or (ZU "rehabilitation trends united kingdom") or (ZU "rehabilitation united kingdom") or (ZU "rehabilitation wales") or (ZU "rehabilitation, cancer") or (ZU "rehabilitation, cardiac") or (ZU "rehabilitation, cardiac in middle age") or (ZU "rehabilitation, cardiac in old age") or (ZU "rehabilitation, cardiac methods") or (ZU "rehabilitation, cardiac nursing") or (ZU "rehabilitation, cognitive methods") or (ZU "rehabilitation, community-based") or (ZU "rehabilitation, community-based economics") or (ZU "rehabilitation, community-based education") or (ZU "rehabilitation, community-based england") or (ZU "rehabilitation, community-based equipment and supplies") or (ZU "rehabilitation, community-based ethical issues") or (ZU "rehabilitation, community-based evaluation") or (ZU "rehabilitation, community-based in adulthood") or (ZU "rehabilitation, community-based methods united kingdom") or (ZU "rehabilitation, community-based standards united kingdom") or (ZU "rehabilitation, community-based trends") or (ZU "rehabilitation, community-based trends united kingdom") or (ZU "rehabilitation, community-based united kingdom") or (ZU "rehabilitation, geriatric") or (ZU "rehabilitation, geriatric economics") or (ZU "rehabilitation, geriatric economics united kingdom") or (ZU "rehabilitation, geriatric education") or (ZU "rehabilitation, geriatric england") or (ZU "rehabilitation, geriatric evaluation") or (ZU "rehabilitation, geriatric methods") or (ZU "rehabilitation, geriatric nursing") or (ZU "rehabilitation, geriatric trends") or (ZU "rehabilitation, geriatric trends united kingdom") or (ZU "rehabilitation, geriatric united kingdom") or (ZU "rehabilitation, geriatric utilization") or (ZU

	<p>"rehabilitation, psychosocial") or (ZU "rehabilitation, psychosocial education") or (ZU "rehabilitation, psychosocial evaluation") or (ZU "rehabilitation, psychosocial in adulthood") or (ZU "rehabilitation, psychosocial in middle age") or (ZU "rehabilitation, psychosocial in old age") or (ZU "rehabilitation, psychosocial methods") or (ZU "rehabilitation, pulmonary") or (ZU "rehabilitation, pulmonary evaluation") or (ZU "rehabilitation, pulmonary methods") or (ZU "rehabilitation, speech and language") or (ZU "rehabilitation, speech and language in old age") or (ZU "rehabilitation, vocational")</p>	
S11	<p>((ZU "home care equipment and supplies") or (ZU "home care equipment and supplies economics") or (ZU "home care equipment and supplies education") or (ZU "home care equipment and supplies evaluation") or (ZU "home care equipment and supplies in old age") or (ZU "home care equipment and supplies legislation and jurisprudence united kingdom") or (ZU "home care equipment and supplies organizations") or (ZU "home care equipment and supplies standards") or (ZU "home care equipment and supplies standards wales") or (ZU "home care equipment and supplies trends") or (ZU "home care equipment and supplies united kingdom") or (ZU "home care equipment and supplies utilization")) or ((ZU "homebound patients") or (ZU "homebound patients classification") or (ZU "homebound patients education") or (ZU "homebound patients ethical issues") or (ZU "homebound patients evaluation") or (ZU "homebound patients evaluation in old age") or (ZU "homebound patients in old age") or (ZU "homebound patients in old age england") or (ZU "homebound patients in old age united states") or (ZU "homebound patients legislation and jurisprudence") or (ZU "homebound patients psychosocial factors in old age") or (ZU "homebound patients statistics and numerical data") or (ZU "homebound patients united kingdom"))</p>	872

S10	(ZU "respite care") or (ZU "respite care economics") or (ZU "respite care economics in old age") or (ZU "respite care economics united kingdom") or (ZU "respite care education") or (ZU "respite care evaluation") or (ZU "respite care evaluation in old age") or (ZU "respite care evaluation united kingdom") or (ZU "respite care in old age") or (ZU "respite care methods") or (ZU "respite care methods united kingdom") or (ZU "respite care trends") or (ZU "respite care trends england") or (ZU "respite care trends in old age") or (ZU "respite care trends united kingdom") or (ZU "respite care united kingdom") or (ZU "respite care utilization") or (ZU "respite care utilization in old age") or (ZU "respite care utilization united kingdom")	1,069
S9	TX (Intermediate W3 (care or setting\$ or unit\$ or facility\$ or home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or provider\$))	3,588
S8	TX (Rehabilitation W1 (goal or home or community or unit or setting or service))	19,337
S7	TX ((Recovery or restorative) W1 (care or goal or home or community or unit or setting or service))	3,456
S6	TX ((Wellness or well-being) W1 (model\$ or approach\$ or intervention\$ or service\$))	1,633
S5	TX (home W2 independence)	165
S4	TX ((Recov\$ or maintain\$ or relearn\$ or learn\$ or regain\$ or remain\$ or live or loss or maximise or prolong\$) W3 (function or mobilite\$ or abilit\$ or confidence or skill\$ or independen\$))	26,067
S3	TX Res-care	77

S2	Re-enablement or reenablement or enablement	23,314
S1	TX reablement	1,225

Excerpta Medica database (Embase) - OVID

Date searched: 23/12/2015

No. of records: 1761

Limits: publication type, age, date (2000 – 2016)

RQ6 A, B, C - Intermediate Care and Reablement - information, advice, advocacy, training and support

- 1 (Reable\$ or re-able\$).ti,ab. (45)
- 2 (Re-enablement or reenablement or enablement).ti,ab. (344)
- 3 Res-care.ti,ab. (18)
- 4 ((Home or regain\$) adj3 independence).ti,ab. (433)
- 5 "Enhanced activation program".ti,ab. (1)
- 6 (Wellness adj (model\$ or approach\$ or intervention\$ or service\$)).ti,ab. (221)
- 7 ((Recovery or restorative) adj (care or goal or home or community or unit or setting or service)).ti,ab. (879)
- 8 (Rehabilitation adj (goal or home or community or unit or setting or service)).ti,ab. (4624)
- 9 reablement.sh,hw,kw. (4)
- 10 intermediate care.sh,hw,kw. (198)

- 11 (Intermediate adj3 (care or setting\$ or unit\$ or facility\$ or home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or provider\$)).ti,ab. (2129)
- 12 (rehabilitation care or rehabilitation center or rehabilitation equipment or rehabilitation nursing or rehabilitation patient or rehabilitation psychology or rehabilitation research).sh. or rehabilitative.kw. or rehabilitation.kw. (21946)
- 13 restorative.kw. or restorative.sh. or restorative approach.sh. or restorative care.sh. or restorative care index.sh. or restorative care intervention.sh. or restorative care service.sh. or restorative home care.sh. or restorative intervention.sh. or restorative orientation.sh. or restorative outcome scale.sh. or restorative program.sh. or restorative specialist.sh. or restorative technique.sh. or restorative therapy.sh. or restorativeness.kw. (1004)
- 14 or/1-13 (30173)
- 15 information.kw. or information.sh. or information access.sh. or "information and communication technologies icts".sh. or "information and communication technology".sh. or information booklet.sh. or information brochure.sh. or information center.sh. or information content.sh. or information dissemination.sh. or information exchange.sh. or information format.sh. or information leaflet.sh. or information literacy.sh. or information model.sh. or information networks.sh. or information processing.sh. or information processing bias.sh. or information provision.sh. or information quality.sh. or information research.sh. or information resource.sh. or information resource needs.sh. or information resources.sh. or information retrieval.sh. or information seeking.sh. or information seeking behavior.sh. or information seeking behaviour.sh. or information seeking preference.sh. or information service.sh. or information sharing.sh. or "information sharing and communication scale".sh. or information sharing culture.sh. or information skills.sh. or information storage.sh. or information system.sh. or information technology.sh. or information technology in health care.sh. or information transfer.sh. or "information transfer and communication".sh. or informational.kw. or informational continuity.sh. or informational leaflet.sh. or informational need.sh. or informational satisfaction.sh. or informational social

- support.sh. or informativeness.kw. or informativeness.sh. or informativity.kw.
or informaton center.sh. (255409)
- 16 communication.kw. or communication.sh. (18920)
- 17 access to information.sh. (15254)
- 18 (health education or health educator).sh. (56044)
- 19 health promotion.sh. (66833)
- 20 (patient education or patient education as topic or "patient education as
topic/methods" or patient education booklet or patient education material or
patient education materials assessment tool or patient education program or
patient educational material or patient empowerment or patient empowerment
program or patient empowerment programme or patient empowerment scale
or patient enablement or "patient enablement and satisfaction survey" or
patient enablement index or patient enablement instrument or patient
engagement or patient engagement intervention or patient engagement
package or patient evaluation or patient evaluation measure or patient
evaluation measurement or "patient evaluation of emotional care during
hospitalization survey questionnaire" or "patient evaluation of global
response" or patient evaluation questionnaire or patient expectation or patient
expectation questionnaire or patient expectations or patient experience or
patient experience instrument or patient experience mapping or patient
experience narrative or patient experience survey or patient experiences or
patient experiences questionnaire or patient experiences with the
preoperative assessment clinic questionnaire or "patient exposure and
response prevention adherence scale" or patient family engagement or
patient family involvement or patient family members need or patient feedback
or patient feedback survey or patient financial eligibility tool or patient focus
group or patient focused or patient generated subjective global assessment or
patient global assessment or patient guidance or patient health coach or
patient health outcome or patient health outcomes or patient health outcomes
9 symptom checklist or patient health questionnaire or patient health
questionnaire 15 or patient health questionnaire 2 or patient health

questionnaire 9 or patient health questionnaire depression scale or patient information or "patient information and nurse interaction scale" or patient information cardiac output calibration or patient information form or patient information leaflet or patient information leaflets or patient information material or patient information sheet or patient narrative or patient narratives or patient navigation or patient navigation program or patient navigation research program or patient navigator or patient navigator intervention or patient navigator program or patient navigator service or patient need or patient opinion or patient orientation or patient oriented or patient oriented evidence that matters or patient oriented measure system or patient oriented outcome or patient outcome or patient outcome assessment or patient outcome measure information system or patient outcome scale or patient outcomes or patient participation or patient perception or "patient perception of bladder condition" or "patient perception of functioning scale" or "patient perception of hospital experience with nursing scale" or "patient perception of intensity of urgency scale" or "patient perception of patient centeredness questionnaire" or "patient perception of urgency scale" or "patient perception of voice therapy questionnaire" or patient perception questionnaire or patient persistence or patient perspective or patient perspectives or patient pharmacist relationship or patient physician relations or patient physician relationship or patient provider communication or patient provider interaction or patient provider relationship or patient provider relationship scale or patient quality recovery scale or patient questionnaire or patient related outcome or patient report outcome or patient report outcome measures or patient reported outcome or patient reported outcome instrument or patient reported outcome measure or patient reported outcome measurement or patient reported outcome measurement information system or patient reported outcome measurement information system 29 or patient reported outcome measurement information system 29 item health profile or "patient reported outcome measurement information system anxiety and depression short form" or patient reported outcome measurement information system cancer scale or patient reported outcome measurement information system fatigue score or patient reported outcome measurement information system global health scale or patient reported outcome measurement information system physical function or

patient reported outcome measurement information system physical function
computerized adaptive test or patient reported outcome measurement
information system physical function score or patient reported outcome
measurement information system study or patient reported outcome
measurement information system sleep related impairment scale or patient
reported outcome measurement system or patient reported outcome
measures or patient reported outcome measures questionnaire or patient
reported outcome measures research or patient reported outcome mortality
prediction tool or "patient reported outcome of chronic constipation rating
scale" or "patient reported outcome quality of life human immunodeficiency
virus questionnaire" or patient reported outcome questionnaire or patient
reported outcome research or patient reported outcome scale or patient
reported outcome score or patient reported outcome symptom measure or
patient reported outcome tool or patient reported outcomes or patient reported
outcomes measure or patient reported outcomes measurement or patient
reported outcomes measurement information 10 or patient reported outcomes
measurement information system or patient satisfaction or patient satisfaction
home care or patient satisfaction home health care or patient satisfaction
index or patient satisfaction question or patient satisfaction questionnaire or
patient satisfaction questionnaire 18 or patient satisfaction questionnaire iii or
patient satisfaction questionnaire short form 18 or patient satisfaction survey
or patient satisfaction with communication questionnaire or patient satisfaction
with health care provider scale or patient satisfaction with interpersonal
relationship with navigator or patient satisfaction with interpersonal
relationship with navigator measurement or patient satisfaction with
interpersonal relationship with navigator scale or "patient satisfaction with
logistical aspects of navigation scale" or "patient satisfaction with out of hours
care" or patient satisfaction with treatment or patient satisfaction with
treatment benefit questionnaire or patient self advocacy scale or patient self
determination act or patient self education or patient self efficacy or patient
self efficacy questionnaire or patient self management or patient self
management support or patient specific functional scale or patient specific
instrumentation or patient targeted googling or patient targeted in patient
education or patient worry or "patient/person centred care").sh. or

patientadherence.kw. or patientcare.kw. or patientcentered.kw. or
patientcentred.kw. or patientcentredness.kw. or patientcommunication.kw. or
patientcontrolled.kw. or patienteducation.kw. or patientempowerment.kw.
(205354)

- 21 education.kw. or education.sh. (248186)
- 22 consumer.kw. or consumer.sh. or consumer advocacy.sh. or "consumer
assessment of health care providers and systems health plan survey".sh. or
"consumer assessment of health care providers and systems
questionnaire".sh. or "consumer assessment of health plans study".sh. or
"consumer assessment of healthcare provider and system".sh. or consumer
attitude.sh. or consumer attitudes.sh. or consumer awareness.sh. or
consumer behavior.sh. or consumer driven health care.sh. or consumer
health information.sh. (37796)
- 23 needs assessment.sh. (18579)
- 24 ((Communication or relationship or knowledge or skill\$) adj3 (inter-
professional or multi-disciplinary or joint or professional\$ or practitioner\$ or
team\$ or front-line) adj3 (client\$ or user\$ or patient\$ or carer\$ or relative\$ or
famil\$)).ti,ab. (1785)
- 25 ((Information or advice) adj2 (service\$ or line\$ or centre\$ or desk or bureau or
signpost\$ or support or provision or format\$ or verbal or written or translation
or communication or leaflet\$ or handout\$ or fact- sheet\$ or brochure\$ or
technology or device\$ or computer\$ or online or web or website\$ or mobile\$
or forum or group\$ or video or phone\$ or telephone\$ or book\$ or tape\$ or
guide\$ or search\$ or seek\$ or sourc\$ or mis-lead\$ or inaccurate\$ or relevant
or timely or tailor\$ or purpose or access\$ or lack or helpful or unhelpful or
satisfied or dissatisfied or complain\$ or protocol\$ or strateg\$ or literac\$)).ti,ab.
(95323)
- 26 (Reable\$ or re-able\$).ti,ab. (45)
- 27 (Re-enablement or reenablement or enablement).ti,ab. (344)

- 28 Res-care.ti,ab. (18)
- 29 ((Home or regain\$) adj3 independence).ti,ab. (433)
- 30 "Enhanced activation program".ti,ab. (1)
- 31 (Wellness adj (model\$ or approach\$ or intervention\$ or service\$)).ti,ab. (221)
- 32 ((Recovery or restorative) adj (care or goal or home or community or unit or setting or service)).ti,ab. (879)
- 33 (Rehabilitation adj (goal or home or community or unit or setting or service)).ti,ab. (4624)
- 34 reablement.sh,hw,kw. (4)
- 35 intermediate care.sh,hw,kw. (198)
- 36 (Intermediate adj3 (care or setting\$ or unit\$ or facility\$ or home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or provider\$)).ti,ab. (2129)
- 37 (rehabilitation care or rehabilitation center or rehabilitation equipment or rehabilitation nursing or rehabilitation patient or rehabilitation psychology or rehabilitation research).sh. or rehabilitative.kw. or rehabilitation.kw. (21946)
- 38 restorative.kw. or restorative.sh. or restorative approach.sh. or restorative care.sh. or restorative care index.sh. or restorative care intervention.sh. or restorative care service.sh. or restorative home care.sh. or restorative intervention.sh. or restorative orientation.sh. or restorative outcome scale.sh. or restorative program.sh. or restorative specialist.sh. or restorative technique.sh. or restorative therapy.sh. or restorativeness.kw. (1004)
- 39 or/26-38 (30173)
- 40 information.kw. or information.sh. or information access.sh. or "information and communication technologies icts".sh. or "information and communication technology".sh. or information booklet.sh. or information brochure.sh. or information center.sh. or information content.sh. or information

dissemination.sh. or information exchange.sh. or information format.sh. or information leaflet.sh. or information literacy.sh. or information model.sh. or information networks.sh. or information processing.sh. or information processing bias.sh. or information provision.sh. or information quality.sh. or information research.sh. or information resource.sh. or information resource needs.sh. or information resources.sh. or information retrieval.sh. or information seeking.sh. or information seeking behavior.sh. or information seeking behaviour.sh. or information seeking preference.sh. or information service.sh. or information sharing.sh. or "information sharing and communication scale".sh. or information sharing culture.sh. or information skills.sh. or information storage.sh. or information system.sh. or information technology.sh. or information technology in health care.sh. or information transfer.sh. or "information transfer and communication".sh. or informational.kw. or informational continuity.sh. or informational leaflet.sh. or informational need.sh. or informational satisfaction.sh. or informational social support.sh. or informativeness.kw. or informativeness.sh. or informativity.kw. or information center.sh. (255409)

41 communication.kw. or communication.sh. (18920)

42 access to information.sh. (15254)

43 (health education or health educator).sh. (56044)

44 health promotion.sh. (66833)

45 (patient education or patient education as topic or "patient education as topic/methods" or patient education booklet or patient education material or patient education materials assessment tool or patient education program or patient educational material or patient empowerment or patient empowerment program or patient empowerment programme or patient empowerment scale or patient enablement or "patient enablement and satisfaction survey" or patient enablement index or patient enablement instrument or patient engagement or patient engagement intervention or patient engagement package or patient evaluation or patient evaluation measure or patient evaluation measurement or "patient evaluation of emotional care during

hospitalization survey questionnaire" or "patient evaluation of global response" or patient evaluation questionnaire or patient expectation or patient expectation questionnaire or patient expectations or patient experience or patient experience instrument or patient experience mapping or patient experience narrative or patient experience survey or patient experiences or patient experiences questionnaire or patient experiences with the preoperative assessment clinic questionnaire or "patient exposure and response prevention adherence scale" or patient family engagement or patient family involvement or patient family members need or patient feedback or patient feedback survey or patient financial eligibility tool or patient focus group or patient focused or patient generated subjective global assessment or patient global assessment or patient guidance or patient health coach or patient health outcome or patient health outcomes or patient health outcomes 9 symptom checklist or patient health questionnaire or patient health questionnaire 15 or patient health questionnaire 2 or patient health questionnaire 9 or patient health questionnaire depression scale or patient information or "patient information and nurse interaction scale" or patient information cardiac output calibration or patient information form or patient information leaflet or patient information leaflets or patient information material or patient information sheet or patient narrative or patient narratives or patient navigation or patient navigation program or patient navigation research program or patient navigator or patient navigator intervention or patient navigator program or patient navigator service or patient need or patient opinion or patient orientation or patient oriented or patient oriented evidence that matters or patient oriented measure system or patient oriented outcome or patient outcome or patient outcome assessment or patient outcome measure information system or patient outcome scale or patient outcomes or patient participation or patient perception or "patient perception of bladder condition" or "patient perception of functioning scale" or "patient perception of hospital experience with nursing scale" or "patient perception of intensity of urgency scale" or "patient perception of patient centeredness questionnaire" or "patient perception of urgency scale" or "patient perception of voice therapy questionnaire" or patient perception questionnaire or patient persistence or patient perspective or patient perspectives or patient pharmacist relationship

or patient physician relations or patient physician relationship or patient provider communication or patient provider interaction or patient provider relationship or patient provider relationship scale or patient quality recovery scale or patient questionnaire or patient related outcome or patient report outcome or patient report outcome measures or patient reported outcome or patient reported outcome instrument or patient reported outcome measure or patient reported outcome measurement or patient reported outcome measurement information system or patient reported outcome measurement information system 29 or patient reported outcome measurement information system 29 item health profile or "patient reported outcome measurement information system anxiety and depression short form" or patient reported outcome measurement information system cancer scale or patient reported outcome measurement information system fatigue score or patient reported outcome measurement information system global health scale or patient reported outcome measurement information system physical function or patient reported outcome measurement information system physical function computerized adaptive test or patient reported outcome measurement information system physical function score or patient reported outcome measurement information system study or patient reported outcome measurement information system sleep related impairment scale or patient reported outcome measurement system or patient reported outcome measures or patient reported outcome measures questionnaire or patient reported outcome measures research or patient reported outcome mortality prediction tool or "patient reported outcome of chronic constipation rating scale" or "patient reported outcome quality of life human immunodeficiency virus questionnaire" or patient reported outcome questionnaire or patient reported outcome research or patient reported outcome scale or patient reported outcome score or patient reported outcome symptom measure or patient reported outcome tool or patient reported outcomes or patient reported outcomes measure or patient reported outcomes measurement or patient reported outcomes measurement information 10 or patient reported outcomes measurement information system or patient satisfaction or patient satisfaction home care or patient satisfaction home health care or patient satisfaction index or patient satisfaction question or patient satisfaction questionnaire or

patient satisfaction questionnaire 18 or patient satisfaction questionnaire iii or patient satisfaction questionnaire short form 18 or patient satisfaction survey or patient satisfaction with communication questionnaire or patient satisfaction with health care provider scale or patient satisfaction with interpersonal relationship with navigator or patient satisfaction with interpersonal relationship with navigator measurement or patient satisfaction with interpersonal relationship with navigator scale or "patient satisfaction with logistical aspects of navigation scale" or "patient satisfaction with out of hours care" or patient satisfaction with treatment or patient satisfaction with treatment benefit questionnaire or patient self advocacy scale or patient self determination act or patient self education or patient self efficacy or patient self efficacy questionnaire or patient self management or patient self management support or patient specific functional scale or patient specific instrumentation or patient targeted googling or patient targeted in patient education or patient worry or "patient/person centred care").sh. or patientadherence.kw. or patientcare.kw. or patientcentered.kw. or patientcentred.kw. or patientcentredness.kw. or patientcommunication.kw. or patientcontrolled.kw. or patienteducation.kw. or patientempowerment.kw. (205354)

46 education.kw. or education.sh. (248186)

47 consumer.kw. or consumer.sh. or consumer advocacy.sh. or "consumer assessment of health care providers and systems health plan survey".sh. or "consumer assessment of health care providers and systems questionnaire".sh. or "consumer assessment of health plans study".sh. or "consumer assessment of healthcare provider and system".sh. or consumer attitude.sh. or consumer attitudes.sh. or consumer awareness.sh. or consumer behavior.sh. or consumer driven health care.sh. or consumer health information.sh. (37796)

48 needs assessment.sh. (18579)

49 ((Communication or relationship or knowledge or skill\$) adj3 (inter-professional or multi-disciplinary or joint or professional\$ or practitioner\$ or

- team\$ or front-line) adj3 (client\$ or user\$ or patient\$ or carer\$ or relative\$ or famil\$)).ti,ab. (1785)
- 50 ((Information or advice) adj2 (service\$ or line\$ or centre\$ or desk or bureau or signpost\$ or support or provision or format\$ or verbal or written or translation or communication or leaflet\$ or handout\$ or fact- sheet\$ or brochure\$ or technology or device\$ or computer\$ or online or web or website\$ or mobile\$ or forum or group\$ or video or phone\$ or telephone\$ or book\$ or tape\$ or guide\$ or search\$ or seek\$ or sourc\$ or mis-lead\$ or inaccurate\$ or relevant or timely or tailor\$ or purpose or access\$ or lack or helpful or unhelpful or satisfied or dissatisfied or complain\$ or protocol\$ or strateg\$ or literac\$)).ti,ab. (95323)
- 51 ((Train\$ or support\$ or educat\$ or communicat\$ or instruct\$ or show\$ or explain\$ or discuss\$ or tailor\$ or assist\$ or facilitate\$ or consult\$ or involve\$ or participat\$ or co-design or co-produce or engage\$ or direct\$ or coach\$ or inform\$ or advis\$ or personalis\$ or personaliz\$ or evaluate\$) adj1 (client\$ or consumer\$ or patient\$ or user\$ or carer\$ or care-giver or famil\$ or relative\$)).ti,ab. (244566)
- 52 Misinform\$.ti,ab. (1796)
- 53 Advocacy.ti,ab. (11449)
- 54 (Patient Advice and Liaison Service).ti,ab. (9)
- 55 (Liaison adj (service or team)).ti,ab. (593)
- 56 (Social adj prescrib\$).ti,ab. (17)
- 57 Decision\$.ti,ab. (292485)
- 58 (Choice adj control).ti,ab. (57)
- 59 ((System or service or community) adj (navigator\$ or navigation)).ti,ab. (126)
- 60 Unmet need\$.ti,ab. (10066)

- 61 advice.kw. or advice.sh. or advice giving.sh. or advisor.kw. or advisories.kw. or advisors.kw. or advisory.kw. or advisory services.sh. or advisory support.sh. or advocacy.kw. or advocacy.sh. or advocacy intervention.sh. or advocacy self efficacy.sh. or advocate.sh. or advocates.kw. (2559)
- 62 training.kw. or training.sh. or training programs.sh. (79063)
- 63 support.kw. or support.sh. (24154)
- 64 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60 or 61 or 62 or 63 (1399432)
- 65 39 and 64 (7145)
- 66 65 and 2000:2016.(sa_year). (6798)
- 67 66 and "adult" [Subjects] (2155)
- 68 67 and "Journal: Article" [Publication Type] (1897)
- 69 english.lg. (16486684)
- 70 68 and 69 (1,761)

Health Management Information Consortium (HMIC) - OVID

Date searched: 06/06/16

No. of records: 215

Limits: publication type, date (2000 – 2016)

RQ6 A, B, C - Intermediate Care and Reablement - information, advice, advocacy, training and support

- | | | |
|---|--|----|
| 1 | (Reable\$ or re-able\$).ti,ab. | 61 |
| 2 | (Re-enablement or reenablement or enablement).ti,ab. | 93 |
| 3 | Res-care.ti,ab. | 1 |

4	((Home or regain\$) adj3 independence).ti,ab.	44
5	"Enhanced activation program".ti,ab.	0
6	(Wellness adj (model\$ or approach\$ or intervention\$ or service\$)).ti,ab.	13
7	((Recovery or restorative) adj (care or goal or home or community or unit or setting or service)).ti,ab.	61
8	(Rehabilitation adj (goal or home or community or unit or setting or service)).ti,ab.	305
9	(Intermediate adj3 (care or setting\$ or unit\$ or facility\$ or home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or provider\$)).ti,ab.	554
10	Intermediate care.sh.	511
11	(Home care or home care assistants or "home care of patient" or home care patients or home care social services or home help service or home helps or home nursing).sh.	3367
12	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11	4489
13	Health education.sh.	2934
14	Health informatics.sh.	196
15	Health promotion.sh.	6467
16	Patient education.sh.	500
17	(Patient compliance or patient cooperation).sh.	772
18	(Education or education & training).sh.	4098

19	(Communication or communication methods or communication needs).sh.	2012
20	(Information or information bulletins or information exchange or information handling or information materials or information needs or information retrieval or information searching or information services or information sources or information strategy or information systems or information systems evaluation or information technology or information transfer or "information use" or information user habits or information user studies or information users).sh.	10428
21	(Advice or advisory services or advocacy or advocates).sh.	923
22	Needs assessment.sh.	1556
23	(Consumer health information or consumer health organisations or consumer information or consumer needs or consumer research or consumer satisfaction or consumer services or consumer surveys or consumer views or consumers).sh.	4635
24	((Education\$ or information or teach\$ or self?help or self?manage\$) adj5 (program\$ or intervention\$ or material\$ or resource\$ or meeting\$ or session\$ or strateg\$ or work?shop\$ or visit\$)).ti,ab.	7235
25	((Communication or relationship or knowledge or skill\$) adj3 (inter-professional or multi-disciplinary or joint or professional\$ or practitioner\$ or team\$ or front-line) adj3 (client\$ or user\$ or patient\$ or carer\$ or relative\$ or famil\$)).ti,ab.	234
26	((Information or advice) adj2 (service\$ or line\$ or centre\$ or desk or bureau or signpost\$ or support or provision or format\$ or verbal or written or translation or communication or leaflet\$ or handout\$ or	10502

fact- sheet\$ or brochure\$ or technology or device\$ or computer\$ or online or web or website\$ or mobile\$ or forum or group\$ or video or phone\$ or telephone\$ or book\$ or tape\$ or guide\$ or search\$ or seek\$ or sourc\$ or mis-lead\$ or inaccurate\$ or relevant or timely or tailor\$ or purpose or access\$ or lack or helpful or unhelpful or satisfied or dissatisfied or complain\$ or protocol\$ or strateg\$ or literac\$)).ti,ab.

27	((Information or advice) adj2 (independent or local or national or general or clinical or therapeutic or housing or financial or personal or public or client\$ or consumer\$ or patient\$ or user\$ or carer\$ or care-giver or famil\$ or relative\$ or relation\$ or volunteer\$ or professional\$ or practitioner\$ or provider\$ or commissioner\$ or specialist\$ or view\$ or experience\$ or attitude\$ or self-care or self-management or self-directed)).ti,ab.	5692
28	((Train\$ or support\$ or educat\$ or communicat\$ or instruct\$ or show\$ or explain\$ or discuss\$ or tailor\$ or assist\$ or facilitate\$ or consult\$ or involve\$ or participat\$ or co-design or co-produce or engage\$ or direct\$ or coach\$ or inform\$ or advis\$ or personalis\$ or personaliz\$ or evaluate\$) adj1 (client\$ or consumer\$ or patient\$ or user\$ or carer\$ or care-giver or famil\$ or relative\$)).ti,ab.	8428
29	Misinform\$.ti,ab.	72
30	Advocacy.ti,ab.	1326
31	(Patient Advice and Liaison Service).ti,ab.	14
32	(Liaison adj (service or team)).ti,ab.	88
33	(Social adj prescribing).ti,ab.	11
34	Decision\$.ti,ab.	14938

35	(Choice adj control).ti,ab.	22
36	((System or service or community) adj (navigator\$ or navigation)).ti,ab.	4
37	Unmet need\$.ti,ab.	550
38	13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37	62988
39	12 and 38	785
40	39 and 2000:2016.(sa_year).	442
41	40 and "Article" [Publication Type]	215

Medical Literature Analysis and Retrieval System Online (MEDLINE) - OVID

Date of searched: 23/12/2015

Number of records: 2138

Limits: date (2000 – 2016)

RQ6 A, B, C - Intermediate Care and Reablement - information, advice, advocacy, training and support

1	(Reable\$ or re-able\$).ti,ab.	36
2	(Re-enablement or reenablement or enablement).ti,ab.	309
3	Res-care.ti,ab.	17
4	((Home or regain\$) adj3 independence).ti,ab.	330
5	"Enhanced activation program".ti,ab.	1

6	(Wellness adj (model\$ or approach\$ or intervention\$ or service\$)).ti,ab.	216
7	((Recovery or restorative) adj (care or goal or home or community or unit or setting or service)).ti,ab.	813
8	(Rehabilitation adj (goal or home or community or unit or setting or service)).ti,ab.	3325
9	Intermediate Care Facilities/	658
10	(Intermediate adj3 (care or setting\$ or unit\$ or facility\$ or home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or provider\$)).ti,ab.	2134
11	Rehabilitation Nursing/ or Neurological Rehabilitation/ or Rehabilitation/ or Psychiatric Rehabilitation/ or Rehabilitation Research/ or "Physical and Rehabilitation Medicine"/ or Rehabilitation Centers/	27154
12	or/1-11	33545
13	health education/	55606
14	Health Promotion/	60839
15	Patient Education as Topic/	75250
16	Health Knowledge, Attitudes, Practice/	84406
17	Patient Compliance/	50709
18	Education/	19151
19	Patient education handout/	4438

20	Communication/	69358
21	Health Communication/	1003
22	Needs assessment/	24729
23	Consumer Health Information/	2517
24	Consumer Advocacy/	3145
25	((Education\$ or information or teach\$ or self?help or self?manage\$) 116753 adj5 (program\$ or intervention\$ or material\$ or resource\$ or meeting\$ or session\$ or strateg\$ or work?shop\$ or visit\$)).ti,ab.	
26	((Communication or relationship or knowledge or skill\$) adj3 (inter- 1436 professional or multi-disciplinary or joint or professional\$ or practitioner\$ or team\$ or front-line) adj3 (client\$ or user\$ or patient\$ or carer\$ or relative\$ or famil\$)).ti,ab.	
27	((Information or advice) adj2 (service\$ or line\$ or centre\$ or desk or 84835 bureau or signpost\$ or support or provision or format\$ or verbal or written or translation or communication or leaflet\$ or handout\$ or fact- sheet\$ or brochure\$ or technology or device\$ or computer\$ or online or web or website\$ or mobile\$ or forum or group\$ or video or phone\$ or telephone\$ or book\$ or tape\$ or guide\$ or search\$ or seek\$ or sourc\$ or mis-lead\$ or inaccurate\$ or relevant or timely or tailor\$ or purpose or access\$ or lack or helpful or unhelpful or satisfied or dissatisfied or complain\$ or protocol\$ or strateg\$ or literacy)).ti,ab.	
28	((Information or advice) adj2 (independent or local or national or 65609 general or clinical or therapeutic or housing or financial or personal or public or client\$ or consumer\$ or patient\$ or user\$ or carer\$ or care-giver or famil\$ or relative\$ or relation\$ or volunteer\$ or professional\$ or practitioner\$ or provider\$ or commissioner\$ or	

specialist\$ or view\$ or experience\$ or attitude\$ or self-care or self-management or self-directed)).ti,ab.

29	((Train\$ or support\$ or educat\$ or communicat\$ or instruct\$ or show or explain or discuss or assist or consult\$ or involve\$ or participat\$ or co-design or co-produce or engage\$ or direct or coach\$ or inform or advis\$ or tailor\$ or facilitat\$ or personalise\$ or personalize\$ or evaluate\$) adj1 (client\$ or consumer\$ or patient\$ or user\$ or carer\$ or care-giver or famil\$ or relative\$)).ti,ab.	100851
30	Mis-inform\$.ti,ab.	17
31	Advocacy.ti,ab.	10479
32	(Patient Advice and Liaison Service).ti,ab.	6
33	Social prescribing.ti,ab.	13
34	Decision\$.ti,ab.	256730
35	(Choice adj control).ti,ab.	56
36	((System or service or community) adj (navigator\$ or navigation)).ti,ab.	92
37	Unmet need\$.ti,ab.	7003
38	or/13-37	893934
39	12 and 38	3923
40	Historical article/	332541
41	Comment/	671300

42	Letter/	921169
43	Editorial/	405832
44	Animals/	5889534
45	Humans/	16057825
46	44 not (44 and 45)	4226277
47	or/40-43,46	5968189
48	39 not 47	3797
49	limit 48 to english language	3276
50	49 and 2000:2016.(sa_year).	2183

Social Care Online (SCO) - Social Care Institute for Excellence

Date of search: 16/05/16

Number of records: 772

RQ6 A, B, C - Intermediate Care and Reablement - information, advice, advocacy, training and support

([Subject Terms: "reablement" including this term only] OR [Abstract Omit Norms: "reablement" OR Publication Title: 'reablement'] OR re-ablement [Publication Title: 're-ablement' OR Abstract Omit Norms: 're-ablement'] OR [Subject Terms: "independence" including this term only AND Subject Terms: "rehabilitation" including this term only] OR [All Fields: "restorative care"] OR [Subject Terms: "home care" including this term only AND Subject Terms: "rehabilitation" including this term only] OR [All Fields: "regaining independence"] OR [Subject Terms: "intermediate care" including this term only] OR [Subject Terms: "activities of daily living" including this term only

AND

Subject Terms: "rehabilitation" including this term only] OR [Subject Terms: "independent living" including this term only AND Subject Terms: "rehabilitation" including this term only] OR [Subject Terms: "integrated services" including this term only AND Subject Terms: "rehabilitation" including this term only] OR [Subject Terms: "interagency cooperation" including this term only AND Subject Terms: "rehabilitation" including this term only] OR [Subject Terms: "outcomes" including this term only OR All Fields: "effectiveness" AND Subject Terms: "rehabilitation" including this term only])

Social Work Abstracts (SWA) - OVID

Date searched: 16/06/2016

No. of records: 226

Limits: date (2000 – 2016)

RQ6 A, B, C - Intermediate Care and Reablement - information, advice, advocacy, training and support

1	(Re-enablement or reenablement or enablement).ti,ab.	2
2	Res-care.ti,ab.	0
3	(Reable\$ or re-able\$).ti,ab.	0
4	((Home or regain\$) adj3 independence).ti,ab.	4
5	"Enhanced activation program".ti,ab.	0
6	(Wellness adj (model\$ or approach\$ or intervention\$ or service\$)).ti,ab.	1
7	((Recovery or restorative) adj (care or goal or home or community or unit or setting or service)).ti,ab.	14

- 8 (Rehabilitation adj (goal or home or community or unit or 26
setting or service)).ti,ab.
- 9 rehabilitation.hw. or rehabilitation.sh. or rehabilitation 378
agencies.sh. or rehabilitation centers.sh. or rehabilitation
clinics.sh. or rehabilitation counseling.sh. or
rehabilitation counselors.sh. or rehabilitation program.sh.
or rehabilitation programs.sh. or rehabilitation
services.sh. or rehabilitation training.sh.
- 10 (home care or home care services or home health 282
agencies or home health care or home health program
or home health services or home help services or home
based services).sh.
- 11 (Intermediate adj3 (care or setting\$ or unit\$ or facility\$ or 29
home\$ or hous\$ or nurs\$ or sector\$ or provision\$ or
provider\$)).ti,ab.
- 12 independence.hw. or independence.sh. or 133
"independence case review".sh. or independent.hw. or
"independent case review".sh. or independent living.sh.
or independent living project.sh. or independent living
skills evaluation.sh.
- 13 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 848
- 14 13 and 2000:2016.(sa_year). 226

SocINDEX - EBSCO

Date of search: 06/06/2016

Number of records: 393

Limits: subject, academic journals, language (English), date (2000 – 2016), age

RQ6 A, B, C - Intermediate Care and Reablement - information, advice, advocacy, training and support

#	Query	Results
S56	S54 AND S55 Limiters – Academic Journals	393
S55	((ZU "adults")) or ((ZU "older patients") or (ZU "older people") or (ZU "older people -- care") or (ZU "older people -- home care") or (ZU "older people -- housing") or (ZU "older people -- institutional care") or (ZU "older people -- services for") or (ZU "older people with disabilities") or (ZU "older prisoners") or (ZU "older prisoners -- services for"))	17,677
S54	S48 AND S49 Limiters - Date of Publication: 20000101-20161231 Narrow by SubjectThesaurus: - medicaid Narrow by SubjectThesaurus: - people with disabilities Narrow by SubjectThesaurus: - long-term care facilities Narrow by SubjectThesaurus: - government policy Narrow by SubjectThesaurus: - decision making Narrow by SubjectThesaurus: - attitude (psychology) Narrow by SubjectThesaurus: - activities of daily living Narrow by SubjectThesaurus: - community health services	1,123

<p>Narrow by SubjectThesaurus: - age distribution (demography)</p> <p>Narrow by SubjectThesaurus: - epidemiology</p> <p>Narrow by SubjectThesaurus: - geriatrics</p> <p>Narrow by SubjectThesaurus: - families</p> <p>Narrow by SubjectThesaurus: - cross-sectional method</p> <p>Narrow by SubjectThesaurus: - mental illness</p> <p>Narrow by SubjectThesaurus: - adults</p> <p>Narrow by SubjectThesaurus: - medicare</p> <p>Narrow by SubjectThesaurus: - young adults</p> <p>Narrow by SubjectThesaurus: - social workers</p> <p>Narrow by SubjectThesaurus: - quality of life</p> <p>Narrow by SubjectThesaurus: - occupational training</p> <p>Narrow by SubjectThesaurus: - mental health</p> <p>Narrow by SubjectThesaurus: - patients</p> <p>Narrow by SubjectThesaurus: - education</p> <p>Narrow by SubjectThesaurus: - mental depression</p> <p>Narrow by SubjectThesaurus: - analysis of variance</p> <p>Narrow by SubjectThesaurus: - old age</p> <p>Narrow by SubjectThesaurus: - health</p> <p>Narrow by SubjectThesaurus: - nursing care facilities</p> <p>Narrow by SubjectThesaurus: - aging</p> <p>Narrow by SubjectThesaurus: - psychology</p> <p>Narrow by SubjectThesaurus: - social support</p> <p>Narrow by SubjectThesaurus: - social services</p> <p>Narrow by SubjectThesaurus: - qualitative research</p> <p>Narrow by SubjectThesaurus: - caregivers</p> <p>Narrow by SubjectThesaurus: - medical care</p> <p>Narrow by SubjectThesaurus: - interviewing</p> <p>Narrow by SubjectThesaurus: - home care services</p> <p>Narrow by SubjectThesaurus: - older people</p> <p>Narrow by Language: - english</p>	
--	--

S53	S48 AND S49 Limiters - Date of Publication: 20000101-20161231 Narrow by Language: - english	1,639
S52	S48 AND S49 Limiters - Date of Publication: 20000101-20161231	2,189
S51	S48 AND S49 Limiters - Date of Publication: 20000101-20161231	2,189
S50	S48 AND S49	4,432
S49	TX adult* OR TX older adult* OR TX aged NOT TX child* NOT TX adolescent* NOT TX youth	128,337
S48	S17 AND S47	28,603
S47	S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46	1,432,004
S46	TX ((Train* or support* or educat* or communicat* or instruct* or show* or explain* or discuss* or tailor* or assist* or facilitate* or consult* or involve* or participat* or co-design or co-produce or engage* or direct* or coach* or inform* or advis* or personalis* or personaliz* or evaluate*) W1 (client* or consumer* or patient* or user* or carer* or care-giver or famil* or relative*))	20,921
S45	TX ((Information or advice) W2 (independent or local or national or general or clinical or therapeutic or housing or financial or personal	83,577

	or public or client* or consumer* or patient* or user* or carer* or care-giver or famil* or relative* or relation* or volunteer* or professional* or practitioner* or provider* or commissioner* or specialist* or view* or experience* or attitude* or self-care or self-management or self-directed))	
S44	TX ((Information or advice) W2 (service* or line* or centre* or desk or bureau or signpost* or support or provision or format* or verbal or written or translation or communication or leaflet* or handout* or fact-sheet* or brochure* or technology or device* or computer* or online or web or website* or mobile* or forum or group* or video or phone* or telephone* or book* or tape* or guide* or search* or seek* or sourc* or mis-lead* or inaccurate* or relevant or timely or tailor* or purpose or access* or lack or helpful or unhelpful or satisfied or dissatisfied or complain* or protocol* or strateg* or literac*))	75,132
S43	TX ((Communication or relationship or knowledge or skill*) W3 (inter-professional or multi-disciplinary or joint or professional* or practitioner* or team* or front-line) W3 (client* or user* or patient* or carer* or relative* or famil*))	122
S42	TX ((Education* or information or teach* or self?help or self?manage*) W2 (program* or intervention* or material* or resource* or meeting* or session* or strateg* or work?shop* or visit*))	62,503
S41	(ZW "unmet need") or (ZW "unmet need.") or (ZW "unmet needs") or (ZW "unmet needs.") or (ZW "unmet service needs")	63
S40	((ZW "needs assessment")) or ((ZU "needs assessment"))	1,965
S39	((ZW "person centred") or (ZW "person centred approaches") or (ZW "person centred care")) or ((ZW "person-centred") or (ZW "person-	66

	centred approach") or (ZW "person-centred care") or (ZW "person-centred environment") or (ZW "person-centred intervention") or (ZW "person-centred interviews") or (ZW "person-centred medicine") or (ZW "person-centred planning") or (ZW "person-centred planning.") or (ZW "person-centred policy") or (ZW "person-centred practice") or (ZW "person-centred support") or (ZW "person-centred/selfhood approach") or (ZW "person-directed") or (ZW "person-directed care"))	
S38	(ZW "personalisation") or (ZW "personalisation agenda") or (ZW "personalised") or (ZW "personalised feedback") or (ZW "personalised learning") or (ZW "personalised medicine") or (ZW "personalised support")	92
S37	(ZW "user view") or (ZW "user views") or (ZW "user voice") or (ZW "user's involvement") or (ZW "user's perspective") or (ZW "user-centered design") or (ZW "user-centered experience") or (ZW "user-centred") or (ZW "user-centred design") or (ZW "user-controlled research") or (ZW "user-controlled support") or (ZW "user-created content") or (ZW "user-driven co-operatives") or (ZW "user-driven innovation") or (ZW "user-driven-innovation") or (ZW "user-friendly information") or (ZW "user-friendly policies") or (ZW "user-friendly services") or (ZW "user-generated content") or (ZW "user-involvement") or (ZW "user-led") or (ZW "user-led organisations") or (ZW "user-led organizations") or (ZW "user-led research") or (ZW "user-oriented design") or (ZW "user-views") or (ZW "userinvolvement") or (ZW "users") or (ZW "users and carers") or (ZW "users perspective") or (ZW "users views") or (ZW "users' experience") or (ZW "users' experiences") or (ZW "users' movement") or (ZW "users' participation") or (ZW "users' perspective") or (ZW "users' perspectives") or (ZW "users' research") or (ZW "users' views") or (ZW "users-view")	157

S36	(ZU "consumer behavior") or (ZU "consumer education") or (ZU "consumer satisfaction") or (ZU "consumers -- attitudes") or (ZU "consumers -- attitudes -- abstracts") or (ZU "consumers -- attitudes -- evaluation") or (ZU "consumers -- attitudes -- research") or (ZU "consumers -- economic aspects") or (ZU "consumers -- economic conditions") or (ZU "consumers -- education") or (ZU "consumers -- information services") or (ZU "consumers -- research") or (ZU "consumers' preferences") or (ZU "consumers' reviews")	5,990
S35	(ZW "consumer advocacy") or (ZW "consumer advocates") or (ZW "consumer and carer participation") or (ZW "consumer and homemaking education") or (ZW "consumer assessments") or (ZW "consumer assessments of care") or (ZW "consumer") or (ZW "consumer attitudes") or (ZW "consumer behavior") or (ZW "consumer behavior perspectives") or (ZW "consumer behavior.") or (ZW "consumer behaviors") or (ZW "consumer behaviour") or (ZW "consumer behaviour research") or (ZW "consumer behaviour.") or (ZW "consumer choice") or (ZW "consumer choice behavior model") or (ZW "consumer choice theory") or (ZW "consumer choice.") or (ZW "consumer choices") or (ZW "consumer decision-making") or (ZW "consumer decision-making styles") or (ZW "consumer decisions") or (ZW "consumer directed care") or (ZW "consumer direction") or (ZW "consumer driven") or (ZW "consumer driven care") or (ZW "consumer economics") or (ZW "consumer education") or (ZW "consumer education need") or (ZW "consumer empowerment") or (ZW "consumer engagement") or (ZW "consumer evaluation") or (ZW "consumer evaluations") or (ZW "consumer expenditure") or (ZW "consumer experience") or (ZW "consumer feedback") or (ZW "consumer health education") or (ZW "consumer health informatics") or (ZW "consumer health information") or (ZW "consumer health information web resources") or (ZW "consumer independence") or (ZW "consumer information") or (ZW "consumer involvement") or (ZW "consumer involvement in evaluation") or (ZW	624

"consumer involvement in research") or (ZW "consumer narratives") or (ZW "consumer needs") or (ZW "consumer of services") or (ZW "consumer outcomes") or (ZW "consumer outcomes.") or (ZW "consumer participation") or (ZW "consumer perceptions") or (ZW "consumer perceptions/power") or (ZW "consumer perspective") or (ZW "consumer perspectives") or (ZW "consumer preferences") or (ZW "consumer referral") or (ZW "consumer right to information") or (ZW "consumer roles in health care") or (ZW "consumer satisfaction") or (ZW "consumer satisfaction") or (ZW "consumer services") or (ZW "consumer studies") or (ZW "consumer surplus") or (ZW "consumer survey") or (ZW "consumer surveys") or (ZW "consumer views") or (ZW "consumer well being") or (ZW "consumer well-being") or (ZW "consumer's behaviour") or (ZW "consumer's perceptions") or (ZW "consumer's satisfaction") or (ZW "consumer-behavior") or (ZW "consumer-centered services") or (ZW "consumer-directed") or (ZW "consumer-directed care") or (ZW "consumer-directed home care") or (ZW "consumer-directed options") or (ZW "consumer-directed personal assistance") or (ZW "consumer-directed services") or (ZW "consumer-directed supportive services") or (ZW "consumer-direction") or (ZW "consumer-driven") or (ZW "consumer-driven health care") or (ZW "consumer-driven health plans") or (ZW "consumer-focused care") or (ZW "consumer-led practice") or (ZW "consumer-led services") or (ZW "consumer-managed services") or (ZW "consumer-object relations") or (ZW "consumer-object relationship") or (ZW "consumer-operated service programs") or (ZW "consumer-operated services") or (ZW "consumer-operatedservices") or (ZW "consumer-oriented service") or (ZW "consumer-producer relations") or (ZW "consumer-providers") or (ZW "consumer-run") or (ZW "consumer-run organizations") or (ZW "consumer-run programs") or (ZW "consumer-run programs community mental health programs psychiatric disability psychiatric rehabilitation") or (ZW "consumer-satisfaction") or (ZW "consumer-valued outcomes")

S34	TX support	175,130
S33	(ZU "support groups") or (ZU "supportive communication")	1,268
S32	(ZW "support") or (ZW "support [social]") or (ZW "support agencies") or (ZW "support at home") or (ZW "support behavior") or (ZW "support brokerage") or (ZW "support by family caregivers") or (ZW "support by health providers") or (ZW "support coping") or (ZW "support effectiveness") or (ZW "support exchanges") or (ZW "support for autonomy") or (ZW "support for informal care") or (ZW "support for treatment") or (ZW "support giving") or (ZW "support group") or (ZW "support group intervention") or (ZW "support group meetings.") or (ZW "support groups") or (ZW "support groups for carers") or (ZW "support groups.") or (ZW "support groups;") or (ZW "support guidance") or (ZW "support intervention") or (ZW "support measure") or (ZW "support measures") or (ZW "support need assessment") or (ZW "support needs") or (ZW "support network") or (ZW "support networks") or (ZW "support planning") or (ZW "support policies") or (ZW "support preferences") or (ZW "support program") or (ZW "support programme") or (ZW "support programs") or (ZW "support provider") or (ZW "support providers") or (ZW "support provision") or (ZW "support resources") or (ZW "support satisfaction") or (ZW "support seeking") or (ZW "support service") or (ZW "support service system") or (ZW "support service") or (ZW "support services") or (ZW "support services.") or (ZW "support social") or (ZW "support sources") or (ZW "support spaces") or (ZW "support staff") or (ZW "support structures") or (ZW "support system") or (ZW "support systems") or (ZW "supported autonomy") or (ZW "supported decision making") or (ZW "supported housing") or (ZW "supported housing facilities") or (ZW "supported housing schemes") or (ZW "supported housing.") or (ZW "supported living") or (ZW "supported living arrangements") or (ZW "supported respite model") or (ZW "supporting") or (ZW "supporting advocates") or (ZW "supporting	908

	people") or (ZW "supporting well-being") or (ZW "supportive behavior") or (ZW "supportive care") or (ZW "supportive care facilities") or (ZW "supportive care needs") or (ZW "supportive communication") or (ZW "supportive communication perceived support") or (ZW "supportive communities") or (ZW "supportive housing") or (ZW "supportive living") or (ZW "supportive relationships") or (ZW "supportive relationships.") or (ZW "supportive service") or (ZW "supportive services")	
S31	TX education	408,980
S30	(ZU "patient education") or (ZU "patient participation") or (ZU "patient representatives") or (ZU "patient satisfaction") or (ZU "patient satisfaction -- evaluation") or (ZU "patient self-monitoring") or (ZU "patient surveys")	1,891
S29	(ZW "patient education") or (ZW "patient education program") or (ZW "patient empowerment") or (ZW "patient engagement") or (ZW "patient evaluations of hospital care") or (ZW "patient expectations") or (ZW "patient experience") or (ZW "patient experience surveys") or (ZW "patient experiences") or (ZW "patient feedback") or (ZW "patient forums") or (ZW "patient goals") or (ZW "patient information") or (ZW "patient intervention") or (ZW "patient involvement") or (ZW "patient involvement in research") or (ZW "patient isolation") or (ZW "patient journey") or (ZW "patient judgment") or (ZW "patient knowledge") or (ZW "patient management") or (ZW "patient medication education") or (ZW "patient monitoring") or (ZW "patient monitoring device") or (ZW "patient motivation") or (ZW "patient narrative") or (ZW "patient narratives") or (ZW "patient navigation") or (ZW "patient navigation services") or (ZW "patient navigators") or (ZW "patient needs") or (ZW "patient networks") or (ZW "patient nonadherence") or (ZW "patient noncompliance") or (ZW "patient nurse relationships") or (ZW "patient obligations") or (ZW "patient	1,153

options") or (ZW "patient organisations") or (ZW "patient organizations") or (ZW "patient orientated care") or (ZW "patient orientation") or (ZW "patient oriented research") or (ZW "patient outcome") or (ZW "patient outcomes") or (ZW "patient outreach") or (ZW "patient participation") or (ZW "patient participation groups") or (ZW "patient participation in health care") or (ZW "patient partnership") or (ZW "patient perception") or (ZW "patient perceptions") or (ZW "patient perspective") or (ZW "patient perspectives") or (ZW "patient physician relationships") or (ZW "patient practice") or (ZW "patient practices") or (ZW "patient preference") or (ZW "patient preferences") or (ZW "patient preparation") or (ZW "patient priorities") or (ZW "patient psychiatrist relationships") or (ZW "patient psychologist relationships") or (ZW "patient psychotherapist relationships") or (ZW "patient ratings") or (ZW "patient readmission") or (ZW "patient readmissions") or (ZW "patient records") or (ZW "patient referral") or (ZW "patient report") or (ZW "patient reported outcome measures") or (ZW "patient reports and ratings") or (ZW "patient representative services") or (ZW "patient responsibilities") or (ZW "patient rights") or (ZW "patient satisfaction") or (ZW "patient satisfaction - statistics & numerical data") or (ZW "patient satisfaction measurement") or (ZW "patient satisfaction with care") or (ZW "patient satisfaction.") or (ZW "patient search") or (ZW "patient self-management") or (ZW "patient self-report") or (ZW "patient self-reports") or (ZW "patient surveys") or (ZW "patient teaching") or (ZW "patient therapist relationships") or (ZW "patient transfer") or (ZW "patient transfer devices") or (ZW "patient transfer") or (ZW "patient treatment") or (ZW "patient trust") or (ZW "patient values") or (ZW "patient views") or (ZW "patient's perspectives") or (ZW "patient's view") or (ZW "patient, ambulatory") or (ZW "patient- centeredness") or (ZW "patient--clinician relationship") or (ZW "patient--provider communication") or (ZW "patient-care needs") or (ZW "patient-caregiver dyad") or (ZW "patient-caregiver reports") or (ZW "patient-centered") or (ZW

"patient-centered approach") or (ZW "patient-centered care") or (ZW "patient-centered care.") or (ZW "patient-centered communication") or (ZW "patient-centered healthcare") or (ZW "patient-centered medical home") or (ZW "patient-centered medical home (pcmh)") or (ZW "patient-centered medical homes") or (ZW "patient-centeredness") or (ZW "patient-centred") or (ZW "patient-centred approach") or (ZW "patient-centred behaviour coding instrument") or (ZW "patient-centred care") or (ZW "patient-centred care and review") or (ZW "patient-centred care and treatment outcomes") or (ZW "patient-centred communication") or (ZW "patient-centred decision support") or (ZW "patient-centred medicine") or (ZW "patient-centred outcomes") or (ZW "patient-centred practices") or (ZW "patient-centred primary care") or (ZW "patient-centred professionalism") or (ZW "patient-centredness") or (ZW "patient-citizen-consumers") or (ZW "patient-clinician relationship") or (ZW "patient-consumer") or (ZW "patient-doctor communication") or (ZW "patient-doctor interaction") or (ZW "patient-doctor interactions") or (ZW "patient-doctor relationship") or (ZW "patient-family relations") or (ZW "patient-family-nurse experience") or (ZW "patient-focused") or (ZW "patient-focused research") or (ZW "patient-oriented") or (ZW "patient-perspective") or (ZW "patient-physician communication") or (ZW "patient-physician concordance") or (ZW "patient-physician interaction") or (ZW "patient-physician interactions") or (ZW "patient-physician relation") or (ZW "patient-physician relations") or (ZW "patient-physician relationship") or (ZW "patient-physician relationships") or (ZW "patient-practitioner communication") or (ZW "patient-practitioner relationship") or (ZW "patient-professional interactions") or (ZW "patient-professional relations") or (ZW "patient-professional relationships") or (ZW "patient-provider") or (ZW "patient-provider communication") or (ZW "patient-provider encounters") or (ZW "patient-provider interaction") or (ZW "patient-provider interactions") or (ZW "patient-provider relationship") or (ZW "patient-provider relationships") or (ZW "patient-provider support") or

	(ZW "patient-psychiatrist relations") or (ZW "patient-regarding motivations") or (ZW "patient-related issues") or (ZW "patient-related stress") or (ZW "patient-reported outcome measure") or (ZW "patient-reported outcome measure (prom)") or (ZW "patient-reported outcomes") or (ZW "patient-staff relationship") or (ZW "patient-support websites") or (ZW "patient-tailored information") or (ZW "patient-therapist complementarity") or (ZW "patient-therapist relationship") or (ZW "patient-treatment-matching") or (ZW "patient/physician interaction") or (ZW "patient/provider communication") or (ZW "patient/provider relationships") or (ZW "patient/staff attitudes") or (ZW "patient/therapist partnership") or (ZW "patientcentred care") or (ZW "patientcentred health care") or (ZW "patients compliance") or (ZW "patients' ambivalence") or (ZW "patients' anxiety") or (ZW "patients' attitude") or (ZW "patients' attitudes") or (ZW "patients' decision making") or (ZW "patients' experience") or (ZW "patients' experiences") or (ZW "patients' expertise") or (ZW "patients' families") or (ZW "patients' functioning") or (ZW "patients' information") or (ZW "patients' intentions") or (ZW "patients' involvement") or (ZW "patients' mobility") or (ZW "patients' needs and experiences") or (ZW "patients' organisations") or (ZW "patients' organization") or (ZW "patients' perception") or (ZW "patients' perceptions") or (ZW "patients' perspective") or (ZW "patients' perspectives") or (ZW "patients' preferences") or (ZW "patients' satisfaction") or (ZW "patients' view") or (ZW "patients' views") or (ZW "patients, care")	
S28	(ZW "health promotion") or (ZU "health promotion")	4,580
S27	((ZU "health education")) or ((ZW "health education"))	4,026
S26	(ZU "advice") or (ZU "advice literature") or (ZU "advisory opinions")	45

S25	<p>((ZW "advice") or (ZW "advice giving") or (ZW "advice literature") or (ZW "advice manuals") or (ZW "advice network") or (ZW "advice networks") or (ZW "advice provision") or (ZW "advice relationship") or (ZW "advice seeking behaviour") or (ZW "advice services") or (ZW "advice taking") or (ZW "advice versus treatment") or (ZW "advice-giving") or (ZW "advice-seeking behaviour") or (ZW "advice-seeking.") or (ZW "adviser") or (ZW "adviser selection") or (ZW "adviser-advisee interaction") or (ZW "advisers") or (ZW "advising") or (ZW "advising process") or (ZW "advising relationships") or (ZW "advising scholarship") or (ZW "advisor") or (ZW "advisor-advisee communication") or (ZW "advisor-advisee relationships") or (ZW "advisors") or (ZW "advisory opinion") or (ZW "advisory services") or (ZW "advocacy") or (ZW "advocacy and education") or (ZW "advocacy and empowerment") or (ZW "advocacy and older adults and families") or (ZW "advocacy centers") or (ZW "advocacy for older people") or (ZW "advocacy group") or (ZW "advocacy groups") or (ZW "advocacy organisations") or (ZW "advocacy organizations") or (ZW "advocacy planning") or (ZW "advocacy research") or (ZW "advocacy role") or (ZW "advocacy skills") or (ZW "advocacy skills education") or (ZW "advocacy stages") or (ZW "advocacy strategies") or (ZW "advocacy structure") or (ZW "advocacy tactics") or (ZW "advocacy work") or (ZW "advocacy.") or (ZW "advocacy. patron-client") or (ZW "advocacy: service user education") or (ZW "advocate") or (ZW "advocate guides") or (ZW "advocate intervention") or (ZW "advocate research collaborations") or (ZW "advocates")) or ((ZU "advice") or (ZU "advice literature") or (ZU "advisory opinions"))</p>	1,007
S24	TX advice OR TX advisory OR TX advocate	34,225
S23	(ZU "communication") or (ZU "communication -- methodology") or (ZU "communication -- research") or (ZU "communication -- social aspects") or (ZU "communication -- study & teaching") or (ZU	13,647

	<p>"communication apprehension") or (ZU "communication barriers") or (ZU "communication in education") or (ZU "communication in management") or (ZU "communication in medicine") or (ZU "communication in medicine -- research") or (ZU "communication in nursing") or (ZU "communication in organizations") or (ZU "communication in public health") or (ZU "communication in rehabilitation") or (ZU "communication in social work") or (ZU "communication in the social sciences") or (ZU "communication models") or (ZU "communication of technical information") or (ZU "communication patterns") or (ZU "communication policy") or (ZU "communication strategies") or (ZU "communication surveys") or (ZU "communication systems") or (ZU "communication, face-to-face") or (ZU "communication, two-way") or (ZU "communication, word-of-mouth")</p>	
S22	<p>(ZW "communication") or (ZW "communication & information technology") or (ZW "communication - intervention") or (ZW "communication - problem-solving") or (ZW "communication access") or (ZW "communication and discourse") or (ZW "communication and education") or (ZW "communication and inclusion") or (ZW "communication and information technologies") or (ZW "communication and information technology") or (ZW "communication and participation") or (ZW "communication and social interaction") or (ZW "communication and social skills") or (ZW "communication approaches") or (ZW "communication barriers") or (ZW "communication barriers.") or (ZW "communication behavior") or (ZW "communication behaviors") or (ZW "communication broker") or (ZW "communication education") or (ZW "communication effectiveness") or (ZW "communication efficacy") or (ZW "communication ethics") or (ZW "communication evaluation") or (ZW "communication failure") or (ZW "communication feedback") or (ZW "communication in medicine") or (ZW "communication in medicine - case studies") or (ZW "communication in medicine - family practice")</p>	2,226

	<p>or (ZW "communication in nursing teams") or (ZW "communication in organization") or (ZW "communication in primary-care settings") or (ZW "communication in social science") or (ZW "communication in social sciences") or (ZW "communication in social work - u.s") or (ZW "communication in social work - united states - case studies") or (ZW "communication in the disciplines") or (ZW "communication in the family - cross-cultural studies") or (ZW "communication in the social sciences - u.s") or (ZW "communication interface") or (ZW "communication internet") or (ZW "communication intervention") or (ZW "communication methods") or (ZW "communication methods, total") or (ZW "communication models") or (ZW "communication modes") or (ZW "communication need") or (ZW "communication pattern") or (ZW "communication patterns") or (ZW "communication policy") or (ZW "communication programs") or (ZW "communication protocol") or (ZW "communication protocols") or (ZW "communication reciprocity") or (ZW "communication research") or (ZW "communication satisfaction") or (ZW "communication skill") or (ZW "communication skill training") or (ZW "communication skills") or (ZW "communication skills learning") or (ZW "communication skills training") or (ZW "communication strategies") or (ZW "communication strategy") or (ZW "communication systems") or (ZW "communication techniques") or (ZW "communication technologies") or (ZW "communication technology") or (ZW "communication training") or (ZW "communication training programs") or (ZW "communication with health care providers") or (ZW "communications") or (ZW "communications centers") or (ZW "communications model")</p>	
S21	TX communication	98,571
S20	<p>(ZU "information & communication technologies") or (ZU "information dissemination") or (ZU "information economy") or (ZU "information ethics") or (ZU "information literacy") or (ZU "information measurement") or (ZU "information needs") or (ZU "information</p>	13,909

	<p>needs -- canada") or (ZU "information needs -- evaluation") or (ZU "information networks") or (ZU "information networks -- research") or (ZU "information networks -- study & teaching") or (ZU "information organization") or (ZU "information overload") or (ZU "information policy") or (ZU "information processing") or (ZU "information resources") or (ZU "information resources -- economic aspects") or (ZU "information resources -- evaluation") or (ZU "information resources -- reviews") or (ZU "information resources -- security measures") or (ZU "information resources -- social aspects") or (ZU "information resources -- use studies") or (ZU "information resources management") or (ZU "information resources management -- economic aspects") or (ZU "information resources management -- evaluation") or (ZU "information resources management -- research") or (ZU "information retrieval") or (ZU "information retrieval -- management") or (ZU "information retrieval -- research") or (ZU "information services") or (ZU "information services -- contracting out") or (ZU "information services -- evaluation") or (ZU "information services -- government policy") or (ZU "information services -- law & legislation") or (ZU "information services -- public relations") or (ZU "information services -- research") or (ZU "information services -- social aspects") or (ZU "information services -- software") or (ZU "information services -- united states") or (ZU "information services -- universities & colleges") or (ZU "information services -- user education") or (ZU "information services industry") or (ZU "information services standards") or (ZU "information sharing") or (ZU "information storage & retrieval systems") or (ZU "information technology") or (ZU "information technology -- social aspects") or (ZU "information-seeking behavior") or (ZU "information-seeking strategies") or (ZU "information-seeking strategies -- research")</p>	
S19	<p>(ZW "information") or (ZW "information & communication technologies (ict)") or (ZW "information & communication technologies (icts)") or (ZW "information & communication</p>	2,501

technology") or (ZW "information & communication technology (ict)") or (ZW "information & communications technologies (icts)") or (ZW "information & communications technology") or (ZW "information about pharmaceuticals-patterns of prescription") or (ZW "information abundance") or (ZW "information access") or (ZW "information access need") or (ZW "information accessibility") or (ZW "information accumulation") or (ZW "information acquisition") or (ZW "information aesthetics") or (ZW "information and awareness") or (ZW "information and choices") or (ZW "information and communication technology") or (ZW "information and communication technologies") or (ZW "information and communication") or (ZW "information and communication net") or (ZW "information and communication society") or (ZW "information and communication technologies") or (ZW "information and communication technologies (ict)") or (ZW "information and communication technologies (icts)") or (ZW "information and communication technologies (itc)") or (ZW "information and communication technologies and e-government services") or (ZW "information and communication technology") or (ZW "information and communication technology (ict)") or (ZW "information and communication technology (ict) industry") or (ZW "information and communication technology (ict) policy") or (ZW "information and communication technology (itc)") or (ZW "information and communication technology competencies") or (ZW "information and communication technology evaluation") or (ZW "information and communication technology in education") or (ZW "information and communication technology(ict)") or (ZW "information and communications technologies") or (ZW "information and communications technology") or (ZW "information and communications technology (ict)") or (ZW "information and communications technology design") or (ZW "information and computer ethics (ice)") or (ZW "information and computer technology") or (ZW "information and consultation") or (ZW "information and decision-making") or (ZW "information and health")

or (ZW "information and involvement preferences") or (ZW "information and referral") or (ZW "information and resources") or (ZW "information and services") or (ZW "information and support") or (ZW "information availability") or (ZW "information avoidance") or (ZW "information base") or (ZW "information behavior") or (ZW "information bias") or (ZW "information campaign") or (ZW "information campaigns") or (ZW "information capital") or (ZW "information cascades") or (ZW "information center") or (ZW "information channel") or (ZW "information channels") or (ZW "information collection") or (ZW "information communication technologies") or (ZW "information communication technologies (icts)") or (ZW "information communication technology") or (ZW "information communications technology") or (ZW "information competence") or (ZW "information competency") or (ZW "information completeness") or (ZW "information consumption habits") or (ZW "information content") or (ZW "information context") or (ZW "information control") or (ZW "information control system, on-site") or (ZW "information cost") or (ZW "information credibility") or (ZW "information criteria") or (ZW "information criterion") or (ZW "information effects") or (ZW "information evaluation") or (ZW "information exchange") or (ZW "information exchange process") or (ZW "information exchanges") or (ZW "information feedback") or (ZW "information flow") or (ZW "information for choice") or (ZW "information for practice") or (ZW "information gatekeeper") or (ZW "information gathering") or (ZW "information gathering [data collection]") or (ZW "information giving") or (ZW "information level") or (ZW "information literacy") or (ZW "information literacy.") or (ZW "information management") or (ZW "information management role") or (ZW "information managers") or (ZW "information managment") or (ZW "information materials") or (ZW "information meaning-making") or (ZW "information model") or (ZW "information modelling") or (ZW "information need") or (ZW "information needs") or (ZW "information needs and search behaviors") or (ZW "information network") or (ZW

"information networks") or (ZW "information overload") or (ZW "information overload.") or (ZW "information policy") or (ZW "information pooling") or (ZW "information poor") or (ZW "information practices") or (ZW "information preferences") or (ZW "information privacy") or (ZW "information process") or (ZW "information processing") or (ZW "information production and reporting") or (ZW "information products") or (ZW "information profession") or (ZW "information professional") or (ZW "information program effectiveness") or (ZW "information provision") or (ZW "information quality") or (ZW "information quantity") or (ZW "information receiving") or (ZW "information reliability") or (ZW "information request") or (ZW "information requests") or (ZW "information requirements") or (ZW "information research") or (ZW "information resource") or (ZW "information resources dictionary system") or (ZW "information resources management") or (ZW "information retrieval") or (ZW "information retrieval") or (ZW "information revelation") or (ZW "information search") or (ZW "information searches") or (ZW "information searching") or (ZW "information seeking") or (ZW "information seeking behavior") or (ZW "information selection") or (ZW "information services") or (ZW "information services [organization & administration]") or (ZW "information sharing") or (ZW "information sharing environment") or (ZW "information sharing task") or (ZW "information sharing/withholding") or (ZW "information skills") or (ZW "information source") or (ZW "information sources") or (ZW "information storage and retrieval/methods") or (ZW "information storage, spatial") or (ZW "information strategy") or (ZW "information structure") or (ZW "information structuring") or (ZW "information studies research") or (ZW "information support") or (ZW "information system") or (ZW "information system analysis") or (ZW "information system design") or (ZW "information system evaluation") or (ZW "information system selection criteria") or (ZW "information system, integrated") or (ZW "information systems") or (ZW "information systems design") or (ZW "information systems development") or (ZW

	"information systems efficiency") or (ZW "information systems research") or (ZW "information systems strategy formulation") or (ZW "information systems success") or (ZW "information systems use") or (ZW "information teaching") or (ZW "information technologies") or (ZW "information technologies management") or (ZW "information technology") or (ZW "information technology use") or (ZW "information transfer") or (ZW "information uncertainty") or (ZW "information use") or (ZW "information utilization") or (ZW "information value") or (ZW "information verification") or (ZW "information weighting") or (ZW "information-based") or (ZW "information-centred design") or (ZW "information-communication technologies") or (ZW "information-evaluation") or (ZW "information-giving") or (ZW "information-motivation-behavior skills model") or (ZW "information-motivation-behavioral skills model") or (ZW "information-motivation-behavioural skills") or (ZW "information-process learning") or (ZW "information-processing") or (ZW "information-processing approach") or (ZW "information-processing strategies") or (ZW "information-retrieval") or (ZW "information-searching") or (ZW "information-seeking") or (ZW "information-seeking prompts") or (ZW "information-seeking strategies") or (ZW "information-sharing") or (ZW "information-technology") or (ZW "information.") or (ZW "information/knowledge management")	
S18	TX information	1,123,386
S17	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16	46,956
S16	(ZW "home-care") or (ZW "home-care agencies") or (ZW "home-care intervention") or (ZW "home-care programme") or (ZW "home-care-helper typology") or (ZW "home-help care recipients") or (ZW "home-help services") or (ZW "home-helper") or (ZW "home-living patients")	51

	<p>or (ZW "home-returning") or (ZW "home-visiting") or (ZW "home-visiting intervention") or (ZW "home-visiting program for families") or (ZW "homebased care volunteers") or (ZW "homebased social work") or (ZW "homebound") or (ZW "homebound elderly") or (ZW "homebound elderly adults") or (ZW "homebound elders") or (ZW "homebound instruction") or (ZW "homebound older adults") or (ZW "homebound persons")</p>	
S15	<p>((ZU "home care") or (ZU "home care programs") or (ZU "home care services") or (ZU "home care services -- contracting out") or (ZU "home care services -- corrupt practices") or (ZU "home care services -- economic aspects") or (ZU "home care services -- evaluation") or (ZU "home care services -- finance") or (ZU "home care services -- government policy") or (ZU "home care services -- law & legislation") or (ZU "home care services -- prospective payment") or (ZU "home care services -- rates") or (ZU "home care services -- research") or (ZU "home care services -- societies, etc.") or (ZU "home care services -- training of") or (ZU "home care services -- utilization")) or ((ZW "home care") or (ZW "home care agencies") or (ZW "home care aides") or (ZW "home care and families") or (ZW "home care for elderly") or (ZW "home care for individuals with chronic illness") or (ZW "home care management") or (ZW "home care needs") or (ZW "home care nurses") or (ZW "home care nursing") or (ZW "home care nursing service") or (ZW "home care patients with medicare-only payment source") or (ZW "home care personnel") or (ZW "home care policies") or (ZW "home care policy") or (ZW "home care population") or (ZW "home care practitioners") or (ZW "home care referrals") or (ZW "home care satisfaction measure") or (ZW "home care service") or (ZW "home care services") or (ZW "home care services and medicaid") or (ZW "home care services, hospital-based") or (ZW "home care staff") or (ZW "home care support services") or (ZW "home care systems") or (ZW "home care use") or (ZW "home care utilization") or (ZW "home</p>	2,811

	care work") or (ZW "home care worker") or (ZW "home care workers") or (ZW "home caregivers") or (ZW "home caregiving") or (ZW "home caring"))	
S14	(ZW "homecare") or (ZW "homecare service") or (ZW "homecare services") or (ZW "homecare suite") or (ZW "homecare workers") or (ZW "homebound") or (ZW "homebound elderly") or (ZW "homebound elderly adults") or (ZW "homebound elders") or (ZW "homebound instruction") or (ZW "homebound older adults") or (ZW "homebound persons")	52
S13	TX home#care OR TX home-care OR TX "home care"	8,410
S12	((ZU "intermediate care (nursing care)")) or ((ZW "intermediate care") or (ZW "intermediate care for the mentally retarded developmentally disabled") or (ZW "intermediate care support"))	34
S11	(ZW "restorative care") or (ZW "restorative care nursing")	6
S10	(ZW "re-ablement")	1
S9	(ZW "reablement")	3
S8	TX "restorative care"	23
S7	TX "intermediate care"	158
S6	TX rehabilitation	38,424
S5	TX (Wellness W1 (model* or approach* or intervention* or service*))	89
S4	TX ((care) W3 independence)	56

S3	TX Res-care	8
S2	TX (Re-enablement or reenablement or enablement)	71
S1	TX re-ablement OR TX reablement	28

RQ 7 - Intermediate Care

Conducted in August 2016, the Intermediate search within was formulated to answer questions about Intermediate Care in the home or community setting.

Questions:

- What characteristics of intermediate care and reablement service models and approaches are associated with improving outcomes for adults using these services and their families?
- What do adults using intermediate and reablement care services, their carers and families consider to be the important characteristics of service models and approaches?
- What do health, social care and other practitioners consider are the important characteristics of intermediate care and reablement service models and approaches?

The information specialist did not conduct a new database searches for this question. Instead, screening was carried out in the existing EPPI reviewer library for this topic, which included search results for all 6 previous questions as well as the recently conducted update search (for papers published 2015-2016). The review protocols for all previous searches contained the term 'intermediate care' so it was anticipated that all relevant papers have already been located. If any gaps were identified (by the technical team or in discussion with the GC), then additional searches were conducted to target those particular elements.

Organisation and additional searches:

Additional Google and Google Scholar additional organisation searches were undertaken to collect terms for intermediate care and consisted of; intermediate care combined with audits or hospital or home or time limits or models or outcomes or economics. Relevant PDF's were then searched within e.g. using intermediate care, to clarify the relevance to the specific question.

Update searches - all review questions 1-7

Conducted in July 2016, the updates search strategy was formulated to answer questions about Intermediate Care in the home or community setting.

Questions: See all previous questions above

Databases: See all databases in total list at the beginning of this appendix

A range of electronic databases in the fields of social care, health, rehabilitation and social science were searched, using a combination of controlled and free text terms around the requirements of the Scope, Appendix 3: Service category definitions of the 'National Audit of Intermediate Care 2014' and the Review Protocol.

A broad search was conducted to act as a check and balance to the individual question by question approach. This covered the date period 2015 – 2016 and data was then de-duplicated against the main dataset, leaving only studies that had not been captured by the question by question search approach, creating the final update search data set. This may have included data not already identified, due to the different sources used for each question but this is limited to the date period. Searches included all the key terms used for the individual searches and their key interventions of interest, along with study type terms.

The core search consisted of the following elements:

- A: Intervention (reablement, intermediate care, regaining independence, crisis intervention and hospital at home etc.)
- B: Study Type (reviews, costs, views etc.)
- C: Limits (population, study types etc.)
- D: Limits Language and dates (English, 2015-2016)

Organisation and additional searches:

Additional Google and Google Scholar searches were undertaken due to the decision to change the standard NCCSC search approach, to a question by question approach, after the scope searches had been conducted and the 'National Audit of Intermediate Care' service categories were identified. These searches included the key terms above associated with systematic review, outcomes, cost and effectiveness, views or experiences, literature reviews and qualitative data.

All searches - Update review questions 1-7**Abstracts in Social Gerontology - EBSCO**

Date searched: 19/07/2016

No. of records: 122

Limits: date (2015/01/01-2016/12/31)

Update searches - RQ1 - RQ7

#	Query	Results
S53	S50 AND S51 Limiters - Publication Date: 20150101-20161231	(112)
S52	S50 AND S51	(1,165)
S51	S30 AND S49	(1,767)
S50	S23 AND S49	(3,948)
S49	S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48	(7,339)
S48	(ZU "activities of daily living") or (ZU "activities of daily living -- evaluation") or (ZU "activities of daily living -- research") or (ZU "activities of daily living scales")	(1,652)
S47	TX (Transfer W1 (care or discharge))	(18)

- S46 TX ((Hospital or treatment or adaptation*) W1 home) (176)
- S45 TX (Wellness W1 (model* or approach* or intervention* or service*)) (10)
- S44 TX ((Crisis or rapid or urgent or intensive) W1 (access* or assessment or response or resolution or rehabilitation or team* or service* or model* or home or episode* or time)) (130)
- S43 TX ((Homecare or home-care or home) W2 (short-term or brief or time or limit*)) (84)
- S42 TX (Intermediate W2 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated or information or advice or advocacy)) (33)
- S41 TX (Intermediate W2 (service* or community or acute or home or assessment* or access or care or bed* or ward* or nursing or residential or patient* or client* or unit* or facilit* or team* or short-term or residential or acute or setting* or service* or plan* or dementia or alzheimer* or lewy-bodies)) (138)
- S40 TX ((Regain* or gain* or improve* or learn* or relearn or re-learn or optimi?e or increase* or rebuild* or maintain* or build* or maximise or recover* or daily or assess* or self-assess*) W2 (independen* or confidence or mobilite* or skill* or competen* or service* or support or control or living or disabilit*)) (5,910)
- S39 (ZU "intermediate care (nursing care)") (21)
- S38 (ZU "rehabilitation") or (ZU "rehabilitation -- economic aspects") or (ZU "rehabilitation -- equipment & supplies") or (ZU "rehabilitation -- evaluation") or (ZU "rehabilitation -- methodology") or (ZU "rehabilitation centers") or (ZU "rehabilitation nursing") (318)

- S37 TX (Rehabilitat* W1 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated)) (115)
- S36 TX (Rehabilitat* W1 (goal* or home or community or unit* or setting* or service* or ward* or bed* or model* or transfer* or avoid* or discharge or short-term or integrated or homecare or dementia or assessment* or plan* or information or advice or time* or therap* or activit*)) (830)
- S35 TX ((Restorative or recuperative or recovery) W2 (support* or care or service* or provision* or approach* or model* or goal* or plan* or speed* or fast* or quick*)) (74)
- S34 TX Res-care (5)
- S33 TX (Enablement) (10)
- S32 TX (Re-enable* or reenable*) (1)
- S31 TX (Reable* or re-able*) (6)
- S30 S24 OR S25 OR S26 OR S27 OR S28 OR S29 14 (888)
- S29 (ZU "attitudes toward aging") or (ZU "attitudes toward disabilities") or (ZU "attitudes toward health") or (ZU "attitudes toward health -- research") or (ZU "attitudes toward health -- social aspects") or (ZU "attitudes toward illness") (303)
- S28 (ZU "patient satisfaction") or (ZU "patient satisfaction -- evaluation") or (ZU "patient satisfaction -- research") (241)
- S27 (ZU "quality of life") (2,312)
- S26 (ZU "outcome assessment (medical care)") or (ZU "outcome assessment (medical care) -- government policy") or (ZU "outcome assessment (medical care) -- methodology") or (ZU "outcome assessment (medical care) -- research") or (ZU "outcome assessment (social services)") (1,216)

- S25 TX ((Patient* or client* or user* or personal* or professional* or staff or team or practitioner* or carer* or worker* or manager* or coordinator or provider* or agency or agencies or nurs* or occupational or doctor* or social or assistant* or community or residential or hospital) W2 (satisfaction or view* or experience* or preference* or opinion* or outcome* or measure* or evaluation* or study or studies or attitude* or perspective* or need* or feedback or expectation* or advocacy)) (10,281)
- S24 TX ((Outcome* or effectiveness or intervention* or quality) W1 (measure* or assessment or research or evaluation* or study or studies or treatment*))
4,185
- S23 S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 (35,134)
- S22 (ZU "qualitative research") or (ZU "qualitative research -- evaluation") or (ZU "qualitative research -- methodology") (1,006)
- S21 (ZU "interviews") (223)
- S20 (ZU "economics") or (ZU "economics -- evaluation") or (ZU "economics -- research") (351)
- S19 (ZU "cost") or (ZU "cost accounting") or (ZU "cost analysis") or (ZU "cost control") or (ZU "cost control -- methodology") or (ZU "cost effectiveness") or (ZU "cost effectiveness -- research") or (ZU "cost shifting") (497)
- S18 (ZU "empirical research") (91)
- S17 (ZU "cohort analysis") or (ZU "cohort analysis -- research") (397)
- S16 (ZU "evaluation") or (ZU "evaluation -- research") or (ZU "evaluation -- research -- methodology") (589)
- S15 (ZU "questionnaires") (2,694)
- S14 (ZU "surveys") (1,365)

- S13 (ZU "randomized controlled trials") or (ZU "randomized controlled trials -- abstracts") or (ZU "randomized controlled trials -- methodology") or (ZU "randomized controlled trials -- moral & ethical aspects") or (ZU "randomized controlled trials -- research") (1,141)
- S12 (ZU "literature reviews") (150)
- S11 (ZU "systematic reviews (medical research)") or (ZU "systematic reviews (medical research) -- moral & ethical aspects") or (ZU "systematic reviews (medical research) -- research") (739)
- S10 TX Qualitative* (2,943)
- S9 TX (Economic* W1 (review* or care or research or study or studies or analysis)) (553)
- S8 TX (Cost W1 (effective* or benefit or analysis or care or consequence or low or high or health or hospital or service* or direct or saving* or sharing or budget* or control* or illness)) (1,542)
- S7 TX (Empirical* W2 (Study or studies or research or evidence or evaluation*)) (566)
- S6 TX (Cohort W1 (stud* or model* or analysis or design)) (3,055)
- S5 TX Evaluat* (19,480)
- S4 TX Survey* (7,864)
- S3 TX Randomi?ed (3,850)
- S2 TX Meta-analysis (1,109)
- S1 TX ((Literature W1 review*) or (systematic W1 review*) or (realist W1 (review* or synthesis or evaluation)) (2,241)

Ageline - EBSCO

Date searched: 19/07/2016

No. of records: 394

Limits: date (2015 – 2016)

Update searches - RQ1 - RQ7

#	Query	Results
S58	S55 OR S56 Limiters - Publication Year: 2015-2016	394
S57	S55 OR S56	8,756
S56	S34 AND S54	3,995
S55	S24 AND S54	7,238
S54	S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53	13,190
S53	(ZU "activities of daily living") or (ZU "activities of daily living evaluation")	2,870
S52	TX (Transfer W1 (care or discharge))	47
S51	TX ((Hospital or treatment or adaptation*) W1 home)	420
S50	TX (Wellness W1 (model* or approach* or intervention* or service*))	45

S49	TX ((Crisis or rapid or urgent or intensive) W1 (access or assessment or response or resolution or rehabilitation or team* or service* or model* or home or episode or time))	196
S48	(ZU "physical therapy modalities") or (ZU "physical therapy rehabilitation") or (ZU "physical therapy research")	4
S47	TX ((Homecare or home-care or home) W2 (short-term or brief or time or limit*)).	243
S46	TX (Intermediate W2 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated or information or advice or advocacy))	72
S45	TX (Intermediate W2 (service* or community or acute or home or assessment* or access or care or bed* or ward* or nursing or residential or patient* or client* or unit* or facilit* or team* or short-term or residential or acute or setting* or service* or plan* or dementia or alzheimer* or lewy-bodies))	496
S44	TX ((Regain* or gain* or improve* or learn* or relearn or re-learn or optimi?e or increase* or rebuild* or maintain* or build* or maximise or recover* or daily or assess* or self-assess*) W2 (independen* or confidence or mobilit* or skill*	9,980

	or competen* or service* or support or control or living or disabilit*)	
S43	(ZU "rehabilitation") or (ZU "rehabilitation activities profile") or (ZU "rehabilitation costs") or (ZU "rehabilitation medicine") or (ZU "rehabilitation model") or (ZU "rehabilitation of hearing impaired") or (ZU "rehabilitation outcome") or (ZU "rehabilitation outcomes") or (ZU "rehabilitation services") or (ZU "rehabilitation success") or (ZU "rehabilitation therapy") or (ZU "rehabilitative care")	1,721
S42	(ZU "reablement")(ZM "restorative") or (ZM "restorative care") or (ZM "restorative care nursing") or (ZM "restorative home care services") (ZM "intermediate care") or (ZM "intermediate care facilities")	7
S41	TX (Rehabilitat* W1 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated))	242
S40	TX (Rehabilitat* W1 (goal* or home or community or unit* or setting* or service* or ward* or bed* or model* or transfer* or avoid* or discharge or short-term or integrated or homecare or dementia or assessment* or plan* or information or advice or time* or therap* or	1,073

	activit*))	
S39	TX ((Restorative or recuperative or recovery) W2 (support* or care or service* or provision* or approach* or model* or goal* or plan* or speed* or fast* or quick*))	136
S38	TX Res-care	7
S37	TX (Enablement)	8
S36	TX (Re-enable* or reenable*)	1
S35	TX (Reable* or re-able*)	4
S34	S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33	34,691
S33	(ZU "attitude") or (ZU "attitude to health") or (ZU "attitudes") or (ZU "attitudes and beliefs") or (ZU "attitudes toward aging")	10,595
S32	(ZU "treatment outcome") or (ZU "treatment outcomes")	8
S31	(ZU "patient acceptance of health care") or (ZU "patient adherence") or (ZU "patient care")	8,485
S30	(ZU "patient satisfaction")	4
S29	(ZU "quality of care") or (ZU "quality of care.")	3,392

S28	(ZU "effectiveness") or (ZU "effectiveness of intervention")	19
S27	(ZU "outcome") or (ZU "outcome and assessment information set") or (ZU "outcome assessment") or (ZU "outcome assessment (health care)") or (ZU "outcome assessment (healthcare)") or (ZU "outcome evaluation") or (ZU "outcome measure") or (ZU "outcome measure selection") or (ZU "outcome measurement") or (ZU "outcome measurements") or (ZU "outcome measures") or (ZU "outcome predictors") or (ZU "outcome research") or (ZU "outcome study") or (ZU "outcome-based measures") or (ZU "outcome.") or (ZU "outcomes") or (ZU "outcomes assessment") or (ZU "outcomes evaluation") or (ZU "outcomes of care") or (ZU "outcomes of resident care")	2,825
S26	TX ((Patient* or client* or user* or personal* or professional* or staff or team or practitioner* or carer* or worker* or manager* or coordinator or provider* or agency or agencies or nurs* or occupational or doctor* or social or assistant* or community or residential or hospital) W2 (satisfaction or view* or experience* or preference* or opinion* or outcome* or measure* or evaluation* or study or studies or attitude* or perspective* or need* or feedback or expectation* or advocacy))	13,423

S25	TX ((Outcome* or effectiveness or intervention* or quality) W1 (measure* or assessment or research or evaluation* or study* or studies or treatment*))	3,159
S24	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23	61,853
S23	(ZU "interview") or (ZU "interviews") or (ZU "interviews as topic")	588
S22	(ZU "economics")	11
S21	(ZU "qualitative") or (ZU "qualitative analyses") or (ZU "qualitative analysis") or (ZU "qualitative analysis: thematic analysis") or (ZU "qualitative and quantitative data") or (ZU "qualitative approach") or (ZU "qualitative approaches") or (ZU "qualitative data") or (ZU "qualitative evaluation") or (ZU "qualitative evidence")	140
S20	(ZU "randomised") or (ZU "randomised controlled trial") or (ZU "randomised controlled trials") or (ZU "randomised trial") or (ZU "randomization (statistics)") or (ZU "randomize controlled trial") or (ZU "randomized") or (ZU "randomized clinical trial") or (ZU "randomized clinical trials") or (ZU "randomized control trial") or (ZU "randomized controlled clinical trial") or (ZU "randomized controlled trial") or (ZU "randomized controlled trial.") or (ZU	1,563

	"randomized controlled trials") or (ZU "randomized controlled trials as topic") or (ZU "randomized placebo-controlled trial") or (ZU "randomized trial")	
S19	(ZU "survey") or (ZU "survey data") or (ZU "survey of health") or (ZU "survey questionnaire") or (ZU "survey questionnaires") or (ZU "survey research")	3,436
S18	(ZU "cost analysis") or (ZU "cost containment") or (ZU "cost control") or (ZU "cost effective") or (ZU "cost effectiveness") or (ZU "cost effectiveness analysis") or (ZU "cost effectiveness.") or (ZU "cost effectiveness/ economic") or (ZU "cost efficiency") or (ZU "cost of care") or (ZU "cost of services") or (ZU "cost of treatment") or (ZU "cost reduction") or (ZU "cost sharing") or (ZU "cost shifting") or (ZU "cost utility") or (ZU "cost-benefit") or (ZU "cost-benefit analysis") or (ZU "cost-effectiveness") or (ZU "cost-effectiveness analysis") or (ZU "cost-saving") or (ZU "cost-sharing") or (ZU "cost-utility") or (ZU "cost-utility analysis")	2,215
S17	(ZU "interviews") or (ZU "interviews as topic")	579
S16	(ZU "cohort") or (ZU "cohort analysis") or (ZU "cohort studies") or (ZU "cohort study") or (ZU "cohort-study")	107
S15	(ZU "meta-analysis") or (ZU "metaanalysis")	83

S14	(ZU "realist evaluation") or (ZU "realist synthesis")	2
S13	(ZU "literature review") or (ZU "literature reviews")	2,749
S12	(ZU "systematic review") or (ZU "systematic review and meta-analysis") or (ZU "systematic reviewe") or (ZU "systematic reviews")	151
S11	TX Qualitative*	6,781
S10	TX Interview*	19,342
S9	TX (Economic* W1 (review or care or research or study or studies or analysis))	689
S8	TX (cost W1 (effective* or benefit or analysis or care or consequence or low or high or health or hospital or service* or direct or saving* or sharing or budget* or control* or illness))	3,721
S7	TX (Empirical* W2 (Study or studies or research or evidence or evaluation*))	748
S6	TX (Cohort W1 (stud* or model* or analysis or design))	1,815
S5	TX Evaluat*	19,554
S4	TX Survey*	20,923

S3	TX Randomi?ed	2,973
S2	TX Meta-analysis	641
S1	TX ((Literature W1 review*) or (systematic W1 review*) or ((realist W1 (review* or synthesis or evaluation*)))	3,913

Allied and Complementary Medicine Database (AMED) - OVID

Date searched: 19/07/2016

No. of records: 361

Limits: study type, language (English) date (2015 – 2016), age

Update searches - RQ1 - RQ7

1	(Literature adj review*).ti,ab.	1791
2	(Systematic* adj review*).ti,ab.	2934
3	(Realist adj1 (review* or synthesis or evaluation*)).ti,ab.	4
4	Meta-analysis.ti,ab.	1031
5	Randomi?ed.ti,ab.	10318
6	Randomized controlled trials/	1791
7	Survey*.ti,ab.	10053
8	Questionnaires/ or Health surveys/	4430
9	Evaluat*.ti,ab.	33371

10	(Cohort adj1 (stud* or model* or analysis or design*)).ti,ab.	2091
11	case control studies/ or cohort studies/ or follow up studies/ or longitudinal studies/ or prospective studies/ or retrospective studies/ or case report/ or clinical trials/ or randomized controlled trials/ or comparative study/ or double blind method/ or meta analysis/ or random allocation/	20174
12	(Empirical* adj2 (study or studies or research or evidence or evaluation*)).ti,ab.	711
13	(Cost adj1 (effective* or benefit or analysis or care or consequence or low or high or health or hospital or service* or direct or saving* or sharing or budget* or control* or illness)).ti,ab.	2007
14	"Costs and cost analysis"/ or "Cost benefit analysis"/ or Economics/	4185
15	(Economic* adj1 (review or care or research or study or studies or analysis)).ti,ab.	105
16	Interviews/	648
17	Qualitative*.ti,ab.	5439
18	or/1-17	77828
19	((Outcome* or effectiveness or intervention* or quality) adj1 (measure* or assessment or research or evaluation* or study or studies or treatment*)).ti,ab.	15785
20	"Outcome and process assessment"/	970

21	Treatment outcome/ or "Quality of life"/	22958
22	((Patient* or client* or user* or personal* or professional* or staff or team or practitioner* or carer* or worker* or manager* or coordinator or provider* or agency or agencies or nurs* or occupational or doctor* or social or assistant* or community or residential or hospital) adj2 (satisfaction or view* or experience* or preference* or opinion* or outcome* or measure* or evaluation* or study or studies or attitude* or perspective* or need* or feedback or expectation* or advocacy)).ti,ab.	24495
23	"Delivery of health care"/ or Attitude to health/	11066
24	Patient satisfaction/	2393
25	Attitude/	1908
26	"Patient acceptance of health care"/	1296
27	or/19-26	63620
28	(Reable* or re-able*).ti,ab.	6
29	(Re-enable* or reenable*).ti,ab.	0
30	Enablement.ti,ab.	48
31	Res-care.ti,ab.	1
32	((Restorative or recuperative or recovery) adj2 (support* or care or service* or provision* or approach* or model* or goal* or plan* or speed* or fast* or quick*)).ti,ab.	508
33	(Rehabilitat* adj1 (goal* or home or community or unit* or	4885

setting* or service* or ward* or bed* or model* or transfer* or avoid* or discharge or short-term or integrated or homecare or dementia or assessment* or plan* or information or advice or time* or therap* or activit*)).ti,ab.

34 (Rehabilitat* adj1 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated)).ti,ab. 1666

35 Rehabilitation/ 50041

36 ((Regain* or gain* or improve* or learn* or relearn or re-learn or optimi?e or increase* or rebuild* or maintain* or build* or maximise or recover* or daily or assess* or self-assess*) adj2 (independen* or confidence or mobilit* or skill* or competen* or service* or support or control or living or disabilit*)).ti,ab. 11634

37 (Intermediate adj2 (service* or community or acute or home or assessment* or access or care or bed* or ward* or nursing or residential or patient* or client* or unit* or facilit* or team* or short-term or residential or acute or setting* or service* or plan* or dementia or alzheimer* or lewy-bodies)).ti,ab. 98

38 (Intermediate adj2 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated or information or advice or advocacy)).ti,ab. 11

39	((Homecare or home-care or home) adj2 (short-term or brief129 or time or limit*)).ti,ab.	
40	physical therapy modalities/	4765
41	((Crisis or rapid or urgent or intensive) adj (access or assessment or response or resolution or rehabilitation or team* or service* or model* or home or episode or time)).ti,ab.	237
42	(Wellness adj (model* or approach* or intervention* or service*)).ti,ab.	23
43	((Hospital or treatment or adaptation*) adj home).ti,ab.	157
44	"Activities of daily living"/	5030
45	or/28-44	63180
46	18 or 27	111828
47	45 and 46	33702
48	Adult/ or Male/ or Female/	25125
49	Aged/ or Middle aged/	14472
50	Health services for the aged/	875
51	Aging/	2691
52	Geriatrics/	369
53	(old* or elder* or aged or ageing or retire* or senior).ti,ab.	23120

54	or/48-53	46764
55	47 and 54	8375
56	(eng or english).lg.	280275
57	55 and 56	8075
58	57 and 2015:2016.(sa_year).	361

Applied Social Sciences Index and Abstracts (ASSIA) - ProQuest

Date searched: 19/07/2016

No. of records: 649

Limits: scholarly journals, language (English), date (2015 – 2016), age

Update searches - RQ1 - RQ7

(TI,AB(Reablement OR re-ablement) OR TI,AB(Reenablement OR re-enablement) OR TI,AB(Enablement) OR TI,AB(Res-care) OR TI,AB((Restorative OR recuperative OR recovery) PRE/2 (support OR care OR service OR provision OR approach OR model OR goal OR plan OR speed OR fast OR quick)) OR TI,AB(Rehabilitation PRE/1 (goal OR home OR community OR unit OR setting OR service OR ward OR bed OR model OR transfer OR avoid OR discharge OR short-term OR integrated OR homecare OR dementia OR assessment OR plan OR information OR advice OR time OR therapy OR activity)) OR TI,AB(Rehabilitation PRE/1 (interdisciplinary OR inter-professional OR multi-professional OR multidisciplinary OR multi-agency OR trans-disciplinary OR team OR carer OR occupational OR nurse OR worker OR assistant OR social OR doctor OR professional OR integrated)) OR TI,AB((Regain OR gain OR improve OR learn OR relearn OR re-learn OR optimise OR increase OR rebuild OR maintain OR build OR maximise OR recover OR daily OR assess OR self-assess) PRE/2 (independence OR confidence OR mobility OR skill OR competence OR service OR support OR control OR living OR disability)) OR TI,AB(Intermediate PRE/2 (service OR community OR acute OR home OR assessment OR access OR care OR bed OR ward OR nursing OR residential OR

patient OR client OR unit OR facility OR team OR short-term OR residential OR acute OR setting OR service OR plan OR dementia OR alzheimer OR lewy-bodies)) OR TI,AB(Intermediate PRE/2 (interdisciplinary OR inter-professional OR multi-professional OR multidisciplinary OR multi-agency OR trans-disciplinary OR team OR carer OR occupational OR nurse OR worker OR assistant OR social OR doctor OR professional OR integrated OR information OR advice OR advocacy)) OR (TI,AB(Home PRE/1 care) AND TI,AB(short-term OR brief OR time OR limit OR rapid OR quick OR emergency)) OR TI,AB((Crisis OR rapid OR urgent OR intensive) PRE/1 (access OR assessment OR response OR resolution OR rehabilitation OR team OR service OR model OR home OR episode OR time)) OR TI,AB(Wellness PRE/1 (model OR approach OR intervention OR service)) OR TI,AB((Hospital OR treatment OR adaptation) PRE/1 home)) AND stype.exact("Scholarly Journals") AND la.exact("English") NOT (child* OR adolescen*) NOT (youth* OR babies) NOT (baby OR infant*) NOT (dental OR crime) Limits: 2015-2016, Peer reviewed, Scholarly Journals, English

British Nursing Index (BNI) - ProQuest

Date searched: 20/07/2016

No. of records: 242

Limits: scholarly journals, date (2015/01/01 - 2016/07/12), age

Update searches - RQ1 - RQ7

((TI,AB(Reable* OR re-able*) OR TI,AB(Reenable* OR re-enable*) OR TI,AB(Enablement) OR TI,AB(Res-care) OR TI,AB((Restorative OR recuperative OR recovery) PRE/2 (support OR care OR service OR provision OR approach OR model OR goal OR plan OR speed OR fast OR quick)) OR TI,AB(Rehabilitat* PRE/1 (goal OR home OR community OR unit OR setting OR service OR ward OR bed OR model OR transfer OR avoid OR discharge OR short-term OR integrated OR homecare OR dementia OR assessment OR plan OR information OR advice OR time OR therapy OR activity)) OR TI,AB(Rehabilitat* PRE/1 (interdisciplinary OR inter-professional OR multi-professional OR multidisciplinary OR multiagency OR transdisciplinary OR team OR carer OR occupational OR nurse OR worker OR assistant OR social OR doctor OR professional OR integrated)) OR TI,AB((Regain

OR gain OR improve OR learn OR relearn OR re-learn OR optimise OR increase
OR rebuild OR maintain OR build OR maximise OR recover OR daily OR assess OR
self-assess) PRE/2 (independen OR confidence OR mobility OR skill OR
competency OR service OR support OR control OR living OR disability)) OR
TI,AB(Intermediate PRE/2 (service OR community OR acute OR home OR
assessment OR access OR care OR bed OR ward OR nursing OR residential OR
patient OR client OR unit OR facility OR team OR short-term OR residential OR
acute OR setting OR service OR plan OR dementia OR alzheimer OR lewy-bodies))
OR TI,AB(Intermediate PRE/2 (interdisciplinary OR inter-professional OR multi-
professional OR multidisciplinary OR multiagency OR transdisciplinary OR team OR
carer OR occupational OR nurse OR worker OR assistant OR social OR doctor OR
professional OR integrated OR information OR advice OR advocacy)) OR
(TI,AB(Home PRE/1 care) AND TI,AB(short-term OR brief OR time OR limit OR
rapid OR quick OR emergency)) OR TI,AB((Crisis OR rapid OR urgent OR intensive)
PRE/1 (access OR assessment OR response OR resolution OR rehabilitation OR
team OR service OR model OR home OR episode OR time)) OR TI,AB(Wellness
PRE/1 (model OR approach OR intervention OR service)) OR TI,AB((Hospital OR
treatment OR adaptation) PRE/1 home)) AND stype.exact("Scholarly Journals") AND
la.exact("English") AND pd(20150101-20160712)) AND TI,AB(adult OR older OR
elder OR ageing OR aged OR retire OR geriatric)

Cochrane Database of Systematic Reviews, Trials and Economic reviews - Wiley

Date searched: 22/07/16

No. of records: 35

Limits: date (2015 onwards)

Update searches - RQ1 - RQ7

ID	Search	Hits
----	--------	------

- #1 re-ablement 6
- #2 reablement 3
- #3 "restorative care" 36
- #4 "crisis response" 5
- #5 "rapid response" 250
- #6 "rehabilitative care" 53
- #7 "short-term care" 17
- #8 "intermediate care" 12
- #9 #1 or #2 or #3 or #4 or #5 or #6 or #7 or #8
- #10 #9 and Publication Year from 2015 35

Cumulative Index to Nursing and Allied Health Literature (CINAHL) - EBSCO

Date searched: 20/07/2016

No. of records: 678

Limits: language (English), date (2015/01/01 – 2016/12/31), age

Update searches - RQ1 - RQ7

S40	S17 AND S34 Limiters - Published Date: 20150101-20161231; English Language Narrow by SubjectAge: - aged, 80 & over Narrow by SubjectAge: - adult: 19-44 years Narrow by SubjectAge: - aged: 65+ years	(678)
-----	---	-------

	<p>Narrow by SubjectAge: - middle aged: 45-64 years</p> <p>Narrow by SubjectAge: - all adult</p>	
S39	<p>S17 AND S34</p> <p>Limiters - Published Date: 20150101-20161231</p> <p>Narrow by SubjectAge: - aged, 80 & over</p> <p>Narrow by SubjectAge: - adult: 19-44 years</p> <p>Narrow by SubjectAge: - aged: 65+ years</p> <p>Narrow by SubjectAge: - middle aged: 45-64 years</p> <p>Narrow by SubjectAge: - all adult</p>	(680)
S38	S17 AND S34	(2,293)
S37	S17 AND S34	(2,293)
S36	S17 AND S34	(2,293)

S35	S17 AND S34	(29,387)
S34	S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S30 OR S31 OR S32 OR S33	(59,217)
S33	TI (((Hospital or treatment or adaptation*) W1 home)) OR AB (((Hospital or treatment or adaptation*) W1 home))	(1,526)
S32	TI ((Wellness W1 (model* or approach* or intervention* or service*))) OR AB ((Wellness W1 (model* or approach* or intervention* or service*)))	(208)
S31	TI (((Crisis or rapid or urgent or intensive) W1 (access or assessment or response or resolution or rehabilitation or team* or service* or model* or home or episode or time))) OR AB (((Crisis or rapid or urgent or intensive) W1 (access or assessment or response or resolution or rehabilitation or team* or service* or model* or home or episode or time)))	(3,493)
S30	S28 AND S29	(1,914)

S29	TI ((short-term or brief or time or limit*)) OR AB ((short-term or brief or time or limit*))	(353,274)
S28	TI (Home w1 care) OR AB (Home w1 care)	(12,859)
S27	TI ((Intermediate W2 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated or information or advice or advocacy))) OR AB ((Intermediate W2 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* ...	(100)
S26	TI ((Intermediate W2 (service* or community or acute or home or assessment* or access or care or bed* or ward* or nursing or residential or patient* or client* or unit* or facilit* or team* or short-term or residential or acute or setting* or service* or plan* or dementia or alzheimer* or lewy-bodies))) OR AB ((Intermediate W2 (service* or community or acute or home or assessment* or access or care or bed* or ward* or nursing or residential or patient* or client* or unit* or facilit* or team* ...	(923)
S25	TI (((Regain* or gain* or improve* or learn* or relearn or re-learn or optimi?e or increase* or rebuild* or maintain* or build* or maximise or recover* or daily or assess* or self-assess*) W2 (independen* or confidence or mobilit* or skill* or competen* or service* or support or control or living or disabilit*).) OR AB ((42,385)

	((Regain* or gain* or improve* or learn* or relearn or re-learn or optimi?e or increase* or rebuild* or maintain* or build* or maximise or recover* or daily or assess* or sel ...	
S24	TI ((Rehabilitat* W1 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated))) OR AB ((Rehabilitat* W1 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social o ...	(2,527)
S23	TI ((Rehabilitat* W1 (goal* or home or community or unit* or setting* or service* or ward* or bed* or model* or transfer* or avoid* or discharge or short-term or integrated or homecare or dementia or assessment* or plan* or information or advice or time* or therap* or activit*))) OR AB ((Rehabilitat* W1 (goal* or home or community or unit* or setting* or service* or ward* or bed* or model* or transfer* or avoid* or discharge or short-term or integrated or homecare or dementia or assessment* o ...	(7,306)
S22	TI (((Restorative or recuperative or recovery) W2 (support* or care or service* or provision* or approach* or model* or goal* or plan* or speed* or fast* or quick*))) OR AB (((Restorative or recuperative or recovery) W2 (support* or care or service* or provision* or approach* or model* or goal* or plan* or speed* or fast* or quick*)))	(1,325)
S21	TI Res-care OR AB Res-care	(16)

S20	TI ((Enablement W1 (home or model))) OR AB ((Enablement W1 (home or model)))	(6)
S19	TI ((Re-enable* or reenable*)) OR AB ((Re-enable* or reenable*))	(2)
S18	TI ((Reable* or re-able*)) OR AB ((Reable* or re-able*))	(38)
S17	S13 OR S16	(624,167)
S16	S14 OR S15	(199,403)
S15	TI (((Patient* or client* or user* or personal* or professional* or staff or team or practitioner* or carer* or worker* or manager* or coordinator or provider* or agency or agencies or nurs* or occupational or doctor* or social or assistant* or community or residential or hospital) W2 (satisfaction or view* or experience*	(142,098)

	or preference* or opinion* or outcome* or measure* or evaluation* or study or studies or attitude* or perspective* or need* or feedback or expectation* or advocacy))) OR AB (...	
S14	TI (((Outcome* or effectiveness or intervention* or quality) W1 (measure* or assessment or research or evaluation* or study or studies or treatment*))) OR AB (((Outcome* or effectiveness or intervention* or quality) W1 (measure* or assessment or research or evaluation* or study or studies or treatment*)))	(69,182)
S13	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12	(520,183)
S12	TI Qualitative* OR AB Qualitative*	(52,471)
S11	TI ((Economic* W1 (review or care or research or study or studies or analysis))) OR AB ((Economic* W1 (review or care or research or study or studies or analysis)))	(1,246)
S10	TI ((cost W1 (effective* or benefit or analysis or care or consequence or low or high or health or hospital or service* or direct or saving* or sharing or budget* or control* or illness))) OR AB ((cost W1 (effective* or benefit or analysis or care or consequence or low or high or health or hospital or service* or direct or saving* or sharing or budget* or control* or illness)))	(26,197)

S9	TI ((Empirical* W2 (Study or studies or research or evidence or evaluation*)) OR AB ((Empirical* W2 (Study or studies or research or evidence or evaluation*)))	(5,766)
S8	TI ((Cohort W1 (stud* or model* or analysis or design))) OR AB ((Cohort W1 (stud* or model* or analysis or design)))	(29,315)
S7	TI Evaluat* OR AB Evaluat*	(252,707)
S6	TI Survey* OR AB Survey*	(110,961)
S5	TI Randomi?ed OR AB Randomi?ed	(89,195)
S4	TI Meta-analysis OR AB Meta-analysis	(17,560)
S3	TI ((realist W1 (review* or synthesis or evaluation*))) OR AB ((97)

	(realist W1 (review* or synthesis or evaluation*)))	
S2	TI (systematic W2 review*) OR AB (systematic W2 review*)	(32,125)
S1	TI (Literature W1 review*) OR AB (Literature W1 review*)	

ECONLIT - EBSCO

Date searched: 20/07/16

No. of records: 117

Limits: date (2015/01/01 – 2016/12/31)

Update searches - RQ1 - RQ7

Search Terms	Search Options	
S15	S11 AND S12 Limiters - Published Date: 20150101-20161231	(117)
S14	S11 AND S12 Limiters - Published Date: 20150101-20161231	(117)

S13	S11 AND S12	(1,407)
S12	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10	(40,430)
S11	(ZE "economics of aging") or (ZE "economics of the elderly; economics of the handicapped; non-labor market discrimination")	(8,668)
S10	TX (Intermediate W2 (service* or community or acute or home or assessment* or access or care or bed* or ward* or nursing or residential or patient* or client* or unit* or facilit* or team* or short-term or residential or acute or setting* or service* or plan* or dementia or alzheimer* or lewy-bodies))	(134)
S9	Hospital to home	(107)
S8	TX ((Home or homecare or home-care))	(15,780)
S7	TX (social W1 (work* or service* or care))	(4,612)

S6	(ZE "health: general") or (ZE "health: government policy; regulation; public health") or (ZE "health: other")	(19,658)
S5	TX rehabilitation	(1,150)
S4	(ZW "rehabilitation")	(105)
S3	rehabilitation	(1,146)
S2	((Re-enable* or reenable*)) OR AB ((Re-enable* or reenable*))	(0)
S1	TI ((Reable* or re-able*)) OR AB ((Reable* or re-able*))	(0)

Excerpta Medica database (Embase) - OVID

Date searched: 20/07/16

No. of records: 890

Limits: study type, publication type, language (English), date (2015 – 2016), age

Update searches - RQ1 - RQ7

1	("literature review" or literature reviews).sh.	287
2	"review".sh.	1646253
3	(systematic* adj review*).ti,ab.	106980
4	("systematic review" or "systematic review topic").sh.	123060
5	(realist adj (review* or synthesis or evaluation*)).ti,ab.	266
6	(realist or "realist and meta narrative evidence syntheses evolving standards" or realist evaluation or realist evaluation framework or realist synthesis).sh.	6
7	Meta-analysis.ti,ab.	101388
8	(meta analysis or meta analysis 1 or meta analysis approach or meta analysis as topic or meta analysis topic).sh.	132265
9	Randomized.ti,ab.	567602
10	(randomized or randomized clinical trial or randomized clinical trial topic or randomized clinical trials or randomized controlled clinical trial or randomized controlled clinical trials or randomized controlled study or randomized controlled trial rct or randomized controlled trial topic or randomized controlled trial trial or randomized controlled trials as topic or randomized trial	103001

	or randomized trials).sh.	
11	(randomised control trials or randomised controlled trail or randomised controlled trial rct or randomised controlled trial topic or randomised trials or randomization).sh.	62955
12	Survey*.ti,ab.	475068
13	survey.sh.	70
14	Evaluat*.ti,ab.	2948998
15	evaluation.sh.	124406
16	(Cohort adj1 (stud* or model* or analysis or design)).ti,ab.	183641
17	(cohort or cohort analysis or cohort studies).sh.	245308
18	(Empirical* adj2 (study or studies or research or evidence or evaluation*)).ti,ab.	23028
19	(empirical or empirical approach).sh.	1692
20	(cost adj1 (effective* or benefit or analysis or care or consequence or low or high or health or hospital or service* or direct or saving* or sharing or budget* or control* or illness)).ti,ab.	186206
21	("cost" or "cost analysis" or "cost and benefit" or "cost benefit analysis" or "cost comparative study" or "cost consequence analysis" or "cost consequences analysis" or "cost consious care" or "cost effective care" or "cost effectiveness analysis" or "cost effectiveness model").sh.	186692
22	(Economic* adj1 (review or care or research or study or studies	6822

	or analysis)).ti,ab.	
23	economics.sh.	141802
24	Qualitative*.ti,ab.	181116
25	(qualitative or qualitative analysis or qualitative analysis self care or qualitative approach or qualitative approaches or qualitative evaluation or qualitative evaluation criteria or qualitative method or qualitative methods or qualitative research).sh.	77454
26	or/1-25	5844488
27	((Outcome* or effectiveness or intervention* or quality) adj1 (measure* or assessment or research or evaluation* or study or studies or treatment*)).ti,ab.	361381
28	(outcome or outcome adaptive allocation method or outcome adaptive randomization or outcome analysis or "outcome and process assessment health care" or outcome asesment or outcome assesm or outcome assesment or outcome assesemnt or outcome assessment or outcome assessment health care or outcome assessmetn or outcome assessmnet or outcome measure or outcome measures or outcome patient or outcomes or outcomes assessment or outcomes home health care or outcomes research or outcomes trials).sh.	401092
29	(treatment outcome or treatment outcomes).sh.	712453
30	(effectiveness or effectiveness evaluation or "effectiveness of auditory rehabilitation questionnaire" or effectiveness research).sh.	6

31	measures.sh.	1
32	((Patient* or client* or user* or personal* or professional* or staff or team or practitioner* or carer* or worker* or manager* or coordinator or provider* or agency or agencies or nurs* or occupational or doctor* or social or assistant* or community or residential or hospital) adj2 (satisfaction or view* or experience* or preference* or opinion* or outcome* or measure* or evaluation* or study or studies or attitude* or perspective* or need* or feedback or expectation* or advocacy)).ti,ab.	774466
33	(viewpoint or viewpointing or views on ageing).sh.	3
34	(patient or "patient acceptance of health care" or patient advocacy or "patient and public involvement" or patient attitude or patient autonomy or patient based intervention or patient based outcome measure or patient based outcome measures or patient behavior or patient belief or patient centered outcome or patient centered outcome measure or patient centered outcome research or patient centered outcomes or patient centered outcomes questionnaire or patient centered outcomes research or "patient centered personal and societal burden of osteoarthritis model" or patient compliance or patient decision making or patient dissatisfaction or patient empowerment or patient enablement or "patient enablement and satisfaction survey" or patient enablement index or patient enablement instrument or patient engagement or patient evaluation or patient evaluation measure or patient expectation or patient expectations or patient experience or patient experience instrument or patient experience mapping or patient experience narrative or patient experience survey or patient experiences or patient experiences questionnaire or patient experiences with the preoperative assessment clinic questionnaire or patient feedback or patient focused outcome instrument or patient	1681601

focused research or patient health outcome or patient health outcomes or patient health questionnaire or patient health questionnaire 15 or patient health questionnaire 2 or patient health questionnaire 4 or patient health questionnaire 8 or patient health questionnaire 9 or patient information or patient narrative or patient narratives or patient navigation or patient participation or patient preference or patient readmission or patient report outcome or patient report outcome measure or patient report outcome measurement information system or patient report outcome measures or patient reported outcomes or patient reported or patient reported outcome or patient reported outcome assessment or patient reported outcome based performance measure or patient reported outcome information system or patient reported outcome instrument or patient reported outcome measure or patient reported outcome measurement information system or patient reported outcome questionnaire or patient reported outcome research or patient reported outcome scale or patient reported outcome score or patient reported outcome symptom measure or patient reported outcome tool or patient reported outcomes or patient reported outcomes information system or patient reported outcomes measure or patient reported outcomes measurement information system survey or patient satisfaction or patient satisfaction home care or patient satisfaction home health care or patient satisfaction questionnaire or patient satisfaction survey or patients discharge or patients experience or patients experiences).sh.

35	(professional or professional patient relationship).sh.	3378
36	or/27-35	3234027
37	(Reable* or re-able*).ti,ab.	50

38	(Re-enable* or reenable*).ti,ab.	26
39	Enablement.ti,ab.	347
40	Res-care.ti,ab.	18
41	((Restorative or recuperative or recovery) adj2 (support* or care 14173 or service* or provision* or approach* or model* or goal* or plan* or speed* or fast* or quick*)).ti,ab.	
42	(Rehabilitat* adj1 (goal* or home or community or unit* or setting* or service* or ward* or bed* or model* or transfer* or avoid* or discharge or short-term or integrated or homecare or dementia or assessment* or plan* or information or advice or time* or therap* or activit*)).ti,ab.	16023
43	(Rehabilitat* adj2 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated)).ti,ab.	6569
44	(reablement or reablement program).sh.	3
45	(rehabilitation or rehabilitation care or rehabilitation center or rehabilitation equipment or rehabilitation interventions or rehabilitation nursing or rehabilitation patient or rehabilitation research).sh.	62116
46	((Regain* or gain* or improve* or learn* or relearn or re-learn or 183281 optimi?e or increase* or rebuild* or maintain* or build* or maximise or recover* or daily or assess* or self-assess*) adj2 (independen* or confidence or mobilit* or skill* or competen* or service* or support or control or living or disabilit*)).ti,ab.	

47	(intermediate care or intermediate care clinics for diabetes or intermediate care hospital or intermediate care unit).sh.	26
48	(Intermediate adj2 (service* or community or acute or home or assessment* or access or care or bed* or ward* or nursing or residential or patient* or client* or unit* or facilit* or team* or short-term or residential or acute or setting* or service* or plan* or dementia or alzheimer* or lewy-bodies)).ti,ab.	10203
49	(Intermediate adj2 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated or information or advice or advocacy)).ti,ab.	321
50	((Crisis or rapid or urgent or intensive) adj1 (access or assessment or response or resolution or rehabilitation or team* or service* or model* or home or episode or time)).ti,ab.	16634
51	(Wellness adj (model* or approach* or intervention* or service*)).ti,ab.	227
52	"Enhanced activation program".ti,ab.	1
53	((Hospital or treatment or adaptation*) adj home).ti,ab.	251
54	((Homecare or home-care) adj (short-term or brief or time or limit*)).ti,ab.	6
55	or/37-54	289483
56	26 and 55	149396
57	36 and 55	126880

58	56 and 57	74676
59	adult.sh.	3803596
60	(older or older adult or older adults or older patients or older people or older persons or oldest old).sh.	176
61	(middle aged or middle aged adults).sh.	684365
62	(geriatric or geriatric 8 or geriatric care).sh.	11093
63	(aged care or aged hospital patient).sh.	588
64	or/59-63	3994075
65	58 and 64	22364
66	english.lg.	16723985
67	65 and 66	21468
68	67 and 2015:2016.(sa_year).	3140
69	68 and "Journal: Article" [Publication Type]	2295
70	69 and "adult" [Subjects]	2163
71	70 and "aged" [Subjects]	890
72	70 and 71	890

Health Management Information Consortium (HMIC) - OVID

Date searched: 20/07/2016

No. of records: 37

Limits: study type, language (English), date (2015 – 2016), age

Update searches - RQ1 - RQ7

1	(Literature adj review*).ti,ab.	2262
2	(Systematic* adj review*).ti,ab.	3822
3	(Realist adj (review* or synthesis or evaluation*)).ti,ab.	64
4	Meta-analysis.ti,ab.	1356
5	Randomi?ed.ti,ab.	6314
6	Survey*.ti,ab.	27350
7	Evaluat*.ti,ab.	28979
8	Cohort.ti,ab.	6475
9	Empirical.ti,ab.	2980
10	Cost*.ti,ab.	24277
11	Economic*.ti,ab.	11876
12	Qualitative*.ti,ab.	8359
13	systematic reviews.sh.	2732
14	literature reviews.sh.	3065
15	meta analysis.sh.	730
16	randomised controlled trials.sh.	2323
17	(survey methods or survey results or surveys).sh.	12667
18	interviews.sh.	935

19	(evaluation or evaluation methods).sh.	12641
20	cohort studies.sh.	1007
21	empirical research methods.sh.	78
22	("cost analysis" or "cost benefit analysis" or "cost control" or "cost determination" or "cost effectiveness" or "cost limits" or "cost of illness studies" or "cost planning" or "cost sharing" or costing or costing systems or costs).sh.	12402
23	(economics or economies or economists).sh.	1032
24	(qualitative analysis or qualitative research or qualitative techniques or "quality of life" or "quality of patient care" or quantitative analysis or quantitative research).sh.	13297
25	or/1-24	116754
26	(outcome measurement or outcome measures or outcomes).sh.	1875
27	effectiveness.sh.	6103
28	(measurement techniques or measuring instruments).sh.	1584
29	(qualitative analysis or qualitative research or qualitative techniques or "quality of life" or "quality of patient care" or quantitative analysis or quantitative research).sh.	13297
30	views.sh.	6187
31	(patient satisfaction or patient satisfaction surveys or patient staff relations or patient surveys or patient transfer).sh.	3749
32	professional relations.sh.	91

33	((Outcome* or effectiveness or intervention* or quality) adj (measure* or assessment or research or evaluation* or study or studies or treatment*)).ti,ab.	9803
34	((Patient* or client* or user* or personal* or professional* or staff or team or practitioner* or carer* or worker* or manager* or coordinator or provider* or agency or agencies or nurs* or occupational or doctor* or social or assistant* or community or residential or hospital) adj2 (satisfaction or view* or experience* or preference* or opinion* or outcome* or measure* or evaluation* or study or studies or attitude* or perspective* or need* or feedback or expectation* or advocacy)).ti,ab.	30950
35	or/26-34	60806
36	(Reable* or re-able*).ti,ab.	61
37	(Re-enable* or reenable*).ti,ab.	6
38	Enablement.ti,ab.	93
39	Res-care.ti,ab.	1
40	((Restorative or recuperative or recovery) adj2 (support* or care or service* or provision* or approach* or model* or goal* or plan* or speed* or fast or quick*)).ti,ab.	249
41	(Rehabilitation adj (goal* or home or community or unit* or setting* or service* or ward* or bed* or model* or transfer* or avoid* or short-term or integrated or home?care or dementia or assessment* or plan* or information or advice or time* or therap* or activit*)).ti,ab.	760
42	(Rehabilitat* adj1 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or	253

	trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated)).ti,ab.	
43	(rehabilitation or rehabilitation areas or rehabilitation centres or rehabilitation departments or rehabilitation equipment or rehabilitation services).sh.	2047
44	((Regain* or gain* or improve* or learn* or relearn or re-learn or optimi?e or increase* or rebuild* or maintain* or build* or maximise or recover* or daily or assess* or self-assess*) adj2 (independen* or confidence or mobilit* or skill* or competen* or service* or support or control or living or disabilit*)).ti,ab.	10599
45	(Intermediate adj2 (service* or community or acute or home or assessment* or access or care or bed* or ward* or nursing or residential or patient* or client* or unit* or facilit* or team* or short-term or residential or acute or setting* or service* or plan* or dementia or alzheimer* or lewy-bodies)).ti,ab.	580
46	(Intermediate adj2 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated or information or advice or advocacy)).ti,ab.	58
47	intermediate care.sh.	511
48	((Crisis or rapid or urgent or intensive) adj1 (access or assessment or response or resolution or rehabilitation or team* or service* or model* or home or episode or time)).ti,ab.	623
49	(Wellness adj (model* or approach* or intervention* or service*)).ti,ab.	13

50	"Enhanced activation program".ti,ab.	0
51	((Hospital or treatment* or adaptation*) adj home).ti,ab.	13
52	(Home adj care).ti,ab.	1625
53	(short-term or brief or time or limit*).ti,ab.	44311
54	52 and 53	315
55	or/36-51,54	14573
56	25 or 35	138860
57	55 and 56	7540
58	adults.sh.	2765
59	older people.sh.	16921
60	ageing.sh.	1028
61	(geriatric care or geriatric hospitals or geriatric nurses or geriatric nursing or geriatric nursing homes or geriatric orthopaedic units or geriatric out patient units or geriatric services or geriatric units or geriatricians or geriatrics).sh.	1324
62	middle aged people.sh.	276
63	58 or 59 or 60 or 61 or 62	20663
64	(old* or adult* or geriatric* or aged or ageing or retired).ti,ab.	36183
65	63 or 64	44200
66	57 and 65	1916

67	english.lg.	279971
68	66 and 67	1627
69	68 and 2015:2016.(sa_year).	37

International bibliography of social sciences (IBSS) - ProQuest

Date searched: 20/07/2016

No. of records: 13

Limits: scholarly journals, language (English), date (2015 – 2016), age

Update searches - RQ1 - RQ7

((TI,AB(re-enablement) OR TI,AB(enablement) OR TI,AB(reablement) OR TI,AB(Res-care) OR TI,AB((Restorative OR recuperative OR recovery) PRE/2 (support OR care OR service OR provision OR approach OR model OR goal OR plan OR speed OR fast OR quick)) OR TI,AB(Rehabilitation PRE/1 (goal OR home OR community OR unit OR setting OR service OR ward OR bed OR model OR transfer OR avoid OR discharge OR short-term OR integrated OR homecare OR dementia OR assessment OR plan OR information OR advice OR time* OR therapy OR activity)) OR TI,AB(Rehabilitation PRE/1 (interdisciplinary OR inter-professional OR multi-professional OR multidisciplinary OR multi-agency OR trans-disciplinary OR team OR carer OR occupational OR nurse OR worker OR assistant OR social OR doctor OR professional OR integrated)) OR TI,AB((Regain OR gain OR improve OR learn OR relearn OR relearn OR optimize OR increase OR rebuild OR maintain OR build OR maximize OR recover OR daily OR assess OR self-assess) PRE/2 (independence OR confidence OR mobility OR skill OR competence OR service OR support OR control OR living OR disability)) OR TI,AB(Intermediate PRE/2 (service OR community OR acute OR home OR assessment OR access OR care OR bed OR ward OR nursing OR residential OR patient OR client OR unit OR facility OR team OR short-term OR residential OR acute OR setting OR service OR plan OR dementia OR alzheimer OR lewy-bodies)) OR TI,AB(Intermediate PRE/2 (interdisciplinary OR inter-professional OR multi-professional OR multidisciplinary OR multi-agency OR trans-disciplinary OR team OR carer OR occupational OR

nurse OR worker OR assistant OR social OR doctor OR professional OR integrated OR information OR advice OR advocacy)) OR (TI,AB(Home PRE/1 care) AND TI,AB(short*term OR brief OR time OR limit OR rapid OR quick OR emergency)) OR TI,AB((Crisis OR rapid OR urgent OR intensive) PRE/1 (access OR assessment OR response OR resolution OR rehabilitation OR team OR service OR model OR home OR episode OR time)) OR TI,AB(Wellness PRE/1 (model OR approach OR intervention OR service)) OR TI,AB((Hospital OR treatment OR adaptation) PRE/1 home)) AND (TI,AB(Literature PRE/1 review) OR TI,AB(Systematic PRE/2 review) OR TI,AB(realist PRE/1 (review OR synthesis OR evaluation)) OR TI,AB(Meta-analysis) OR TI,AB(randomized OR randomised) OR TI,AB(survey) OR TI,AB(Evaluation) OR TI,AB(Cohort PRE/1 (study OR model OR analysis OR design)) OR TI,AB(Empirical PRE/2 (study OR studies OR research OR evidence OR evaluation OR review)) OR TI,AB(cost PRE/1 (effective OR benefit OR analysis OR care OR consequence OR low OR high OR health OR hospital OR service OR direct OR saving OR sharing OR budget OR control OR illness)) OR TI,AB(Economic PRE/1 (review OR care OR research OR study OR studies OR analysis)) OR TI,AB(Qualitative) OR TI,AB(Quantitative*) OR TI,AB(emancipatory PRE/1 research) OR TI,AB(mixed PRE/1 method) OR TI,AB((Correlation OR Regression) PRE/1 analysis) OR TI,AB((theoretical OR practical) PRE/1 (research OR analysis)) OR TI,AB((secondary OR primary) PRE/1 research))) AND TI,AB(older* OR elder* OR geriatric OR adult* OR retired) AND peer(yes) AND la.exact("English") AND stype.exact("Scholarly Journals") AND pd(20150101-20160717)

Medical Literature Analysis and Retrieval System Online (MEDLINE)

Date searched: 20/07/2016

No. of records: 230

Limits: study type, publication type, human, language (English), date (2015 – 2016)

Update searches - RQ1 - RQ7

1	(Literature adj review*).ti,ab.	59131
2	("review" or "review literature as topic").sh.	2155966
3	(systematic adj review*).ti,ab.	83594
4	("systematic review" or "systematic review 6" or "systematic review and meta analyses" or "systematic review and meta analysis" or "systematic review and narrative synthesis" or "systematic review articles" or "systematic review as topic" or "systematic review evidence" or "systematic review meta analysis" or "systematic review methodology" or "systematic review methods" or "systematic review network meta analysis" or "systematic review of arguments" or "systematic review of level i" or "systematic review of literature" or "systematic review of reasons" or "systematic review of systematic reviews" or "systematic review protocol" or "systematic review study" or systematic reviews or "systematic reviews and evidence based medicine" or "systematic reviews and meta analyses" or "systematic reviews of reasons" or systematic reviews truncation or "systematic search and review" or systematic searches).kw.	4577
5	(realist adj (review* or synthesis or evaluation*)).ti,ab.	308
6	Meta-analysis.ti,ab.	80876
7	(meta analysis or "meta analysis and systematic review" or meta analysis as topic or meta analysis diet or meta analysis ma or meta analysis methodology speciality).kw.	8449
8	Randomi?ed.ti,ab.	457293

(randomized or randomized clinical study or randomized clinical 3703
trial or randomized clinical trial how to cite this article alsomadi I
or randomized clinical trial rct or randomized clinical trials or
randomized clinical trials rcts or randomized clustered trial or
randomized cohort study or randomized comparative trial or
randomized comparison or randomized control or randomized
control design or randomized control evaluation or randomized
control study or randomized control trial or randomized control
trial interventions or randomized control trial rct or randomized
control trial respondents or randomized control trials or
randomized controlled or randomized controlled clinical trial or
randomized controlled clinical trials or randomized controlled
comparison or randomized controlled experiment or
randomized controlled experimental study or randomized
controlled pilot study or randomized controlled studies or
randomized controlled studies as topic or randomized controlled
study or randomized controlled trail or randomized controlled
tria or randomized controlled trial or randomized controlled trial
as subject or randomized controlled trial as topic or randomized
controlled trial at topic or "randomized controlled trial cost
effectiveness" or randomized controlled trial intervention or
randomized controlled trial methodology or randomized
controlled trial practice or randomized controlled trial rct or
randomized controlled trial rct incidence or randomized
controlled trial rehabilitation or randomized controlled trial trials
or randomized controlled trial universities alcohol abuse
prevention mobile phone ehealth mhealth or randomized
controlled trials or randomized controlled trials as topic or
randomized controlled trials as topic methods or randomized
controlled trials as topic statistics numerical data or randomized
controlled trials as topics statistics or randomized controlled
trials rct or randomized controlled trials rcts or randomized trial

	or randomized trials).kw.	
10	Survey*.ti,ab.	471723
11	(survey or survey research).kw.	1846
12	Evaluat*.ti,ab.	2606981
13	evaluation.kw.	5591
14	Cohort.ti,ab.	332377
15	(cohort or cohort analysis or cohort studies or cohort study).kw.	3130
16	Empirical.ti,ab.	85837
17	(empirical or empirical approach).kw.	9196
18	(Cost adj1 (effective* or benefit or analysis or care or consequence or low or high or health or hospital or service* or direct or saving* or sharing or budget* or control* or illness)).ti,ab.	161699
19	("cost" or "cost 733" or "cost accounting" or "cost action" or "cost action e52" or "cost allocation" or "cost allocation mechanism" or "cost analyses" or "cost analysis" or "cost analysis model" or "cost and adherence to medication" or "cost and benefit" or "cost and benefit functions" or "cost and benefit of facilitation" or "cost and benefit principle" or "cost and benefits" or "cost and complexity" or "cost and cost analysis" or "cost and effectiveness" or "cost and health outcomes" or "cost and outcomes" or "cost and time efficacy" or "cost and utilization" or "cost assessment" or "cost attributions" or "cost avoidance" or "cost awareness" or "cost balance analysis" or "cost barriers" or "cost based pricing" or "cost benefit" or "cost	4892

benefit analyses" or "cost benefit analysis" or "cost benefit analysis cba" or "cost benefit analysis cost effectiveness" or "cost benefit assessment" or "cost benefit balance" or "cost benefit calculation" or "cost benefit cost effectiveness analysis" or "cost benefit decision making" or "cost benefit incidence analysis" or "cost benefit model" or "cost benefit ratio" or "cost benefit study" or "cost benefits analysis" or "cost benefits of illnesses" or "cost block methodology" or "cost burden" or "cost calculation" or "cost calculator" or "cost categories" or "cost centre management" or "cost centres" or "cost collection" or "cost comparison" or "cost comparison analysis" or "cost comparisons" or "cost components" or "cost concentration" or "cost conscious care" or "cost considerations" or "cost containment" or "cost control" or "cost control measures" or "cost cost analysis" or "cost distribution" or "cost drivers" or "cost effective care" or "cost effective health care" or "cost effective interventions" or "cost effective method" or "cost effective strategy" or "cost effective treatment" or "cost effective wound care" or "cost effectively" or "cost effectiveness" or "cost effectiveness analyses" or "cost effectiveness analysis" or "cost effectiveness analysis cea" or "cost effectiveness analysis economic analysis health care costs screening" or "cost efficacy" or "cost efficacy analysis" or "cost efficiency" or "cost model" or "cost modeling" or "cost models" or "cost of care" or "cost of critical care" or "cost of delivery" or "cost of health care" or "cost of healthcare" or "cost of illness" or "cost of informal care" or "cost of reproduction" or "cost of services" or "cost of surgical treatment" or "cost of targeted therapy" or "cost of therapy" or "cost of trauma care" or "cost of treatment" or "cost outcome" or "cost outcome relationships" or "cost reduction" or "cost saving" or "cost sharing" or "cost utility analysis").kw.

20	(Economic* adj1 (review* or care or research or study or studies or analysis)).ti,ab.	5841
21	(economic or economic analyses or economic analysis or economic burden or "economic cost" or "economic cost analysis" or economic costs or economic evaluation or economic evaluation alongside clinical trials or "economic evaluation cost effectiveness" or economic evaluation model).kw.	832
22	Qualitative* .ti,ab.	187222
23	(qualitative or qualitative action project method or qualitative analyses or qualitative analysis or "qualitative analysis of" or "qualitative and quantitative analysis" or "qualitative and quantitative pcr" or "qualitative and quantitative study" or "qualitative and quantitative synthesis" or qualitative appraisal or qualitative approach or qualitative approaches or qualitative assessment or qualitative content analysis or qualitative design or "qualitative design and methods" or "qualitative designs and methods" or qualitative evaluation or qualitative interviews or qualitative investigation or qualitative judgments or qualitative longitudinal research or qualitative measurement or qualitative measures or qualitative method or qualitative methodologies or qualitative methodology or qualitative methods or qualitative model or qualitative modeling or "qualitative modelling of system feedback" or qualitative narrative research or qualitative nursing or qualitative nursing research or qualitative outcome or qualitative outcome measure cognitive or qualitative process evaluation or qualitative program evaluation or qualitative research or qualitative research methods or qualitative studies or qualitative study or qualitative synthesis).kw.	5683

24	or/1-23	5717583
25	((Outcome* or effectiveness or intervention* or quality) adj1 (measure* or assessment or research or evaluation* or study or studies or treatment*)).ti,ab.	295124
26	(outcome or outcome analysis or "outcome and assessment information set" or "outcome and process assessment" or "outcome and process assessment health care" or outcome assessment or outcome assessment health care or outcome assessment healthcare or outcome assessments or outcome driven model or outcome evaluation or outcome evaluation other than economic evaluation or outcome instruments or outcome measure or outcome measure attitude behavior motivation or outcome measure behavioral or outcome measure behavioral cognitive or outcome measure behavioral financial or outcome measure behavioral other or outcome measure behavioral productivity or outcome measure cognitive or "outcome measure cognitive and behavioral" or outcome measure cognitive behavioral or outcome measure cognitive physical or outcome measure health care or outcome measure health care expenditures productivity or outcome measure loneliness social support or "outcome measure medical and pharmacy claims expenditures" or outcome measure morbidity or outcome measure n a or "outcome measure occurrence of low back pain" or outcome measure other or outcome measure other environmental or outcome measurement or outcome measures or "outcome of treatment" or outcome reporting or outcome research or outcome stability or outcome studies or outcome study or outcomes or outcomes assessment or "outcomes cost effectiveness" or outcomes measurement or outcomes measurements or outcomes measures or outcomes modeling or outcomes monitoring or "outcomes of care" or	9619

"outcomes of coping" or outcomes research or outcomes research quality or outcomes studies or outcomes trials).kw.

- 27 (effectiveness or "effectiveness and cost" or effectiveness assessment or "effectiveness cost" or effectiveness economics or effectiveness evaluation or effectiveness evaluation parameters or effectiveness factor or effectiveness home care or effectiveness implementation hybrid or effectiveness in adults or effectiveness mechanism or effectiveness monitoring or "effectiveness of a structured handbook to promote mental health" or "effectiveness of health care intervention" or "effectiveness of intervention" or "effectiveness of interventions" or effectiveness outcomes analysis or effectiveness research or effectiveness studies or effectiveness study or effectiveness trial or effectiveness trials or effectiveness).kw. 782
- 28 (measure or measure development or "measure of processes of care" or "measure of processes of care 20" or "measure of quality of care" or "measurement of quality" or measurement techniques or measurement tool or measurements or measures or "measures of mobility" or "measures of model performance" or "measures of patient satisfactions").kw. 246
- 29 ((Patient* or client* or user* or personal* or professional* or staff or team* or practitioner* or carer* or worker* or manager* or coordinator* or provider* or agency or agencies or nurs* or occupational or doctor* or social or assistant* or community or residential or hospital) adj2 (satisfaction or view* or experience* or preference* or opinion* or outcome* or measure* or evaluation* or study or studies or attitude* or perspective* or need* or feedback or expectation* or advocacy)).ti,ab. 609682
- 30 (view or viewpoint or viewpoints or "viewpoints of stakeholders" or views or "views and attitudes" or "views and experiences" or

"views attitudes of consumers" or views on ageing).kw.

31	(experience or experience sampling or experience sampling method or experience seeking or experience sharing or experience trial or experiences or "experiences of care" or "experiences of caregiving" or "experiences of daily lives").kw.	613
32	(preference or preference analysis or preference assessment or preference assessments or preference based measure or preference based measures or "preference based measures of health" or preference sensitive care or preferences or "preferences for end of life care" or "preferences of treatment" or preferences patient).kw.	462
33	(opinion or opinions or "opinions and attitudes" or opinions survey).kw.	51
34	or/25-33	864674
35	(Reable* or re-able*).ti,ab.	37
36	(Re-enable* or reenable*).ti,ab.	20
37	Enablement.ti,ab.	311
38	Res-care.ti,ab.	17
39	((Restorative or recuperative or recovery) adj2 (support* or care or service* or provision* or approach* or model* or goal* or plan* or speed* or fast* or quick*)).ti,ab.	12161
40	(Rehabilitat* adj1 (goal* or home or community or unit* or setting* or service* or ward* or bed* or model* or transfer* or avoid* or discharge or short-term or integrated or homecare or dementia or assessment* or plan* or information or advice or	12532

time* or therap* or activit*).ti,ab.

- 41 (Rehabilitat* adj1 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated)).ti,ab. 4831
- 42 Rehabilitation/ 17227
- 43 ((Regain* or gain* or improve* or learn* or relearn or re-learn or optimi?e or increase* or rebuild* or maintain* or build* or maximise or recover* or daily or assess* or self-assess*) adj2 (independen* or confidence or mobil* or skill* or competen* or service* or support or control or living or disabilit*).ti,ab. 157645
- 44 (Intermediate adj2 (service* or community or acute or home or assessment* or access or care or bed* or ward* or nursing or residential or patient* or client* or unit* or facilit* or team* or short-term or residential or acute or setting* or service* or plan* or dementia or alzheimer* or lewy-bodies)).ti,ab. 7330
- 45 (Intermediate adj2 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated or information or advice or advocacy)).ti,ab. 356
- 46 (intermediate care or intermediate care centre or intermediate care facilities or intermediate care facility or intermediate care hospital or intermediate care team or intermediate care unit or intermediate care units).kw. 38
- 47 Intermediate Care Facilities/ 661

48	((Crisis or rapid or urgent or intensive) adj1 (access or assessment or response or resolution or rehabilitation or team* or service* or model* or home or episode or time)).ti,ab.	14445
49	(Wellness adj (model* or approach* or intervention* or service*)).ti,ab.	219
50	"Enhanced activation program".ti,ab.	1
51	((Hospital or treatment or adaptation*) adj home).ti,ab.	271
52	(Home adj care).ti,ab.	15208
53	(short-term or brief or time or limit*).ti,ab.	3556587
54	52 and 53	2830
55	or/35-51,54	223476
56	24 or 34	6081713
57	55 and 56	115632
58	(adults or "adults 50 years old and over" or adults aged 50).kw.	1199
59	(aged or "aged 50 and over" or "aged 60 and over" or "aged 65 and older" or "aged 65 and over" or "aged 70 and older" or "aged 70 and over" or "aged 75 and over" or aged 80 or "aged 80 and older" or "aged 80 and over" or "aged 80 and over statistics" or "aged 80 and over women" or aged 80 years or "aged 80 years and above" or "aged 80 years and over" or "aged 80years and over" or "aged 85 or over" or "aged 90 and over" or aged adult or aged adults or aged adverse effects or "aged aged 80 and over" or aged aging or "aged and disabled" or aged care or aged over 80 years or aged patients or ageing	4444

or "ageing aged 80 and over" or ageing aging).kw.

60	(middle aged or middle aged adult or middle aged adults or "middle aged and elderly" or "middle aged and elderly adults" or "middle aged and elderly female" or "middle aged and elderly laborers" or "middle aged and old women" or "middle aged and older" or "middle aged and older adults" or "middle aged and older chinese" or "middle aged and older men" or "middle aged and older women" or middle aged chinese or middle aged females or middle aged gay men or middle aged healthy subjects or middle aged individual or middle aged individuals or middle aged male or middle aged men or middle aged population or middle aged populations or middle aged user or middle aged women).kw.	206
61	(older or older adult or older adult care or older adult patient or older adult patients or older adulthood or older adults or older age or older aged or "older and frail older" or older black adults or older care or older patients or older people or older person or older persons or oldest old or oldest old adults).kw.	3411
62	or/58-61	9103
63	57 and 62	411
64	(eng or english).lg.	21515398
65	63 and 64	403
66	Historical Article/	333778
67	Editorial/	409820
68	Comment/	677328

69	Letter/	926884
70	News/	178847
71	Animals/	5918196
72	Humans/	16152080
73	71 not (71 and 72)	4243995
74	or/66-70,73	6150456
75	65 not 74	401
76	75 and 2015:2016.(sa_year).	230

PsycINFO - ProQuest

Date searched: 20/07/16

No. of records: 323

Limits: study type, date (2015/01/01-2016/07/17), age

Update searches - RQ1 - RQ7

((((TI,AB(re-enablement) OR TI,AB(enablement) OR TI,AB(reablement) OR TI,AB(Res-care) OR TI,AB((Restorative OR recuperative OR recovery) PRE/2 (support OR care OR service OR provision OR approach OR model OR goal OR plan OR speed OR fast OR quick)) OR TI,AB(Rehabilitation PRE/1 (goal OR home OR community OR unit OR setting OR service OR ward OR bed OR model OR transfer OR avoid OR discharge OR short-term OR integrated OR homecare OR dementia OR assessment OR plan OR information OR advice OR time* OR therapy OR activity)) OR TI,AB(Rehabilitation PRE/1 (interdisciplinary OR inter-professional OR multi-professional OR multidisciplinary OR multi-agency OR trans-disciplinary OR team OR carer OR occupational OR nurse OR worker OR assistant OR social OR doctor OR professional OR integrated)) OR TI,AB((Regain OR gain OR improve

OR learn OR relearn OR relearn OR optimize OR increase OR rebuild OR maintain
 OR build OR maximize OR recover OR daily OR assess OR self-assess) PRE/2
 (independence OR confidence OR mobility OR skill OR competence OR service OR
 support OR control OR living OR disability)) OR TI,AB(Intermediate PRE/2 (service
 OR community OR acute OR home OR assessment OR access OR care OR bed
 OR ward OR nursing OR residential OR patient OR client OR unit OR facility OR
 team OR short-term OR residential OR acute OR setting OR service OR plan OR
 dementia OR alzheimer OR lewy-bodies)) OR TI,AB(Intermediate PRE/2
 (interdisciplinary OR inter-professional OR multi-professional OR multidisciplinary
 OR multi-agency OR trans-disciplinary OR team OR carer OR occupational OR
 nurse OR worker OR assistant OR social OR doctor OR professional OR integrated
 OR information OR advice OR advocacy)) OR (TI,AB(Home PRE/1 care) AND
 TI,AB(short*term OR brief OR time OR limit OR rapid OR quick OR emergency)) OR
 TI,AB((Crisis OR rapid OR urgent OR intensive) PRE/1 (access OR assessment OR
 response OR resolution OR rehabilitation OR team OR service OR model OR home
 OR episode OR time)) OR TI,AB(Wellness PRE/1 (model OR approach OR
 intervention OR service)) OR TI,AB((Hospital OR treatment OR adaptation) PRE/1
 home)) AND (TI,AB(Literature PRE/1 review) OR TI,AB(Systematic PRE/2 review)
 OR TI,AB(realist PRE/1 (review OR synthesis OR evaluation)) OR TI,AB(Meta-
 analysis) OR TI,AB(randomized OR randomised) OR TI,AB(survey) OR
 TI,AB(Evaluation) OR TI,AB(Cohort PRE/1 (study OR model OR analysis OR
 design)) OR TI,AB(Empirical PRE/2 (study OR studies OR research OR evidence
 OR evaluation OR review)) OR TI,AB(cost PRE/1 (effective OR benefit OR analysis
 OR care OR consequence OR low OR high OR health OR hospital OR service OR
 direct OR saving OR sharing OR budget OR control OR illness)) OR
 TI,AB(Economic PRE/1 (review OR care OR research OR study OR studies OR
 analysis)) OR TI,AB(Qualitative) OR TI,AB(Quantitative*) OR TI,AB(emancipatory
 PRE/1 research) OR TI,AB(mixed PRE/1 method) OR TI,AB((Correlation OR
 Regression) PRE/1 analysis) OR TI,AB((theoretical OR practical) PRE/1 (research
 OR analysis)) OR TI,AB((secondary OR primary) PRE/1 research))) AND
 TI,AB(older* OR elder* OR geriatric OR adult* OR retired)) AND peer(yes) AND
 su.exact("Adulthood (18 yrs & older)" OR "Aged (65 yrs & older)" OR "Middle Age
 (40-64 yrs)" OR "Young Adulthood (18-29 yrs)" OR "Very Old (85 yrs & older)" OR
 "Thirties (30-39 yrs)") AND pd(20150101-20160717)

Social Policy and Practice (SPP) - OVID

Date searched: 20/07/2016

No. of records: 115

Limits: study type, date (2015-2016), age

Update searches - RQ1 - RQ7

1	(Literature adj review*).ti,ab.	2783
2	("literature review" or literature reviews).de.	5349
3	(Systematic* adj review*).ti,ab.	2076
4	("systematic review" or systematic reviews).de.	694
5	(realist adj (review* or synthesis or evaluation*)).ti,ab.	32
6	realistic evaluation.de.	1
7	Meta-analysis.ti,ab.	603
8	meta analysis.de.	101
9	Randomi?ed.ti,ab.	2308
10	randomised.de. or randomised.hw. or randomised clinical trial.de. or randomised controlled trial.de. or randomised controlled trials.de.	566
11	Survey*.ti,ab.	27164
12	survey.de. or survey.hw. or surveys.de. or surveys.hw.	18872
13	Evaluat*.ti,ab.	26633

14	evaluation.de. or evaluation.hw.	21088
15	(Cohort adj1 (stud* or model* or analysis or design)).ti,ab.	1136
16	cohort.de. or cohort.hw. or cohort analysis.de. or cohort study.de.	198
17	(Empirical* adj2 (study or studies or research or evidence or evaluation*)).ti,ab.	2032
18	empirical.de. or empirical.hw. or empirical analysis.de. or empirical approach.de. or empirical data.de. or empirical evidence.de. or empirical knowledge.de. or empirical model.de. or empirical research.de. or empirical study.de.	29
19	(Cost adj1 (effective* or benefit or analysis or care or consequence or low or high or health or hospital or service* or direct or saving* or sharing or budget* or control* or illness)).ti,ab.	3718
20	"cost".de. or "cost".hw. or "cost advantage".de. or "cost analysis".de. or "cost and volume contract".de. or "cost assessment".de. or "cost benefit".de. or "cost benefit analysis".de. or "cost benefit assessment".de. or "cost benefit estimate".de. or "cost benefit evaluation".de. or "cost benefit ratio".de. or "cost benefitanalysis".de. or "cost containment".de. or "cost control".de. or "cost effect".de. or "cost effective".de. or "cost effectiveness".de. or "cost management".de. or "cost measurement".de. or "cost model".de. or "cost of care".de. or "cost of service".de. or "cost saving".de. or "cost savings".de. or "cost sharing".de. or "cost transfer".de. or "cost variation".de.	3347
21	(Economic* adj1 (review or care or research or study or studies or analysis)).ti,ab.	235

22	economics.de. or economics.hw. or "economics and finance".de.	3676
23	Qualitative* .ti,ab.	9946
24	qualitative.de. or qualitative.hw. or qualitative analysis.de. or qualitative research.de. or qualitative studies.de.	1411
25	or/1-24	94140
26	((Outcome* or effectiveness or intervention* or quality) adj1 (measure* or assessment or research or evaluation* or study or studies or treatment*)).ti,ab.	3928
27	outcome.de. or outcome.hw. or outcome area.de. or outcome assessment.de. or outcome evaluation.de. or outcome indicator.de. or outcome management.de. or outcome measure.de. or outcome measurement.de. or outcome research.de. or outcomes.de. or outcomes.hw. or outcomes assessment.de.	14383
28	measure.de. or measure.hw. or measurement.de. or measurement.hw. or measures.hw. or "measuring cost effectiveness".de.	2052
29	effectiveness.de. or effectiveness.hw.	6695
30	((Patient* or client* or user* or personal* or professional* or staff or team or practitioner* or carer* or worker* or manager* or coordinator or provider* or agency or agencies or nurs* or occupational or doctor* or social or assistant* or community or residential or hospital) adj2 (satisfaction or view* or experience* or preference* or opinion* or outcome* or measure* or evaluation* or study or studies or attitude* or perspective* or need* or feedback or expectation* or advocacy)).ti,ab.	24613

31	views.de. or views.hw.	14730
32	user views.de.	6981
33	experience.de. or experience.hw.	283
34	(patients views or patient empowering or patient empowerment or patient enablement or patient engagement or patient experience or patient involvement or patient need or patient need assessment or patient needs or patient opinion or patient reported outcome measures).de.	17
35	patient satisfaction.de.	8
36	or/26-35	57100
37	(Reable* or re-able*).ti,ab.	194
38	(Re-enable* or reenable*).ti,ab.	11
39	Enablement.ti,ab.	100
40	Res-care.ti,ab.	1
41	((Restorative or recuperative or recovery) adj2 (support* or care or service* or provision* or approach* or model* or goal* or plan* or speed* or fast* or quick*)).ti,ab.	592
42	(Rehabilitat* adj1 (goal* or home or community or unit* or setting* or service* or ward* or bed* or model* or transfer* or avoid* or discharge or short-term or integrated or homecare or dementia or assessment* or plan* or information or advice or time* or therap* or activit*)).ti,ab.	636
43	rehabilitation.de. or rehabilitation.hw. or "rehabilitation cost".de.	2789

44	(Rehabilitat* adj2 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated)).ti,ab.	227
45	((Regain* or gain* or improve* or learn* or relearn or re-learn or optimi?e or increase* or rebuild* or maintain* or build* or maximise or recover* or daily or assess* or self-assess*) adj2 (independen* or confidence or mobil* or skill* or competen* or service* or support or control or living or disabilit*)).ti,ab.	18339
46	(Intermediate adj2 (service* or community or acute or home or assessment* or access or care or bed* or ward* or nursing or residential or patient* or client* or unit* or facilit* or team* or short-term or residential or acute or setting* or service* or plan* or dementia or alzheimer* or lewy-bodies)).ti,ab.	553
47	(Intermediate adj2 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated or information or advice or advocacy)).ti,ab.	55
48	(intermediate care or intermediate care scheme).de.	282
49	((Crisis or rapid or urgent or intensive) adj (assessment or response or resolution or rehabilitation or intervention or team* or service* or model* or home or episode or time)).ti,ab.	815
50	(Wellness adj (model* or approach* or intervention* or service*)).ti,ab.	17
51	"Enhanced activation program".ti,ab.	0

52	((Hospital or treatment or adaptation*) adj home).ti,ab.	21
53	((Homecare or home-care) adj (short-term or brief or time or limit*)).ti,ab.	0
54	or/37-53	22792
55	25 or 36	128291
56	54 and 55	9530
57	older.de. or older.hw. or older adults.de. or older age profile.de. or older homelessness.de. or older men.de. or older people.de. or older person.de. or older population.de. or older prisoners.de. or older women.de.	74984
58	adult.de. or adult.hw. or adult social care.de. or adults.de. or adults.hw.	15129
59	ageing.de. or ageing.hw. or ageing process.de.	5115
60	aged.de. or aged.hw. or "aged 25 and over".de. or aged 60 plus.de. or aged over 50.de. or aged under 65.de.	635
61	or/57-60	88516
62	56 and 61	2999
63	62 and 2015:2016.(sa_year).	115

Social Services Abstracts (SSA) - ProQuest

Date searched: 20/07/2016

No. of records: 19

Limits: study type, publication type, language (English), date (20150101-20160712), age

Update searches - RQ1 - RQ7

((((TI,AB(re-enablement) OR TI,AB(enablement) OR TI,AB(reablement) OR TI,AB(Res-care) OR TI,AB((Restorative OR recuperative OR recovery) PRE/2 (support OR care OR service OR provision OR approach OR model OR goal OR plan OR speed OR fast OR quick)) OR TI,AB(Rehabilitation PRE/1 (goal OR home OR community OR unit OR setting OR service OR ward OR bed OR model OR transfer OR avoid OR discharge OR short-term OR integrated OR homecare OR dementia OR assessment OR plan OR information OR advice OR time* OR therapy OR activity)) OR TI,AB(Rehabilitation PRE/1 (interdisciplinary OR inter-professional OR multi-professional OR multidisciplinary OR multi-agency OR trans-disciplinary OR team OR carer OR occupational OR nurse OR worker OR assistant OR social OR doctor OR professional OR integrated)) OR TI,AB((Regain OR gain OR improve OR learn OR relearn OR relearn OR optimize OR increase OR rebuild OR maintain OR build OR maximize OR recover OR daily OR assess OR self-assess) PRE/2 (independence OR confidence OR mobility OR skill OR competence OR service OR support OR control OR living OR disability)) OR TI,AB(Intermediate PRE/2 (service OR community OR acute OR home OR assessment OR access OR care OR bed OR ward OR nursing OR residential OR patient OR client OR unit OR facility OR team OR short-term OR residential OR acute OR setting OR service OR plan OR dementia OR alzheimer OR lewy-bodies)) OR TI,AB(Intermediate PRE/2 (interdisciplinary OR inter-professional OR multi-professional OR multidisciplinary OR multi-agency OR trans-disciplinary OR team OR carer OR occupational OR nurse OR worker OR assistant OR social OR doctor OR professional OR integrated OR information OR advice OR advocacy)) OR (TI,AB(Home PRE/1 care) AND TI,AB(short*term OR brief OR time OR limit OR rapid OR quick OR emergency)) OR TI,AB((Crisis OR rapid OR urgent OR intensive) PRE/1 (access OR assessment OR response OR resolution OR rehabilitation OR team OR service OR model OR home OR episode OR time)) OR TI,AB(Wellness PRE/1 (model OR approach OR intervention OR service)) OR TI,AB((Hospital OR treatment OR adaptation) PRE/1 home)) AND (TI,AB(Literature PRE/1 review) OR TI,AB(Systematic PRE/2 review) OR TI,AB(realist PRE/1 (review OR synthesis OR evaluation)) OR TI,AB(Meta-

analysis) OR TI,AB(randomized OR randomised) OR TI,AB(survey) OR
 TI,AB(Evaluation) OR TI,AB(Cohort PRE/1 (study OR model OR analysis OR
 design)) OR TI,AB(Empirical PRE/2 (study OR studies OR research OR evidence
 OR evaluation OR review)) OR TI,AB(cost PRE/1 (effective OR benefit OR analysis
 OR care OR consequence OR low OR high OR health OR hospital OR service OR
 direct OR saving OR sharing OR budget OR control OR illness)) OR
 TI,AB(Economic PRE/1 (review OR care OR research OR study OR studies OR
 analysis)) OR TI,AB(Qualitative) OR TI,AB(Quantitative*) OR TI,AB(emancipatory
 PRE/1 research) OR TI,AB(mixed PRE/1 method) OR TI,AB((Correlation OR
 Regression) PRE/1 analysis) OR TI,AB((theoretical OR practical) PRE/1 (research
 OR analysis)) OR TI,AB((secondary OR primary) PRE/1 research))) AND
 TI,AB(older* OR elder* OR geriatric OR adult* OR retired)) AND peer(yes) AND
 pd(20150101-20160712)

Social Work Abstracts (SWA) - OVID

Date searched: 20/07/2016

No. of records: 0

Limits: study type, publication type, date (2015 – 2016)

1	(Literature adj review*).ti,ab.	325
2	(Systematic* adj review*).ti,ab.	136
3	systematic approach.sh.	10
4	(Realist adj (review* or synthesis or evaluation*).ti,ab.	4
5	Meta-analysis.ti,ab.	128
6	meta analysis.sh.	50
7	Randomi?ed.ti,ab.	474
8	Survey*.ti,ab.	5850

9	surveys.sh.	234
10	Evaluat*.ti,ab.	6898
11	(Cohort adj1 (stud* or model* or analysis or design)).ti,ab.	80
12	(Empirical* adj2 (study or studies or research or evidence or evaluation*)).ti,ab.	994
13	(empirical methods or empirically based practice).sh.	44
14	(Cost adj1 (effective* or benefit or analysis or care or consequence or low or high or health or hospital or service* or direct or saving* or sharing or budget* or control* or illness)).ti,ab.	614
15	("cost analyses" or "cost analysis" or "cost benefit analysis" or "cost containment" or "cost control" or "cost effectiveness" or "cost effectiveness analysis" or "cost sharing" or costs).sh.	238
16	(Economic* adj1 (review or care or research or study or studies or analysis)).ti,ab.	29
17	economics.sh.	330
18	(evaluation or evaluation research).sh.	747
19	interviews.sh.	109
20	Qualitative*.ti,ab.	3231
21	(qualitative methods or qualitative research or qualitative tests or "quality of care" or "quality of life").sh.	582
22	or/1-21	17547

23	((Outcome* or effectiveness or intervention* or quality) adj2 (measure* or assessment or research or evaluation* or study or studies or treatment*)).ti,ab.	2331
24	(outcome or outcome evaluation or outcome variables or outcomes).sh.	434
25	(treatment effectiveness evaluation or treatment goals or treatment methods or treatment outcomes).sh.	128
26	effectiveness.sh.	176
27	measurement.sh.	212
28	((Patient* or client* or user* or personal* or professional* or staff or team or practitioner* or carer* or worker* or manager* or coordinator or provider* or agency or agencies or nurs* or occupational or doctor* or social or assistant* or community or residential or hospital) adj2 (satisfaction or view* or experience* or preference* or opinion* or outcome* or measure* or evaluation* or study or studies or attitude* or perspective* or need* or feedback or expectation* or advocacy)).ti,ab.	7272
29	patient attitudes.sh.	4
30	or/23-29	9843
31	(Reable* or re-able*).ti,ab.	0
32	(Re-enable* or reenable*).ti,ab.	0
33	Enablement.ti,ab.	2
34	Res-care.ti,ab.	0

- 35 ((Restorative or recuperative or recovery) adj2 (support* or care 110 or service* or provision* or approach* or model* or goal* or plan* or speed* or fast* or quick*)).ti,ab.
- 36 (Rehabilitat* adj1 (goal* or home or community or unit* or 175 setting* or service* or ward* or bed* or model* or transfer* or avoid* or discharge or short-term or integrated or homecare or dementia or assessment* or plan* or information or advice or time* or therap* or activit*)).ti,ab.
- 37 (Rehabilitat* adj3 (inter?disciplinary or inter?professional or 127 multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated)).ti,ab.
- 38 (rehabilitation or rehabilitation agencies or rehabilitation centers 284 or rehabilitation program or rehabilitation programs or rehabilitation services).sh.
- 39 ((Regain* or gain* or improve* or learn* or relearn or re-learn or 1866 optimi?e or increase* or rebuild* or maintain* or build* or maximise or recover* or daily or assess* or self-assess*) adj2 (independen* or confidence or mobilite* or skill* or competen* or service* or support or control or living or disabilit*)).ti,ab.
- 40 (Intermediate adj2 (service* or community or acute or home or 30 assessment* or access or care or bed* or ward* or nursing or residential or patient* or client* or unit* or facilit* or team* or short-term or residential or acute or setting* or service* or plan* or dementia or alzheimer* or lewy-bodies)).ti,ab.
- 41 (Intermediate adj3 (inter?disciplinary or inter?professional or 13 multi?professional or multi?disciplinary or multi?agency or

	trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated or information or advice or advocacy)).ti,ab.	
42	((Crisis or rapid or urgent or intensive) adj1 (access or assessment or response or resolution or rehabilitation or team* or service* or model* or home or episode or time)).ti,ab.	150
43	(Wellness adj (model* or approach* or intervention* or service*)).ti,ab.	1
44	"Enhanced activation program".ti,ab.	0
45	((Hospital or treatment or adaptation*) adj home).ti,ab.	5
46	((Homecare or home-care) adj (short-term or brief or time or limit*)).ti,ab.	0
47	or/31-46	2549
48	22 or 30	23800
49	47 and 48	1141
50	adults.sh.	273
51	(aged or aged the).sh.	3106
52	(geriatric patients or geriatrics).sh.	485
53	or/50-52	3422
54	49 and 53	93
55	54 and 2015:2016.(sa_year).	0

SocINDEX - EBSCO

Date searched: 22/07/16

No. of records: 311

Limits: study type, scholarly journals, date (2015-2016), age

Update searches - RQ1 - RQ7

#	Query	Results
S39	S35 AND S36 Limiters - Scholarly (Peer Reviewed) Journals; Date of Publication: 20150101-20161231	311
S38	S35 AND S36	3,025
S37	S35 AND S36	3,644
S36	TX (TX adult* OR older OR ageing OR aged OR elderly OR senior* OR retire* OR geriatric OR gerontology OR very?old) NOT TX (child* OR adolescen* OR teenager* OR youth* OR baby OR babies OR infant* OR toddler*)	141,111
S35	S32 AND S33	17,442
S34	S32 AND S33	17,442
S33	S14 OR S17	466,505
S32	S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31	45,544

S31	TX (Hospital or treatment or adaptation*) W1 home)	366
S30	TX (Wellness W1 (model* or approach* or intervention* or service*))	90
S29	TX ((Crisis or rapid or urgent or intensive) W1 (access or assessment or response or resolution or rehabilitation or team* or service* or model* or home or episode or time))	2,217
S28	TX (Home?care W1 (short?term or brief or time or limit*))	2,933
S27	TX (Intermediate W2 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated or information or advice or advocacy))	109
S26	TX (Intermediate W2 (service* or community or acute or home or assessment* or access or care or bed* or ward* or nursing or residential or patient* or client* or unit* or facilit* or team* or short-term or residential or acute or setting* or service* or plan* or dementia or alzheimer* or lewy-bodies))	289
S25	TX ((Regain* or gain* or improve* or learn* or relearn or re-learn or optimi?e or increase* or rebuild* or maintain* or build* or maximise or	27,191

	recover* or daily or assess* or self-assess*) W2 (independen* or confidence or mobilit* or skill* or competen* or service* or support or control or living or disabilit*))	
S24	TX (Rehabilitat* W1 (inter?disciplinary or inter?professional or multi?professional or multi?disciplinary or multi?agency or trans?disciplinary or team* or carer* or occupational or nurs* or worker* or assistant* or social or doctor* or professional* or integrated))	448
S23	TX (Rehabilitat* W1 (goal* or home or community or unit* or setting* or service* or ward* or bed* or model* or transfer* or avoid* or discharge or short-term or integrated or homecare or dementia or assessment* or plan* or information or advice or time* or therap* or activit*))	12,149
S22	TX ((Restorative or recuperative or recovery) W2 (support* or care or service* or provision* or approach* or model* or goal* or plan* or speed* or fast* or quick*))	922
S21	TX Res-care	8
S20	TX (Enablement W1 (home or model))	0
S19	TX (Re-enable* or reenable*)	4
S18	TX (Reable* or re-able*)	30

S17	S15 OR S16	128,867
S16	TX ((Patient* or client* or user* or personal* or professional* or staff or team or practitioner* or carer* or worker* or manager* or coordinator or provider* or agency or agencies or nurs* or occupational or doctor* or social or assistant* or community or residential or hospital) W2 (satisfaction or view* or experience* or preference* or opinion* or outcome* or measure* or evaluation* or study or studies or attitude* or perspective* or need* or feedback or expectation* or advocacy))	113,939
S15	TX ((Outcome* or effectiveness or intervention* or quality) W1 (measure* or assessment or research or evaluation* or study or studies or treatment*))) OR AB (((Outcome* or effectiveness or intervention* or quality) W1 (measure* or assessment or research or evaluation* or study or studies or treatment*))	19,464
S14	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13	383,110
S13	TX Qualitative*	42,270
S12	TX (Economic* W1 (review or care or research or study or studies or analysis))	32,649
S11	TX (cost W1 (effective* or benefit or analysis or care or consequence or low or high or health or	15,601

	hospital or service* or direct or saving* or sharing or budget* or control* or illness))	
S10	TX (Empirical* W2 (Study or studies or research or evidence or evaluation*))	22,939
S9	TX (Cohort W1 (stud* or model* or analysis or design))	5,603
S8	TX Evaluat*	159,242
S7	TX Survey*	140,553
S6	TX Randomi?ed	8,479
S5	TX Meta-analysis	3,565
S4	TX (realist W1 (review* or synthesis or evaluation*))	61
S3	TX (systematic W2 review*)	4,058
S2	TX (literature W1 review*)	6,835
S1	TX (rapid W1 review)	28

Social Care Online (SCO) - Social Care Institute for Excellence

Date searched: 21/07/2016

No. of records: 78

Limits: date (2015-2016)

Update searches - RQ1 - RQ7

([Subject Terms: 'reablement' including this term only] OR [Abstract: 'reablement' OR Abstract: 're-ablement'] OR [Publication Title: 'reablement' OR PublicationTitle: 're-ablement'] OR [Abstract: 'restorative care' OR PublicationTitle: 'restorative care'] OR [Subject Terms: 'intermediate care'] OR [Publication Title: 'enablement'] OR [Abstract: 'enablement'] OR [Abstract: 'intermediate care'] OR [Publication Title: 'intermediate care'] OR [SubjectTerms: 'crisis resolution'] OR [SubjectTerms: 'crisis intervention'] OR [Abstract: 'rapid response'] OR [Subject Terms: 'dementia']) AND ([Subject Terms: 'rehabilitation'] OR [Subject Terms: 'information needs'] OR [Subject Terms: 'advice services'] OR [Subject Terms: 'advocacy'] OR [Subject Terms: 'training'] OR [SubjectTerms: 'support groups'] OR [Subject Terms: 'education'] AND ([Subject Terms: 'adults' OR Subject Terms: 'older people' OR Subject Terms: 'ageing' OR Subject Terms: 'very old people' NOT Subject Terms: 'children']) AND ([Publication Year: '2015 2016'])

Reference management

References for the all the reviews (excluding question seven) where managed in the following way:

1. A single Endnote library for each database or source (management)*
2. A combined Endnote library with all database results (de-duplicated)
3. A master library in EPPI Reviewer with all results (final de-duplicate check)

* NB: The code 'flag relevant' to other review questions was used, those identified as relevant to each subsequent question where added at this stage. The included studies from the scope data was also included into the core data for review question one.

References for question seven where managed in the following way:

4. A combined library created in EPPI Reviewer of all the single reviews and a final de-duplication of the all the studies combined. This was then used to search the pre-existing data found on intermediate care, with addition searches on audit data and grey literature within intermediate care.

Economic search

The searches to identify economic evaluations related to the review questions were the same as the main evidence search.

Review questions and objectives

Review Protocols

Individual review protocols were produced for each question, protocols for questions 1-6 (including the update search), were quality assured by a second Information Specialist and approved by the GC members and NICE. The review protocols contained a test search on MEDLINE which provided the details of the sources, terms and syntax intended for use. The formulation of the review protocol was two-fold, firstly the included studies from the scope were consulted to obtain information on terms and sources used and secondly additional google searches for each question were combined with the term 'search strategy' to check for existing searches on the topic to inform development.

Q number	Questions	Objectives of review	Criteria for considering studies for review
1 (a)	What is the effectiveness and cost effectiveness of home based intermediate care?	To identify the effectiveness and cost effectiveness of home based intermediate care interventions designed to support admission avoidance, faster recovery from illness, timely discharge from hospital and maximising independent living.	Population: Adults, aged 18 years and older, with experience of home based intermediate care services and their families, partners and carers. Self-funders and people who organise their own care and who have experience of home based intermediate care services are included.
1 (b)	What are the views and experiences of people using services, their families and carers in relation to home based intermediate care?	To identify emerging models and of and approaches to home based intermediate care and associated outcomes.	Housing practitioners, social care practitioners (providers, workers, managers, social workers), and health and social care commissioners involved in delivering home based intermediate care;
1 (c)	What are the views and experiences of health, social care and other practitioners about home based intermediate care?	To describe the self-reported views and experiences of adults, their families and carers about the care and support they receive from a home based intermediate care service, including what works and what does not work well. To consider specifically	personal assistants engaged by people with care and support needs and their families. General practice and other community-based healthcare practitioners, including GPs, therapists

		<p>whether people who receive care think that their care is personalised and coordinated across social care, inpatient hospital care and primary and community health services.</p> <p>To describe the views and experiences of people delivering, organising and commissioning social care, health and housing services including what works and what does not work well in home based intermediate care.</p>	<p>and community/ district nurses; hospital ward staff.</p> <p>Intervention: Community based, multi-disciplinary services provided to people in their own home or in a care home.</p> <p>Note that for this review question the GC requested an important departure from the definition of home based intermediate care given in the National Audit of Intermediate Care (NAIC). Whereas the NAIC specifically excludes single condition rehabilitation, the GC reported that rehabilitation for stroke patients is, in the current practice context, so similar to home based intermediate care that they wished to consider evidence relating to these services.</p> <p>Setting: Service users' home, including sheltered housing accommodation; supported housing; temporary accommodation, care (residential and nursing) homes or prisons.</p> <p>Outcomes: User and carer related outcomes (such as user and carer satisfaction; quality and continuity of care; choice and control; dignity and independence, involvement in decision-making and health and social care related quality of life) and service outcomes such as use of health and social care services, admission avoidance, delayed transfers of care and rates of hospital re-admissions</p>
--	--	--	---

			<p>within 30 days (see 1.6 in the Scope).</p> <p>The study designs relevant to the effectiveness and cost-effectiveness question are likely to include: Systematic reviews of studies of different models of discharge assessment and care planning; Randomised controlled trials of different approaches to discharge assessment and care planning; Economic evaluations; Quantitative and qualitative evaluations of different approaches; Observational & descriptive studies of process; Cohort studies, case control and before and after studies; Mixed methods studies.</p> <p>The study designs relevant to the views and experiences questions are likely to include: Systematic reviews of qualitative studies on this topic; Qualitative studies of user and carer views of social and integrated care; Qualitative components of effectiveness and mixed methods studies; Observational and cross-sectional survey studies of user experience.</p>
2 (a)	What is the effectiveness and cost effectiveness of bed based intermediate care?	To identify the effectiveness and cost effectiveness of bed based intermediate care	Population: Adults, aged 18 years and older, with experience of home based intermediate care services and their families, partners and carers. Self-funders
2 (b)	What are the views and	interventions designed to prevent unnecessary acute	

<p>2 (c)</p>	<p>experiences of people using services, their families and carers in relation to bed based intermediate care?</p> <p>What are the views and experiences of health, social care and other practitioners about bed based intermediate care?</p>	<p>hospital admissions and premature admissions to long term care and to receive people from acute hospital settings for rehabilitation to support timely discharge from hospital.</p> <p>To identify emerging models of and approaches to bed based intermediate care and associated outcomes.</p> <p>To describe the self-reported views and experiences of adults, their families and carers about the care and support they receive from a bed based intermediate care service including what works and what does not work well;</p> <p>To consider specifically whether people who receive care think that their care is personalised and coordinated across social care, inpatient hospital care, bed based intermediate care settings and primary and community health services.</p> <p>To describe the views and experiences of people delivering, organising and commissioning social care, health and housing services including what works and what does not well in bed based intermediate care.</p>	<p>and people who organise their own care and who have experience of bed based intermediate care services are included.</p> <p>Housing practitioners, social care practitioners (providers, workers, managers, social workers), and health and social care commissioners involved in delivering home based intermediate care; personal assistants engaged by people with care and support needs and their families.</p> <p>General practice and other community-based healthcare practitioners, including GPs, therapists and community/ district nurses; hospital ward staff.</p> <p>Intervention: Bed based intermediate care services designed to prevent unnecessary acute hospital admissions, premature admissions to long term care or to receive people from acute hospital settings for rehabilitation and to support timely discharge from hospital. Note the following exclusions: single condition rehabilitation (e.g. stroke) units, general community hospital beds not designated as intermediate care or rehabilitation and mental health rehabilitation beds. Note that for this review question the GC requested an important departure from the definition of bed</p>
--------------	--	--	---

			<p>based intermediate care given in the National Audit of Intermediate Care (NAIC). Whereas the NAIC specifically excludes single condition rehabilitation, the GC reported that rehabilitation for stroke patients is, in the current practice context, so similar to bed based intermediate care that they wished to consider evidence relating to these services.</p> <p>Setting: Acute hospital, community hospital, care (residential and nursing) homes, standalone intermediate care facility, independent sector facility, Local Authority facility or other bed based setting or prison.</p> <p>Outcomes: User and carer related outcomes (such as user and carer satisfaction; quality and continuity of care; choice and control; dignity and independence, involvement in decision-making and health and social care related quality of life) and service outcomes such as use of health and social care services (secondary, primary and community), length of hospital stay, delayed transfers of care, rates of hospital re-admissions within 30 days (see 1.6 in the Scope) and admissions to care homes.</p> <p>The study designs relevant to the effectiveness and cost-effectiveness question</p>
--	--	--	--

			<p>are likely to include:</p> <ul style="list-style-type: none"> Systematic reviews of studies of different models of discharge assessment and care planning; Randomised controlled trials of different approaches to discharge assessment and care planning; Economic evaluations; Quantitative and qualitative evaluations of different approaches; Observational & descriptive studies of process; Cohort studies, case control and before and after studies; Mixed methods studies. <p>The study designs relevant to the views and experiences questions are likely to include:</p> <ul style="list-style-type: none"> Systematic reviews of qualitative studies on this topic; Qualitative studies of user and carer views of social and integrated care; Qualitative components of effectiveness and mixed methods studies; Observational and cross-sectional survey studies of user experience.
3 (a)	What is the effectiveness and cost effectiveness of crisis response intermediate care?	To identify the effectiveness and cost effectiveness of crisis response intermediate care, designed to avoid hospital admission through short-term assessment and interventions.	Population: Adults, aged 18 years and older, with experience of crisis response intermediate care and their families, partners and carers. Self-funders and people who organise their own care and who have experience of crisis response intermediate care are included.
3 (b)	What are the views and experiences of people using services, their families and carers in relation to crisis response intermediate care?	To identify emerging models and approaches to crisis response intermediate care and	Housing practitioners,
3 (c)	What are the views and		

	<p>experiences of health, social care and other practitioners about crisis response intermediate care?</p>	<p>associated outcomes.</p> <p>To describe the self-reported views and experiences of adults, their families and carers about the care and support they receive from a crisis response intermediate care service, including what works and what does not work well.</p> <p>To consider specifically whether people who receive care think that their care is personalised and coordinated across social care, inpatient hospital care and primary and community health services.</p> <p>To describe the views and experiences of people delivering, organising and commissioning social care, health and housing services including what works and what does not work well in crisis response intermediate care.</p>	<p>social care practitioners (providers, workers, managers, social workers), and health and social care commissioners involved in delivering crisis response intermediate care; personal assistants engaged by people with care and support needs and their families. General practice and other community-based healthcare practitioners, including GPs, therapists and community/ district nurses; hospital ward staff.</p> <p>Intervention: Community based, multi-disciplinary services provided to people in their own home or in a care home for up to 48 hours (or two working days). Includes intermediate care assessment teams, rapid response and crisis resolution.</p> <p>Note the following exclusions: mental health crisis resolution services, community matrons and active case management teams.</p> <p>Setting: Service users' home, including sheltered housing accommodation; supported housing; temporary accommodation, care (residential and nursing) homes or prisons.</p> <p>Outcomes: Person focussed outcomes (health and social care related quality of life; independence, choice and</p>
--	--	--	--

			<p>control over daily life; capability to achieve desired person-centred outcomes; user and carer satisfaction; speech, language and communication skills; continuity of care and years of life saved) and service outcomes (use of health and social care services; admission avoidance and need for support from care workers and carers) See 1.6 in the Scope.</p> <p>The study designs relevant to the effectiveness and cost-effectiveness question are likely to include: Systematic reviews of studies of different models of discharge assessment and care planning; Randomised controlled trials of different approaches to discharge assessment and care planning; Economic evaluations; Quantitative and qualitative evaluations of different approaches; Observational & descriptive studies of process; Cohort studies, case control and before and after studies; Mixed methods studies.</p> <p>The study designs relevant to the views and experiences questions are likely to include: Systematic reviews of qualitative studies on this topic; Qualitative studies of user and carer views of social</p>
--	--	--	--

			and integrated care; Qualitative components of effectiveness and mixed methods studies; Observational and cross-sectional survey studies of user experience.
4 (a)	What is the effectiveness and cost effectiveness of reablement?	To identify the effectiveness and cost effectiveness of reablement, designed to avoid hospital admission through short-term assessment and interventions.	Population: Adults, aged 18 years and older, with experience of reablement and their families, partners and carers. Self-funders and people who organise their own care and who have experience of reablement are included.
4 (b)	What are the views and experiences of people using services, their families and carers in relation to reablement?	To identify emerging models and approaches to reablement and associated outcomes.	Housing practitioners, social care practitioners (providers, workers, managers, social workers), and health and social care commissioners involved in delivering reablement; personal assistants engaged by people with care and support needs and their families. General practice and other community-based healthcare practitioners, including GPs, therapists and community/ district nurses; hospital ward staff.
4 (c)	What are the views and experiences of health, social care and other practitioners about reablement?	To describe the self-reported views and experiences of adults, their families and carers about the care and support they receive from a reablement service, including what works and what does not work well. To consider specifically whether people who receive care think that their care is personalised and coordinated across social care, inpatient hospital care and primary and community health services. To describe the views and experiences of people delivering, organising and commissioning social care, health and housing services including what works and what does not work well in reablement.	Intervention: Community based, multi-disciplinary services provided to people in their own home or in a care home for up to 6 weeks (though there will be individual exceptions to the time limit). Includes home care reablement services designed to help people recover skills and confidence to live at home, maximising independence and minimising the need for

			<p>ongoing home care. Note the following exclusions: social service providing long term care packages.</p> <p>Setting: Service users' home, including sheltered housing accommodation; supported housing; temporary accommodation, care (residential and nursing) homes, bed based reablement settings or prisons.</p> <p>Outcomes: Person focussed outcomes (health and social care related quality of life; independence, choice and control over daily life; capability to achieve desired person-centred outcomes; user and carer satisfaction; speech, language and communication skills; continuity of care and years of life saved) and service outcomes (use of health and social care services; admission avoidance and need for support from care workers and carers) See 1.6 in the Scope.</p> <p>The study designs relevant to the effectiveness and cost-effectiveness question are likely to include: Systematic reviews of studies of different models of discharge assessment and care planning; Randomised controlled trials of different approaches to discharge</p>
--	--	--	--

			<p>assessment and care planning;</p> <p>Economic evaluations;</p> <p>Quantitative and qualitative evaluations of different approaches;</p> <p>Observational & descriptive studies of process;</p> <p>Cohort studies, case control and before and after studies;</p> <p>Mixed methods studies.</p> <p>The study designs relevant to the views and experiences questions are likely to include:</p> <p>Systematic reviews of qualitative studies on this topic;</p> <p>Qualitative studies of user and carer views of social and integrated care;</p> <p>Qualitative components of effectiveness and mixed methods studies;</p> <p>Observational and cross-sectional survey studies of user experience.</p>
5 (a)	What is the effectiveness and cost effectiveness of intermediate and reablement for people living with dementia?	To identify the effectiveness and cost effectiveness intermediate care and reablement for people living with dementia.	<p>Population: Adults, aged 18 years and older, living with dementia and with experience of intermediate care and reablement. Also, their families, partners and carers. Self-funders and people who organise their own care and who have experience of intermediate care and reablement are included.</p> <p>Housing practitioners, social care practitioners (providers, workers, managers, social workers), and health and social care commissioners involved in delivering intermediate care and reablement;</p>
5 (b)	What are the views and experiences of people living with dementia, their families and carers in relation to intermediate care and reablement?	To identify emerging models and approaches to intermediate care and reablement and associated outcomes for people living with dementia and their carers.	
5 (c)	What are the views and experiences of health, social care and other practitioners about intermediate care and reablement for people living with dementia?	To describe the self-reported views and experiences of people living with dementia, their families and carers about the care and support they receive from intermediate care and	

		<p>reablement services, including what works and what does not work well. To consider specifically whether people living with dementia think their intermediate care and reablement is personalised and coordinated across social care, inpatient hospital care and primary and community health services.</p> <p>To describe the views and experiences of people delivering, organising and commissioning social care, health and housing services including what works and what does not work well in intermediate care and reablement for people living with dementia.</p>	<p>personal assistants engaged by people with care and support needs and their families. General practice and other community-based healthcare practitioners, including GPs, therapists and community/ district nurses; hospital ward staff.</p> <p>Intervention: All 4 intermediate care service models (including reablement) as described in the National Audit of Intermediate Care. Note the following exclusions: mental health crisis resolution services, mental health rehabilitation, general district nursing services, general community hospital beds and social care services providing long term care packages.</p> <p>Setting: All settings in which intermediate care and reablement are provided (see 2.3 in the Scope).</p> <p>Outcomes: Person focussed outcomes (health and social care related quality of life; independence, choice and control over daily life; capability to achieve desired person-centred outcomes; user and carer satisfaction; speech, language and communication skills; continuity of care and years of life saved) and service outcomes (use of health and social care</p>
--	--	---	--

			<p>services; length of hospital stay, delayed transfers of care from hospital, admission avoidance, admissions to care homes and need for support from care workers and carers) See 1.6 in the Scope.</p> <p>The study designs relevant to the effectiveness and cost-effectiveness question are likely to include: Systematic reviews of studies of intermediate care and reablement; Randomised controlled trials of intermediate care and reablement; Economic evaluations; Quantitative and qualitative evaluations of different approaches; Observational & descriptive studies of process; Cohort studies, case control and before and after studies; Mixed methods studies. The study designs relevant to the views and experiences questions are likely to include: Systematic reviews of qualitative studies on this topic; Qualitative studies of user and carer views of intermediate care and reablement; Qualitative components of effectiveness and mixed methods studies; Observational and cross-sectional survey studies of user experience.</p>
6 (a)	What is the effectiveness and cost effectiveness of information, advice,	To identify the effectiveness and cost effectiveness of	Population: Adults, aged 18 years and older, living with dementia and with

6 (b)	<p>advocacy, training and support for people using intermediate care, and reablement and their families and carers?</p>	<p>information, advice, advocacy, training and support for people using intermediate care, and reablement and their families and carers.</p>	<p>experience of intermediate care and reablement. Also, their families, partners and carers. Self-funders and people who organise their own care and who have experience of intermediate care and reablement are included.</p>
6 (c)	<p>What are the views and experiences of people using intermediate care and reablement, and their families and carers, about information, advice, advocacy, training and support?</p> <p>What are the views and experiences of health, social care and other practitioners about information, advice, advocacy, training and support for people using intermediate care and reablement and their families and carers?</p>	<p>To identify emerging models and approaches to the provision of information, advice, advocacy, training and support for people using intermediate care, and reablement and their families and carers and associated outcomes.</p> <p>To describe the self-reported views and experiences of adults, their families and carers about the provision of information, advice, advocacy, training and support in relation to intermediate care and reablement including what works and what does not work well.</p> <p>To consider whether people who use care think information, advice, advocacy, training and support in relation to intermediate care and reablement are provided in a way that is personalised and coordinated across social care, inpatient hospital care and primary and community health services.</p> <p>To describe the views and experiences of people delivering, organising and commissioning social care, health and housing services about information, advice, advocacy, training and</p>	<p>Housing practitioners, social care practitioners (providers, workers, managers, social workers), and health and social care commissioners involved in delivering intermediate care and reablement; personal assistants engaged by people with care and support needs and their families. General practice and other community-based healthcare practitioners, including GPs, therapists and community/ district nurses; hospital ward staff.</p> <p>Intervention: All 4 intermediate care service models (including reablement) as described in the National Audit of Intermediate Care. Also, information and advisory services (local authority and health). Social work, community health. NB: for discussion with GC.</p> <p>Setting: All settings in which intermediate care and reablement are provided (see 2.3 in the Scope) and in which information, advice, advocacy, training and support are available.</p>

		<p>support for people using services and their families in relation to intermediate care and reablement. This includes what works and what does not work well.</p>	<p>Outcomes: Person focussed outcomes (health and social care related quality of life; independence, choice and control over daily life; capability to achieve desired person-centred outcomes; user and carer satisfaction; speech, language and communication skills; continuity of care and years of life saved) and service outcomes (use of health and social care services; length of hospital stay, delayed transfers of care from hospital, admission avoidance, admissions to care homes and need for support from care workers and carers) See 1.6 in the Scope.</p> <p>The study designs relevant to the effectiveness and cost-effectiveness question are likely to include: Systematic reviews of studies of intermediate care and reablement; Randomised controlled trials of intermediate care and reablement; Economic evaluations; Quantitative and qualitative evaluations of different approaches; Observational & descriptive studies of process; Cohort studies, case control and before and after studies; Mixed methods studies. The study designs relevant to the views and experiences questions are</p>
--	--	--	---

			likely to include: Systematic reviews of qualitative studies on this topic; Qualitative studies of user and carer views of intermediate care and reablement; Qualitative components of effectiveness and mixed methods studies; Observational and cross-sectional survey studies of user experience.
7 (a)	What characteristics of intermediate care and reablement service models and approaches are associated with improving outcomes for adults using these services and their families?	To identify the characteristics of service models and approaches to intermediate care and reablement that are associated with improving individual outcomes and experiences.	Population: Adults, aged 18 years and older, with experience of intermediate care services and their families, partners and carers. Self-funders and people who organise their own care and who have experience of intermediate care services are included.
7 (b)	What do adults using intermediate and reablement care services, their carers and families consider to be the important characteristics of service models and approaches?	To identify what helps and hinders implementation of intermediate care and reablement service models.	Housing practitioners, social care practitioners (providers, workers, managers, social workers), and health and social care commissioners involved in delivering intermediate care; personal assistants engaged by people with care and support needs and their families.
7 (c)	What do health, social care and other practitioners consider are the important characteristics of intermediate care and reablement service models and approaches?	To identify what helps and hinders the fulfilment of intermediate care and reablement goals.	Primary care and other community-based healthcare practitioners, including GPs, therapists and community/ district nurses; hospital ward staff. Intervention: Community or bed-based, multi/inter-disciplinary support designed to avoid hospital admission and facilitate hospital discharge.

			<p>Services also support the development of skills and confidence to maximise independence.</p> <p>Note the following exclusions: single condition rehabilitation (e.g. stroke) early supported discharge, general district nursing services and mental health rehabilitation.</p> <p>Setting: Service users' home, including sheltered housing accommodation; supported housing; temporary accommodation, care (residential and nursing) homes or prisons. For bed based intermediate care, also acute and community hospitals or standalone intermediate care facilities.</p> <p>Note the following exclusions: General community hospital beds not designated as intermediate care/ rehabilitation. Mental health rehabilitation beds.</p> <p>Outcomes: Reported associations (quantitative or qualitative) between service features and service outcomes, including user and carer related outcomes (such as user and carer satisfaction; quality and continuity of care; choice and control; dignity and independence, involvement in decision-making and health and social care related quality</p>
--	--	--	---

			<p>of life) and service outcomes such as use of health and social care services, admission avoidance, delayed transfers of care and rates of hospital re-admissions within 30 days (see 1.6 in the Scope).</p> <p>The study designs relevant to questions 7a are likely to include: Process evaluations; Service evaluations; Quantitative and qualitative evaluations of different approaches; Observational & descriptive studies of process; Cohort studies, case control and before and after studies; National audits Mixed methods studies.</p> <p>The study designs relevant to 7b and 7c views and experiences questions are likely to include: Systematic reviews of qualitative studies on this topic; Qualitative studies of user and carer views of social and integrated care; Qualitative components of effectiveness and mixed methods studies; Observational and cross-sectional survey studies of user and carer experience. National audits reporting service user, carer and practitioner views. Mixed methods studies.</p> <p>Note that regardless of design, for papers to be included, they must report</p>
--	--	--	--

			the study methodology.
--	--	--	------------------------

Excluded studies

Research Question 1 – Home-based intermediate care (HB)

HB: Excluded on second screening on country

No.	Study details
1.	Ben Salah Frih Z, Fendri Y, Jellad A et al. (2009) Efficacy and treatment compliance of a home-based rehabilitation programme for chronic low back pain: a randomized, controlled study. <i>Annals of Physical & Rehabilitation Medicine</i> 52: 485-96

HB: Excluded on second screening on intervention

No.	Study details
1.	Bekelman DB, Plomondon ME, Carey EP et al (2015) Primary Results of the Patient-Centered Disease Management (PCDM) for Heart Failure Study: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> 175: 725-32
2.	Bertilsson AS, Ranner M, von Koch L et al (2014) A client-centred ADL intervention: three-month follow-up of a randomized controlled trial. <i>Scandinavian Journal of Occupational Therapy</i> 21: 377-91
3.	Brusco NK, Taylor NF, Watts JJ et al(2014) Economic evaluation of adult rehabilitation: A systematic review and meta-analysis of randomized controlled trials in a variety of settings. <i>Archives of Physical Medicine and Rehabilitation</i> 95: 94-116
4.	Caplan GA, Coconis J and Woods J (2005) Effect of hospital in the home treatment on physical and cognitive function: a randomized controlled trial. <i>Journals of Gerontology Series A-Biological Sciences & Medical Sciences</i> 60: 1035-8
5.	Chumbler NR, Quigley P, Li X et al (2012) Effects of telerehabilitation on physical function and disability for stroke patients: a randomized, controlled trial. <i>Stroke</i> 43: 2168-74
6.	Clark AM, Whelan HK, Barbour R et al (2005) A realist study of the mechanisms of cardiac rehabilitation. <i>Journal of Advanced Nursing</i> 52: 362-71
7.	Eklund K, Wilhelmson K, Gustafsson H et al (2013) One-year outcome of frailty indicators and activities of daily living following the randomised controlled trial: "Continuum of care for frail older people". <i>BMC geriatrics</i> 13: 76
8.	Ertel KA, Glymour MM, Glass TA et al (2007) Frailty modifies effectiveness of psychosocial intervention in recovery from stroke. <i>Clinical Rehabilitation</i> 21: 511-22
9.	Gitlin LN, Hauck WW, Dennis MP et al (2009) Long-term effect on mortality of a home intervention that reduces functional difficulties in older adults: results from a randomized trial. <i>CLA</i> 57: 476-81
10.	Gordon LG, Battistutta D, Scuffham P et al (2005) The impact of rehabilitation

	support services on health-related quality of life for women with breast cancer. <i>Breast Cancer Research & Treatment</i> 93: 217-26
11.	Graves N, Courtney M, Edwards H et al (2009) Cost-effectiveness of an intervention to reduce emergency re-admissions to hospital among older patients. <i>PloS one</i> 4: e7455
12.	Gustafsson S, Eklund K, Wilhelmson K et al (2013) Long-term outcome for ADL following the health-promoting RCT--elderly persons in the risk zone. <i>Gerontologist</i> 53: 654-63
13.	Medical Advisory Secretariat. Physiotherapy rehabilitation after total knee or hip replacement: an evidence-based analysis. <i>Ontario Health Technology Assessment Series</i> 2005: 5(8)
14.	Jolly K, Taylor RS, Lip GY et al (2006) Home-based cardiac rehabilitation compared with centre-based rehabilitation and usual care: a systematic review and meta-analysis. <i>International Journal of Cardiology</i> 111: 343-51
15.	Jolly K, Taylor R, Lip GY et al (2007) The Birmingham Rehabilitation Uptake Maximisation Study (BRUM). Home-based compared with hospital-based cardiac rehabilitation in a multi-ethnic population: Cost-effectiveness and patient adherence. <i>Health technology assessment</i> 11: iii-93
16.	Klaber Moffett JA, Jackson DA, Richmond S et al (2005) Randomised trial of a brief physiotherapy intervention compared with usual physiotherapy for neck pain patients: outcomes and patients' preference. <i>BMJ</i> 330: 1-6
17.	Langhorne P, Taylor G, Murray G et al (2005) Early supported discharge services for stroke patients: a meta-analysis of individual patients' data. <i>Lancet</i> 365: 501-6
18.	Lannin NA, Clemson L, McCluskey A et al (2007) Feasibility and results of a randomised pilot-study of pre-discharge occupational therapy home visits. <i>BMC Health Services Research</i> 7
19.	Legg L, Drummond A, Leonardi-Bee J et al. (2007) Occupational therapy for patients with problems in personal activities of daily living after stroke: systematic review of randomised trials. <i>British Medical Journal</i> 922-5
20.	Levack WMM, Taylor K, Siegert RJ et al (2006) Is goal planning in rehabilitation effective? A systematic review. <i>Clinical Rehabilitation</i> 20: 739-55
21.	Linertová R, García-Pérez L, Ramón Vázquez-Díaz J et al (2010) Interventions to reduce hospital readmissions in the elderly: in-hospital or home care. A systematic review. <i>Journal of Evaluation in Clinical Practice</i> 17: 1167-75
22.	Markle-Reid M, Orridge C, Weir R et al (2011) Interprofessional stroke rehabilitation for stroke survivors using home care. <i>Canadian Journal of Neurological Sciences</i> 38: 317-34
23.	McGregor AH, Doré CJ, Morris TP et al (2011) ISSLS prize winner: Function After Spinal Treatment, Exercise, and Rehabilitation (FASTER): a factorial randomized trial to determine whether the functional outcome of spinal surgery can be improved. <i>Spine</i> 36: 1711-20
24.	McPherson KM, Kayes N, Weatherall M (2009) A pilot study of self-regulation informed goal setting in people with traumatic brain injury. <i>Clinical Rehabilitation</i> 23: 296-309
25.	Perry MAC, Hudson S and Ardis K (2011) "If I didn't have anybody, what would I have done?": Experiences of older adults and their discharge home after lower limb orthopaedic surgery. <i>Journal of Rehabilitation Medicine</i>

	(Stiftelsen Rehabiliteringsinformation) 43: 916-22
26.	Melis RJF, van Eijken M, Borm GF et al (2005) The design of the Dutch EASYcare study: a randomised controlled trial on the effectiveness of a problem-based community intervention model for frail elderly people [NCT00105378]. BMC health services research 5: 65
27.	Ollonqvist K, Aaltonen T and Karppi SL et al (2008) Network-based rehabilitation increases formal support of frail elderly home-dwelling persons in Finland. Health and Social Care in the Community 16: 115–125
28.	Ouslander JG, Griffiths PC, McConnell E et al (2005) Functional incidental training: a randomized, controlled, crossover trial in Veterans Affairs nursing homes. Journal of the American Geriatrics Society 53: 1091-100
29.	Salter K, Foley N and Teasell R (2010) Social support interventions and mood status post stroke: A review. International Journal of Nursing Studies 47: 616-25
30.	Sanford JA, Griffiths PC, Richardson P et al (2006) The effects of in-home rehabilitation on task self-efficacy in mobility-impaired adults: A randomized clinical trial. Journal of the American Geriatrics Society 54: 1641-8
31.	Brown S, Craddock D and Hutt Greenyer C (2012) Medical patients' experiences of inreach occupational therapy: continuity between hospital and home. British Journal of Occupational Therapy 75: 330-6
32.	Sechoaro EJ, Scrooby B and Koen DP (2014) The effects of rehabilitation on intellectually-disabled people - a systematic review : original research. Health SA Gesondheid 19: 1-9
33.	Shepperd S, Wee B, Straus SE (2012) Hospital at home: home-based end of life care. Cochrane Database of Systematic Reviews 2011: Issue 7
34.	Southall K and Wittich W (2012) Barriers to Low Vision Rehabilitation: A Qualitative Approach. Journal of Visual Impairment & Blindness 106: 261-74
35.	Stanmore E and Waterman H (2007) Crossing professional and organizational boundaries: The implementation of generic Rehabilitation Assistants within three organizations in the northwest of England. Disability and Rehabilitation 29: 751-9
36.	Tappenden P, Campbell F et al (2012) The clinical effectiveness and cost-effectiveness of home-based, nurse-led health promotion for older people: a systematic review. Health Technology Assessment (Winchester, and England) 16: 1-72
37.	Taylor RS, Dalal H, Jolly K et al (2010) Home-based versus centre-based cardiac rehabilitation. Cochrane Database of Systematic Reviews. BMJ 340: 1-15
38.	Tousignant M, Boissy P, Corriveau H et al (2006) In home telerehabilitation for older adults after discharge from an acute hospital or rehabilitation unit: a proof-of-concept study and costs estimation. Disability & Rehabilitation: Assistive Technology 1(4): 209-16
39.	van Hout HP, Jansen AP, van Marwijk HW et al (2010) Prevention of adverse health trajectories in a vulnerable elderly population through nurse home visits: a randomized controlled trial [ISRCTN05358495]. Journals of Gerontology Series A-Biological Sciences & Medical Sciences 65: 734-42
40.	Wierzchowicki M, Poprawski K, Nowicka A et al (2006) A new programme of multidisciplinary care for patients with heart failure in Pozna? one-year follow-up. Kardiologia polska, 64: 1063-70; discussion 1071-2

HB: Excluded on second screening on evidence types

No.	Study details
1.	Welch A and Lowes S (2005) Home assessment visits within the acute setting: a discussion and literature review. <i>British Journal of Occupational Therapy</i> 68: 158-64
2.	Ariss SM, Enderby PM, Smith T et al. (2015) Secondary analysis and literature review of community rehabilitation and intermediate care: an information resource. <i>Health Service Delivery Research</i> 2015: 3(1)
3.	Brady BK, McGahan L, Skidmore B. (2005) Systematic review of economic evidence on stroke rehabilitation services. <i>International Journal of Technology Assessment in Health Care</i> 21: 15-21
4.	Brewer L and Williams D (2010) A review of early supported discharge after stroke. <i>Reviews in Clinical Gerontology</i> 20: 327-37
5.	Bramwell D, Checkland K, Allen P et al. (2014) Moving Services out of hospital: Joining up General Practice and community services? University of Manchester; London School of Hygiene and Tropical Medicine; University of Kent
6.	Macintyre G and Stewart A (2011) National performance indicator: increase the percentage of people aged 65 and over with high levels of care needs who are cared for at home. Glasgow: Institute for Research and Innovation in Social Services 6
7.	Gurgun A, Tuncel S, Korkmaz Ekren P et al. (2011) Efficacy of an eight-week pulmonary rehabilitation in copd patients: An experience of a single center in Turkey. <i>American journal of respiratory and critical care medicine</i> : 183
8.	Korczak D, Huber B, Steinhauser G et al. (2010) Outpatient pulmonary rehabilitation - rehabilitation models and shortcomings in outpatient aftercare. <i>GMS Health Technology Assessment</i> 6: Doc11
9.	Hofstad H (2014) Scandinavian challenges in geriatric rehabilitation: Early discharge for stroke patients. <i>European geriatric medicine</i> 5: S8-s9
10.	Jackson J C, Clune J, Hoenig H et al. (2010) The returning to everyday tasks utilizing rehabilitation networks (RETURN) trial: A pilot, feasibility trial including in-home cognitive rehabilitation of ICU survivors. <i>American journal of respiratory and critical care medicine</i> 181
11.	Jolly K, Taylor RS, Lip GY et al. (2007) Home-based exercise rehabilitation in addition to specialist heart failure nurse care: design, rationale and recruitment to the Birmingham Rehabilitation Uptake Maximisation study for patients with congestive heart failure (BRUM-CHF): a randomised controlled trial. <i>BMC Cardiovascular Disorders</i> 7: 1-9
12.	Melis RJF, van Eijken M, Borm GF et al. (2005) The design of the Dutch EASYcare study: a randomised controlled trial on the effectiveness of a problem-based community intervention model for frail elderly people [NCT00105378]. <i>BMC health services research</i> 5: 65
13.	Parker SG, Oliver P, Pennington M et al. (2011) Rehabilitation of older patients: day hospital compared with rehabilitation at home. <i>Clinical outcomes. Age and ageing</i> 40: 557-62
14.	Prvu Bettger JA and Stineman MG (2007) Effectiveness of multidisciplinary rehabilitation services in postacute care: state-of-the-science. A review. <i>Archives of Physical Medicine and Rehabilitation</i> 88: 1526-34

15.	Redfern J and Briffa T (2011) Cardiac rehabilitation -- moving forward with new models of care. <i>Physical Therapy Reviews</i> 16: 31-38
16.	Sinclair AJ, Conroy SP, Davies M et al. (2005) Post-discharge home-based support for older cardiac patients: a randomised controlled trial. <i>Age & Ageing</i> 34: 338-43

Research Question 2 – Bed-based intermediate care (BB)

BB: Excluded on second screening on country

No.	Study details
1.	Bai Y, Hu Y, Wu Y et al. (2012) A prospective, randomized, single-blinded trial on the effect of early rehabilitation on daily activities and motor function of patients with hemorrhagic stroke. <i>Journal of Clinical Neuroscience</i> 19: 1376-9
2.	Wang Z M, Wang P, Chen J et al. (2008) [Application of stroke rehabilitation unit in municipal hospitals during the acute phase of cerebral infarction]. <i>Zhonghua liu xing bing xue za zhi</i> 29: 724-5

BB: Excluded on second screening on intervention

No.	Study details
1.	Brusco NK, Shields N, Taylor N F et al. (2007) A Saturday physiotherapy service may decrease length of stay in patients undergoing rehabilitation in hospital: a randomised controlled trial. <i>Australian Journal of Physiotherapy</i> 53: 75-81
2.	Brusco NK, Watts JJ, N Shields et al. (2014) Does additional acute phase inpatient rehabilitation help people return to work? A subgroup analysis from a randomized controlled trial. <i>Clinical Rehabilitation</i> 28: 754-61
3.	Chumney D, Nollinger K, Shesko K et al. (2010) Ability of Functional Independence Measure to accurately predict functional outcome of stroke-specific population: Systematic review. <i>Journal of Rehabilitation Research and Development</i> 47: 17-29
4.	Courtney MD, Edwards HE, Chang AM et al. (2012) Improved functional ability and independence in activities of daily living for older adults at high risk of hospital readmission: a randomized controlled trial. <i>Journal of Evaluation in Clinical Practice</i> 18: 128-34
5.	Crotty M, Unroe K, Cameron ID et al. (2010) Rehabilitation interventions for improving physical and psychosocial functioning after hip fracture in older people (Cochrane review) [with consumer summary]. <i>Cochrane Database of Systematic Reviews</i> 2010 Issue 1
6.	Dalal HM, Zawada A, Jolly K et al. (2010) Home based versus centre based cardiac rehabilitation: Cochrane systematic review and meta-analysis. <i>BMJ</i> 340: b5631
7.	Davidson PM, Cockburn J, Newton PJ et al (2010). Can a heart failure-specific cardiac rehabilitation program decrease hospitalizations and improve outcomes in high-risk patients? <i>European journal of cardiovascular prevention and rehabilitation</i> 17: 393-402
8.	Forster A, Lambley R, Hardy J et al (2009). Rehabilitation for older people in long-term care. <i>Cochrane Database of Systematic Reviews</i> 2009, Issue 1.

9.	Grasel E, Biehler J, Schmidt R et al. (2005) Intensification of the transition between inpatient neurological rehabilitation and home care of stroke patients. Controlled clinical trial with follow-up assessment six months after discharge. <i>Clinical Rehabilitation</i> 19: 725-36
10.	Green J, Bogle S, Forster A et al. (2005) Effects of locality based community hospital care on independence in older people needing rehabilitation: randomised controlled trial. <i>British Medical Journal</i> 331: 317-20
11.	Greening NJ, Williams JE, Hussain SF et al. (2014) An early rehabilitation intervention to enhance recovery during hospital admission for an exacerbation of chronic respiratory disease: randomised controlled trial. <i>BMJ (Clinical Research Edition)</i> 349: 1-12
12.	Ibrahim MS, Twajj H, Giebaly DE et al (2013). Enhanced recovery in total hip replacement: A clinical review. <i>Bone & Joint Journal</i> 95-B: 1587-94
13.	Ihle F, Neurohr C, Huppmann P et al. (2011) Effect of inpatient rehabilitation on quality of life and exercise capacity in long-term lung transplant survivors: a prospective, randomized study. <i>Journal of Heart & Lung Transplantation</i> 30: 912-9
14.	Waterhouse JC, Walters SL, Oluboyede Y et al. (2010) A randomised 2 x 2 trial of community versus hospital pulmonary rehabilitation, followed by telephone or conventional follow-up. <i>Health Technology Assessment</i> 14: i-v
15.	Karl A, Buchner A, Becker A et al. (2014) A new concept for early recovery after surgery for patients undergoing radical cystectomy for bladder cancer: results of a prospective randomized study. <i>Journal of Urology</i> 191: 335-40
16.	Kaupila AM, Kyllonen E, Ohtonen P et al (2010) Multidisciplinary rehabilitation after primary total knee arthroplasty: a randomized controlled study of its effects on functional capacity and quality of life. <i>Clinical Rehabilitation</i> 24: 398-411
17.	Khan F, Ng L, Gonzalez S et al. (2008) Multidisciplinary rehabilitation programmes following joint replacement at the hip and knee in chronic arthropathy. <i>Cochrane Database of Systematic Reviews</i> , Issue 2
18.	Korczak D, Huber B, Steinhauser G et al. (2010) Outpatient pulmonary rehabilitation - rehabilitation models and shortcomings in outpatient aftercare. <i>GMS Health Technology Assessment</i> 6: Doc11
19.	Turner-Stokes L, Nair A, Sedki I et al. (2005) Multi-disciplinary rehabilitation for acquired brain injury in adults of working age. <i>Cochrane Database of Systematic Reviews</i> 2005, Issue 3
20.	Lenze EJ, Host HH, Hildebrand MW et al. (2012) Enhanced Medical Rehabilitation Increases Therapy Intensity and Engagement and Improves Functional Outcomes in Postacute Rehabilitation of Older Adults: A Randomized-Controlled Trial. <i>Journal of the American Medical Directors Association</i> 13: 708-12
21.	Linden AI and Butterworth SW (2014) A Comprehensive Hospital-Based Intervention to Reduce Readmissions for Chronically Ill Patients: A Randomized Controlled Trial. <i>American Journal of Managed Care</i> 20: 783-92
22.	Demetrios M, Khan F, Turner-Stokes L et al. (2013) Multidisciplinary rehabilitation following botulinum toxin and other focal intramuscular treatment for post-stroke spasticity. <i>Cochrane Database of Systematic Reviews</i> 2013 Issue 6
23.	Mahomed NN, Davis AM, Hawker G et al. (2008) Inpatient compared with

	home-based rehabilitation following primary unilateral total hip or knee replacement: a randomized controlled trial. <i>Journal of Bone & Joint Surgery – American</i> 90: 1673-80
24.	Mendelsohn ME, Overend TJ, Connelly DM et al. (2008) Improvement in aerobic fitness during rehabilitation after hip fracture. <i>Archives of Physical Medicine & Rehabilitation</i> 89: 609-17
25.	Monticone M, Ambrosini E, Laurini A et al. (2015) In-patient multidisciplinary rehabilitation for Parkinson's disease: A randomized controlled trial. <i>Movement Disorders</i> 30: 1050-8
26.	Nathell L (2005) Effects on sick leave of an inpatient rehabilitation programme for asthmatics in a randomized trial. <i>Scandinavian Journal of Public Health</i> 33: 57-63
27.	Parker SG, Oliver P, Pennington M et al. (2011) Rehabilitation of older patients: day hospital compared with rehabilitation at home. <i>Clinical outcomes. Age and Ageing</i> 40: 557–562
28.	Parker C, Hill K, Cobden J et al. (2015) Randomized controlled trial of the effect of additional functional exercise during slow-stream rehabilitation in a regional center. <i>Archives of Physical Medicine & Rehabilitation</i> 96: 831-6
29.	Paton F, Chambers D, Wilson P et al. (2014) Initiatives to reduce length of stay in acute hospital settings: a rapid synthesis of evidence relating to enhanced recovery programmes. <i>Health Service Delivery Research</i> 2014: 2(21)
30.	Plant NA, Kelly PJ, Leeder SR et al. (2015) Coordinated care versus standard care in hospital admissions of people with chronic illness: a randomised controlled trial. <i>Medical Journal of Australia</i> 203: 33-8
31.	Pringle J, Hendry C, McLafferty E (2008) A review of the early discharge experiences of stroke survivors and their carers. <i>Journal of Clinical Nursing</i> 17: 2384-97
32.	Senior HE, Parsons M, Kerse N et al. (2014) Promoting independence in frail older people: a randomised controlled trial of a restorative care service in New Zealand. <i>Age & Ageing</i> 43: 418-24
33.	Sridhar M, Taylor R, Dawson S et al. (2008) A nurse led intermediate care package in patients who have been hospitalised with an acute exacerbation of chronic obstructive pulmonary disease. <i>Thorax</i> 63: 194-200
34.	Sunnerhagen KS, Danielsson A, Rafsten L et al. (2013) Gothenburg very early supported discharge study (GOTVED) NCT01622205: a block randomized trial with superiority design of very early supported discharge for patients with stroke. <i>BMC Neurology</i> 13: 66
35.	Vester-Andersen M, Waldau T, Wetterslev J et al. (2015) Randomized multicentre feasibility trial of intermediate care versus standard ward care after emergency abdominal surgery (InCare trial). <i>British Journal of Surgery</i> 102: 619-29
36.	Vidán M, Serra J A, Moreno C et al. (2005) Efficacy of a comprehensive geriatric intervention in older patients hospitalized for hip fracture: a randomized, controlled trial. <i>Journal of the American Geriatrics Society</i> 53: 1476-82
37.	Walsh TS, Salisbury LG, Merriweather JL et al. (2015) Increased Hospital-Based Physical Rehabilitation and Information Provision After Intensive Care Unit Discharge: The RECOVER Randomized Clinical Trial. <i>JAMA Internal Medicine</i> 175: 901-10

38.	Yohannes AM, Koenig HG, Baldwin RC et al. (2008) Health behaviour, depression and religiosity in older patients admitted to intermediate care. <i>International Journal of Geriatric Psychiatry</i> 23: 735-40
39.	Ytterberg C, Thorsen AM, Liljedahl M et al. (2010) Changes in perceived health between one and five years after stroke: a randomized controlled trial of early supported discharge with continued rehabilitation at home versus conventional rehabilitation. <i>Journal of the Neurological Sciences</i> 294: 86-8
40.	Zhu QM, Liu J, Hu HY et al. (2015) Effectiveness of nurse-led early discharge planning programmes for hospital inpatients with chronic disease or rehabilitation needs: a systematic review and meta-analysis. <i>Journal of Clinical Nursing</i> 24: 2993-3005
41.	Zwisler AO, Schou L, Soja AMB et al. (2005) A randomized clinical trial of hospital-based, comprehensive cardiac rehabilitation versus usual care for patients with congestive heart failure, ischemic heart disease, or high risk of ischemic heart disease (the DANREHAB trial)--design, intervention, and population. <i>The American Heart Journal</i> 150: 899e27-16

BB: Excluded on second screening on evidence type

No.	Study details
1.	Chan DK, Cordato D, O'Rourke F et al. (2013) Comprehensive stroke units: a review of comparative evidence and experience. <i>International Journal of Stroke</i> 8: 260-4
2.	Langhorne P, Holmqvist L for the Early Supported Discharge Trialists (2007) Early supported discharge after stroke. <i>Journal of Rehabilitation Medicine</i> 39: 103-8
3.	Sletvold O, Helbostad JL, Thingstad P et al. (2011) Effect of in-hospital comprehensive geriatric assessment (CGA) in older people with hip fracture. The protocol of the Trondheim Hip Fracture trial. <i>BMC Geriatrics</i> 11: 18
4.	Stevenson D (2005) Review: early supported discharge reduces death or dependence after stroke. <i>Evidence Based Nursing</i> 8: 118-118
5.	Turner-Stokes L (2008) Evidence for the effectiveness of multi-disciplinary rehabilitation following acquired brain injury: a synthesis of two systematic approaches. <i>Journal of Rehabilitation Medicine</i> 40: 691-701
6.	Vluggen P, van Haastregt JC, Verbunt JA et al. (2012) Multidisciplinary transmural rehabilitation for older persons with a stroke: the design of a randomised controlled trial. <i>BMC Neurology</i> 12:164: 1-8

Research Question 3 – Crisis response (CR)

CR: Excluded on second screening on intervention

No.	Study details
1.	Althaus F, Paroz S, Hugli O et al. (2011) Effectiveness of interventions targeting frequent users of emergency departments: A systematic review. <i>Annals of Emergency Medicine</i> 58: 41-52
2.	Moran A, Nancarrow S, Enderby P (2015) Mechanisms to enhance the effectiveness of allied health and social care assistants in community-based rehabilitation services: a qualitative study. <i>Health and Social Care in the Community</i> 23: 389-98

3.	Boyd M, Armstrong D, Parker J et al. (2014). Do gerontology nurse specialists make a difference in hospitalization of long-term care residents? Results of a randomized comparison trial. <i>Journal of the American Geriatrics Society</i> 62: 1962-7
4.	Hart E, Lymbery M, Gladman Jr. (2005) Away from home: an ethnographic study of a transitional rehabilitation scheme for older people in the UK. <i>Social Science and Medicine</i> 60: 1241-50
5.	Hillman K, Chen J, Cretikos M et al. (2005) Introduction of the medical emergency team (MET) system: a cluster-randomised controlled trial. <i>Lancet (London)</i> 365: 2091-7
6.	Hogg W, Lemelin J, Dahrouge S et al. (2009) Randomized controlled trial of Anticipatory and Preventive multidisciplinary Team Care. <i>Canadian Family Physician</i> , 55(12 e76-e85): e76-85
7.	Huby G, and Rees G (2005) The effectiveness of quality improvement tools: joint working in integrated community teams. <i>International Journal for Quality in Health Care</i> 17: 53-8
8.	Hill J and Wilson E (2011) Managing medical crises: the experiences of people affected by Motor Neurone Disease and their carers. <i>Journal of Care Services Management</i> 5: 190-99
9.	Billingsley K, Stirling B, Pelham B et al. (2008) Costs and health outcomes of intermediate care: results from five UK case study sites. <i>Health and Social Care in the Community</i> 16: 573-81
10.	Martin GP, Hewitt GJ, Faulkner TA (2007) The organisation, form and function of intermediate care services and systems in England. <i>Health and Social Care in the Community</i> 15: 146–54
11.	Melby V and Ryan A (2005) Caring for Older People in Prehospital Emergency Care: Can Nurses Make a Difference? <i>Journal of Clinical Nursing</i> 14: 1141-50
12.	Melis RJ, van Eijken M, Teerenstra T et al. (2008) Multidimensional Geriatric Assessment: Multidimensional Geriatric Assessment: Back to the Future A Randomized Study of a Multidisciplinary Program to Intervene on Geriatric Syndromes in Vulnerable Older People Who Live at Home (Dutch EASYcare Study). <i>The Journal of Gerontology, Series A, Biological Sciences and Medical Sciences</i> 63(3): 283-90
13.	Miani C, Ball S, Pitchforth E et al. (2014) Organisational interventions to reduce length of stay in hospital: a rapid evidence assessment. <i>Health Service Delivery Research</i> 2014: 2(52)
14.	Novak I (2011) Effective home programme intervention for adults: A systematic review. <i>Clinical Rehabilitation</i> 25: 1066-85
15.	Martin G, Hewitt G, Faulkner T et al. (2007) The organisation, form and function of intermediate care services and systems in England: results from a national survey. <i>Health and Social Care in the Community</i> 15: 146-54
16.	Parsons M, Senior HE, Kerse N et al. (2012) The Assessment of Services Promoting Independence and Recovery in Elders Trial (ASPIRE): a pre-planned meta-analysis of three independent randomised controlled trial evaluations of ageing in place initiatives in New Zealand. <i>Age & Ageing</i> 41 722-8
17.	Pericas JM, Aibar J, Soler N et al. (2013) Should alternatives to conventional hospitalisation be promoted in an era of financial constraint? <i>European Journal of Clinical Investigation</i> 43: 602-15
18.	Philp I, Mills K, Thanvi B et al. (2013) Reducing hospital bed use by frail older

	people: results from a systematic review of the literature. International Journal of Integrated Care 13: 1-19
19.	Simmonds RL, Shaw A, Purdy S (2012) Factors influencing professional decision making on unplanned hospital admission: A qualitative study. British Journal of General Practice 62: e750-e756
20.	Thwaites R, Glasby J, le Mesurier N et al. (2015) Room for one more? A review of the literature on 'inappropriate' admissions to hospital for older people in the English NHS. Health & Social Care in the Community: 1-10

CR: Excluded on second screening on evidence type

No.	Study details
1.	Ariss SM, Enderby PM, Smith T et al. (2015) Secondary analysis and literature review of community rehabilitation and intermediate care : an information resource. Health Service Delivery Research 2015: 3(1)
2.	King's Fund (2013) Case study: Rapid Support Close to home in times of crisis: Urgent Care @ Home – a thoroughly integrated success
3.	Chamberlain C (2003) A multidisciplinary approach to intermediate care. Journal of Community Nursing 17(6): 14-16
4.	Department of Health (2008) Crisis response services
5.	Mani S, Bertfield D, Ritchie A et al. (2014) Emergency admission prevention: Data from 619 patients referred to a new community based admissions avoidance scheme integrating health and social care. Age & ageing 43 (Supp)(2): ii1-ii1
6.	Monitor (2015) Moving healthcare closer to home: financial impacts. London: Monitor
7.	Monitor (2015) Moving healthcare closer to home case studies: admission avoidance. London: Monitor
8.	Moore J (2007) Networks and governance : the case of intermediate care 15: 155-64
9.	Network NHS Benchmarking (2014) National audit of intermediate care: summary report 2014. Manchester: NHS Benchmarking Network
10.	Quinn D (2011) A collaborative care pathway to reduce multiple sclerosis admissions to secondary care. British Journal of Neuroscience Nursing 7(2): 497-99
11.	Rose S (2013) The future of ambulatory emergency medical care. British Journal of Hospital Medicine 74: 72-6

Research Question 4 – Reablement (RA)

RA: Excluded on second screening on duplicate

No.	Study details
1.	Lewin G, San Miguel K, Knuiman M et al. (2013) A randomised controlled trial of the Home Independence Program, an Australian restorative home-care programme for older adults. Health & Social Care in the Community 21: 69-78

2.	SPRU, University of York and PSSRU, University of Kent (2010) Homecare reablement prospective longitudinal study: final report
----	--

RA: Excluded on second screening on intervention

No.	Study details
1.	Baker D, Gottschalk M, Eng C (2001) The design and implementation of a restorative model for home care. <i>Gerontologist</i> 41(2): 257-63
2.	Burton E, Lewin G, Clemson L et al. (2014) Determining the Feasibility of a Lifestyle Activity Program for Inclusion in a Restorative Home Care Service: A Pilot Study. <i>Activities, and Adaptation and Aging</i> 38: 79-93
3.	King A, Parsons M, Robinson E et al. (2012) Assessing the impact of a restorative home care service in New Zealand: a cluster randomised controlled trial. <i>Health & Social Care in the Community</i> 20: 365–74
4.	Parsons J (2011) Goal setting as a feature of homecare services for older people: does it make a difference? <i>Age Ageing</i> 45: 24-9
5.	Parsons J and Parsons M (2013) The effect of a designated tool on person-centred goal identification and service planning among older people receiving homecare in New Zealand. <i>Health and Social Care in the Community</i> 20: 653–62
6.	Resnick B, Simpson M, Bercovitz A et al. (2006) Pilot testing of the Restorative Care Intervention: impact on residents. <i>Journal of Gerontological nursing</i> 32: 39-47
7.	Senior HE, Parsons M, Ngaire K et al. (2014) Promoting independence in frail older people: a randomised controlled trial of a restorative care service in New Zealand. <i>Age and Ageing</i> 43: 418-24
8.	Treacy S, Reidy H and Webber M (2015) Evaluation of the Croydon reablement service: London Borough of Croydon; South London and Maudsley NHS Foundation Trust; The University of York

RA: Excluded on second screening on outcomes

No.	Study details
1.	Benjamin K, Edwards N, Ploeg J et al. (2014) Barriers to physical activity and restorative care for residents in long-term care: A review of the literature. <i>Journal of Aging and Physical Activity</i> 22: 154-65
2.	Burton E, Lewin G, Boldy D (2013). Physical activity levels of older adults receiving a home care service. <i>Journal of Aging & Physical Activity</i> 21: 140-54
3.	Burton E, Lewin G, Clemson L et al. (2014) Long-term Benefits of a Lifestyle Exercise Program for Older People Receiving a Restorative Home Care Service: A Pragmatic Randomized Controlled Trial. <i>Healthy Aging and Clinical Care in the Elderly</i> 6

RA: Excluded on second screening on evidence type

No.	Study details
1.	Coster C, Lewin G, Vandermeulen S (2006) Programs to promote independence at home: how effective are they? <i>Generations Review</i> 24-26

2.	Cochrane A, McGilloway S, Furlong M et al. (2013) Home-care 're-ablement' services for maintaining and improving older adults' functional independence (Protocol). Cochrane Database of Systematic Reviews: Issue 11
3.	Glendinning C and Newbrunner E (2008) The effectiveness of home care reablement -- developing the evidence base. Journal of Integrated Care 16: 32-40
4.	Nadash P and Feldman PH (2003) The Effectiveness of a "Restorative" Model of Care for Home Care Patients. Home Healthcare Nurse 21: 421-3
5.	Rabiee P, Glendinning C, Arksey et al. (2009) Investigating the longer term impact of home care re-ablement services: the organisation and content of home care re-ablement services: interim report. University of York: York
6.	Ryburn B, Wells Y, Foreman P (2009). Enabling independence: restorative approaches to home care provision for frail older adults. Health & Social Care in the Community 17: 225–34
7.	Whitehead PJ et al. (2013) Interventions to reduce dependency in personal activities of daily living in community-dwelling adults who use homecare services: protocol for a systematic review. Systematic Reviews 2:49:1-7
8.	Whitehead PJ, Worthington EJ, Parry RH et al. (2015) Interventions to reduce dependency in personal activities of daily living in community dwelling adults who use homecare services: a systematic review. Clinical Rehabilitation 29: 1064-76

Research Question 5 – intermediate care & reablement for people with dementia (DE)

DE: Excluded on second screening on intervention

No.	Study details
1.	Nazarko L (2012) Intermediate care: the nursing contribution. Nurse Prescribing 10: 508-12
2.	Social Care Institute For Excellence (2005) SCIE research briefing 12: involving individual older patients and their carers in the discharge process from acute to community care: implications for intermediate care. SCIE
3.	Rozzini L, Cornali C, Vicini Chilovi B et al. (2006). Predictors of institutionalization in demented patients discharged from a rehabilitation unit. Journal of the American Medical Directors Association 7: 345-9

DE: Excluded on second screening on evidence type:

No.	Study details
1.	Blood I (2015) Enablement in dementia. Totnes: Research in Practice for Adults: 23
2.	Sherratt C and Younger-Ross S (2004) Out of sight out of mind. Community Care (29.4.04): 40-1
3.	Garrett D and Cowdell F (2005) Physical rehabilitation for patients with dementia: Reality and research - The missing links. CME Journal Geriatric Medicine 7: 38-44

4.	Macintyre G and Stewart A (2011) National performance indicator: increase the percentage of people aged 65 and over with high levels of care needs who are cared for at home: summary. Institute for Research and Innovation in Social Services: Glasgow. Institute for Research and Innovation in Social Services
----	--

Research Question 6 – Information, advice, advocacy and training for IC&R (IN)

IN: Excluded on second screening on intervention

No.	Study details
1.	Aguirrezabal A, Duarte E, Rueda N et al. (2013) Effects of information and training provision in satisfaction of patients and carers in stroke rehabilitation 33: 639-47
2.	Neal D (2009) Groupwork to support self care after stroke. Groupwork 19: 101-20
3.	Dyer K and Roshan N (2014) Talking about sex after traumatic brain injury: perceptions and experiences of multidisciplinary rehabilitation professionals. Disability and Rehabilitation 36: 1431-8
4.	Foster M, Allen S, Fleming J (2015) Unmet health and rehabilitation needs of people with long-term neurological conditions in Queensland, Australia. Health & Social Care in the Community 23: 292-303
5.	Gremeaux V, Durand S, Benaim C et al. (2013) Evaluation of various ways to deliver information concerning non-steroidal anti-inflammatory drugs to osteoarthritis patients 56: 14-29
6.	Helland CB, Holmoy T, Gulbrandsen P (2015) Barriers and Facilitators Related to Rehabilitation Stays in Multiple Sclerosis: A Qualitative Study. International journal of MS care 17: 122-9
7.	Hunter EG, Dignan M, Shalash S (2012) Evaluating allied health inpatient rehabilitation educational materials in terms of health literacy. Journal of allied health 41: e33-7
8.	King D and Curtin M (2014) Occupational therapists' use of advocacy in brain injury rehabilitation settings. Australian Occupational Therapy Journal 61: 446-57
9.	Kuipers P, Foster M, Smith S et al. (2009) Using ICF-Environment factors to enhance the continuum of outpatient ABI rehabilitation: An exploratory study. Disability and Rehabilitation 31: 144-51
10.	Magasi S, Durkin E, Wolf MS et al. (2009) Rehabilitation consumers' use and understanding of quality information: a health literacy perspective. Archives of physical medicine and rehabilitation 90: 206-12
11.	Martinsen R and Moen A (2010) Unmet information and communication needs in the intermediate recovery from coronary artery bypass surgery. Nordic Journal of Nursing Research & Clinical Studies / Vård i Norden 30: 15-9
12.	Palmadottir G (2010) The role of occupational participation and environment among Icelandic women with breast cancer: A qualitative study. Scandinavian Journal of Occupational Therapy 17: 299-307
13.	Warner G, Packer T, Villeneuve M et al. (2015) A systematic review of the effectiveness of stroke self-management programs for improving function and participation outcomes: self-management programs for stroke survivors.

Disability and rehabilitation 37: 2141-63

IN: Excluded on second screening on evidence type

No.	Study details
1.	Steven A (2014) National audit for intermediate care: patient reported experiences. School of Health & Related Research, University of Sheffield: Sheffield

Research Question 7 – IC&R Service models (SM)

SM: Excluded on second screening on intervention

No.	Study details
1.	Joint Improvement, and Team (2015) Intermediate care: developing capacity in step up and step down beds. Edinburgh: Joint Improvement Team
2.	Moran A, Borthwick A, Buchan J et al. (2006) The impact of workforce flexibility on the costs and outcomes of older peoples' services: A policy and literature review. University of Sheffield, School of Health & Related Research
3.	McGory A (2014) A Review of the Intermediate Care Service. Warwickshire (Rugby) PPI Forum: Rugby

SM: Excluded on second screening on evidence types

No.	Study details
1.	Gladman J, Buckell J, Young J et al. (2016) Understanding the Models of Community Hospital rehabilitation Activity (MoCHA): a mixed method study. BMJ Open, In Press
2.	Howard Martin (2013) The Healthy Futures Rehabilitation, Enablement and Reablement Review: What can we learn from elsewhere? A review of innovative practice across the UK.: Bristol North Somerset South Gloucestershire NHS
3.	Hutchinson T, Young J, Forsyth D (2011) National pilot audit of intermediate care. Clin Med 11(2): 146-9
4.	Nancarrow SA, Moran AM, Parker SG (2009) Understanding service context: development of a service pro forma to describe and measure elderly peoples' community and intermediate care services. Health & Social Care in the Community 17: 434–46
5.	Nancarrow S, Moran A, Freeman J et al. (2009) Looking inside the black box of community rehabilitation and intermediate care teams in the United Kingdom: an audit of service and staffing configuration. Quality in Primary Care 17: 323-33
6.	Young J, Gladman JRF, Forsyth DR et al. (2015) The second national audit of intermediate care. Age and Ageing 44: 182-4

