

Dasatinib, nilotinib and imatinib for untreated chronic myeloid leukaemia

Information for the public

Published: 21 December 2016

www.nice.org.uk

What has NICE said?

Dasatinib (Sprycel), imatinib (Glivec) and nilotinib (Tasigna) are recommended as possible treatments for untreated, chronic-phase Philadelphia-chromosome-positive chronic myeloid leukaemia in adults.

What does this mean for me?

If you have chronic myeloid leukaemia, and your doctor thinks that dasatinib, imatinib or nilotinib is the right treatment, you should be able to have it on the NHS.

The condition and the treatments

Chronic myeloid leukaemia is a cancer of a type of white blood cell (called myeloid cells). These cells multiply in an uncontrolled way and stop other blood cells working properly. There are 3 main stages or 'phases' of the disease: the chronic phase (when most people

are diagnosed), and the accelerated and the blast-crisis phases. Most people with chronic myeloid leukaemia have an abnormal chromosome called the Philadelphia chromosome in their cancer cells (known as Philadelphia-chromosome-positive disease).

Dasatinib, imatinib and nilotinib stop cancer cells growing and multiplying. This slows down or stops the spread of the cancer.

[NHS Choices](#) may be a good place to find out more.

These organisations can give you advice and support:

- [Leukaemia CARE](#), 0808 8010 444
- [Bloodwise](#) (previously Leukaemia & Lymphoma Research), 0207 504 2200
- [Leukaemia Cancer Society](#), 0208 374 4821
- [CLL Support Association](#), 0800 977 4396
- [Cancer Research UK Patient Information](#), 0808 800 4040

NICE is not responsible for the quality or accuracy of any information or advice provided by these organisations.

ISBN: 978-1-978-1-4731-2239-0

Accreditation

