

**NATIONAL INSTITUTE FOR HEALTH AND CARE
EXCELLENCE**

HEALTH TECHNOLOGY APPRAISAL PROGRAMME

Equality impact assessment – Guidance development

STA Dostarlimab for previously treated advanced or recurrent endometrial cancer with high microsatellite instability or mismatch repair deficiency [ID3802]

The impact on equality has been assessed during this appraisal according to the principles of the NICE equality scheme.

Consultation

1. Have the potential equality issues identified during the scoping process been addressed by the committee, and, if so, how?
N/A
2. Have any other potential equality issues been raised in the submissions, expert statements or academic report, and, if so, how has the committee addressed these?
No
3. Have any other potential equality issues been identified by the committee, and, if so, how has the committee addressed these?
No
4. Do the preliminary recommendations make it more difficult in practice for a specific group to access the technology compared with other

Technology appraisals: Guidance development

Equality impact assessment for the single technology appraisal Dostarlimab for previously treated advanced or recurrent endometrial cancer with high microsatellite instability or mismatch repair deficiency [ID3802]

Issue date: 1 February 2022

groups? If so, what are the barriers to, or difficulties with, access for the specific group?
No

5. Is there potential for the preliminary recommendations to have an adverse impact on people with disabilities because of something that is a consequence of the disability?
No

6. Are there any recommendations or explanations that the committee could make to remove or alleviate barriers to, or difficulties with, access identified in questions 4 or 5, or otherwise fulfil NICE's obligations to promote equality?
N/A

7. Have the committee's considerations of equality issues been described in the appraisal consultation document, and, if so, where?
N/A

Approved by Associate Director (name): Henry Edwards

Date: 01/02/2022